



[Test mode:TX 802.11b High channel]; [Polarity: Vertical]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1	*	2483.500	42.64	-2.91	39.73	74.00	-34.27	peak
2		2500.000	42.47	-3.00	39.47	74.00	-34.53	peak

Test Result: Pass


[Test mode: TX 802.11g low channel]; [Polarity: Horizontal]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1	*	2310.000	44.84	-2.87	41.97	74.00	-32.03	peak
2		2390.000	43.61	-2.44	41.17	74.00	-32.83	peak

Test Result: Pass


[Test mode:TX 802.11g low channel]; [Polarity: Vertical]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		2310.000	42.53	-2.87	39.66	74.00	-34.34	peak
2	*	2390.000	43.33	-2.44	40.89	74.00	-33.11	peak

Test Result: Pass

[Test mode: TX 802.11g High channel]; [Polarity: Horizontal]



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		2483.500	44.13	-2.91	41.22	74.00	-32.78	peak
2	*	2500.000	46.49	-3.00	43.49	74.00	-30.51	peak

Test Result: Pass


[Test mode:TX 802.11g High channel]; [Polarity: Vertical]



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		2483.500	43.19	-2.91	40.28	74.00	-33.72	peak
2	*	2500.000	45.22	-3.00	42.22	74.00	-31.78	peak

Test Result: Pass


[Test mode: TX 802.11n20 low channel]; [Polarity: Horizontal]



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		2310.000	45.12	-2.87	42.25	74.00	-31.75	peak
2	*	2390.000	46.82	-2.44	44.38	74.00	-29.62	peak

Test Result: Pass


[Test mode:TX 802.11n20 low channel]; [Polarity: Vertical]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		2310.000	42.74	-2.87	39.87	74.00	-34.13	peak
2	*	2390.000	42.72	-2.44	40.28	74.00	-33.72	peak

Test Result: Pass


[Test mode: TX 802.11n20 High channel]; [Polarity: Horizontal]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1	*	2483.500	43.06	-2.91	40.15	74.00	-33.85	peak
2		2500.000	43.14	-3.00	40.14	74.00	-33.86	peak

Test Result: Pass


[Test mode:TX 802.11n20 High channel]; [Polarity: Vertical]



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		2483.500	41.17	-2.91	38.26	74.00	-35.74	peak
2	*	2500.000	42.46	-3.00	39.46	74.00	-34.54	peak

Test Result: Pass


[Test mode: TX 802.11n40 low channel]; [Polarity: Horizontal]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		2310.000	46.45	-2.87	43.58	74.00	-30.42	peak
2	*	2390.000	46.17	-2.44	43.73	74.00	-30.27	peak

Test Result: Pass


[Test mode:TX 802.11n40 low channel]; [Polarity: Vertical]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		2310.000	41.31	-2.87	38.44	74.00	-35.56	peak
2	*	2390.000	43.76	-2.44	41.32	74.00	-32.68	peak

Test Result: Pass


[Test mode: TX 802.11n40 High channel]; [Polarity: Horizontal]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1	*	2483.500	45.49	-2.91	42.58	74.00	-31.42	peak
2		2500.000	43.58	-3.00	40.58	74.00	-33.42	peak

Test Result: Pass

[Test mode:TX 802.11n40 High channel]; [Polarity: Vertical]



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		2483.500	43.59	-2.91	40.68	74.00	-33.32	peak
2	*	2500.000	45.40	-3.00	42.40	74.00	-31.60	peak

Test Result: Pass

7 Appendix A


7.1 Maximum Peak Conducted power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-0.667	30	Pass
NVNT	b	2437	Ant1	0.695	30	Pass
NVNT	b	2462	Ant1	1.134	30	Pass
NVNT	g	2412	Ant1	-1.192	30	Pass
NVNT	g	2437	Ant1	0.424	30	Pass
NVNT	g	2462	Ant1	0.589	30	Pass
NVNT	n20	2412	Ant1	-0.572	30	Pass
NVNT	n20	2437	Ant1	0.023	30	Pass
NVNT	n20	2462	Ant1	0.089	30	Pass
NVNT	n40	2422	Ant1	-0.969	30	Pass
NVNT	n40	2437	Ant1	1.18	30	Pass
NVNT	n40	2452	Ant1	1.418	30	Pass


7.2 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	9.577	0.5	Pass
NVNT	b	2437	Ant1	9.901	0.5	Pass
NVNT	b	2462	Ant1	9.437	0.5	Pass
NVNT	g	2412	Ant1	16.384	0.5	Pass
NVNT	g	2437	Ant1	16.091	0.5	Pass
NVNT	g	2462	Ant1	16.246	0.5	Pass
NVNT	n20	2412	Ant1	17.575	0.5	Pass
NVNT	n20	2437	Ant1	17.005	0.5	Pass
NVNT	n20	2462	Ant1	17.389	0.5	Pass
NVNT	n40	2422	Ant1	35.689	0.5	Pass
NVNT	n40	2437	Ant1	35.631	0.5	Pass
NVNT	n40	2452	Ant1	35.622	0.5	Pass


-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1



-6dB Bandwidth NVNT n20 2462MHz Ant1



-6dB Bandwidth NVNT n40 2422MHz Ant1



-6dB Bandwidth NVNT n40 2437MHz Ant1