




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-55.07	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-54.85	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-54.77	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-54.76	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-55.32	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-54.75	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-29.66	<=-20	Pass
NVNT	1-DH5	2441	-30.64	<=-20	Pass
NVNT	1-DH5	2480	-29.65	<=-20	Pass
NVNT	2-DH5	2402	-33.5	<=-20	Pass
NVNT	2-DH5	2441	-31.36	<=-20	Pass
NVNT	2-DH5	2480	-34.49	<=-20	Pass
NVNT	3-DH5	2402	-32.33	<=-20	Pass
NVNT	3-DH5	2441	-32.79	<=-20	Pass
NVNT	3-DH5	2480	-25.03	<=-20	Pass





























Right Dwell Time


Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.403	127.348	316	31600	<=400	Pass
NVNT	1-DH3	2441	1.656	255.024	154	31600	<=400	Pass
NVNT	1-DH5	2441	2.906	319.66	110	31600	<=400	Pass
NVNT	2-DH1	2441	0.412	128.956	313	31600	<=400	Pass
NVNT	2-DH3	2441	1.664	269.568	162	31600	<=400	Pass
NVNT	2-DH5	2441	2.912	331.968	114	31600	<=400	Pass
NVNT	3-DH1	2441	0.414	131.238	317	31600	<=400	Pass
NVNT	3-DH3	2441	1.664	267.904	161	31600	<=400	Pass
NVNT	3-DH5	2441	2.916	300.348	103	31600	<=400	Pass





























Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	-0.55	<=30	Pass
NVNT	1-DH5	2441	-0.64	<=30	Pass
NVNT	1-DH5	2480	-1.19	<=30	Pass
NVNT	2-DH5	2402	0.24	<=21	Pass
NVNT	2-DH5	2441	0.13	<=21	Pass
NVNT	2-DH5	2480	-0.46	<=21	Pass
NVNT	3-DH5	2402	0.74	<=21	Pass
NVNT	3-DH5	2441	0.64	<=21	Pass
NVNT	3-DH5	2480	0.02	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9528	Pass
NVNT	1-DH5	2441	0.9791	Pass
NVNT	1-DH5	2480	0.9751	Pass
NVNT	2-DH5	2402	1.2786	Pass
NVNT	2-DH5	2441	1.3371	Pass
NVNT	2-DH5	2480	1.2813	Pass
NVNT	3-DH5	2402	1.2929	Pass
NVNT	3-DH5	2441	1.2745	Pass
NVNT	3-DH5	2480	1.2973	Pass

















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.838	2403.174	1.336	≥ 0.953	Pass
NVNT	1-DH5	2440.832	2442.168	1.336	≥ 0.980	Pass
NVNT	1-DH5	2478.842	2479.838	0.996	≥ 0.975	Pass
NVNT	2-DH5	2401.849	2402.83	0.981	≥ 0.852	Pass
NVNT	2-DH5	2440.849	2442.196	1.347	≥ 0.891	Pass
NVNT	2-DH5	2478.858	2480.004	1.146	≥ 0.854	Pass
NVNT	3-DH5	2402.002	2402.878	0.876	≥ 0.862	Pass
NVNT	3-DH5	2440.864	2441.869	1.005	≥ 0.85	Pass
NVNT	3-DH5	2478.843	2479.959	1.116	≥ 0.865	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-53.34	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-53.32	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-52.43	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-52.8	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-46.68	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-47.66	<=-20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-55.21	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-53.18	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-54.83	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-53.12	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-53.33	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-53.3	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-29.96	<=-20	Pass
NVNT	1-DH5	2441	-29.91	<=-20	Pass
NVNT	1-DH5	2480	-30.18	<=-20	Pass
NVNT	2-DH5	2402	-30.05	<=-20	Pass
NVNT	2-DH5	2441	-24.17	<=-20	Pass
NVNT	2-DH5	2480	-30.62	<=-20	Pass
NVNT	3-DH5	2402	-33.47	<=-20	Pass
NVNT	3-DH5	2441	-34.52	<=-20	Pass
NVNT	3-DH5	2480	-33.86	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****