
















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.44	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-42.96	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-48.28	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-48.55	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-53.29	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-53.22	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-45.5	<=-20	Pass
NVNT	1-DH5	2441	-44.86	<=-20	Pass
NVNT	1-DH5	2480	-45.1	<=-20	Pass
NVNT	2-DH5	2402	-41	<=-20	Pass
NVNT	2-DH5	2441	-40.14	<=-20	Pass
NVNT	2-DH5	2480	-41	<=-20	Pass
NVNT	3-DH5	2402	-38.96	<=-20	Pass
NVNT	3-DH5	2441	-42.67	<=-20	Pass
NVNT	3-DH5	2480	-42.47	<=-20	Pass



























**Right****Dwell Time**


Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.38	120.84	318	31600	<=400	Pass
NVNT	1-DH3	2441	1.636	250.308	153	31600	<=400	Pass
NVNT	1-DH5	2441	2.885	276.96	96	31600	<=400	Pass
NVNT	2-DH1	2441	0.389	123.702	318	31600	<=400	Pass
NVNT	2-DH3	2441	1.642	251.226	153	31600	<=400	Pass
NVNT	2-DH5	2441	2.889	274.455	95	31600	<=400	Pass
NVNT	3-DH1	2441	0.389	124.091	319	31600	<=400	Pass
NVNT	3-DH3	2441	1.64	259.12	158	31600	<=400	Pass
NVNT	3-DH5	2441	2.891	303.555	105	31600	<=400	Pass




























Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	-3.05	<=30	Pass
NVNT	1-DH5	2441	-3.23	<=30	Pass
NVNT	1-DH5	2480	-2.52	<=30	Pass
NVNT	2-DH5	2402	-0.82	<=21	Pass
NVNT	2-DH5	2441	-1.08	<=21	Pass
NVNT	2-DH5	2480	-0.39	<=21	Pass
NVNT	3-DH5	2402	-0.67	<=21	Pass
NVNT	3-DH5	2441	-0.69	<=21	Pass
NVNT	3-DH5	2480	-0.02	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9579	Pass
NVNT	1-DH5	2441	0.9517	Pass
NVNT	1-DH5	2480	0.9574	Pass
NVNT	2-DH5	2402	1.4923	Pass
NVNT	2-DH5	2441	1.4919	Pass
NVNT	2-DH5	2480	1.5187	Pass
NVNT	3-DH5	2402	1.4748	Pass
NVNT	3-DH5	2441	1.4876	Pass
NVNT	3-DH5	2480	1.4767	Pass

















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.838	2403.142	1.304	≥ 0.958	Pass
NVNT	1-DH5	2440.814	2441.81	0.996	≥ 0.952	Pass
NVNT	1-DH5	2478.84	2479.824	0.984	≥ 0.957	Pass
NVNT	2-DH5	2401.891	2403.055	1.164	≥ 0.995	Pass
NVNT	2-DH5	2440.819	2441.845	1.026	≥ 0.995	Pass
NVNT	2-DH5	2478.843	2480.049	1.206	≥ 1.012	Pass
NVNT	3-DH5	2401.813	2402.965	1.152	≥ 0.983	Pass
NVNT	3-DH5	2440.78	2441.815	1.035	≥ 0.982	Pass
NVNT	3-DH5	2478.99	2480.097	1.107	≥ 0.984	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-43.53	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-40.09	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-47.84	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-51.96	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-46.55	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-38.83	<=-20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-52.51	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-54.37	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-52.16	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-51.71	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-52.32	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-54.31	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-42.54	<=-20	Pass
NVNT	1-DH5	2441	-41.96	<=-20	Pass
NVNT	1-DH5	2480	-43.6	<=-20	Pass
NVNT	2-DH5	2402	-41.78	<=-20	Pass
NVNT	2-DH5	2441	-40.78	<=-20	Pass
NVNT	2-DH5	2480	-42.74	<=-20	Pass
NVNT	3-DH5	2402	-41.44	<=-20	Pass
NVNT	3-DH5	2441	-42	<=-20	Pass
NVNT	3-DH5	2480	-41.41	<=-20	Pass























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****