





Tx. Spurious NVNT 1-DH5 2441MHz Ref




Tx. Spurious NVNT 1-DH5 2441MHz Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ref




Tx. Spurious NVNT 1-DH5 2480MHz Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ref




Tx. Spurious NVNT 2-DH5 2402MHz Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ref




Tx. Spurious NVNT 2-DH5 2441MHz Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ref





Tx. Spurious NVNT 2-DH5 2480MHz Emission




**Right****1. Dwell Time**

Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.383	121.411	317	31600	<=400	Pass
NVNT	1-DH3	2441	1.639	265.518	162	31600	<=400	Pass
NVNT	1-DH5	2441	2.887	294.474	102	31600	<=400	Pass
NVNT	2-DH1	2441	0.392	124.264	317	31600	<=400	Pass
NVNT	2-DH3	2441	1.644	282.768	172	31600	<=400	Pass
NVNT	2-DH5	2441	2.892	300.768	104	31600	<=400	Pass












Dwell NVNT 2-DH1 2441MHz One Burst



Dwell NVNT 2-DH1 2441MHz Accumulated








Dwell NVNT 2-DH5 2441MHz One Burst




Dwell NVNT 2-DH5 2441MHz Accumulated







2. Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	-0.82	≤ 21	Pass
NVNT	1-DH5	2441	0.12	≤ 21	Pass
NVNT	1-DH5	2480	-1.28	≤ 21	Pass
NVNT	2-DH5	2402	-2.37	≤ 21	Pass
NVNT	2-DH5	2441	-1.64	≤ 21	Pass
NVNT	2-DH5	2480	-2.25	≤ 21	Pass














3. -20dB Bandwidth

Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9495	Pass
NVNT	1-DH5	2441	0.9485	Pass
NVNT	1-DH5	2480	0.9451	Pass
NVNT	2-DH5	2402	1.2776	Pass
NVNT	2-DH5	2441	1.2763	Pass
NVNT	2-DH5	2480	1.3395	Pass




**-20dB Bandwidth NVNT 1-DH5 2480MHz****-20dB Bandwidth NVNT 2-DH5 2402MHz**


**-20dB Bandwidth NVNT 2-DH5 2441MHz****-20dB Bandwidth NVNT 2-DH5 2480MHz**




4. Carrier Frequencies Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402.098	2402.83	0.732	≥ 0.633	Pass
NVNT	1-DH5	2440.818	2442.15	1.332	≥ 0.632	Pass
NVNT	1-DH5	2478.834	2479.804	0.97	≥ 0.63	Pass
NVNT	2-DH5	2401.828	2402.806	0.978	≥ 0.852	Pass
NVNT	2-DH5	2440.849	2441.836	0.987	≥ 0.851	Pass
NVNT	2-DH5	2479.065	2480.055	0.99	≥ 0.893	Pass










5. Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass




Test Graphs

Hopping No. NVNT 1-DH5 Hopping



Hopping No. NVNT 2-DH5 Hopping





6. Band Edge

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-41.05	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-47.83	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-42.86	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-47.36	≤ -20	Pass



