


















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-52.24	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-53.53	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-53.78	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-52.37	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-54.52	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-53.89	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-34.05	<=-20	Pass
NVNT	1-DH5	2441	-35.01	<=-20	Pass
NVNT	1-DH5	2480	-36.54	<=-20	Pass
NVNT	2-DH5	2402	-38.65	<=-20	Pass
NVNT	2-DH5	2441	-35.37	<=-20	Pass
NVNT	2-DH5	2480	-38.94	<=-20	Pass
NVNT	3-DH5	2402	-38.36	<=-20	Pass
NVNT	3-DH5	2441	-35.29	<=-20	Pass
NVNT	3-DH5	2480	-33.45	<=-20	Pass





























Right Dwell Time


Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.404	128.068	317	31600	<=400	Pass
NVNT	1-DH3	2441	1.658	252.016	152	31600	<=400	Pass
NVNT	1-DH5	2441	2.908	296.616	102	31600	<=400	Pass
NVNT	2-DH1	2441	0.414	131.238	317	31600	<=400	Pass
NVNT	2-DH3	2441	1.666	249.9	150	31600	<=400	Pass
NVNT	2-DH5	2441	2.914	294.314	101	31600	<=400	Pass
NVNT	3-DH1	2441	0.415	131.555	317	31600	<=400	Pass
NVNT	3-DH3	2441	1.666	254.898	153	31600	<=400	Pass
NVNT	3-DH5	2441	2.916	306.18	105	31600	<=400	Pass





























Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	-1.33	<=30	Pass
NVNT	1-DH5	2441	-1.92	<=30	Pass
NVNT	1-DH5	2480	-1.94	<=30	Pass
NVNT	2-DH5	2402	-0.68	<=21	Pass
NVNT	2-DH5	2441	-1.08	<=21	Pass
NVNT	2-DH5	2480	-1.12	<=21	Pass
NVNT	3-DH5	2402	-0.19	<=21	Pass
NVNT	3-DH5	2441	-0.63	<=21	Pass
NVNT	3-DH5	2480	-0.62	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9503	Pass
NVNT	1-DH5	2441	0.9558	Pass
NVNT	1-DH5	2480	0.9536	Pass
NVNT	2-DH5	2402	1.2657	Pass
NVNT	2-DH5	2441	1.3197	Pass
NVNT	2-DH5	2480	1.3179	Pass
NVNT	3-DH5	2402	1.3012	Pass
NVNT	3-DH5	2441	1.2559	Pass
NVNT	3-DH5	2480	1.2989	Pass
















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.83	2402.83	1	≥ 0.950	Pass
NVNT	1-DH5	2441.164	2442.174	1.01	≥ 0.956	Pass
NVNT	1-DH5	2478.832	2480.168	1.336	≥ 0.953	Pass
NVNT	2-DH5	2402.188	2403.169	0.981	≥ 0.844	Pass
NVNT	2-DH5	2441.248	2442.16	0.912	≥ 0.88	Pass
NVNT	2-DH5	2478.768	2480.169	1.401	≥ 0.879	Pass
NVNT	3-DH5	2401.738	2402.986	1.248	≥ 0.867	Pass
NVNT	3-DH5	2440.996	2442.154	1.158	≥ 0.837	Pass
NVNT	3-DH5	2479.002	2480.133	1.131	≥ 0.866	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-49.71	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-52.85	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-45.95	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-50.32	≤ -20	Pass
NVNT	3-DH5	2402	No-Hopping	-53.37	≤ -20	Pass
NVNT	3-DH5	2480	No-Hopping	-52.19	≤ -20	Pass



















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.63	≤ -20	Pass
NVNT	1-DH5	2480	Hopping	-53.46	≤ -20	Pass
NVNT	2-DH5	2402	Hopping	-54.27	≤ -20	Pass
NVNT	2-DH5	2480	Hopping	-51.09	≤ -20	Pass
NVNT	3-DH5	2402	Hopping	-54.35	≤ -20	Pass
NVNT	3-DH5	2480	Hopping	-53.01	≤ -20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-40.47	<=-20	Pass
NVNT	1-DH5	2441	-40.24	<=-20	Pass
NVNT	1-DH5	2480	-41.8	<=-20	Pass
NVNT	2-DH5	2402	-39.18	<=-20	Pass
NVNT	2-DH5	2441	-41.42	<=-20	Pass
NVNT	2-DH5	2480	-42.73	<=-20	Pass
NVNT	3-DH5	2402	-37.11	<=-20	Pass
NVNT	3-DH5	2441	-43.3	<=-20	Pass
NVNT	3-DH5	2480	-39.95	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****