
























Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-38.04	<=-20	Pass
NVNT	1-DH5	2441	-39.3	<=-20	Pass
NVNT	1-DH5	2480	-37.22	<=-20	Pass
NVNT	2-DH5	2402	-36.32	<=-20	Pass
NVNT	2-DH5	2441	-37.26	<=-20	Pass
NVNT	2-DH5	2480	-35.21	<=-20	Pass
NVNT	3-DH5	2402	-34.79	<=-20	Pass
NVNT	3-DH5	2441	-36.87	<=-20	Pass
NVNT	3-DH5	2480	-34.72	<=-20	Pass





























Right Dwell Time


Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.383	122.177	319	31600	<=400	Pass
NVNT	1-DH3	2441	1.638	258.804	158	31600	<=400	Pass
NVNT	1-DH5	2441	2.887	329.118	114	31600	<=400	Pass
NVNT	2-DH1	2441	0.392	124.264	317	31600	<=400	Pass
NVNT	2-DH3	2441	1.644	254.82	155	31600	<=400	Pass
NVNT	2-DH5	2441	2.892	303.66	105	31600	<=400	Pass
NVNT	3-DH1	2441	0.392	123.872	316	31600	<=400	Pass
NVNT	3-DH3	2441	1.643	284.239	173	31600	<=400	Pass
NVNT	3-DH5	2441	2.894	312.552	108	31600	<=400	Pass






























Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	0.52	<=30	Pass
NVNT	1-DH5	2441	0.55	<=30	Pass
NVNT	1-DH5	2480	-0.02	<=30	Pass
NVNT	2-DH5	2402	-2.02	<=21	Pass
NVNT	2-DH5	2441	-1.98	<=21	Pass
NVNT	2-DH5	2480	-2.6	<=21	Pass
NVNT	3-DH5	2402	-1.57	<=21	Pass
NVNT	3-DH5	2441	-1.6	<=21	Pass
NVNT	3-DH5	2480	-2.22	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9493	Pass
NVNT	1-DH5	2441	0.948	Pass
NVNT	1-DH5	2480	0.9411	Pass
NVNT	2-DH5	2402	1.2814	Pass
NVNT	2-DH5	2441	1.2782	Pass
NVNT	2-DH5	2480	1.3061	Pass
NVNT	3-DH5	2402	1.3017	Pass
NVNT	3-DH5	2441	1.3098	Pass
NVNT	3-DH5	2480	1.2881	Pass

















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.834	2402.85	1.016	≥ 0.949	Pass
NVNT	1-DH5	2440.858	2441.856	0.998	≥ 0.948	Pass
NVNT	1-DH5	2478.854	2479.844	0.99	≥ 0.941	Pass
NVNT	2-DH5	2401.849	2402.845	0.996	≥ 0.854	Pass
NVNT	2-DH5	2440.987	2442.028	1.041	≥ 0.852	Pass
NVNT	2-DH5	2478.87	2479.884	1.014	≥ 0.871	Pass
NVNT	3-DH5	2401.885	2402.968	1.083	≥ 0.868	Pass
NVNT	3-DH5	2440.84	2442.052	1.212	≥ 0.873	Pass
NVNT	3-DH5	2478.846	2479.869	1.023	≥ 0.859	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-54.06	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-54.81	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-49.47	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-52.59	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-52.24	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-50.31	<=-20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.52	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-54.08	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-51.96	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-50.98	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-52	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-49.94	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-40.31	<=-20	Pass
NVNT	1-DH5	2441	-41.11	<=-20	Pass
NVNT	1-DH5	2480	-38.23	<=-20	Pass
NVNT	2-DH5	2402	-38.14	<=-20	Pass
NVNT	2-DH5	2441	-38.29	<=-20	Pass
NVNT	2-DH5	2480	-35.45	<=-20	Pass
NVNT	3-DH5	2402	-37.52	<=-20	Pass
NVNT	3-DH5	2441	-38.59	<=-20	Pass
NVNT	3-DH5	2480	-35.23	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****