

Case No. : <u>CTA24102501803</u>	
Ambient Condition: <u>23</u> °C, <u>52</u> %RH, According Standard: ■Part15C	
Test Date: <u>2024.10.16</u>	Test Engineer: <u>Evan ouyang</u>


Appendix C.1: DTS Bandwidth

Test Result


TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	10.120	2406.920	2417.040	0.5	PASS
		2437	10.080	2431.960	2442.040	0.5	PASS
		2462	10.080	2456.960	2467.040	0.5	PASS
11G	Ant1	2412	16.480	2403.760	2420.240	0.5	PASS
		2437	16.560	2428.720	2445.280	0.5	PASS
		2462	16.520	2453.720	2470.240	0.5	PASS
11N20SISO	Ant1	2412	17.680	2403.120	2420.800	0.5	PASS
		2437	17.640	2428.160	2445.800	0.5	PASS
		2462	17.600	2453.200	2470.800	0.5	PASS
11N40SISO	Ant1	2422	36.400	2403.760	2440.160	0.5	PASS
		2437	36.400	2418.760	2455.160	0.5	PASS
		2452	36.480	2433.760	2470.240	0.5	PASS



11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452




Appendix C.2: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	15.286	2404.3565	2419.6425	---	---
		2437	15.251	2429.3812	2444.6322	---	---
		2462	15.224	2454.3660	2469.5900	---	---
11G	Ant1	2412	16.941	2403.4724	2420.4134	---	---
		2437	16.978	2428.4799	2445.4579	---	---
		2462	16.954	2453.4644	2470.4184	---	---
11N20SISO	Ant1	2412	17.988	2402.9955	2420.9835	---	---
		2437	18.026	2428.0128	2446.0388	---	---
		2462	18.000	2452.9633	2470.9633	---	---
11N40SISO	Ant1	2422	36.729	2403.6239	2440.3529	---	---
		2437	36.691	2418.7138	2455.4048	---	---
		2452	36.663	2433.7385	2470.4015	---	---

Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452



Appendix C.3: Maximum conducted output power

Test Mode	Antenna	Frequency[MHz]	Peak power [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	8.37	≤30.00	PASS
		2437	8.60	≤30.00	PASS
		2462	8.68	≤30.00	PASS
11G	Ant1	2412	8.85	≤30.00	PASS
		2437	8.31	≤30.00	PASS
		2462	8.47	≤30.00	PASS
11N20SISO	Ant1	2412	8.42	≤30.00	PASS
		2437	8.56	≤30.00	PASS
		2462	8.74	≤30.00	PASS
11N40SISO	Ant1	2422	8.25	≤30.00	PASS
		2437	8.43	≤30.00	PASS
		2452	8.59	≤30.00	PASS

Appendix C.4: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-25.01	≤8.00	PASS
		2437	-24.71	≤8.00	PASS
		2462	-24.57	≤8.00	PASS
11G	Ant1	2412	-26.60	≤8.00	PASS
		2437	-25.80	≤8.00	PASS
		2462	-26.40	≤8.00	PASS
11N20SISO	Ant1	2412	-26.22	≤8.00	PASS
		2437	-26.98	≤8.00	PASS
		2462	-26.24	≤8.00	PASS
11N40SISO	Ant1	2422	-28.50	≤8.00	PASS
		2437	-29.06	≤8.00	PASS
		2452	-28.52	≤8.00	PASS

Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452




Appendix C.5: Band edge measurements

Test Result


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	-5.03	-48.04	≤ -25.03	PASS
		High	2462	-4.52	-48.2	≤ -24.52	PASS
11G	Ant1	Low	2412	-12.18	-47.92	≤ -32.18	PASS
		High	2462	-11.77	-48.86	≤ -31.77	PASS
11N20SISO	Ant1	Low	2412	-12.38	-47.68	≤ -32.38	PASS
		High	2462	-13.01	-48.17	≤ -33.01	PASS
11N40SISO	Ant1	Low	2422	-16.43	-46.14	≤ -36.43	PASS
		High	2452	-15.47	-49.19	≤ -35.47	PASS

Test Graphs


11B_Ant1_Low_2412




11B_Ant1_High_2462




11G_Ant1_Low_2412




11G_Ant1_High_2462




11N20SISO_Ant1_Low_2412




11N20SISO_Ant1_High_2462



11N40SISO_Ant1_Low_2422



11N40SISO_Ant1_High_2452





Appendix C.6: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	-5.04	-5.04	---	PASS
			30~1000	-5.04	-60.73	≤ -25.04	PASS
			1000~26500	-5.04	-46.95	≤ -25.04	PASS
		2437	Reference	-5.11	-5.11	---	PASS
			30~1000	-5.11	-60.52	≤ -25.11	PASS
			1000~26500	-5.11	-48.05	≤ -25.11	PASS
		2462	Reference	-4.79	-4.79	---	PASS
			30~1000	-4.79	-53.89	≤ -24.79	PASS
			1000~26500	-4.79	-47.81	≤ -24.79	PASS
11G	Ant1	2412	Reference	-13.11	-13.11	---	PASS
			30~1000	-13.11	-60.55	≤ -33.11	PASS
			1000~26500	-13.11	-45.88	≤ -33.11	PASS
		2437	Reference	-12.50	-12.50	---	PASS
			30~1000	-12.50	-53.71	≤ -32.5	PASS
			1000~26500	-12.50	-47.63	≤ -32.5	PASS
		2462	Reference	-11.95	-11.95	---	PASS
			30~1000	-11.95	-60.88	≤ -31.95	PASS
			1000~26500	-11.95	-48.03	≤ -31.95	PASS
11N20SISO	Ant1	2412	Reference	-13.55	-13.55	---	PASS
			30~1000	-13.55	-60.7	≤ -33.55	PASS
			1000~26500	-13.55	-47.87	≤ -33.55	PASS
		2437	Reference	-13.71	-13.71	---	PASS
			30~1000	-13.71	-58.89	≤ -33.71	PASS
			1000~26500	-13.71	-47.78	≤ -33.71	PASS
		2462	Reference	-13.81	-13.81	---	PASS
			30~1000	-13.81	-57.09	≤ -33.81	PASS
			1000~26500	-13.81	-47.69	≤ -33.81	PASS
11N40SISO	Ant1	2422	Reference	-16.32	-16.32	---	PASS
			30~1000	-16.32	-60.65	≤ -36.32	PASS
			1000~26500	-16.32	-47.37	≤ -36.32	PASS
		2437	Reference	-16.44	-16.44	---	PASS
			30~1000	-16.44	-46.45	≤ -36.44	PASS
			1000~26500	-16.44	-47.37	≤ -36.44	PASS
		2452	Reference	-16.00	-16.00	---	PASS
			30~1000	-16.00	-59.28	≤ -36	PASS
			1000~26500	-16.00	-48.18	≤ -36	PASS

Test Graphs






11B_Ant1_2437_1000~26500



11B_Ant1_2462_0~Reference




11B_Ant1_2462_30~1000




11B_Ant1_2462_1000~26500




11G_Ant1_2412_0~Reference




11G_Ant1_2412_30~1000



11G_Ant1_2412_1000~26500




11G_Ant1_2437_0~Reference




11G_Ant1_2462_0~Reference



11G_Ant1_2462_30~1000



11G_Ant1_2462_1000~26500




11N20SISO_Ant1_2412_1000~26500




11N20SISO_Ant1_2437_0~Reference



11N20SISO_Ant1_2437_30~1000




11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500




11N40SISO_Ant1_2422_0~Reference




11N40SISO_Ant1_2437_0~Reference



11N40SISO_Ant1_2437_30~1000



11N40SISO_Ant1_2437_1000~26500





Appendix C.7: Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Frequenc y[MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-49.66	≤-41.20	45.54	≤54	PASS
				AV	2388.790	-49.2	≤-41.20	46.00	≤54	PASS
				AV	2390.000	-49.23	≤-41.20	45.97	≤54	PASS
				Peak	2310.000	-46.25	≤-21.20	48.95	≤74	PASS
				Peak	2380.860	-40.7	≤-21.20	54.50	≤74	PASS
				Peak	2390.000	-48.44	≤-21.20	46.76	≤74	PASS
		High	2462	AV	2483.500	-49.15	≤-41.20	46.05	≤54	PASS
				AV	2498.080	-48.9	≤-41.20	46.30	≤54	PASS
				AV	2500.000	-48.93	≤-41.20	46.27	≤54	PASS
				Peak	2483.500	-49.08	≤-21.20	46.12	≤74	PASS
				Peak	2486.860	-41.75	≤-21.20	53.45	≤74	PASS
				Peak	2500.000	-47.92	≤-21.20	47.28	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-49.61	≤-41.20	45.59	≤54	PASS
				AV	2389.960	-49.17	≤-41.20	46.03	≤54	PASS
				AV	2390.000	-49.17	≤-41.20	46.03	≤54	PASS
				Peak	2310.000	-44.59	≤-21.20	50.61	≤74	PASS
				Peak	2330.680	-40	≤-21.20	55.20	≤74	PASS
				Peak	2390.000	-48.04	≤-21.20	47.16	≤74	PASS
		High	2462	AV	2483.500	-49.13	≤-41.20	46.07	≤54	PASS
				AV	2499.620	-48.92	≤-41.20	46.28	≤54	PASS
				AV	2500.000	-48.94	≤-41.20	46.26	≤54	PASS
				Peak	2483.500	-49.48	≤-21.20	45.72	≤74	PASS
				Peak	2499.620	-41.72	≤-21.20	53.48	≤74	PASS
				Peak	2500.000	-42.74	≤-21.20	52.46	≤74	PASS
11N20SIS O	Ant1	Low	2412	AV	2310.000	-49.61	≤-41.20	45.59	≤54	PASS
				AV	2389.960	-49.2	≤-41.20	46.00	≤54	PASS
				AV	2390.000	-49.2	≤-41.20	46.00	≤54	PASS
				Peak	2310.000	-48.71	≤-21.20	46.49	≤74	PASS
				Peak	2361.100	-40.29	≤-21.20	54.91	≤74	PASS
				Peak	2390.000	-46.6	≤-21.20	48.60	≤74	PASS
		High	2462	AV	2483.500	-49.11	≤-41.20	46.09	≤54	PASS
				AV	2499.950	-48.91	≤-41.20	46.29	≤54	PASS
				AV	2500.000	-48.91	≤-41.20	46.29	≤54	PASS
				Peak	2483.500	-42.46	≤-21.20	52.74	≤74	PASS
				Peak	2488.400	-41.53	≤-21.20	53.67	≤74	PASS


				Peak	2500.000	-46.52	≤ -21.20	48.68	≤ 74	PASS
11N40SIS O	Ant1	Low	2422	AV	2310.000	-49.6	≤ -41.20	45.60	≤ 54	PASS
				AV	2389.960	-49.08	≤ -41.20	46.12	≤ 54	PASS
				AV	2390.000	-49.08	≤ -41.20	46.12	≤ 54	PASS
				Peak	2310.000	-45.47	≤ -21.20	49.73	≤ 74	PASS
				Peak	2370.720	-40.46	≤ -21.20	54.74	≤ 74	PASS
				Peak	2390.000	-47.61	≤ -21.20	47.59	≤ 74	PASS
		High	2452	AV	2483.500	-49.08	≤ -41.20	46.12	≤ 54	PASS
				AV	2499.070	-48.91	≤ -41.20	46.29	≤ 54	PASS
				AV	2500.000	-48.94	≤ -41.20	46.26	≤ 54	PASS
				Peak	2483.500	-49.59	≤ -21.20	45.61	≤ 74	PASS
				Peak	2499.180	-40.37	≤ -21.20	54.83	≤ 74	PASS
				Peak	2500.000	-47.13	≤ -21.20	48.07	≤ 74	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV



11G_Ant1_High_2462_Peak



11N20SISO_Ant1_High_2462_AV



11N20SISO_Ant1_High_2462_Peak



11N40SISO_Ant1_Low_2422_AV

