

FM15DM Wireless Mouse Manual



Function layout



- 1 Left click
- 2 Right click3 Middle click
- 4 Forward
- BackwardDPI

- 7 Scroll up
- 8 Scroll down
 9 Power Off
- Power Off

 Power on (RGB Off)
- 1 Power on (RGB On)
- Wired and charging Type-C

Instruction

Mouse instruction:

- 1. Take out the wireless USB Nano receiver from package
- 2. Plug the receiver into your computer USB port
- 3. Turn on the mouse power by switching the power switch on the bottom of the mouse 4. Waiting for computer installation finished

DPI setting and indication:

- 1.DPI level: 400-800-1600-2400-3200-6400, total 6 levels DPI
- 2.By pressing the DPI button on the top of mouse to change DPI circularly
- 3. The mouse logo led color will indicate the DPI level as below:
 400DPI:Red color breath. 800DPI(default):blue color breath.1600DPI:green
 color breath. 2400DPI:Yellow color breath.3200DPI:Cyan color breath.6400DPI:
 Purple color breath

Note

- 1).DPI can be set by software, MAX DPI is 19000dpi
- 2).DPI led effects can be set by software and can turn off the DPI led to save power

olling rate:

125-250-500-1000Hz can be set by software, default polling rate is 1000Hz

Power switch function:

- 1.Switch at RGB off place: turn on the mouse power, but RGB led is off
- 2.Switch at power off place: turn off the mouse power
- 3. Switch at RGB on place: turn on the mouse power and RGB led

Wired and wireless function:

- Wired and wireless mode switch automatically, when you plug the receiver into computer without cable connection, it will work as wireless mode.
- 2.If you connect the cable from computer to the mouse, it will switch to wired mode automatically and work as wired mode.

Low power and charging indication

- 1.Low power indication: when mouse battery power is low, the Red color in the logo will flash, so you need charge when the Red color flash in the logo
- 2.During charging the yellow color led in the logo will flash, after the battery charging full, the LED color will become green and charging stop automatically, and logo led color will back to DPI indication

Pairing

I.If your mouse lose connection, you can re-pairing it as below process by pairing tool

Note: If you need customize function, pls download the software from website

Main Specification

Size:	125x63x39.8mm
Weight:	63±2g
Switch	Kailh GM 8.0(Optional)
Sensor	PAW3370
Max DPI	19000
Default DPI:	400-800-1600-2400-3200-6400DPI
IPS	400ips
Acceleration	50g(Max)
Polling rate	125-250-500-1000Hz
Key debounce	4ms(default)can set by software
Interface	USB 2.0
Battery type	Li-ion Polymer Battery
Battery capacity	300mAh(can customize)
Default working time(1 time charge	ge) around 36h(1000Hz&LED off)
Charging time	around 1.5h



- Keep the battery dry.
- 2. Avoid locating the battery terminals near metallic object.
- 3.Do not short-circuits and avoid metallic or water come into mouse to cause battery short
- 4.Use computer USB and specified cable to charge the mouse

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.