

# 使用說明書

## 1. 如何翻開握把

- (1) 將握把向上些微移動，脫離扣點
- (2) 將握把向外推即可翻開

## 2. 如何取下遙控

- (1) 翻開握把
- (2) 依下圖方將遙控向右推即可取下遙控

## 3. 如何安裝電池

- (1) 利用硬幣逆時針轉動遙控蓋至頓點即可取下
- (2) 放入電池，+極向上
- (3) 利用硬幣順時針轉緊即可

## 4. 如何將遙控裝上握把

- (1) 將握把伸縮桿些微拉開
- (2) 將握把對正後上翻至貼合夾具
- (3) 向下滑動至底部，確保卡扣點有扣上即完成

## 5. 如何配對手機

- (1) 短按遙控按鍵-此時藍光開始閃爍，進入等待配對模式
- (2) 在手機上找出 ShutterGrip 2，點選配對，完成後 LED停止閃爍

## 6. 如何取消配對

- (1) 從手機藍牙設定頁面取消配對
- (2) ShutterGrip 2 待機 10分鐘後會自動關機，藍牙即自動斷開

## 7. 如何關機

ShutterGrip 2 待機 10分鐘後會自動關機，無手動關機方式

## 8. 如何重新配對

若曾經配對過的手機，按壓快門一下開機後即會自動配對

## 9. 握把模式

- (1) 拉開握把扣上手機
- (2) 確認握把扣上扣點即可使用(遙控須保持在最頂端)

## 10. 錄影模式

- (1) 翻下握把
- (2) 翻轉 180度
- (3) 將遙控裝於遙控槽上即可使用

## 11. 自拍棒模式

直接拉開握把內伸縮桿即可使用

## 12. 立架模式示範

橫式腳架模式示範

直式腳架模式示範

## 13. 冷靴槽

(1)依箭頭方向取出冷靴槽矽膠，注意矽膠底部有六角板手

(2)裝上相容之 LED燈、麥克風等延伸配件

## 14. 六角板手

(1)依箭頭方向取出冷靴槽矽膠

(2)取出六角板手

(3)下圖三個螺絲位置若有鬆脫現象可以鎖緊

# User Guide

## 1. How to flip grip?

- (1)Push up to unlatch the grip.
- (2)Push out to flip the grip after unlatch.

## 2. How to remove remote?

- (1)flip grip
- (2)Take off the Bluetooth remote unit

## 3. How to install battery

- (1)Turn the coin counter-clockwise to open the battery cover
- (2)Insert the lithium battery (positive side up)
- (3)Press on the cover
- (4)Turn the coin clockwise to close the battery cover

## 4. How to clip on grip

- (1)stretch expansion rod a little bit
- (2)flip grip up to touch the clip
- (3)retract grip until locked

## 5. How to pair

- (1)Press the shutter button to make remote into stand by mode
- (2)Make sure bluetooth has been opened on smartphone
- (3)Pair smartphone with ShutterGrip 2

## 6. How to shut off

ShutterGrip 2 will shut off after 10 mins idle. You can't shut off it manually.

## 7. How to pair ShutterGrip again

Press the shutter button to reconnect automatically.

## 8. DSLR Grip

- (1)Clip ShutterGrip onto the smartphone, and lock the grip
- (2)Make sure remote has been locked on the top of grip.

## 9. Video Grip

- (1)Flip over the grip
- (2)rotate 180 degree
- (3)Take off Bluetooth remote, and latch onto grip holder

## 10. Telescoping Stick

Extend the rod to start selfie

## 11. Transforming grip

Horizontal or vertical view with adjustable angle.

## 12. Cold shoes slot

- (1)Remove cold shoe cover
- (2)insert LED light or microphone

### **13. Hidden Hex Wrench**

- (1) Remove cold shoe cover
- (2) take out hex wrench under silicon cover
- (3) tighten the screws on ShutterGrip if needed

#### FCC Warning

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

#### RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.