

D.5 Undesirable Emissions Measurement**Ant0**

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	Ground Reflection Factor (dB)	Covert Radiated E Level At 3m (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
11A	36	4500.0	-49.20	5	0	51.03	Peak	68.20	Pass
		4500.0	-59.67	5	0	40.56	Average	54.00	Pass
		5150.0	-47.53	5	0	52.70	Peak	68.20	Pass
		5150.0	-57.40	5	0	42.83	Average	54.00	Pass
	48	5350.0	-48.13	5	0	52.10	Peak	68.20	Pass
		5350.0	-58.57	5	0	41.66	Average	54.00	Pass
		5460.0	-48.06	5	0	52.17	Peak	68.20	Pass
		5460.0	-58.71	5	0	41.52	Average	54.00	Pass
11N20 SISO	36	4500.0	-49.38	5	0	50.85	Peak	68.20	Pass
		4500.0	-59.70	5	0	40.53	Average	54.00	Pass
		5150.0	-48.15	5	0	52.08	Peak	68.20	Pass
		5150.0	-57.62	5	0	42.61	Average	54.00	Pass
	48	5350.0	-47.77	5	0	52.46	Peak	68.20	Pass
		5350.0	-58.55	5	0	41.68	Average	54.00	Pass
		5460.0	-47.56	5	0	52.67	Peak	68.20	Pass
		5460.0	-58.70	5	0	41.53	Average	54.00	Pass
11N40 SISO	38	4500.0	-49.71	5	0	50.52	Peak	68.20	Pass
		4500.0	-59.68	5	0	40.55	Average	54.00	Pass
		5150.0	-46.45	5	0	53.78	Peak	68.20	Pass
		5150.0	-56.45	5	0	43.78	Average	54.00	Pass
	46	5350.0	-48.20	5	0	52.03	Peak	68.20	Pass
		5350.0	-58.22	5	0	42.01	Average	54.00	Pass
		5460.0	-48.40	5	0	51.83	Peak	68.20	Pass
		5460.0	-58.36	5	0	41.87	Average	54.00	Pass
11AC20 SISO	36	4500.0	-50.36	5	0	49.87	Peak	68.20	Pass
		4500.0	-59.71	5	0	40.52	Average	54.00	Pass
		5150.0	-47.42	5	0	52.81	Peak	68.20	Pass
		5150.0	-57.58	5	0	42.65	Average	54.00	Pass
	48	5350.0	-50.36	5	0	49.87	Peak	68.20	Pass
		5350.0	-59.71	5	0	40.52	Average	54.00	Pass
		5460.0	-47.42	5	0	52.81	Peak	68.20	Pass
		5460.0	-57.58	5	0	42.65	Average	54.00	Pass
11AC40 SISO	38	4500.0	-50.11	5	0	50.12	Peak	68.20	Pass
		4500.0	-59.69	5	0	40.54	Average	54.00	Pass
		5150.0	-47.81	5	0	52.42	Peak	68.20	Pass
		5150.0	-57.31	5	0	42.92	Average	54.00	Pass
	46	5350.0	-48.22	5	0	52.01	Peak	68.20	Pass
		5350.0	-58.25	5	0	41.98	Average	54.00	Pass
		5460.0	-48.13	5	0	52.10	Peak	68.20	Pass
		5460.0	-58.37	5	0	41.86	Average	54.00	Pass
11AC80 SISO	42	4500.0	-48.20	5	0	52.03	Peak	68.20	Pass
		5150.0	-57.91	5	0	42.32	Average	54.00	Pass
		4500.0	-47.87	5	0	52.36	Peak	68.20	Pass
		5150.0	-57.87	5	0	42.36	Average	54.00	Pass
		5350.0	-48.20	5	0	52.03	Peak	68.20	Pass
		5460.0	-57.91	5	0	42.32	Average	54.00	Pass
		5350.0	-47.87	5	0	52.36	Peak	68.20	Pass
		5460.0	-57.87	5	0	42.36	Average	54.00	Pass
11AX20 SISO	36	4500.0	-50.49	5	0	49.74	Peak	68.20	Pass
		4500.0	-59.88	5	0	40.35	Average	54.00	Pass
		5150.0	-48.40	5	0	51.83	Peak	68.20	Pass
		5150.0	-57.60	5	0	42.63	Average	54.00	Pass

	48	5350.0	-50.49	5	0	49.74	Peak	68.20	Pass
		5350.0	-59.88	5	0	40.35	Average	54.00	Pass
		5460.0	-48.40	5	0	51.83	Peak	68.20	Pass
		5460.0	-57.60	5	0	42.63	Average	54.00	Pass
11AX40 SISO	38	4500.0	-49.67	5	0	50.56	Peak	68.20	Pass
		4500.0	-59.91	5	0	40.32	Average	54.00	Pass
		5150.0	-47.28	5	0	52.95	Peak	68.20	Pass
		5150.0	-57.51	5	0	42.72	Average	54.00	Pass
	46	5350.0	-47.84	5	0	52.39	Peak	68.20	Pass
		5350.0	-58.48	5	0	41.75	Average	54.00	Pass
		5460.0	-48.57	5	0	51.66	Peak	68.20	Pass
		5460.0	-58.58	5	0	41.65	Average	54.00	Pass
11AX80 SISO	42	4500.0	-48.10	5	0	52.13	Peak	68.20	Pass
		5150.0	-57.98	5	0	42.25	Average	54.00	Pass
		4500.0	-47.36	5	0	52.87	Peak	68.20	Pass
		5150.0	-57.90	5	0	42.33	Average	54.00	Pass
		5350.0	-48.10	5	0	52.13	Peak	68.20	Pass
		5460.0	-57.98	5	0	42.25	Average	54.00	Pass
		5350.0	-47.36	5	0	52.87	Peak	68.20	Pass
		5460.0	-57.90	5	0	42.33	Average	54.00	Pass

Ant1

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	Ground Reflection Factor (dB)	Covert Radiated E Level At 3m (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
11A	36	4500.0	-49.38	5	0	50.85	Peak	68.20	Pass
		4500.0	-59.70	5	0	40.53	Average	54.00	Pass
		5150.0	-47.54	5	0	52.69	Peak	68.20	Pass
		5150.0	-57.48	5	0	42.75	Average	54.00	Pass
	48	5350.0	-48.39	5	0	51.84	Peak	68.20	Pass
		5350.0	-58.62	5	0	41.61	Average	54.00	Pass
		5460.0	-48.63	5	0	51.60	Peak	68.20	Pass
		5460.0	-58.74	5	0	41.49	Average	54.00	Pass
11N20 SISO	36	4500.0	-49.53	5	0	50.70	Peak	68.20	Pass
		4500.0	-59.71	5	0	40.52	Average	54.00	Pass
		5150.0	-46.55	5	0	53.68	Peak	68.20	Pass
		5150.0	-56.26	5	0	43.97	Average	54.00	Pass
	48	5350.0	-48.43	5	0	51.80	Peak	68.20	Pass
		5350.0	-58.56	5	0	41.67	Average	54.00	Pass
		5460.0	-47.82	5	0	52.41	Peak	68.20	Pass
		5460.0	-58.72	5	0	41.51	Average	54.00	Pass
11N40 SISO	38	4500.0	-49.72	5	0	50.51	Peak	68.20	Pass
		4500.0	-59.71	5	0	40.52	Average	54.00	Pass
		5150.0	-47.10	5	0	53.13	Peak	68.20	Pass
		5150.0	-56.64	5	0	43.59	Average	54.00	Pass
	46	5350.0	-48.56	5	0	51.67	Peak	68.20	Pass
		5350.0	-58.43	5	0	41.80	Average	54.00	Pass
		5460.0	-48.51	5	0	51.72	Peak	68.20	Pass
		5460.0	-58.59	5	0	41.64	Average	54.00	Pass
11AC20 SISO	36	4500.0	-49.32	5	0	50.91	Peak	68.20	Pass
		4500.0	-59.69	5	0	40.54	Average	54.00	Pass
		5150.0	-47.99	5	0	52.24	Peak	68.20	Pass
		5150.0	-57.53	5	0	42.70	Average	54.00	Pass
	48	5350.0	-49.32	5	0	50.91	Peak	68.20	Pass
		5350.0	-59.69	5	0	40.54	Average	54.00	Pass
		5460.0	-47.99	5	0	52.24	Peak	68.20	Pass
		5460.0	-57.53	5	0	42.70	Average	54.00	Pass


11AC40 SISO	38	4500.0	-49.52	5	0	50.71	Peak	68.20	Pass
		4500.0	-59.70	5	0	40.53	Average	54.00	Pass
		5150.0	-45.55	5	0	54.68	Peak	68.20	Pass
		5150.0	-56.34	5	0	43.89	Average	54.00	Pass
	46	5350.0	-47.78	5	0	52.45	Peak	68.20	Pass
		5350.0	-58.30	5	0	41.93	Average	54.00	Pass
		5460.0	-48.13	5	0	52.10	Peak	68.20	Pass
		5460.0	-58.39	5	0	41.84	Average	54.00	Pass
11AC80 SISO	42	4500.0	-49.08	5	0	51.15	Peak	68.20	Pass
		5150.0	-57.94	5	0	42.29	Average	54.00	Pass
		4500.0	-47.94	5	0	52.29	Peak	68.20	Pass
		5150.0	-57.90	5	0	42.33	Average	54.00	Pass
		5350.0	-49.08	5	0	51.15	Peak	68.20	Pass
		5460.0	-57.94	5	0	42.29	Average	54.00	Pass
		5350.0	-47.94	5	0	52.29	Peak	68.20	Pass
		5460.0	-57.90	5	0	42.33	Average	54.00	Pass
11AX20 SISO	36	4500.0	-50.49	5	0	49.74	Peak	68.20	Pass
		4500.0	-59.88	5	0	40.35	Average	54.00	Pass
		5150.0	-48.40	5	0	51.83	Peak	68.20	Pass
		5150.0	-57.60	5	0	42.63	Average	54.00	Pass
	48	5350.0	-50.49	5	0	49.74	Peak	68.20	Pass
		5350.0	-59.88	5	0	40.35	Average	54.00	Pass
		5460.0	-48.40	5	0	51.83	Peak	68.20	Pass
		5460.0	-57.60	5	0	42.63	Average	54.00	Pass
11AX40 SISO	38	4500.0	-49.67	5	0	50.56	Peak	68.20	Pass
		4500.0	-59.91	5	0	40.32	Average	54.00	Pass
		5150.0	-47.28	5	0	52.95	Peak	68.20	Pass
		5150.0	-57.51	5	0	42.72	Average	54.00	Pass
	46	5350.0	-47.84	5	0	52.39	Peak	68.20	Pass
		5350.0	-58.48	5	0	41.75	Average	54.00	Pass
		5460.0	-48.57	5	0	51.66	Peak	68.20	Pass
		5460.0	-58.58	5	0	41.65	Average	54.00	Pass
11AX80 SISO	42	4500.0	-48.10	5	0	52.13	Peak	68.20	Pass
		5150.0	-57.98	5	0	42.25	Average	54.00	Pass
		4500.0	-47.36	5	0	52.87	Peak	68.20	Pass
		5150.0	-57.90	5	0	42.33	Average	54.00	Pass
		5350.0	-48.10	5	0	52.13	Peak	68.20	Pass
		5460.0	-57.98	5	0	42.25	Average	54.00	Pass
		5350.0	-47.36	5	0	52.87	Peak	68.20	Pass
		5460.0	-57.90	5	0	42.33	Average	54.00	Pass

Combined Ant_0 and Ant_1


Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)			Antenna Gain (dBi)	Ground Reflection Factor (dB)	Covert Radiated E Level At 3m (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
			Ant0	Ant1	Sum						
11N20 SISO	36	4500.0	-49.38	-49.53	-46.44	8.01	0	56.80	Peak	74.00	Pass
		4500.0	-59.70	-59.71	-56.69	8.01	0	46.55	Average	54.00	Pass
		5150.0	-48.15	-46.55	-44.27	8.01	0	58.97	Peak	74.00	Pass
		5150.0	-57.62	-56.26	-53.88	8.01	0	49.36	Average	54.00	Pass
	48	5350.0	-47.77	-48.43	-45.08	8.01	0	58.16	Peak	74.00	Pass
		5350.0	-58.55	-58.56	-55.54	8.01	0	47.70	Average	54.00	Pass
		5460.0	-47.56	-47.82	-44.68	8.01	0	58.56	Peak	74.00	Pass
		5460.0	-58.70	-58.72	-55.70	8.01	0	47.54	Average	54.00	Pass
11N40 SISO	38	4500.0	-49.71	-49.72	-46.70	8.01	0	56.54	Peak	74.00	Pass
		4500.0	-59.68	-59.71	-56.68	8.01	0	46.56	Average	54.00	Pass
		5150.0	-46.45	-47.10	-43.75	8.01	0	59.49	Peak	74.00	Pass
		5150.0	-56.45	-56.64	-53.53	8.01	0	49.71	Average	54.00	Pass
	46	5350.0	-48.20	-48.56	-45.37	8.01	0	57.87	Peak	74.00	Pass
		5350.0	-58.22	-58.43	-55.31	8.01	0	47.93	Average	54.00	Pass
		5460.0	-48.40	-48.51	-45.44	8.01	0	57.80	Peak	74.00	Pass
		5460.0	-58.36	-58.59	-55.46	8.01	0	47.78	Average	54.00	Pass
11AC20 SISO	36	4500.0	-50.36	-49.32	-46.80	8.01	0	56.44	Peak	74.00	Pass
		4500.0	-59.71	-59.69	-56.69	8.01	0	46.55	Average	54.00	Pass
		5150.0	-47.42	-47.99	-44.69	8.01	0	58.55	Peak	74.00	Pass
		5150.0	-57.58	-57.53	-54.54	8.01	0	48.70	Average	54.00	Pass
	48	5350.0	-50.36	-49.32	-46.80	8.01	0	56.44	Peak	74.00	Pass
		5350.0	-59.71	-59.69	-56.69	8.01	0	46.55	Average	54.00	Pass
		5460.0	-47.42	-47.99	-44.69	8.01	0	58.55	Peak	74.00	Pass
		5460.0	-57.58	-57.53	-54.54	8.01	0	48.70	Average	54.00	Pass
11AC40 SISO	38	4500.0	-50.11	-49.52	-46.79	8.01	0	56.45	Peak	74.00	Pass
		4500.0	-59.69	-59.70	-56.68	8.01	0	46.56	Average	54.00	Pass
		5150.0	-47.81	-45.55	-43.52	8.01	0	59.72	Peak	74.00	Pass
		5150.0	-57.31	-56.34	-53.79	8.01	0	49.45	Average	54.00	Pass
	46	5350.0	-48.22	-47.78	-44.98	8.01	0	58.26	Peak	74.00	Pass
		5350.0	-58.25	-58.30	-55.26	8.01	0	47.98	Average	54.00	Pass
		5460.0	-48.13	-48.13	-45.12	8.01	0	58.12	Peak	74.00	Pass
		5460.0	-58.37	-58.39	-55.37	8.01	0	47.87	Average	54.00	Pass
11AC80 SISO	42	4500.0	-48.20	-49.08	-45.61	8.01	0	57.63	Peak	74.00	Pass
		5150.0	-57.91	-57.94	-54.91	8.01	0	48.33	Average	54.00	Pass
		4500.0	-47.87	-47.94	-44.89	8.01	0	58.35	Peak	74.00	Pass
		5150.0	-57.87	-57.90	-54.87	8.01	0	48.37	Average	54.00	Pass
		5350.0	-48.20	-49.08	-45.61	8.01	0	57.63	Peak	74.00	Pass
		5460.0	-57.91	-57.94	-54.91	8.01	0	48.33	Average	54.00	Pass
		5350.0	-47.87	-47.94	-44.89	8.01	0	58.35	Peak	74.00	Pass
		5460.0	-57.87	-57.90	-54.87	8.01	0	48.37	Average	54.00	Pass
11AX20 SISO	36	4500.0	-50.49	-50.49	-47.48	8.01	0	55.76	Peak	74.00	Pass
		4500.0	-59.88	-59.88	-56.87	8.01	0	46.37	Average	54.00	Pass
		5150.0	-48.40	-48.40	-45.39	8.01	0	57.85	Peak	74.00	Pass
		5150.0	-57.60	-57.60	-54.59	8.01	0	48.65	Average	54.00	Pass
	48	5350.0	-50.49	-50.49	-47.48	8.01	0	55.76	Peak	74.00	Pass
		5350.0	-59.88	-59.88	-56.87	8.01	0	46.37	Average	54.00	Pass
		5460.0	-48.40	-48.40	-45.39	8.01	0	57.85	Peak	74.00	Pass
		5460.0	-57.60	-57.60	-54.59	8.01	0	48.65	Average	54.00	Pass
11AX40 SISO	38	4500.0	-49.67	-49.67	-46.66	8.01	0	56.58	Peak	74.00	Pass
		4500.0	-59.91	-59.91	-56.90	8.01	0	46.34	Average	54.00	Pass
		5150.0	-47.28	-47.28	-44.27	8.01	0	58.97	Peak	74.00	Pass
		5150.0	-57.51	-57.51	-54.50	8.01	0	48.74	Average	54.00	Pass

	46	5350.0	-47.84	-47.84	-44.83	8.01	0	58.41	Peak	74.00	Pass
		5350.0	-58.48	-58.48	-55.47	8.01	0	47.77	Average	54.00	Pass
		5460.0	-48.57	-48.57	-45.56	8.01	0	57.68	Peak	74.00	Pass
		5460.0	-58.58	-58.58	-55.57	8.01	0	47.67	Average	54.00	Pass
11AX80 SISO	42	4500.0	-48.10	-48.10	-45.09	8.01	0	58.15	Peak	74.00	Pass
		5150.0	-57.98	-57.98	-54.97	8.01	0	48.27	Average	54.00	Pass
		4500.0	-47.36	-47.36	-44.35	8.01	0	58.89	Peak	74.00	Pass
		5150.0	-57.90	-57.90	-54.89	8.01	0	48.35	Average	54.00	Pass
		5350.0	-48.10	-48.10	-45.09	8.01	0	58.15	Peak	74.00	Pass
		5460.0	-57.98	-57.98	-54.97	8.01	0	48.27	Average	54.00	Pass
		5350.0	-47.36	-47.36	-44.35	8.01	0	58.89	Peak	74.00	Pass
		5460.0	-57.90	-57.90	-54.89	8.01	0	48.35	Average	54.00	Pass

Undesirable Emissions Measurement _Ant0




IEEE 802.11a / Channel 36 / 5180MHz / Peak




IEEE 802.11a / Channel 36 / 5180MHz / Average

Undesirable Emissions Measurement




IEEE 802.11a / Channel 48 / 5240MHz / Peak




IEEE 802.11a / Channel 48 / 5240MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n20 / Channel 36 / 5180MHz / Peak




IEEE 802.11n20 / Channel 36 / 5180MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n20 / Channel 48 / 5240MHz / Peak




IEEE 802.11n20 / Channel 48 / 5240MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n40 / Channel 38 / 5190MHz / Peak




IEEE 802.11n40 / Channel 38 / 5190MHz / Average


Undesirable Emissions Measurement




IEEE 802.11n40 / Channel 46 / 5230MHz / Peak




IEEE 802.11n40 / Channel 46 / 5230MHz / Average




IEEE 802.11AC20 / Channel 36 / 5180MHz / Peak




IEEE 802.11AC20 / Channel 36 / 5180MHz / Average




IEEE 802.11AC20 / Channel 48 / 5240MHz / Peak




IEEE 802.11AC20 / Channel 48 / 5240MHz / Average




IEEE 802.11AC40 / Channel 38/ 5190MHz / Peak




IEEE 802.11AC40 / Channel 38 / 5190MHz / Average




IEEE 802.11AC40 / Channel 46/ 5230MHz / Peak




IEEE 802.11AC40 / Channel 46 / 5230MHz / Average




IEEE 802.11AC80 / Channel 42 / 5210MHz / Peak




IEEE 802.11AC80 / Channel 42 / 5210MHz / Average




IEEE 802.11AC80 / Channel 42/ 5210MHz / Peak




IEEE 802.11AC80 / Channel 42 / 5210MHz / Average




IEEE 802.11AX20 / Channel 36 / 5180MHz / Peak




IEEE 802.11AX20 / Channel 36 / 5180MHz / Average




IEEE 802.11AX20 / Channel 48 / 5240MHz / Peak




IEEE 802.11AX20 / Channel 48 / 5240MHz / Average




IEEE 802.11AX40 / Channel 38/ 5190MHz / Peak




IEEE 802.11AX40 / Channel 38 / 5190MHz / Average




IEEE 802.11AX40 / Channel 46/ 5230MHz / Peak




IEEE 802.11AX40 / Channel 46 / 5230MHz / Average




IEEE 802.11AX80 / Channel 42 / 5210MHz / Peak



IEEE 802.11AX80 / Channel 42 / 5210MHz / Average




IEEE 802.11AX80 / Channel 42/ 5210MHz / Peak




IEEE 802.11AX80 / Channel 42 / 5210MHz / Average

Undesirable Emissions Measurement_Ant1




IEEE 802.11a / Channel 36 / 5180MHz / Peak




IEEE 802.11a / Channel 36 / 5180MHz / Average

Undesirable Emissions Measurement




IEEE 802.11a / Channel 48 / 5240MHz / Peak




IEEE 802.11a / Channel 48 / 5240MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n20 / Channel 36 / 5180MHz / Peak




IEEE 802.11n20 / Channel 36 / 5180MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n20 / Channel 48 / 5240MHz / Peak




IEEE 802.11n20 / Channel 48 / 5240MHz / Average

Undesirable Emissions Measurement




IEEE 802.11n40 / Channel 38 / 5190MHz / Peak




IEEE 802.11n40 / Channel 38 / 5190MHz / Average


Undesirable Emissions Measurement




IEEE 802.11n40 / Channel 46 / 5230MHz / Peak




IEEE 802.11n40 / Channel 46 / 5230MHz / Average




IEEE 802.11AC20 / Channel 36 / 5180MHz / Peak




IEEE 802.11AC20 / Channel 36 / 5180MHz / Average




IEEE 802.11AC20 / Channel 48 / 5240MHz / Peak




IEEE 802.11AC20 / Channel 48 / 5240MHz / Average




IEEE 802.11AC40 / Channel 38/ 5190MHz / Peak




IEEE 802.11AC40 / Channel 38 / 5190MHz / Average




IEEE 802.11AC40 / Channel 46/ 5230MHz / Peak




IEEE 802.11AC40 / Channel 46 / 5230MHz / Average




IEEE 802.11AC80 / Channel 42 / 5210MHz / Peak




IEEE 802.11AC80 / Channel 42 / 5210MHz / Average




IEEE 802.11AC80 / Channel 42/ 5210MHz / Peak




IEEE 802.11AC80 / Channel 42 / 5210MHz / Average




IEEE 802.11AX20 / Channel 36 / 5180MHz / Peak




IEEE 802.11AX20 / Channel 36 / 5180MHz / Average




IEEE 802.11AX20 / Channel 48 / 5240MHz / Peak




IEEE 802.11AX20 / Channel 48 / 5240MHz / Average




IEEE 802.11AX40 / Channel 38/ 5190MHz / Peak




IEEE 802.11AX40 / Channel 38 / 5190MHz / Average




IEEE 802.11AX40 / Channel 46/ 5230MHz / Peak




IEEE 802.11AX40 / Channel 46 / 5230MHz / Average




IEEE 802.11AX80 / Channel 42 / 5210MHz / Peak



IEEE 802.11AX80 / Channel 42 / 5210MHz / Average



IEEE 802.11AX80 / Channel 42/ 5210MHz / Peak



IEEE 802.11AX80 / Channel 42 / 5210MHz / Average