

Remote Lighter function description

- 1) The appearance of this remote lighter is the same as the original ZIPPO lighter, and it has the normal ignition function as the ZIPPO lighter. The difference is that this remote lighter is equipped with an automatic ignition device which can be operated by a remote control. So, the lighter itself can be used alone or used in conjunction with the remote control.
- 2) Automatic ignition function: the ignition device is installed in the metal case of the lighter. There is a round hole on the metal case. When putting the ignition device into the metal case of the lighter, the ignition button just matches the position of the round hole. Then put it into the leather case, you won't notice any difference in appearance. In a trick performance, if you press the ignition button shortly, it will delay the ignition for 5 seconds. If you long press the ignition button (3 seconds), it will delay the ignition for 10 seconds.
- 3) Ignition Cancellation in time: during the delayed ignition process, the operator can cancel the ignition instruction in time if he wants. After the ignition button is short-pressed or long-pressed, the ignition will be delayed for 5 seconds or 10 seconds. If the operator does not want to ignite while waiting, he can press the ignition button again briefly, and the previous ignition function can be cancelled in time. If he wants to ignite again, he has to press the ignition button again.

4) Charging and LED light indication: this device has a built-in rechargeable lithium battery, and is also equipped with an USB cable and an adaptor charger for charging. In addition, the device has an LED light to indicate the status of power-on, power-off, low battery power, charging/fully charged, or pairing.

5) About remote control function

The remote control is designed to activate the lighter. There are 4 rubber buttons printed with INS, PAIR, 6S, and 12S on the remote. First, the remote has to be paired with the lighter. INS button is for instant ignition. To press 6S button, the lighter ignites after 6 secs. To press 12S button, the lighter ignites after 12 secs.

6) Cancellation for remote ignited command

This function is the same as the cancellation function in the lighter. When 6S button is pressed, just press it again before ignition. The ignition command can be cancelled, so as to 12S button.

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used

in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.