


ET On board Antenna

Specification Introduction

1. Antenna model: On board Antenna
2. Antenna size: 16.6mm*5.5mm
3. Antenna Manufacturer: Monolith Electric(Changzhou)Co.,Ltd.
4. Manufacturer Address: No.1-2 of Building 5, No.8 Huashan Road, Xinbei District, Changzhou, Jiangsu, China
5. Antenna icon:



6.Radiation Pattern


Gain and Efficiency

Frequency (MHz)	Peak Gain (dBi)	Efficiency (%)
2400.00	-8.94	4.84
2450.00	-8.23	5.41
2500.00	-7.62	6.05


Radiation Pattern

2400 MHz 3D


Theta = 90, Phi = 0




Theta = 90, Phi = 90




Theta = 0, Phi = 0




Theta = 90, Phi = 180



Theta = 90, Phi = 270




Theta = 180, Phi = 0




2450 MHz 3D


Theta = 90, Phi = 0




Theta = 90, Phi = 90




Theta = 0, Phi = 0




Theta = 90, Phi = 180



Theta = 90, Phi = 270




Theta = 180, Phi = 0




2500 MHz 3D


Theta = 90, Phi = 0




Theta = 90, Phi = 90




Theta = 0, Phi = 0




Theta = 90, Phi = 180



Theta = 90, Phi = 270



Theta = 180, Phi = 0



TEST SETUP PHOTOGRAPHS

