

Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.81	-13	Pass	2986
30	1000	0.1	RMS	936.6	-61.56	-13	Pass	9701
1000	1840	1	RMS	1840	-47.64	-13	Pass	841
1840	1920	1	RMS	1850.2	21.39	60	Pass	401
1920	3000	1	RMS	2667	-48.5	-13	Pass	1081
3000	12000	1	RMS	3700	-25.29	-13	Pass	9001
12000	20000	1	RMS	19623	-24.6	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.52	-13	Pass	2986
30	1000	0.1	RMS	990.7	-61.77	-13	Pass	9701
1000	1840	1	RMS	1840	-48.16	-13	Pass	841
1840	1920	1	RMS	1850.2	20.53	60	Pass	401
1920	3000	1	RMS	2674	-48.5	-13	Pass	1081
3000	12000	1	RMS	3701	-26.33	-13	Pass	9001
12000	20000	1	RMS	19620	-24.56	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.15	-13	Pass	2986
30	1000	0.1	RMS	949.3	-61.79	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1920	1	RMS	1879.6	21.67	60	Pass	401
1920	3000	1	RMS	2671	-48.48	-13	Pass	1081
3000	12000	1	RMS	3759	-26.45	-13	Pass	9001
12000	20000	1	RMS	19604	-24.54	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.57	-13	Pass	2986
30	1000	0.1	RMS	921.7	-61.8	-13	Pass	9701
1000	1840	1	RMS	1837	-50.6	-13	Pass	841
1840	1920	1	RMS	1879.6	20.96	60	Pass	401
1920	3000	1	RMS	2667	-48.47	-13	Pass	1081
3000	12000	1	RMS	3759	-27.37	-13	Pass	9001
12000	20000	1	RMS	19640	-24.57	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.53	-13	Pass	2986
30	1000	0.1	RMS	928.6	-61.7	-13	Pass	9701
1000	1840	1	RMS	1833	-50.61	-13	Pass	841
1840	1920	1	RMS	1908.8	21.17	60	Pass	401
1920	3000	1	RMS	2669	-48.43	-13	Pass	1081
3000	12000	1	RMS	3818	-24.72	-13	Pass	9001
12000	20000	1	RMS	19626	-24.57	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.88	-13	Pass	2986
30	1000	0.1	RMS	932	-61.81	-13	Pass	9701
1000	1840	1	RMS	1836	-50.62	-13	Pass	841
1840	1920	1	RMS	1908.8	20.21	60	Pass	401
1920	3000	1	RMS	2666	-48.5	-13	Pass	1081
3000	12000	1	RMS	3818	-26.15	-13	Pass	9001
12000	20000	1	RMS	19641	-24.63	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.31	-13	Pass	2986
30	1000	0.1	RMS	936.1	-61.77	-13	Pass	9701
1000	1840	1	RMS	1840	-47.37	-13	Pass	841
1840	1920	1	RMS	1850.2	21.32	60	Pass	401
1920	3000	1	RMS	2655	-48.48	-13	Pass	1081
3000	12000	1	RMS	3700	-24.96	-13	Pass	9001
12000	20000	1	RMS	19625	-24.59	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.47	-13	Pass	2986
30	1000	0.1	RMS	948.1	-61.77	-13	Pass	9701
1000	1840	1	RMS	1840	-47.44	-13	Pass	841
1840	1920	1	RMS	1850.2	20.65	60	Pass	401
1920	3000	1	RMS	2653	-48.43	-13	Pass	1081
3000	12000	1	RMS	3700	-26.3	-13	Pass	9001
12000	20000	1	RMS	19640	-24.58	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.5	-13	Pass	2986
30	1000	0.1	RMS	926.6	-61.82	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1920	1	RMS	1878.8	21.84	60	Pass	401
1920	3000	1	RMS	2665	-48.47	-13	Pass	1081
3000	12000	1	RMS	3757	-28.37	-13	Pass	9001
12000	20000	1	RMS	19615	-24.6	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.26	-13	Pass	2986
30	1000	0.1	RMS	919.4	-61.88	-13	Pass	9701
1000	1840	1	RMS	1839	-50.66	-13	Pass	841
1840	1920	1	RMS	1878.8	21.01	60	Pass	401
1920	3000	1	RMS	2670	-48.45	-13	Pass	1081
3000	12000	1	RMS	3757	-29.44	-13	Pass	9001
12000	20000	1	RMS	19628	-24.61	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.33	-13	Pass	2986
30	1000	0.1	RMS	949.8	-61.63	-13	Pass	9701
1000	1840	1	RMS	1837	-50.62	-13	Pass	841
1840	1920	1	RMS	1907.2	21.22	60	Pass	401
1920	3000	1	RMS	2666	-48.44	-13	Pass	1081
3000	12000	1	RMS	3814	-26.7	-13	Pass	9001
12000	20000	1	RMS	19620	-24.57	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.44	-13	Pass	2986
30	1000	0.1	RMS	951.8	-61.73	-13	Pass	9701
1000	1840	1	RMS	1832	-50.66	-13	Pass	841
1840	1920	1	RMS	1907.2	20.39	60	Pass	401
1920	3000	1	RMS	2668	-48.5	-13	Pass	1081
3000	12000	1	RMS	3815	-28.07	-13	Pass	9001
12000	20000	1	RMS	19629	-24.59	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.87	-13	Pass	2986
30	1000	0.1	RMS	926.4	-61.72	-13	Pass	9701
1000	1840	1	RMS	1840	-46.46	-13	Pass	841
1840	1920	1	RMS	1850.4	21.6	60	Pass	401
1920	3000	1	RMS	2659	-48.48	-13	Pass	1081
3000	12000	1	RMS	3701	-23.75	-13	Pass	9001
12000	20000	1	RMS	19613	-24.57	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.84	-13	Pass	2986
30	1000	0.1	RMS	927.4	-61.79	-13	Pass	9701
1000	1840	1	RMS	1840	-47.29	-13	Pass	841
1840	1920	1	RMS	1850.4	20.7	60	Pass	401
1920	3000	1	RMS	2666	-48.48	-13	Pass	1081
3000	12000	1	RMS	3701	-24.55	-13	Pass	9001
12000	20000	1	RMS	19627	-24.58	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.68	-13	Pass	2986
30	1000	0.1	RMS	904.3	-61.78	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1877.8	22.3	60	Pass	401
1920	3000	1	RMS	2671	-48.45	-13	Pass	1081
3000	12000	1	RMS	3756	-26.88	-13	Pass	9001
12000	20000	1	RMS	19639	-24.57	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.22	-13	Pass	2986
30	1000	0.1	RMS	935.1	-61.71	-13	Pass	9701
1000	1840	1	RMS	1834	-50.61	-13	Pass	841
1840	1920	1	RMS	1877.8	21.58	60	Pass	401
1920	3000	1	RMS	2656	-48.46	-13	Pass	1081
3000	12000	1	RMS	3756	-28.26	-13	Pass	9001
12000	20000	1	RMS	19610	-24.59	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.52	-13	Pass	2986
30	1000	0.1	RMS	946.4	-61.7	-13	Pass	9701
1000	1840	1	RMS	1837	-50.55	-13	Pass	841
1840	1920	1	RMS	1905.4	21.55	60	Pass	401
1920	3000	1	RMS	2666	-48.37	-13	Pass	1081
3000	12000	1	RMS	3811	-26.45	-13	Pass	9001
12000	20000	1	RMS	19623	-24.54	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.62	-13	Pass	2986
30	1000	0.1	RMS	935.7	-61.83	-13	Pass	9701
1000	1840	1	RMS	1834	-50.61	-13	Pass	841
1840	1920	1	RMS	1905.4	20.88	60	Pass	401
1920	3000	1	RMS	2675	-48.52	-13	Pass	1081
3000	12000	1	RMS	3811	-26.93	-13	Pass	9001
12000	20000	1	RMS	19601	-24.61	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.56	-13	Pass	2986
30	1000	0.1	RMS	965	-61.82	-13	Pass	9701
1000	1840	1	RMS	1833	-32.78	-13	Pass	841
1840	1920	1	RMS	1850.6	21.94	60	Pass	401
1920	3000	1	RMS	2674	-48.48	-13	Pass	1081
3000	12000	1	RMS	3701	-23.74	-13	Pass	9001
12000	20000	1	RMS	19602	-24.58	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.92	-13	Pass	2986
30	1000	0.1	RMS	920.2	-61.89	-13	Pass	9701
1000	1840	1	RMS	1833	-34.79	-13	Pass	841
1840	1920	1	RMS	1850.6	21.02	60	Pass	401
1920	3000	1	RMS	2668	-48.45	-13	Pass	1081
3000	12000	1	RMS	3701	-24.86	-13	Pass	9001
12000	20000	1	RMS	19644	-24.55	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.99	-13	Pass	2986
30	1000	0.1	RMS	924.4	-61.84	-13	Pass	9701
1000	1840	1	RMS	1840	-49.14	-13	Pass	841
1840	1920	1	RMS	1875.6	22.89	60	Pass	401
1920	3000	1	RMS	2668	-48.46	-13	Pass	1081
3000	12000	1	RMS	3751	-25.56	-13	Pass	9001
12000	20000	1	RMS	19640	-24.53	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.52	-13	Pass	2986
30	1000	0.1	RMS	937.3	-61.51	-13	Pass	9701
1000	1840	1	RMS	1840	-48.72	-13	Pass	841
1840	1920	1	RMS	1875.6	22.17	60	Pass	401
1920	3000	1	RMS	2658	-48.45	-13	Pass	1081
3000	12000	1	RMS	3751	-26.44	-13	Pass	9001
12000	20000	1	RMS	19618	-24.58	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.8	-13	Pass	2986
30	1000	0.1	RMS	933.3	-61.81	-13	Pass	9701
1000	1840	1	RMS	1837	-50.59	-13	Pass	841
1840	1920	1	RMS	1900.6	22.79	60	Pass	401
1920	3000	1	RMS	1920	-47.76	-13	Pass	1081
3000	12000	1	RMS	3801	-27.27	-13	Pass	9001
12000	20000	1	RMS	19619	-24.53	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.66	-13	Pass	2986
30	1000	0.1	RMS	925	-61.49	-13	Pass	9701
1000	1840	1	RMS	1836	-50.61	-13	Pass	841
1840	1920	1	RMS	1900.6	21.87	60	Pass	401
1920	3000	1	RMS	2660	-48.48	-13	Pass	1081
3000	12000	1	RMS	3801	-28.85	-13	Pass	9001
12000	20000	1	RMS	19632	-24.55	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.64	-13	Pass	2986
30	1000	0.1	RMS	934.1	-61.75	-13	Pass	9701
1000	1840	1	RMS	1838	-40.17	-13	Pass	841
1840	1920	1	RMS	1850.8	21.49	60	Pass	401
1920	3000	1	RMS	2665	-48.45	-13	Pass	1081
3000	12000	1	RMS	3702	-25.28	-13	Pass	9001
12000	20000	1	RMS	19608	-24.6	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.37	-13	Pass	2986
30	1000	0.1	RMS	891.7	-61.82	-13	Pass	9701
1000	1840	1	RMS	1838	-41.13	-13	Pass	841
1840	1920	1	RMS	1850.8	20.76	60	Pass	401
1920	3000	1	RMS	2667	-48.43	-13	Pass	1081
3000	12000	1	RMS	3702	-26.34	-13	Pass	9001
12000	20000	1	RMS	19636	-24.59	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.78	-13	Pass	2986
30	1000	0.1	RMS	920	-61.63	-13	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	Pass	841
1840	1920	1	RMS	1873.4	22.52	60	Pass	401
1920	3000	1	RMS	2666	-48.5	-13	Pass	1081
3000	12000	1	RMS	3747	-26.88	-13	Pass	9001
12000	20000	1	RMS	19619	-24.6	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.23	-13	Pass	2986
30	1000	0.1	RMS	961.7	-61.82	-13	Pass	9701
1000	1840	1	RMS	1840	-50.32	-13	Pass	841
1840	1920	1	RMS	1873.4	21.77	60	Pass	401
1920	3000	1	RMS	2669	-48.48	-13	Pass	1081
3000	12000	1	RMS	3747	-27.64	-13	Pass	9001
12000	20000	1	RMS	19643	-24.59	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.46	-13	Pass	2986
30	1000	0.1	RMS	909.9	-61.83	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1920	1	RMS	1895.8	22.1	60	Pass	401
1920	3000	1	RMS	1922	-35.36	-13	Pass	1081
3000	12000	1	RMS	3792	-30.22	-13	Pass	9001
12000	20000	1	RMS	19614	-24.54	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.12	-13	Pass	2986
30	1000	0.1	RMS	923.4	-61.81	-13	Pass	9701
1000	1840	1	RMS	1835	-50.55	-13	Pass	841
1840	1920	1	RMS	1895.8	21.18	60	Pass	401
1920	3000	1	RMS	1922	-35.82	-13	Pass	1081
3000	12000	1	RMS	3792	-31.72	-13	Pass	9001
12000	20000	1	RMS	19629	-24.61	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-58.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-13	Pass	2986
30	1000	0.1	RMS	908	-61.73	-13	Pass	9701
1000	1840	1	RMS	1833	-40.75	-13	Pass	841
1840	1920	1	RMS	1851	21.32	60	Pass	401
1920	3000	1	RMS	2667	-48.49	-13	Pass	1081
3000	12000	1	RMS	3702	-23.68	-13	Pass	9001
12000	20000	1	RMS	19636	-24.62	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.76	-13	Pass	2986
30	1000	0.1	RMS	913.1	-61.81	-13	Pass	9701
1000	1840	1	RMS	1833	-42.16	-13	Pass	841
1840	1920	1	RMS	1851	20.55	60	Pass	401
1920	3000	1	RMS	2668	-48.45	-13	Pass	1081
3000	12000	1	RMS	3702	-25.16	-13	Pass	9001
12000	20000	1	RMS	19619	-24.56	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.78	-13	Pass	2986
30	1000	0.1	RMS	936.3	-61.87	-13	Pass	9701
1000	1840	1	RMS	1835	-34.37	-13	Pass	841
1840	1920	1	RMS	1871	22.38	60	Pass	401
1920	3000	1	RMS	2670	-48.48	-13	Pass	1081
3000	12000	1	RMS	3742	-26.34	-13	Pass	9001
12000	20000	1	RMS	19650	-24.59	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.93	-13	Pass	2986
30	1000	0.1	RMS	933.8	-61.72	-13	Pass	9701
1000	1840	1	RMS	1835	-36.3	-13	Pass	841
1840	1920	1	RMS	1871	21.42	60	Pass	401
1920	3000	1	RMS	2658	-48.48	-13	Pass	1081
3000	12000	1	RMS	3742	-28.25	-13	Pass	9001
12000	20000	1	RMS	19632	-24.58	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.44	-13	Pass	2986
30	1000	0.1	RMS	826.4	-61.87	-13	Pass	9701
1000	1840	1	RMS	1838	-50.52	-13	Pass	841
1840	1920	1	RMS	1891	21.85	60	Pass	401
1920	3000	1	RMS	2657	-48.47	-13	Pass	1081
3000	12000	1	RMS	3782	-28.81	-13	Pass	9001
12000	20000	1	RMS	19638	-24.57	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.16	-13	Pass	2986
30	1000	0.1	RMS	955.2	-61.68	-13	Pass	9701
1000	1840	1	RMS	1838	-50.59	-13	Pass	841
1840	1920	1	RMS	1891	21.01	60	Pass	401
1920	3000	1	RMS	2671	-48.48	-13	Pass	1081
3000	12000	1	RMS	3782	-29.86	-13	Pass	9001
12000	20000	1	RMS	19618	-24.55	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.4	-13	Pass	2986
30	1000	0.1	RMS	923.8	-61.79	-13	Pass	9701
1000	1700	1	RMS	1700	-48.18	-13	Pass	701
1700	1765	1	RMS	1710.238	23.36	60	Pass	401
1765	3000	1	RMS	2667	-48.43	-13	Pass	1236
3000	12000	1	RMS	3420	-32.39	-13	Pass	9001
12000	20000	1	RMS	19635	-24.57	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.02	-13	Pass	2986
30	1000	0.1	RMS	914.8	-61.77	-13	Pass	9701
1000	1700	1	RMS	1700	-48.61	-13	Pass	701
1700	1765	1	RMS	1710.238	22.57	60	Pass	401
1765	3000	1	RMS	2671	-48.45	-13	Pass	1236
3000	12000	1	RMS	3420	-33.08	-13	Pass	9001
12000	20000	1	RMS	19623	-24.57	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.1	-13	Pass	2986
30	1000	0.1	RMS	930.3	-61.65	-13	Pass	9701
1000	1700	1	RMS	1700	-51.35	-13	Pass	701
1700	1765	1	RMS	1732.013	22.86	60	Pass	401
1765	3000	1	RMS	2669	-48.46	-13	Pass	1236
3000	12000	1	RMS	3464	-31.55	-13	Pass	9001
12000	20000	1	RMS	19617	-24.61	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.16	-13	Pass	2986
30	1000	0.1	RMS	887.2	-61.83	-13	Pass	9701
1000	1700	1	RMS	1694	-51.41	-13	Pass	701
1700	1765	1	RMS	1732.013	22.04	60	Pass	401
1765	3000	1	RMS	2666	-48.49	-13	Pass	1236
3000	12000	1	RMS	3464	-32.16	-13	Pass	9001
12000	20000	1	RMS	19612	-24.58	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.08	-13	Pass	2986
30	1000	0.1	RMS	952.4	-61.74	-13	Pass	9701
1000	1700	1	RMS	1700	-51.38	-13	Pass	701
1700	1765	1	RMS	1753.788	23.05	60	Pass	401
1765	3000	1	RMS	1765	-47.21	-13	Pass	1236
3000	12000	1	RMS	3508	-33.06	-13	Pass	9001
12000	20000	1	RMS	19631	-24.59	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.12	-13	Pass	2986
30	1000	0.1	RMS	903.8	-61.8	-13	Pass	9701
1000	1700	1	RMS	1697	-51.42	-13	Pass	701
1700	1765	1	RMS	1753.788	22.18	60	Pass	401
1765	3000	1	RMS	1765	-47.72	-13	Pass	1236
3000	12000	1	RMS	3508	-33.75	-13	Pass	9001
12000	20000	1	RMS	19624	-24.61	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.01	-13	Pass	2986
30	1000	0.1	RMS	944.3	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-48.24	-13	Pass	701
1700	1765	1	RMS	1710.238	23.41	60	Pass	401
1765	3000	1	RMS	2667	-48.48	-13	Pass	1236
3000	12000	1	RMS	3420	-32.17	-13	Pass	9001
12000	20000	1	RMS	19645	-24.52	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.22	-13	Pass	2986
30	1000	0.1	RMS	922	-61.79	-13	Pass	9701
1000	1700	1	RMS	1700	-48.56	-13	Pass	701
1700	1765	1	RMS	1710.238	22.53	60	Pass	401
1765	3000	1	RMS	2664	-48.45	-13	Pass	1236
3000	12000	1	RMS	3420	-32.8	-13	Pass	9001
12000	20000	1	RMS	19625	-24.59	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.39	-13	Pass	2986
30	1000	0.1	RMS	920.5	-61.84	-13	Pass	9701
1000	1700	1	RMS	1699	-51.36	-13	Pass	701
1700	1765	1	RMS	1731.2	22.87	60	Pass	401
1765	3000	1	RMS	2669	-48.49	-13	Pass	1236
3000	12000	1	RMS	3462	-32.98	-13	Pass	9001
12000	20000	1	RMS	19607	-24.57	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.36	-13	Pass	2986
30	1000	0.1	RMS	929.3	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-51.36	-13	Pass	701
1700	1765	1	RMS	1731.2	22.23	60	Pass	401
1765	3000	1	RMS	2668	-48.45	-13	Pass	1236
3000	12000	1	RMS	3462	-33.39	-13	Pass	9001
12000	20000	1	RMS	19626	-24.57	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.5	-13	Pass	2986
30	1000	0.1	RMS	917.5	-61.62	-13	Pass	9701
1000	1700	1	RMS	1681	-51.38	-13	Pass	701
1700	1765	1	RMS	1752.163	22.84	60	Pass	401
1765	3000	1	RMS	1765	-47.77	-13	Pass	1236
3000	12000	1	RMS	3504	-34.14	-13	Pass	9001
12000	20000	1	RMS	19624	-24.61	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.18	-13	Pass	2986
30	1000	0.1	RMS	938.6	-61.74	-13	Pass	9701
1000	1700	1	RMS	1700	-51.41	-13	Pass	701
1700	1765	1	RMS	1752.325	22.02	60	Pass	401
1765	3000	1	RMS	1767	-48.23	-13	Pass	1236
3000	12000	1	RMS	3504	-34.58	-13	Pass	9001
12000	20000	1	RMS	19643	-24.59	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.71	-13	Pass	2986
30	1000	0.1	RMS	933.3	-61.8	-13	Pass	9701
1000	1700	1	RMS	1700	-46.08	-13	Pass	701
1700	1765	1	RMS	1710.4	23.6	60	Pass	401
1765	3000	1	RMS	2666	-48.43	-13	Pass	1236
3000	12000	1	RMS	3421	-31.03	-13	Pass	9001
12000	20000	1	RMS	19642	-24.59	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.26	-13	Pass	2986
30	1000	0.1	RMS	939.9	-61.81	-13	Pass	9701
1000	1700	1	RMS	1700	-46.71	-13	Pass	701
1700	1765	1	RMS	1710.238	22.77	60	Pass	401
1765	3000	1	RMS	2669	-48.41	-13	Pass	1236
3000	12000	1	RMS	3421	-31.72	-13	Pass	9001
12000	20000	1	RMS	19643	-24.59	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.61	-13	Pass	2986
30	1000	0.1	RMS	930.6	-61.83	-13	Pass	9701
1000	1700	1	RMS	1698	-51.36	-13	Pass	701
1700	1765	1	RMS	1730.388	23.13	60	Pass	401
1765	3000	1	RMS	2666	-48.43	-13	Pass	1236
3000	12000	1	RMS	3461	-31.88	-13	Pass	9001
12000	20000	1	RMS	19640	-24.59	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.43	-13	Pass	2986
30	1000	0.1	RMS	929.9	-61.63	-13	Pass	9701
1000	1700	1	RMS	1697	-51.34	-13	Pass	701
1700	1765	1	RMS	1730.388	22.34	60	Pass	401
1765	3000	1	RMS	2668	-48.49	-13	Pass	1236
3000	12000	1	RMS	3461	-32.55	-13	Pass	9001
12000	20000	1	RMS	19646	-24.6	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.27	-13	Pass	2986
30	1000	0.1	RMS	918.9	-61.82	-13	Pass	9701
1000	1700	1	RMS	1698	-51.35	-13	Pass	701
1700	1765	1	RMS	1750.375	23.09	60	Pass	401
1765	3000	1	RMS	1768	-46.43	-13	Pass	1236
3000	12000	1	RMS	3501	-33.25	-13	Pass	9001
12000	20000	1	RMS	19641	-24.53	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.45	-13	Pass	2986
30	1000	0.1	RMS	939	-61.74	-13	Pass	9701
1000	1700	1	RMS	1699	-51.38	-13	Pass	701
1700	1765	1	RMS	1750.375	22.42	60	Pass	401
1765	3000	1	RMS	1768	-46.68	-13	Pass	1236
3000	12000	1	RMS	3501	-33.48	-13	Pass	9001
12000	20000	1	RMS	19638	-24.59	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.48	-13	Pass	2986
30	1000	0.1	RMS	929.3	-61.77	-13	Pass	9701
1000	1700	1	RMS	1693	-30.98	-13	Pass	701
1700	1765	1	RMS	1710.563	23.87	60	Pass	401
1765	3000	1	RMS	2665	-48.42	-13	Pass	1236
3000	12000	1	RMS	3421	-30.3	-13	Pass	9001
12000	20000	1	RMS	19659	-24.58	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.2	-13	Pass	2986
30	1000	0.1	RMS	927.7	-61.76	-13	Pass	9701
1000	1700	1	RMS	1693	-30.44	-13	Pass	701
1700	1765	1	RMS	1710.563	23.16	60	Pass	401
1765	3000	1	RMS	2669	-48.41	-13	Pass	1236
3000	12000	1	RMS	3421	-30.73	-13	Pass	9001
12000	20000	1	RMS	19658	-24.59	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.08	-13	Pass	2986
30	1000	0.1	RMS	923.5	-61.49	-13	Pass	9701
1000	1700	1	RMS	1693	-50.89	-13	Pass	701
1700	1765	1	RMS	1728.113	23.33	60	Pass	401
1765	3000	1	RMS	2673	-48.45	-13	Pass	1236
3000	12000	1	RMS	3456	-31.09	-13	Pass	9001
12000	20000	1	RMS	19656	-24.59	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.52	-13	Pass	2986
30	1000	0.1	RMS	917.8	-61.87	-13	Pass	9701
1000	1700	1	RMS	1693	-50.75	-13	Pass	701
1700	1765	1	RMS	1728.113	22.6	60	Pass	401
1765	3000	1	RMS	2648	-48.44	-13	Pass	1236
3000	12000	1	RMS	3456	-31.55	-13	Pass	9001
12000	20000	1	RMS	19650	-24.58	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.72	-13	Pass	2986
30	1000	0.1	RMS	940.2	-61.75	-13	Pass	9701
1000	1700	1	RMS	1700	-51.35	-13	Pass	701
1700	1765	1	RMS	1745.663	23.26	60	Pass	401
1765	3000	1	RMS	1765	-47.06	-13	Pass	1236
3000	12000	1	RMS	3491	-32.26	-13	Pass	9001
12000	20000	1	RMS	19643	-24.5	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.79	-13	Pass	2986
30	1000	0.1	RMS	900.1	-61.85	-13	Pass	9701
1000	1700	1	RMS	1695	-51.34	-13	Pass	701
1700	1765	1	RMS	1745.663	22.42	60	Pass	401
1765	3000	1	RMS	1765	-47.37	-13	Pass	1236
3000	12000	1	RMS	3491	-32.76	-13	Pass	9001
12000	20000	1	RMS	19618	-24.61	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.03	-13	Pass	2986
30	1000	0.1	RMS	942.5	-61.81	-13	Pass	9701
1000	1700	1	RMS	1698	-35.29	-13	Pass	701
1700	1765	1	RMS	1710.888	23.36	60	Pass	401
1765	3000	1	RMS	2667	-48.42	-13	Pass	1236
3000	12000	1	RMS	3422	-31.4	-13	Pass	9001
12000	20000	1	RMS	19620	-24.59	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.91	-13	Pass	2986
30	1000	0.1	RMS	931.5	-61.79	-13	Pass	9701
1000	1700	1	RMS	1698	-36.55	-13	Pass	701
1700	1765	1	RMS	1710.888	22.66	60	Pass	401
1765	3000	1	RMS	2667	-48.44	-13	Pass	1236
3000	12000	1	RMS	3422	-31.69	-13	Pass	9001
12000	20000	1	RMS	19644	-24.59	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.34	-13	Pass	2986
30	1000	0.1	RMS	935.3	-61.83	-13	Pass	9701
1000	1700	1	RMS	1699	-31.77	-13	Pass	701
1700	1765	1	RMS	1725.838	22.93	60	Pass	401
1765	3000	1	RMS	2670	-48.45	-13	Pass	1236
3000	12000	1	RMS	3452	-31.73	-13	Pass	9001
12000	20000	1	RMS	19614	-24.61	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.8	-13	Pass	2986
30	1000	0.1	RMS	901.1	-61.77	-13	Pass	9701
1000	1700	1	RMS	1699	-32.82	-13	Pass	701
1700	1765	1	RMS	1725.838	22.25	60	Pass	401
1765	3000	1	RMS	1779	-48.32	-13	Pass	1236
3000	12000	1	RMS	3452	-32.2	-13	Pass	9001
12000	20000	1	RMS	19645	-24.59	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.21	-13	Pass	2986
30	1000	0.1	RMS	889.5	-61.82	-13	Pass	9701
1000	1700	1	RMS	1687	-51.37	-13	Pass	701
1700	1765	1	RMS	1740.788	22.82	60	Pass	401
1765	3000	1	RMS	1767	-23.26	-13	Pass	1236
3000	12000	1	RMS	3482	-32.6	-13	Pass	9001
12000	20000	1	RMS	19627	-24.59	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.76	-13	Pass	2986
30	1000	0.1	RMS	952.1	-61.72	-13	Pass	9701
1000	1700	1	RMS	1700	-51.28	-13	Pass	701
1700	1765	1	RMS	1740.788	22.1	60	Pass	401
1765	3000	1	RMS	1767	-23.38	-13	Pass	1236
3000	12000	1	RMS	3482	-33.44	-13	Pass	9001
12000	20000	1	RMS	19638	-24.63	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.23	-13	Pass	2986
30	1000	0.1	RMS	919.7	-61.78	-13	Pass	9701
1000	1700	1	RMS	1693	-36.31	-13	Pass	701
1700	1765	1	RMS	1711.05	23.31	60	Pass	401
1765	3000	1	RMS	2663	-48.45	-13	Pass	1236
3000	12000	1	RMS	3422	-30.77	-13	Pass	9001
12000	20000	1	RMS	19624	-24.6	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.39	-13	Pass	2986
30	1000	0.1	RMS	916.7	-61.75	-13	Pass	9701
1000	1700	1	RMS	1693	-37.69	-13	Pass	701
1700	1765	1	RMS	1711.05	22.6	60	Pass	401
1765	3000	1	RMS	2668	-48.49	-13	Pass	1236
3000	12000	1	RMS	3422	-31.58	-13	Pass	9001
12000	20000	1	RMS	19637	-24.57	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.28	-13	Pass	2986
30	1000	0.1	RMS	944.6	-61.78	-13	Pass	9701
1000	1700	1	RMS	1688	-36.17	-13	Pass	701
1700	1765	1	RMS	1723.563	22.91	60	Pass	401
1765	3000	1	RMS	1768	-48.43	-13	Pass	1236
3000	12000	1	RMS	3447	-31.21	-13	Pass	9001
12000	20000	1	RMS	19637	-24.61	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.49	-13	Pass	2986
30	1000	0.1	RMS	931.7	-61.76	-13	Pass	9701
1000	1700	1	RMS	1688	-38.38	-13	Pass	701
1700	1765	1	RMS	1723.563	22.03	60	Pass	401
1765	3000	1	RMS	1768	-48.43	-13	Pass	1236
3000	12000	1	RMS	3447	-32.21	-13	Pass	9001
12000	20000	1	RMS	19648	-24.58	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.44	-13	Pass	2986
30	1000	0.1	RMS	945.6	-61.72	-13	Pass	9701
1000	1700	1	RMS	1700	-33.64	-13	Pass	701
1700	1765	1	RMS	1736.075	22.8	60	Pass	401
1765	3000	1	RMS	1772	-20.24	-13	Pass	1236
3000	12000	1	RMS	3472	-31.83	-13	Pass	9001
12000	20000	1	RMS	19608	-24.6	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.87	-13	Pass	2986
30	1000	0.1	RMS	919.2	-61.8	-13	Pass	9701
1000	1700	1	RMS	1700	-33.82	-13	Pass	701
1700	1765	1	RMS	1736.075	21.99	60	Pass	401
1765	3000	1	RMS	1772	-20.42	-13	Pass	1236
3000	12000	1	RMS	3472	-32.72	-13	Pass	9001
12000	20000	1	RMS	19637	-24.55	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.99	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.15	-13	Pass	7841
814	860	0.1	RMS	824.2	17.97	60	Pass	461
860	1000	0.1	RMS	932.4	-62.58	-13	Pass	1401
1000	3000	1	RMS	2656	-47.65	-13	Pass	2001
3000	10000	1	RMS	9999	-40.25	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.89	-13	Pass	2986
30	814	0.1	RMS	806.5	-62.17	-13	Pass	7841
814	860	0.1	RMS	824.2	16.75	60	Pass	461
860	1000	0.1	RMS	934.7	-62.73	-13	Pass	1401
1000	3000	1	RMS	2668	-47.62	-13	Pass	2001
3000	10000	1	RMS	9457	-40.22	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.97	-13	Pass	2986
30	814	0.1	RMS	788.4	-62.16	-13	Pass	7841
814	860	0.1	RMS	836	17.99	60	Pass	461
860	1000	0.1	RMS	948.6	-62.72	-13	Pass	1401
1000	3000	1	RMS	2667	-47.63	-13	Pass	2001
3000	10000	1	RMS	9989	-40.23	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.81	-13	Pass	2986
30	814	0.1	RMS	791.9	-62.08	-13	Pass	7841
814	860	0.1	RMS	836	16.99	60	Pass	461
860	1000	0.1	RMS	941.8	-62.82	-13	Pass	1401
1000	3000	1	RMS	2671	-47.63	-13	Pass	2001
3000	10000	1	RMS	9997	-40.23	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.73	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.18	-13	Pass	7841
814	860	0.1	RMS	847.8	18.27	60	Pass	461
860	1000	0.1	RMS	957.7	-62.79	-13	Pass	1401
1000	3000	1	RMS	2669	-47.6	-13	Pass	2001
3000	10000	1	RMS	9986	-40.14	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.77	-13	Pass	2986
30	814	0.1	RMS	792.1	-62.12	-13	Pass	7841
814	860	0.1	RMS	847.8	17.4	60	Pass	461
860	1000	0.1	RMS	956.8	-62.8	-13	Pass	1401
1000	3000	1	RMS	2668	-47.63	-13	Pass	2001
3000	10000	1	RMS	9999	-40.26	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.66	-13	Pass	2986
30	814	0.1	RMS	801.4	-62.05	-13	Pass	7841
814	860	0.1	RMS	824.2	18.07	60	Pass	461
860	1000	0.1	RMS	950	-62.69	-13	Pass	1401
1000	3000	1	RMS	2659	-47.65	-13	Pass	2001
3000	10000	1	RMS	9985	-40.12	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.47	-13	Pass	2986
30	814	0.1	RMS	782.3	-62.13	-13	Pass	7841
814	860	0.1	RMS	824.2	17.12	60	Pass	461
860	1000	0.1	RMS	954.5	-62.81	-13	Pass	1401
1000	3000	1	RMS	2658	-47.63	-13	Pass	2001
3000	10000	1	RMS	9998	-40.24	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.51	-13	Pass	2986
30	814	0.1	RMS	796.5	-62.04	-13	Pass	7841
814	860	0.1	RMS	835.2	18.2	60	Pass	461
860	1000	0.1	RMS	931.7	-62.8	-13	Pass	1401
1000	3000	1	RMS	2669	-47.62	-13	Pass	2001
3000	10000	1	RMS	9980	-40.24	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.97	-13	Pass	2986
30	814	0.1	RMS	811.5	-62.11	-13	Pass	7841
814	860	0.1	RMS	835.2	17.16	60	Pass	461
860	1000	0.1	RMS	935.2	-62.67	-13	Pass	1401
1000	3000	1	RMS	2668	-47.58	-13	Pass	2001
3000	10000	1	RMS	9991	-40.19	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.34	-13	Pass	2986
30	814	0.1	RMS	789.9	-62.09	-13	Pass	7841
814	860	0.1	RMS	846.2	18.35	60	Pass	461
860	1000	0.1	RMS	949.1	-62.62	-13	Pass	1401
1000	3000	1	RMS	2671	-47.61	-13	Pass	2001
3000	10000	1	RMS	9991	-40.24	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.85	-13	Pass	2986
30	814	0.1	RMS	794.9	-62.18	-13	Pass	7841
814	860	0.1	RMS	846.2	17.49	60	Pass	461
860	1000	0.1	RMS	956	-62.72	-13	Pass	1401
1000	3000	1	RMS	2668	-47.63	-13	Pass	2001
3000	10000	1	RMS	9996	-40.24	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.43	-13	Pass	2986
30	814	0.1	RMS	809.9	-62.08	-13	Pass	7841
814	860	0.1	RMS	824.3	18.39	60	Pass	461
860	1000	0.1	RMS	915.3	-62.7	-13	Pass	1401
1000	3000	1	RMS	2666	-47.59	-13	Pass	2001
3000	10000	1	RMS	9997	-40.19	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.87	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.18	-13	Pass	7841
814	860	0.1	RMS	824.3	17.27	60	Pass	461
860	1000	0.1	RMS	898.2	-62.77	-13	Pass	1401
1000	3000	1	RMS	2664	-47.62	-13	Pass	2001
3000	10000	1	RMS	9995	-40.24	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.26	-13	Pass	2986
30	814	0.1	RMS	798.3	-61.95	-13	Pass	7841
814	860	0.1	RMS	834.3	18.43	60	Pass	461
860	1000	0.1	RMS	938.7	-62.84	-13	Pass	1401
1000	3000	1	RMS	2668	-47.64	-13	Pass	2001
3000	10000	1	RMS	9994	-40.27	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.88	-13	Pass	2986
30	814	0.1	RMS	801.9	-62.1	-13	Pass	7841
814	860	0.1	RMS	834.3	17.79	60	Pass	461
860	1000	0.1	RMS	922.3	-62.72	-13	Pass	1401
1000	3000	1	RMS	2668	-47.66	-13	Pass	2001
3000	10000	1	RMS	9989	-40.24	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.66	-13	Pass	2986
30	814	0.1	RMS	798.1	-62.05	-13	Pass	7841
814	860	0.1	RMS	844.3	18.7	60	Pass	461
860	1000	0.1	RMS	970.9	-62.61	-13	Pass	1401
1000	3000	1	RMS	2665	-47.63	-13	Pass	2001
3000	10000	1	RMS	9998	-40.25	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.95	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.11	-13	Pass	7841
814	860	0.1	RMS	844.3	17.77	60	Pass	461
860	1000	0.1	RMS	925.7	-62.81	-13	Pass	1401
1000	3000	1	RMS	2661	-47.6	-13	Pass	2001
3000	10000	1	RMS	9992	-40.21	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.65	-13	Pass	2986
30	814	0.1	RMS	807	-62.1	-13	Pass	7841
814	860	0.1	RMS	824.6	19.22	60	Pass	461
860	1000	0.1	RMS	923.5	-62.76	-13	Pass	1401
1000	3000	1	RMS	2671	-47.62	-13	Pass	2001
3000	10000	1	RMS	9994	-40.22	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.74	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.08	-13	Pass	7841
814	860	0.1	RMS	824.6	18.29	60	Pass	461
860	1000	0.1	RMS	923.4	-62.79	-13	Pass	1401
1000	3000	1	RMS	2664	-47.63	-13	Pass	2001
3000	10000	1	RMS	9999	-40.18	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.94	-13	Pass	2986
30	814	0.1	RMS	802.5	-62.06	-13	Pass	7841
814	860	0.1	RMS	832.1	18.98	60	Pass	461
860	1000	0.1	RMS	933.2	-62.47	-13	Pass	1401
1000	3000	1	RMS	2672	-47.64	-13	Pass	2001
3000	10000	1	RMS	9992	-40.22	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.31	-13	Pass	2986
30	814	0.1	RMS	798.9	-62.06	-13	Pass	7841
814	860	0.1	RMS	832.1	18.03	60	Pass	461
860	1000	0.1	RMS	981.1	-62.67	-13	Pass	1401
1000	3000	1	RMS	2676	-47.62	-13	Pass	2001
3000	10000	1	RMS	9999	-40.21	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.76	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.01	-13	Pass	7841
814	860	0.1	RMS	839.6	19.32	60	Pass	461
860	1000	0.1	RMS	956.2	-62.76	-13	Pass	1401
1000	3000	1	RMS	2673	-47.64	-13	Pass	2001
3000	10000	1	RMS	9982	-40.22	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.48	-13	Pass	2986
30	814	0.1	RMS	810.1	-62.07	-13	Pass	7841
814	860	0.1	RMS	839.6	18.49	60	Pass	461
860	1000	0.1	RMS	928.3	-62.62	-13	Pass	1401
1000	3000	1	RMS	2674	-47.63	-13	Pass	2001
3000	10000	1	RMS	9998	-40.23	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.82	-25	Pass	2986
30	1000	0.1	RMS	940.4	-61.7	-25	Pass	9701
1000	2490	1	RMS	2490	-44.16	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.64	60	Pass	401
2580	3000	1	RMS	2668	-48.75	-25	Pass	421
3000	12000	1	RMS	5001	-53.83	-25	Pass	9001
12000	26000	1	RMS	25708	-37.92	-25	Pass	14001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.95	-25	Pass	2986
30	1000	0.1	RMS	928.7	-61.7	-25	Pass	9701
1000	2490	1	RMS	2490	-44.93	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.96	60	Pass	401
2580	3000	1	RMS	2667	-48.75	-25	Pass	421
3000	12000	1	RMS	5001	-55.11	-25	Pass	9001
12000	26000	1	RMS	25722	-38.75	-25	Pass	14001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.94	-25	Pass	2986
30	1000	0.1	RMS	922.3	-61.64	-25	Pass	9701
1000	2490	1	RMS	2490	-48.49	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.78	60	Pass	401
2580	3000	1	RMS	2672	-48.76	-25	Pass	421
3000	12000	1	RMS	5066	-58.7	-25	Pass	9001
12000	26000	1	RMS	25707	-38.68	-25	Pass	14001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.59	-25	Pass	2986
30	1000	0.1	RMS	937.1	-61.7	-25	Pass	9701
1000	2490	1	RMS	2490	-48.59	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.08	60	Pass	401
2580	3000	1	RMS	2667	-48.79	-25	Pass	421
3000	12000	1	RMS	5066	-59.28	-25	Pass	9001
12000	26000	1	RMS	25720	-38.78	-25	Pass	14001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.32	-25	Pass	2986
30	1000	0.1	RMS	917	-61.74	-25	Pass	9701
1000	2490	1	RMS	2489	-48.56	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.24	60	Pass	401
2580	3000	1	RMS	2580	-46.46	-25	Pass	421
3000	12000	1	RMS	5131	-56.81	-25	Pass	9001
12000	26000	1	RMS	25710	-38.74	-25	Pass	14001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.97	-25	Pass	2986
30	1000	0.1	RMS	928.5	-61.75	-25	Pass	9701
1000	2490	1	RMS	2490	-48.52	-25	Pass	1491
2490	2580	1	RMS	2565.375	20.62	60	Pass	401
2580	3000	1	RMS	2580	-46.85	-25	Pass	421
3000	12000	1	RMS	5131	-57.22	-25	Pass	9001
12000	26000	1	RMS	25713	-38.74	-25	Pass	14001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.54	-25	Pass	2986
30	1000	0.1	RMS	945.8	-61.69	-25	Pass	9701
1000	2490	1	RMS	2483	-42.66	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.97	60	Pass	401
2580	3000	1	RMS	2668	-48.74	-25	Pass	421
3000	12000	1	RMS	11861	-60.93	-25	Pass	9001
12000	26000	1	RMS	25722	-38.69	-25	Pass	14001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.42	-25	Pass	2986
30	1000	0.1	RMS	910.9	-61.8	-25	Pass	9701
1000	2490	1	RMS	2490	-44.5	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.16	60	Pass	401
2580	3000	1	RMS	2666	-48.74	-25	Pass	421
3000	12000	1	RMS	5001	-57.04	-25	Pass	9001
12000	26000	1	RMS	25723	-38.65	-25	Pass	14001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.42	-25	Pass	2986
30	1000	0.1	RMS	942.5	-61.75	-25	Pass	9701
1000	2490	1	RMS	2490	-48.49	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.75	60	Pass	401
2580	3000	1	RMS	2658	-48.77	-25	Pass	421
3000	12000	1	RMS	5061	-55.13	-25	Pass	9001
12000	26000	1	RMS	25718	-38.63	-25	Pass	14001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.32	-25	Pass	2986
30	1000	0.1	RMS	965.2	-61.79	-25	Pass	9701
1000	2490	1	RMS	2490	-48.51	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.19	60	Pass	401
2580	3000	1	RMS	2661	-48.73	-25	Pass	421
3000	12000	1	RMS	5061	-57.43	-25	Pass	9001
12000	26000	1	RMS	25721	-38.73	-25	Pass	14001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.47	-25	Pass	2986
30	1000	0.1	RMS	934.6	-61.75	-25	Pass	9701
1000	2490	1	RMS	2488	-48.61	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.28	60	Pass	401
2580	3000	1	RMS	2587	-47.34	-25	Pass	421
3000	12000	1	RMS	5121	-57.97	-25	Pass	9001
12000	26000	1	RMS	25722	-38.75	-25	Pass	14001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.51	-25	Pass	2986
30	1000	0.1	RMS	899.7	-61.83	-25	Pass	9701
1000	2490	1	RMS	2485	-48.61	-25	Pass	1491
2490	2580	1	RMS	2560.65	20.56	60	Pass	401
2580	3000	1	RMS	2587	-47.52	-25	Pass	421
3000	12000	1	RMS	5121	-59.06	-25	Pass	9001
12000	26000	1	RMS	25721	-38.75	-25	Pass	14001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.35	-25	Pass	2986
30	1000	0.1	RMS	936.7	-61.73	-25	Pass	9701
1000	2490	1	RMS	2488	-34.86	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.46	60	Pass	401
2580	3000	1	RMS	2666	-48.75	-25	Pass	421
3000	12000	1	RMS	5002	-60.98	-25	Pass	9001
12000	26000	1	RMS	25713	-38.73	-25	Pass	14001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.01	-25	Pass	2986
30	1000	0.1	RMS	919.3	-61.84	-25	Pass	9701
1000	2490	1	RMS	2488	-35.86	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.83	60	Pass	401
2580	3000	1	RMS	2668	-48.74	-25	Pass	421
3000	12000	1	RMS	5002	-60.2	-25	Pass	9001
12000	26000	1	RMS	25720	-38.76	-25	Pass	14001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.65	-25	Pass	2986
30	1000	0.1	RMS	915.9	-61.74	-25	Pass	9701
1000	2490	1	RMS	2490	-48.39	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.15	60	Pass	401
2580	3000	1	RMS	2661	-48.75	-25	Pass	421
3000	12000	1	RMS	5057	-52.27	-25	Pass	9001
12000	26000	1	RMS	25727	-38.74	-25	Pass	14001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.05	-25	Pass	2986
30	1000	0.1	RMS	917.9	-61.74	-25	Pass	9701
1000	2490	1	RMS	2490	-48.55	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.4	60	Pass	401
2580	3000	1	RMS	2582	-48.44	-25	Pass	421
3000	12000	1	RMS	5057	-53.36	-25	Pass	9001
12000	26000	1	RMS	25718	-38.72	-25	Pass	14001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.73	-25	Pass	2986
30	1000	0.1	RMS	933.9	-61.77	-25	Pass	9701
1000	2490	1	RMS	2488	-48.55	-25	Pass	1491
2490	2580	1	RMS	2555.925	21.32	60	Pass	401
2580	3000	1	RMS	2582	-31.18	-25	Pass	421
3000	12000	1	RMS	11865	-60.97	-25	Pass	9001
12000	26000	1	RMS	25728	-38.67	-25	Pass	14001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.11	-25	Pass	2986
30	1000	0.1	RMS	910.9	-61.86	-25	Pass	9701
1000	2490	1	RMS	2488	-48.55	-25	Pass	1491
2490	2580	1	RMS	2555.925	20.67	60	Pass	401
2580	3000	1	RMS	2582	-33.11	-25	Pass	421
3000	12000	1	RMS	11891	-61.05	-25	Pass	9001
12000	26000	1	RMS	25720	-38.73	-25	Pass	14001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.46	-25	Pass	2986
30	1000	0.1	RMS	938.2	-61.81	-25	Pass	9701
1000	2490	1	RMS	2483	-36.8	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.41	60	Pass	401
2580	3000	1	RMS	2667	-48.76	-25	Pass	421
3000	12000	1	RMS	5002	-60.33	-25	Pass	9001
12000	26000	1	RMS	25718	-38.68	-25	Pass	14001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.1	-25	Pass	2986
30	1000	0.1	RMS	944.6	-61.83	-25	Pass	9701
1000	2490	1	RMS	2483	-37.88	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.64	60	Pass	401
2580	3000	1	RMS	2666	-48.76	-25	Pass	421
3000	12000	1	RMS	5002	-60.83	-25	Pass	9001
12000	26000	1	RMS	25720	-38.69	-25	Pass	14001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.84	-25	Pass	2986
30	1000	0.1	RMS	936.5	-61.8	-25	Pass	9701
1000	2490	1	RMS	2490	-47.42	-25	Pass	1491
2490	2580	1	RMS	2526	20.98	60	Pass	401
2580	3000	1	RMS	2659	-48.78	-25	Pass	421
3000	12000	1	RMS	5052	-58.49	-25	Pass	9001
12000	26000	1	RMS	25714	-38.73	-25	Pass	14001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.03	-25	Pass	2986
30	1000	0.1	RMS	925.7	-61.89	-25	Pass	9701
1000	2490	1	RMS	2490	-46.9	-25	Pass	1491
2490	2580	1	RMS	2526	20.25	60	Pass	401
2580	3000	1	RMS	2671	-48.78	-25	Pass	421
3000	12000	1	RMS	11881	-60.93	-25	Pass	9001
12000	26000	1	RMS	25728	-38.75	-25	Pass	14001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.44	-25	Pass	2986
30	1000	0.1	RMS	941.1	-61.74	-25	Pass	9701
1000	2490	1	RMS	2490	-48.47	-25	Pass	1491
2490	2580	1	RMS	2551.2	21.42	60	Pass	401
2580	3000	1	RMS	2587	-33.31	-25	Pass	421
3000	12000	1	RMS	11854	-60.99	-25	Pass	9001
12000	26000	1	RMS	25721	-38.8	-25	Pass	14001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.63	-25	Pass	2986
30	1000	0.1	RMS	938.5	-61.65	-25	Pass	9701
1000	2490	1	RMS	2490	-48.57	-25	Pass	1491
2490	2580	1	RMS	2550.975	20.58	60	Pass	401
2580	3000	1	RMS	2587	-34.93	-25	Pass	421
3000	12000	1	RMS	11846	-61.01	-25	Pass	9001
12000	26000	1	RMS	25720	-38.72	-25	Pass	14001



5. LTE_Band66


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.58	-13	Pass	2986
30	1000	0.1	RMS	922.1	-61.8	-13	Pass	9701
1000	1700	1	RMS	1700	-47.55	-13	Pass	701
1700	1790	1	RMS	1710.35	23.59	60	Pass	401
1790	3000	1	RMS	2670	-48.46	-13	Pass	1211
3000	12000	1	RMS	3420	-31.97	-13	Pass	9001
12000	20000	1	RMS	19627	-24.55	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.17	-13	Pass	2986
30	1000	0.1	RMS	933.8	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-48.2	-13	Pass	701
1700	1790	1	RMS	1710.35	22.88	60	Pass	401
1790	3000	1	RMS	2663	-48.41	-13	Pass	1211
3000	12000	1	RMS	3420	-32.49	-13	Pass	9001
12000	20000	1	RMS	19633	-24.53	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.4	-13	Pass	2986
30	1000	0.1	RMS	949.6	-61.69	-13	Pass	9701
1000	1700	1	RMS	1700	-51.41	-13	Pass	701
1700	1790	1	RMS	1744.55	22.98	60	Pass	401
1790	3000	1	RMS	2668	-48.49	-13	Pass	1211
3000	12000	1	RMS	3489	-32.24	-13	Pass	9001
12000	20000	1	RMS	19640	-24.49	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.89	-13	Pass	2986
30	1000	0.1	RMS	900.4	-61.85	-13	Pass	9701
1000	1700	1	RMS	1699	-51.43	-13	Pass	701
1700	1790	1	RMS	1744.55	22.22	60	Pass	401
1790	3000	1	RMS	2671	-48.47	-13	Pass	1211
3000	12000	1	RMS	3489	-32.88	-13	Pass	9001
12000	20000	1	RMS	19630	-24.59	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.22	-13	Pass	2986
30	1000	0.1	RMS	967.3	-61.86	-13	Pass	9701
1000	1700	1	RMS	1698	-51.38	-13	Pass	701
1700	1790	1	RMS	1778.75	23.28	60	Pass	401
1790	3000	1	RMS	1790	-48.29	-13	Pass	1211
3000	12000	1	RMS	3558	-34.12	-13	Pass	9001
12000	20000	1	RMS	19605	-24.56	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-58.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.21	-13	Pass	2986
30	1000	0.1	RMS	958.3	-61.82	-13	Pass	9701
1000	1700	1	RMS	1700	-51.43	-13	Pass	701
1700	1790	1	RMS	1778.75	22.41	60	Pass	401
1790	3000	1	RMS	2671	-48.46	-13	Pass	1211
3000	12000	1	RMS	3558	-34.73	-13	Pass	9001
12000	20000	1	RMS	19638	-24.49	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.43	-13	Pass	2986
30	1000	0.1	RMS	930.4	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-47.25	-13	Pass	701
1700	1790	1	RMS	1710.125	23.61	60	Pass	401
1790	3000	1	RMS	2668	-48.45	-13	Pass	1211
3000	12000	1	RMS	3420	-31.9	-13	Pass	9001
12000	20000	1	RMS	19638	-24.56	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.99	-13	Pass	2986
30	1000	0.1	RMS	924.5	-61.76	-13	Pass	9701
1000	1700	1	RMS	1700	-47.94	-13	Pass	701
1700	1790	1	RMS	1710.125	22.9	60	Pass	401
1790	3000	1	RMS	2660	-48.44	-13	Pass	1211
3000	12000	1	RMS	3420	-32.36	-13	Pass	9001
12000	20000	1	RMS	19606	-24.56	-13	Pass	8001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.02	-13	Pass	2986
30	1000	0.1	RMS	921.9	-61.79	-13	Pass	9701
1000	1700	1	RMS	1693	-51.39	-13	Pass	701
1700	1790	1	RMS	1743.65	22.9	60	Pass	401
1790	3000	1	RMS	2666	-48.41	-13	Pass	1211
3000	12000	1	RMS	3487	-33.78	-13	Pass	9001
12000	20000	1	RMS	19604	-24.58	-13	Pass	8001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.68	-13	Pass	2986
30	1000	0.1	RMS	962.1	-61.87	-13	Pass	9701
1000	1700	1	RMS	1698	-51.38	-13	Pass	701
1700	1790	1	RMS	1743.65	22.07	60	Pass	401
1790	3000	1	RMS	2663	-48.45	-13	Pass	1211
3000	12000	1	RMS	3487	-34.42	-13	Pass	9001
12000	20000	1	RMS	19638	-24.52	-13	Pass	8001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.98	-13	Pass	2986
30	1000	0.1	RMS	933.5	-61.7	-13	Pass	9701
1000	1700	1	RMS	1691	-51.41	-13	Pass	701
1700	1790	1	RMS	1777.175	23.44	60	Pass	401
1790	3000	1	RMS	2668	-48.43	-13	Pass	1211
3000	12000	1	RMS	3554	-35.18	-13	Pass	9001
12000	20000	1	RMS	19617	-24.53	-13	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.46	-13	Pass	2986
30	1000	0.1	RMS	939.8	-61.75	-13	Pass	9701
1000	1700	1	RMS	1698	-51.41	-13	Pass	701
1700	1790	1	RMS	1777.175	22.62	60	Pass	401
1790	3000	1	RMS	2661	-48.44	-13	Pass	1211
3000	12000	1	RMS	3554	-35.76	-13	Pass	9001
12000	20000	1	RMS	19630	-24.55	-13	Pass	8001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.77	-13	Pass	2986
30	1000	0.1	RMS	978.7	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-46.01	-13	Pass	701
1700	1790	1	RMS	1710.35	23.98	60	Pass	401
1790	3000	1	RMS	2667	-48.44	-13	Pass	1211
3000	12000	1	RMS	3421	-30.81	-13	Pass	9001
12000	20000	1	RMS	19635	-24.52	-13	Pass	8001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.22	-13	Pass	2986
30	1000	0.1	RMS	933.2	-61.81	-13	Pass	9701
1000	1700	1	RMS	1700	-46.42	-13	Pass	701
1700	1790	1	RMS	1710.35	23.37	60	Pass	401
1790	3000	1	RMS	2656	-48.44	-13	Pass	1211
3000	12000	1	RMS	3421	-31.47	-13	Pass	9001
12000	20000	1	RMS	19616	-24.57	-13	Pass	8001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.97	-13	Pass	2986
30	1000	0.1	RMS	964.4	-61.72	-13	Pass	9701
1000	1700	1	RMS	1693	-51.34	-13	Pass	701
1700	1790	1	RMS	1742.75	23.14	60	Pass	401
1790	3000	1	RMS	2656	-48.44	-13	Pass	1211
3000	12000	1	RMS	3486	-32.56	-13	Pass	9001
12000	20000	1	RMS	19647	-24.55	-13	Pass	8001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.17	-13	Pass	2986
30	1000	0.1	RMS	931	-61.81	-13	Pass	9701
1000	1700	1	RMS	1697	-51.4	-13	Pass	701
1700	1790	1	RMS	1742.75	22.23	60	Pass	401
1790	3000	1	RMS	2668	-48.47	-13	Pass	1211
3000	12000	1	RMS	3486	-33.37	-13	Pass	9001
12000	20000	1	RMS	19614	-24.6	-13	Pass	8001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.64	-13	Pass	2986
30	1000	0.1	RMS	906.6	-61.83	-13	Pass	9701
1000	1700	1	RMS	1699	-51.26	-13	Pass	701
1700	1790	1	RMS	1775.375	23.66	60	Pass	401
1790	3000	1	RMS	1793	-47.75	-13	Pass	1211
3000	12000	1	RMS	3551	-33.85	-13	Pass	9001
12000	20000	1	RMS	19620	-24.61	-13	Pass	8001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.02	-13	Pass	2986
30	1000	0.1	RMS	950.8	-61.91	-13	Pass	9701
1000	1700	1	RMS	1699	-51.4	-13	Pass	701
1700	1790	1	RMS	1775.375	22.96	60	Pass	401
1790	3000	1	RMS	1793	-47.9	-13	Pass	1211
3000	12000	1	RMS	3551	-34.38	-13	Pass	9001
12000	20000	1	RMS	19639	-24.53	-13	Pass	8001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.09	-13	Pass	2986
30	1000	0.1	RMS	910.4	-61.78	-13	Pass	9701
1000	1700	1	RMS	1693	-31.61	-13	Pass	701
1700	1790	1	RMS	1710.575	24.18	60	Pass	401
1790	3000	1	RMS	2673	-48.43	-13	Pass	1211
3000	12000	1	RMS	3421	-29.99	-13	Pass	9001
12000	20000	1	RMS	19644	-24.57	-13	Pass	8001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.55	-13	Pass	2986
30	1000	0.1	RMS	954.3	-61.86	-13	Pass	9701
1000	1700	1	RMS	1693	-31.56	-13	Pass	701
1700	1790	1	RMS	1710.575	23.49	60	Pass	401
1790	3000	1	RMS	2661	-48.43	-13	Pass	1211
3000	12000	1	RMS	3421	-30.76	-13	Pass	9001
12000	20000	1	RMS	19628	-24.61	-13	Pass	8001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.07	-13	Pass	2986
30	1000	0.1	RMS	946	-61.87	-13	Pass	9701
1000	1700	1	RMS	1699	-51.35	-13	Pass	701
1700	1790	1	RMS	1740.5	23.25	60	Pass	401
1790	3000	1	RMS	2655	-48.45	-13	Pass	1211
3000	12000	1	RMS	3481	-31.7	-13	Pass	9001
12000	20000	1	RMS	19616	-24.51	-13	Pass	8001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.59	-13	Pass	2986
30	1000	0.1	RMS	946.1	-61.78	-13	Pass	9701
1000	1700	1	RMS	1700	-51.37	-13	Pass	701
1700	1790	1	RMS	1740.5	22.43	60	Pass	401
1790	3000	1	RMS	2669	-48.35	-13	Pass	1211
3000	12000	1	RMS	3481	-32.26	-13	Pass	9001
12000	20000	1	RMS	19646	-24.59	-13	Pass	8001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.33	-13	Pass	2986
30	1000	0.1	RMS	950.7	-61.72	-13	Pass	9701
1000	1700	1	RMS	1694	-51.34	-13	Pass	701
1700	1790	1	RMS	1770.65	23.82	60	Pass	401
1790	3000	1	RMS	1790	-47.08	-13	Pass	1211
3000	12000	1	RMS	3541	-33.2	-13	Pass	9001
12000	20000	1	RMS	19633	-24.59	-13	Pass	8001




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.7	-13	Pass	2986
30	1000	0.1	RMS	932	-61.74	-13	Pass	9701
1000	1700	1	RMS	1690	-51.4	-13	Pass	701
1700	1790	1	RMS	1770.65	23.1	60	Pass	401
1790	3000	1	RMS	1790	-47.86	-13	Pass	1211
3000	12000	1	RMS	3541	-33.74	-13	Pass	9001
12000	20000	1	RMS	19648	-24.62	-13	Pass	8001




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.28	-13	Pass	2986
30	1000	0.1	RMS	933.8	-61.73	-13	Pass	9701
1000	1700	1	RMS	1698	-34.83	-13	Pass	701
1700	1790	1	RMS	1710.8	23.61	60	Pass	401
1790	3000	1	RMS	2660	-48.45	-13	Pass	1211
3000	12000	1	RMS	3422	-31.04	-13	Pass	9001
12000	20000	1	RMS	19610	-24.56	-13	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.69	-13	Pass	2986
30	1000	0.1	RMS	938.8	-61.72	-13	Pass	9701
1000	1700	1	RMS	1697	-35.45	-13	Pass	701
1700	1790	1	RMS	1710.8	22.98	60	Pass	401
1790	3000	1	RMS	2667	-48.52	-13	Pass	1211
3000	12000	1	RMS	3422	-31.57	-13	Pass	9001
12000	20000	1	RMS	19622	-24.59	-13	Pass	8001




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.18	-13	Pass	2986
30	1000	0.1	RMS	911.6	-61.78	-13	Pass	9701
1000	1700	1	RMS	1698	-51.15	-13	Pass	701
1700	1790	1	RMS	1738.25	22.89	60	Pass	401
1790	3000	1	RMS	2674	-48.45	-13	Pass	1211
3000	12000	1	RMS	3477	-32.31	-13	Pass	9001
12000	20000	1	RMS	19667	-24.57	-13	Pass	8001




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.47	-13	Pass	2986
30	1000	0.1	RMS	943.8	-61.79	-13	Pass	9701
1000	1700	1	RMS	1699	-51.27	-13	Pass	701
1700	1790	1	RMS	1738.25	22.22	60	Pass	401
1790	3000	1	RMS	2652	-48.42	-13	Pass	1211
3000	12000	1	RMS	3477	-32.71	-13	Pass	9001
12000	20000	1	RMS	19621	-24.52	-13	Pass	8001




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.99	-13	Pass	2986
30	1000	0.1	RMS	943.3	-61.75	-13	Pass	9701
1000	1700	1	RMS	1698	-51.38	-13	Pass	701
1700	1790	1	RMS	1765.925	23.3	60	Pass	401
1790	3000	1	RMS	1792	-24.24	-13	Pass	1211
3000	12000	1	RMS	3532	-33.98	-13	Pass	9001
12000	20000	1	RMS	19641	-24.58	-13	Pass	8001




5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.78	-13	Pass	2986
30	1000	0.1	RMS	927.5	-61.85	-13	Pass	9701
1000	1700	1	RMS	1696	-51.38	-13	Pass	701
1700	1790	1	RMS	1765.925	22.3	60	Pass	401
1790	3000	1	RMS	1792	-24.34	-13	Pass	1211
3000	12000	1	RMS	3532	-34.5	-13	Pass	9001
12000	20000	1	RMS	19633	-24.55	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.64	-13	Pass	2986
30	1000	0.1	RMS	933.3	-61.73	-13	Pass	9701
1000	1700	1	RMS	1693	-35.32	-13	Pass	701
1700	1790	1	RMS	1711.025	23.56	60	Pass	401
1790	3000	1	RMS	2672	-48.46	-13	Pass	1211
3000	12000	1	RMS	3422	-30.52	-13	Pass	9001
12000	20000	1	RMS	19635	-24.52	-13	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.07	-13	Pass	2986
30	1000	0.1	RMS	950.9	-61.74	-13	Pass	9701
1000	1700	1	RMS	1693	-36.22	-13	Pass	701
1700	1790	1	RMS	1711.025	22.73	60	Pass	401
1790	3000	1	RMS	2669	-48.42	-13	Pass	1211
3000	12000	1	RMS	3422	-31.37	-13	Pass	9001
12000	20000	1	RMS	19636	-24.57	-13	Pass	8001




5.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.78	-13	Pass	2986
30	1000	0.1	RMS	928	-61.73	-13	Pass	9701
1000	1700	1	RMS	1700	-32.68	-13	Pass	701
1700	1790	1	RMS	1736	22.86	60	Pass	401
1790	3000	1	RMS	2669	-48.43	-13	Pass	1211
3000	12000	1	RMS	3472	-31.73	-13	Pass	9001
12000	20000	1	RMS	19626	-24.5	-13	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.29	-13	Pass	2986
30	1000	0.1	RMS	939.1	-61.77	-13	Pass	9701
1000	1700	1	RMS	1700	-33.4	-13	Pass	701
1700	1790	1	RMS	1736	22.21	60	Pass	401
1790	3000	1	RMS	2663	-48.38	-13	Pass	1211
3000	12000	1	RMS	3472	-32.31	-13	Pass	9001
12000	20000	1	RMS	19612	-24.53	-13	Pass	8001




5.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.71	-13	Pass	2986
30	1000	0.1	RMS	925	-61.78	-13	Pass	9701
1000	1700	1	RMS	1690	-51.01	-13	Pass	701
1700	1790	1	RMS	1760.975	23.1	60	Pass	401
1790	3000	1	RMS	1797	-21.76	-13	Pass	1211
3000	12000	1	RMS	3522	-33.15	-13	Pass	9001
12000	20000	1	RMS	19617	-24.49	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.77	-13	Pass	2986
30	1000	0.1	RMS	967.7	-61.83	-13	Pass	9701
1000	1700	1	RMS	1690	-51.03	-13	Pass	701
1700	1790	1	RMS	1760.975	22.32	60	Pass	401
1790	3000	1	RMS	1797	-22.37	-13	Pass	1211
3000	12000	1	RMS	3522	-33.82	-13	Pass	9001
12000	20000	1	RMS	19620	-24.47	-13	Pass	8001



--BLANK BELOW--