



MANUAL

Model # - RAM-B-166

Ram Mounts Quick Grip Charger

1. Can be customize
2. Diameter=50mm,can be customized
3. Input Power:10W 5V-2A; 9V-1.67A
4. Output: 5W / 7.5W / 10W
5. Conversion Efficiency: 85% Max
6. Transmitting Distance: 5-8mm
7. Working Frequency: 115-205KHz
8. Product Standard: WPC v.1.2.4
9. Protective measures: FOD,DPL,SCP,Over temperature,over voltage protection, software/hardware dual over current protection enhanced VRVS;Dedicated high power low loss MOS & MOS driver
10. Compatible for:QC2.0/QC3.0



- X NO Metal**
- X NO Magnets**
- X NO Thick Cases**

Phone case that contain metal, magnets, or are thicker than 3mm will interfere with wireless charging.

Position your phone in the center of the designated charging area. You phone will indicate when charging begins.

This charger is designed for Qi-compatible devices. If your phone does not have built-in wireless charging capabilities, please use a certified Qi wireless charging case or receiver. Refer to your phone' s user manual for detailed features and functions.

- 1.We suggest to use QC2.0 or QC3.0 adapter for fast charging.
- 2.Do not place metal objects, magnets, magnetic stripe cards, and hard drive based devices near the wireless charger. It may cause data corruption.
- 3.Do not attempt to modify, disassemble, or repair this product.
- 4.Do not expose to water, moisture, or extreme temperatures (below 40°F or above 90°F)



NOTE: Wireless Chargers may become warm when charging devices.

FCC warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance

could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception,

which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.

IC Caution:

Radio Standards Specification RSS-Gen, issue 5

- English:

This device contains licence-exempt transmitter(s)/ receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s).

Operation is subject to the following two conditions:

This device may not cause interference.

This device must accept any interference, including interference that may cause undesired operation of the device.

RF exposure statement:

The equipment complies with IC Radiation exposure limit set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

- French:

Cet appareil contient des émetteurs / récepteurs exemptés de licence conformes aux RSS (RSS) d'Innovation, Sciences et Développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes:

Cet appareil ne doit pas causer d'interférences.

Cet appareil doit accepter toutes les interférences, y compris celles susceptibles de provoquer un fonctionnement indésirable de l'appareil.

Déclaration d'exposition RF:

L'équipement est conforme à la limite d'exposition aux radiations de la IC établie pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec une distance minimale de 20 cm entre le radiateur et votre corps.