

SECURE GROUP LAB OOD

X1

Phone overview

Getting started

Please make sure the phone is powered off before proceeding

SIM and memory card installing

I – v

Buttons

① Power key

To power off the device, press and hold the power key for a few seconds, then tap the option to confirm. When the device is on, press the power key to once to activate or deactivate the screen. Press the key to end the call.

② Volume key

You can increase the volume by pressing the volume key on the side of the device.

③ Home key

Touch the key to return to the home screen. In the idle screen, touch and hold the key to return to the home screen. In the idle screen, touch and hold the key to view recently accessed features.

④ Menu key

In standby mode, touch the key to set the wallpaper, view settings, manage apps and view notifications. Touch it to view menu options.

⑤ Back key

Touch to go back to the previous menu.

⑥ Fingerprint

⑦ 3.5mm Headset Jack

⑧ USB connector

⑨ Front Camera lens

⑩ Rear camera lens

⑪ Flash

Charging

Insert the micro-USB end of the supplied charger into the I/O port on the phone, and the other end into the charger, or the USB port of your computer.

Before you use the phone for the first time, you must charge the battery fully for at least 5 hours.

Let the battery drain completely for the first time, after that you can charge it until the battery icon stops blinking.

Home screen

Slide your finger to the right of the Lock interface to access the Home screen.



Customize your home screen by touching and holding an empty area to set wallpapers. Press and hold an icon to move or remove it from the home screen.


The preset icons on the home screen are the following:



Make a Call

You can make a call through the Call Interface, which also contains the call log, the contact list, your favorites and your messages (which also contain your number list).

In standby mode, press the call key to make a call.




Messaging

You can send text and multimedia messages to any contacts that have an SMS or an MMS capable device.

ENG

Send a message by tapping the messaging icon to launch the application.

Launch the messaging center app to check your unread SMS/MMS messages.



Internet access

Once you have successfully connected to the WiFi/3G/WCDMA/4G network, tap the browser icon on the app screen or on the home screen to launch the application.

Camera

The phone is equipped with frontal an rear cameras that also act as camcorders, which can be used to share wonderful moments with your friends and family.

Adjust the focus, exposure, zoom in or zoom out, and switch between the functions of camera and video recorder by tapping the app icons.




Photos

Enjoy the ease of photo browsing by flicking left and right to navigate the images. Double tap or pinch the photo to zoom. You can also edit, print share them, and much more.



Maps

You can view satellite images or street maps with detailed route instructions while you are walking in the street. The map app can be used to locate yourself and view real time traffic conditions or public transit.



Security settings

You can lock your phone for security purposes by selecting.

Setting > Security > Screen lock

None: the screen lock is disabled.

Slide: provides no protections, but allows quick access to your home screen.

Voice Unlock: set a voice password and use it to unlock your phone.

Pattern: Lets you draw a simple pattern with your finger to unlock the phone.

PIN: Set up a personal identification number to unlock the screen.

Password: enter a password to unlock the screen.

Fingerprint: unlocking the device with fingerprint.

Some content may differ from your device depending on the region, service provider or software version, and it is subject to change without notice.

CAUTION

1. Use careful with the earphone maybe possible excessive sound pressure from earphones and headphones can cause hearing loss



2. CAUTION : RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS

3. The product shall only be connected to a USB interface of version USB2.0

4. Adapter shall be installed near the equipment and shall be easily accessible

5. Operation temperature: -20-40°C.

6. The plug considered as disconnect device of adapter

7. The device complies with RF specifications when the device used at 0.5cm from your body

8. AC adapter:

Model No.: Y-5204C5020

Input: AC100-240V, 50/60Hz 0.35A

Output: DC 5.0V,2000mA

SECURE GROUP LAB OOD hereby declares that this Smart phone is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU

This information has to be presented in such a way that the user can readily understand it. Typically, this will necessitate translation into every local language (required by national consumer laws) of the markets where the equipment is intended to be sold. Illustrations, pictograms and using international abbreviations for country names may help reduce the need for translation.

Max power:

GSM900: 33.49dBm

DCS1800: 31.19dBm

WCDMA 2100(Band I): 23.70dBm

WCDMA 900 (Band VIII): 23.94dBm

LTE Band 1: 24.44dBm

LTE Band 3: 24.85dBm

LTE Band 7: 22.37dBm

LTE Band 8: 24.49dBm

LTE Band 20: 22.66dBm

LTE Band 40: 22.07dBm

Wifi: 15.52dBm

BT: 2.16dBm

GSM 900: 880MHz~915MHz, GSM 1800: 1710MHz~1785MHz

WCDMA 900: 880MHz~915MHz, WCDMA 2100: 1920MHz~1980MHz

LTE FDD Band 1: 1920MHz~1980MHz

LTE FDD Band 3: 1710MHz~1785MHz

LTE FDD Band 7: 2500MHz~2570MHz

LTE FDD Band 8: 880MHz~915MHz

LTE FDD Band 20: 832MHz~862MHz

LTE FDD Band 40: 2300MHz~2400MHz

WiFi: 2412MHz~2472MHz (802.11b/802.11g/802.11n(HT20))

2422MHz~2462MHz (802.11n(HT40))

Bluetooth/ BLE: 2402MHz~2480MHz

GPS: 1575.42MHz

FM: VHF band II: 87.5 MHz to 108 MHz

GSM /WCDMA/LTE/WIFI and BT can be used in Europe without restriction.

EU Declaration of Conformity

for

Radio Equipment Directive (RED) 2014/53/EU

SECURE GROUP LAB OOD

hereby, declare that the essential requirements set out in the Radio Equipment Directive (RED) 2014/53/EU have been fully fulfilled on our product with indication below:

Product Name: Smart phone

Model / Brand Name: X1

Adapter Model: Y-5204C5020

Manufacturer : SHENZHEN GUANGYUANSHENG TECHNOLOGY CO., LTD.

Input: 100-240Vac, 50/60Hz, 0.35A

Output: DC 5.0V, 2A

Battery Model: NB13

Manufacturer: Shenzhen Shunli Tongda Technology Co., Ltd.

Output: 3.8Vdc, 3000mAh

USB: Shenzhen guangyuansheng electronics co. LTD/1m/2A

Hardware version: PU6A_V1.1

Software version: v3.0.0-20190731-X1

The following standards have been applied for the investigation of compliance:

ETSI EN 301 511 V12.5.1 (2017-03)

ETSI EN 301 908-1 V11.1.1 (2016-07)

ETSI EN 301 908-2 V11.1.2 (2017-08)

ETSI EN 301 908-13 V11.1.2 (2017-07)

EN 50360:2017, EN 50566:2017

EN 62209-1:2016, EN 62209-2:2010

EN 62479:2010

Draft ETSI EN 301 489-1 V2.2.1(2019-03)

Draft ETSI EN 301 489-17 V3.2.0 (2017-03)

ETSI EN 301 489-19 V2.1.1 (2019-04)

Draft ETSI EN 301 489-52 V1.1.0 (2016-11)

ETSI EN 300 328 V2.1.1 (2016-11)

ETSI EN 303 413 V1.1.1 (2017-06)

Final draft ETSI EN 303 345 V1.1.7 (2017-03)

EN 55032:2015

EN 55035:2017

EN 61000-3-2:2014, EN 61000-3-3:2013

EN 62368-1: 2014/A11:2017

And apply notified body assessment:

Notified Body number 0700

PHOENIX TESTLAB GmbH

Königswinkel 10

D-32825 Blomberg

Germany

Furthermore, the ISO requirement for the in-process quality control procedure as well as the manufacturing process has been reached. The technical document as well as the test reports will be kept for a period at least 10 years after the last product has been manufactured at the disposal of the relevant national authorities of any Member State for inspection.

Detail contact information for this declaration has been listed below as the window of any issues relevant for this declaration.

Manufacturer Contact


Company: SECURE GROUP LAB OOD
Address: floor 6,13B Tintyava Str., Izgrev Region,Sofia, Bulgaria.

Name/Title: Dominic Gingras/ manager

Tel. No.: 00359 885 902 694

Fax No.: N/A

E-Mail: leo@hi-power.com.cn



Signature

Date2019-7-24

FCC Statement

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
 - (1) This device may not cause harmful interference.
 - (2) This device must accept any interference received, including interference that may cause undesired operation.
2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

SAR Information Statement

Your wireless phone is a radio transmitter and receiver. It is designed and manufactured not to exceed the emission limits for exposure to radiofrequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. * Tests for SAR are conducted with the phone transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value. This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a phone model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The highest SAR value for this model phone when tested for use at the ear is **0.318W/Kg** and when worn on the body, as described in this user guide, is **0.551W/Kg** (Body-worn measurements differ among phone models, depending upon available accessories and FCC requirements). The maximum scaled SAR in hotspot mode is **1.512W/Kg**. While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement for safe exposure. The FCC has granted an Equipment Authorization for this model phone with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this model phone is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/oet/fccid> after searching on FCC ID: **2AVMU-X1** Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Association (CTIA) web-site at <http://www.wow-com.com>. * In the United States and Canada, the SAR limit for mobile phones used by the public is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of **10mm** must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.

