



Appendix F

RF Test Data for 5.5G WIFI (Conducted Measurement)

Product Name: e.note

Test Model: N10G464

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	 Ling Zhu
Supervised by:	 Li Huan





F.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	29.952	---	Pass
NVNT	a	5580	Ant1	29.997	---	Pass
NVNT	a	5700	Ant1	29.479	---	Pass
NVNT	n20	5500	Ant1	29.275	---	Pass
NVNT	n20	5580	Ant1	29.876	---	Pass
NVNT	n20	5700	Ant1	29.682	---	Pass
NVNT	n40	5510	Ant1	51.328	---	Pass
NVNT	n40	5550	Ant1	55.846	---	Pass
NVNT	n40	5670	Ant1	49.477	---	Pass
NVNT	ac20	5500	Ant1	27.902	---	Pass
NVNT	ac20	5580	Ant1	29.986	---	Pass
NVNT	ac20	5700	Ant1	29.794	---	Pass
NVNT	ac40	5510	Ant1	53.538	---	Pass
NVNT	ac40	5550	Ant1	54.84	---	Pass
NVNT	ac40	5670	Ant1	54.556	---	Pass
NVNT	ac80	5530	Ant1	98.115	---	Pass
NVNT	ac80	5610	Ant1	100.499	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5580MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1






-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5580MHz Ant1






-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1






-26dB Bandwidth NVNT n40 5550MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1






-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5580MHz Ant1






-26dB Bandwidth NVNT ac20 5700MHz Ant1




-26dB Bandwidth NVNT ac40 5510MHz Ant1





-26dB Bandwidth NVNT ac40 5550MHz Ant1



-26dB Bandwidth NVNT ac40 5670MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




-26dB Bandwidth NVNT ac80 5530MHz Ant1



-26dB Bandwidth NVNT ac80 5610MHz Ant1







F.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	7.45	0.13	7.58	24	Pass
NVNT	a	5580	Ant1	6.98	0.13	7.11	24	Pass
NVNT	a	5700	Ant1	7.37	0.13	7.5	24	Pass
NVNT	n20	5500	Ant1	8.47	0.13	8.6	24	Pass
NVNT	n20	5580	Ant1	6.69	0.14	6.83	24	Pass
NVNT	n20	5700	Ant1	7.03	0.13	7.16	24	Pass
NVNT	n40	5510	Ant1	7.65	0.27	7.92	24	Pass
NVNT	n40	5550	Ant1	6.95	0.27	7.22	24	Pass
NVNT	n40	5670	Ant1	6.34	0.27	6.61	24	Pass
NVNT	ac20	5500	Ant1	8.46	0.13	8.59	24	Pass
NVNT	ac20	5580	Ant1	6.64	0.13	6.77	24	Pass
NVNT	ac20	5700	Ant1	6.94	0.13	7.07	24	Pass
NVNT	ac40	5510	Ant1	7.21	0.26	7.47	24	Pass
NVNT	ac40	5550	Ant1	6.22	0.26	6.48	24	Pass
NVNT	ac40	5670	Ant1	6.39	0.26	6.65	24	Pass
NVNT	ac80	5530	Ant1	6.83	0.53	7.36	24	Pass
NVNT	ac80	5610	Ant1	5.13	0.52	5.65	24	Pass






F.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-4.82	0.13	-4.69	11	Pass
NVNT	a	5580	Ant1	-4.71	0.13	-4.58	11	Pass
NVNT	a	5700	Ant1	-4.79	0.13	-4.66	11	Pass
NVNT	n20	5500	Ant1	-3.74	0.13	-3.61	11	Pass
NVNT	n20	5580	Ant1	-5.58	0.14	-5.44	11	Pass
NVNT	n20	5700	Ant1	-5.11	0.13	-4.98	11	Pass
NVNT	n40	5510	Ant1	-8.86	0.27	-8.59	11	Pass
NVNT	n40	5550	Ant1	-8.69	0.27	-8.42	11	Pass
NVNT	n40	5670	Ant1	-10.63	0.27	-10.36	11	Pass
NVNT	ac20	5500	Ant1	-4.44	0.13	-4.31	11	Pass
NVNT	ac20	5580	Ant1	-5.55	0.13	-5.42	11	Pass
NVNT	ac20	5700	Ant1	-5.04	0.13	-4.91	11	Pass
NVNT	ac40	5510	Ant1	-8.48	0.26	-8.22	11	Pass
NVNT	ac40	5550	Ant1	-10.09	0.26	-9.83	11	Pass
NVNT	ac40	5670	Ant1	-8.81	0.26	-8.55	11	Pass
NVNT	ac80	5530	Ant1	-11.93	0.53	-11.4	11	Pass
NVNT	ac80	5610	Ant1	-14.59	0.52	-14.07	11	Pass










PSD NVNT a 5580MHz Ant1







PSD NVNT a 5700MHz Ant1

























F.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant1	5460	-39.94	2	57.29	Peak	68.2	Pass
NVNT	a	5500	Ant1	5460	-52.98	2	44.25	Average	54	Pass
NVNT	a	5500	Ant1	5469.8	-33.43	2	63.8	Peak	68.2	Pass
NVNT	a	5500	Ant1	5470	-47.66	2	49.57	Average	54	Pass
NVNT	a	5500	Ant1	5470	-34.99	2	62.24	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-34.64	2	62.59	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-45	2	52.23	Average	54	Pass
NVNT	a	5700	Ant1	5727	-30.44	2	66.79	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725.4	-44.97	2	52.26	Average	54	Pass
NVNT	a	5700	Ant1	5735	-35.17	2	62.06	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-46.63	2	50.6	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-33.47	2	63.76	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-50.69	2	46.54	Average	54	Pass
NVNT	n20	5500	Ant1	5469	-32.92	2	64.31	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-46.49	2	50.74	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-36.67	2	60.56	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-36.18	2	61.05	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-54.02	2	43.21	Average	54	Pass
NVNT	n20	5700	Ant1	5725.6	-34.26	2	62.97	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725.2	-53.89	2	43.34	Average	54	Pass
NVNT	n20	5700	Ant1	5735	-37.91	2	59.32	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-55.14	2	42.09	Average	54	Pass
NVNT	n40	5510	Ant1	5460	-44.01	2	53.22	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5460	-55.64	2	41.59	Average	54	Pass
NVNT	n40	5510	Ant1	5460.6	-37.54	2	59.69	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5470	-52.57	2	44.66	Average	54	Pass
NVNT	n40	5510	Ant1	5470	-39.5	2	57.73	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-34.91	2	62.32	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-44.4	2	52.83	Average	54	Pass
NVNT	n40	5670	Ant1	5727.8	-32	2	65.23	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725.4	-44.37	2	52.86	Average	54	Pass
NVNT	n40	5670	Ant1	5735	-34.73	2	62.5	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-46.06	2	51.17	Average	54	Pass
NVNT	ac20	5500	Ant1	5460	-38.35	2	58.88	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5460	-50.97	2	46.26	Average	54	Pass
NVNT	ac20	5500	Ant1	5469.4	-33.01	2	64.22	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5470	-46.68	2	50.55	Average	54	Pass






NVNT	ac20	5500	Ant1	5470	-35.91	2	61.32	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-40.96	2	56.27	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-57.65	2	39.58	Average	54	Pass
NVNT	ac20	5700	Ant1	5726.7	-37.65	2	59.58	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725.2	-57.44	2	39.79	Average	54	Pass
NVNT	ac20	5700	Ant1	5735	-43.89	2	53.34	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5735	-58.17	2	39.06	Average	54	Pass
NVNT	ac40	5510	Ant1	5460	-38.15	2	59.08	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5460	-47.76	2	49.47	Average	54	Pass
NVNT	ac40	5510	Ant1	5467	-29.76	2	67.47	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5469.8	-44.01	2	53.22	Average	54	Pass
NVNT	ac40	5510	Ant1	5470	-32.69	2	64.54	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5470	-44.18	2	53.05	Average	54	Pass
NVNT	ac40	5670	Ant1	5725	-33.5	2	63.73	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725	-43.81	2	53.42	Average	54	Pass
NVNT	ac40	5670	Ant1	5735	-31.75	2	65.48	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725.4	-43.68	2	53.55	Average	54	Pass
NVNT	ac40	5670	Ant1	5735	-45.57	2	51.66	Average	54	Pass
NVNT	ac80	5300	Ant1	5350	-44.41	2	52.82	Peak	68.2	Pass
NVNT	ac80	5300	Ant1	5350	-56.48	2	40.75	Average	54	Pass
NVNT	ac80	5300	Ant1	5458.8	-30.58	2	66.65	Peak	68.2	Pass
NVNT	ac80	5300	Ant1	5459.76	-47.91	2	49.32	Average	54	Pass
NVNT	ac80	5300	Ant1	5460	-33.33	2	63.9	Peak	68.2	Pass
NVNT	ac80	5300	Ant1	5460	-47.93	2	49.3	Average	54	Pass
NVNT	ac80	5530	Ant1	5460	-37.74	2	59.49	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5460	-44.77	2	52.46	Average	54	Pass
NVNT	ac80	5530	Ant1	5464.8	-30.69	2	66.54	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5469.6	-43.64	2	53.59	Average	54	Pass
NVNT	ac80	5530	Ant1	5470	-36.81	2	60.42	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5470	-44.4	2	52.83	Average	54	Pass
NVNT	ac80	5610	Ant1	5725	-49.18	2	48.05	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5725	-58.19	2	39.04	Average	54	Pass
NVNT	ac80	5610	Ant1	5725.16	-46.72	2	50.51	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5730.695	-57.71	2	39.52	Average	54	Pass
NVNT	ac80	5610	Ant1	5735	-49.4	2	47.83	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5735	-58.17	2	39.06	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5500MHz Ant1 Peak




Restrict Band NVNT a 5500MHz Ant1 Average






Restrict Band NVNT a 5700MHz Ant1 Peak




Restrict Band NVNT a 5700MHz Ant1 Average






Restrict Band NVNT n20 5500MHz Ant1 Peak




Restrict Band NVNT n20 5500MHz Ant1 Average






Restrict Band NVNT n20 5700MHz Ant1 Peak




Restrict Band NVNT n20 5700MHz Ant1 Average






Restrict Band NVNT n40 5510MHz Ant1 Peak




Restrict Band NVNT n40 5510MHz Ant1 Average






Restrict Band NVNT n40 5670MHz Ant1 Peak




Restrict Band NVNT n40 5670MHz Ant1 Average






Restrict Band NVNT ac20 5500MHz Ant1 Peak



Restrict Band NVNT ac20 5500MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5700MHz Ant1 Peak



Restrict Band NVNT ac20 5700MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5510MHz Ant1 Peak




Restrict Band NVNT ac40 5510MHz Ant1 Average






Restrict Band NVNT ac40 5670MHz Ant1 Peak




Restrict Band NVNT ac40 5670MHz Ant1 Average






Restrict Band NVNT ac80 5530MHz Ant1 Peak




Restrict Band NVNT ac80 5530MHz Ant1 Average






Restrict Band NVNT ac80 5610MHz Ant1 Peak



Restrict Band NVNT ac80 5610MHz Ant1 Average





F.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5500	Ant1	5500.02	20000	3.64	25	Pass
NVNT	ac20	5580	Ant1	5580	0	0	25	Pass
NVNT	ac20	5700	Ant1	5700	0	0	25	Pass
NVNT	ac40	5510	Ant1	5510	0	0	25	Pass
NVNT	ac40	5550	Ant1	5550	0	0	25	Pass
NVNT	ac40	5670	Ant1	5670	0	0	25	Pass
NVNT	ac80	5530	Ant1	5530	0	0	25	Pass
NVNT	ac80	5610	Ant1	5610	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT ac20 5500MHz Ant1




Freq. Stability NVNT ac20 5580MHz Ant1






Freq. Stability NVNT ac20 5700MHz Ant1




Freq. Stability NVNT ac40 5510MHz Ant1






Freq. Stability NVNT ac40 5550MHz Ant1




Freq. Stability NVNT ac40 5670MHz Ant1






Freq. Stability NVNT ac80 5530MHz Ant1




Freq. Stability NVNT ac80 5610MHz Ant1






F.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	97.08	0.13	0.72
NVNT	a	5580	Ant1	97.15	0.13	0.72
NVNT	a	5700	Ant1	97.15	0.13	0.72
NVNT	n20	5500	Ant1	96.96	0.13	0.76
NVNT	n20	5580	Ant1	96.89	0.14	0.76
NVNT	n20	5700	Ant1	96.96	0.13	0.76
NVNT	n40	5510	Ant1	94.06	0.27	1.54
NVNT	n40	5550	Ant1	93.91	0.27	1.54
NVNT	n40	5670	Ant1	94.05	0.27	1.54
NVNT	ac20	5500	Ant1	96.98	0.13	0.76
NVNT	ac20	5580	Ant1	96.98	0.13	0.76
NVNT	ac20	5700	Ant1	96.98	0.13	0.76
NVNT	ac40	5510	Ant1	94.13	0.26	1.52
NVNT	ac40	5550	Ant1	94.12	0.26	1.52
NVNT	ac40	5670	Ant1	94.12	0.26	1.52
NVNT	ac80	5530	Ant1	88.52	0.53	3.09
NVNT	ac80	5610	Ant1	88.77	0.52	3.09






Duty Cycle NVNT a 5580MHz Ant1



Duty Cycle NVNT a 5700MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5580MHz Ant1






Duty Cycle NVNT n20 5700MHz Ant1



Duty Cycle NVNT n40 5510MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT n40 5550MHz Ant1




Duty Cycle NVNT n40 5670MHz Ant1






Duty Cycle NVNT ac20 5500MHz Ant1




Duty Cycle NVNT ac20 5580MHz Ant1






Duty Cycle NVNT ac20 5700MHz Ant1




Duty Cycle NVNT ac40 5510MHz Ant1






Duty Cycle NVNT ac40 5550MHz Ant1




Duty Cycle NVNT ac40 5670MHz Ant1





Duty Cycle NVNT ac80 5530MHz Ant1



Duty Cycle NVNT ac80 5610MHz Ant1

