




Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU1 10MHz 3975MHz UB-two+3db



07:26:49 27.03.2025

Intermodulation n77 DU2 10MHz 3975MHz UB-narrowband




07:31:09 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU2 10MHz 3975MHz UB-narrowband+3db



07:37:51 27.03.2025


Intermodulation n77 DU2 10MHz 3975MHz UB-two




07:27:56 27.03.2025



Report Number: W6M22502-24125-P-20  
FCC ID: 2AVNXCYLH022



100M






Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU1 100MHz 3750MHz LE-narrowband+3db



05:56:37 27.03.2025

Intermodulation n77 DU1 100MHz 3750MHz LE-two




05:52:12 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU1 100MHz 3750MHz LE-two+3db



05:51:46 27.03.2025

Intermodulation n77 DU2 100MHz 3750MHz LE-narrowband




05:55:12 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU2 100MHz 3750MHz LE-narrowband+3db



05:55:47 27.03.2025

Intermodulation n77 DU2 100MHz 3750MHz LE-two




05:52:43 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU2 100MHz 3750MHz LE-two+3db



05:53:13 27.03.2025

Intermodulation n77 DU1 100MHz 3930MHz UE-narrowband




06:36:40 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU1 100MHz 3930MHz UE-narrowband+3db



06:36:07 27.03.2025

Intermodulation n77 DU1 100MHz 3930MHz UE-two




06:40:26 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU1 100MHz 3930MHz UE-two+3db



06:39:57 27.03.2025

Intermodulation n77 DU2 100MHz 3930MHz UE-narrowband




06:34:49 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 DU2 100MHz 3930MHz UE-narrowband+3db



06:35:30 27.03.2025

Intermodulation n77 DU2 100MHz 3930MHz UE-two




06:41:15 27.03.2025




Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



SU  
10M






Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 SU1 10MHz 3705MHz LE-narrowband+3db



07:50:02 27.03.2025

Intermodulation n77 SU1 10MHz 3705MHz LE-two




08:13:40 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 SU1 10MHz 3705MHz LE-two+3db



08:13:13 27.03.2025

Intermodulation n77 SU2 10MHz 3705MHz LE-narrowband




07:51:22 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 SU2 10MHz 3705MHz LE-narrowband+3db



07:50:55 27.03.2025

Intermodulation n77 SU2 10MHz 3705MHz LE-two




08:14:13 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 SU2 10MHz 3705MHz LE-two+3db



08:14:37 27.03.2025

Intermodulation n77 SU1 10MHz 3975MHz UB-narrowband




07:39:57 27.03.2025




Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



07:40:35 27.03.2025




07:17:03 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 SU1 10MHz 3975MHz UB-two+3db



07:16:38 27.03.2025

Intermodulation n77 SU2 10MHz 3975MHz UB-narrowband




07:41:51 27.03.2025



Report Number: W6M22502-24125-P-20


FCC ID: 2AVNXCYLH022

Intermodulation n77 SU2 10MHz 3975MHz UB-narrowband+3db



07:41:17 27.03.2025


Intermodulation n77 SU2 10MHz 3975MHz UB-two




07:17:37 27.03.2025



Report Number: W6M22502-24125-P-20  
FCC ID: 2AVNXCYLH022




100M






Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



05:58:50 27.03.2025




04:11:00 27.03.2025




Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



04:11:35 27.03.2025




06:00:05 27.03.2025




Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



05:59:32 27.03.2025




04:06:13 27.03.2025




Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



04:05:42 27.03.2025




06:24:17 27.03.2025




Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



06:25:42 27.03.2025




06:48:58 27.03.2025




Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



06:48:31 27.03.2025




06:33:11 27.03.2025




Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022



06:32:34 27.03.2025




06:49:43 27.03.2025



Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022





Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022

## 8. Frequency stability measurements

### 8.1 Test procedure

Frequency stability measurements are required by Section 2.1055 of the FCC rules. However, this requirement presumes that the EUT processes an input signal in a manner that can influence the output signal frequency/frequencies (i.e., most signal boosters do not incorporate an oscillator). If this is not the case (i.e., the amplifier, booster, or repeater does not alter the input signal in any way), then a frequency stability test may not be required.

When performing frequency stability measurements on these types of devices, the instability associated with the EUT must be isolated from any frequency instability associated with the measurement instrumentation. One method for realizing this isolation is to connect the reference clock input of the signal generator to the reference output of the frequency counter to confirm that any frequency instability is associated with the EUT, but is not due to differences between the reference oscillators internal to the measurement instrumentation.

### 8.2 Test Results

Test date: March 31, 2025

Temperature: 25.1°C

Humidity: 49.0%

Tester: Robert

| Frequency Band : 3450 - 3550 MHz |      |                     |                      |             | Frequency Band : 3450 - 3550 MHz |       |                     |                      |             |
|----------------------------------|------|---------------------|----------------------|-------------|----------------------------------|-------|---------------------|----------------------|-------------|
| DU1                              | Temp | Frequency drift(Hz) | Frequency drift(ppm) | Limit (ppm) | DU2                              | Temp  | Frequency drift(Hz) | Frequency drift(ppm) | Limit (ppm) |
| 120Vac                           | -30  | 3.18                | 0.001                | ±2.5        | 120Vac                           | -30   | -3.73               | -0.001               | ±2.5        |
|                                  | -20  | -3.68               | -0.001               |             |                                  | -20   | -3.33               | -0.001               |             |
|                                  | -10  | -5.76               | -0.002               |             |                                  | -10   | -3.29               | -0.001               |             |
|                                  | 0    | -3.15               | -0.001               |             |                                  | 0     | -3.61               | -0.001               |             |
|                                  | 10   | -5.44               | -0.002               |             |                                  | 10    | 2.18                | 0.001                |             |
|                                  | 20   | -5.05               | -0.001               |             |                                  | 20    | 3.34                | 0.001                |             |
|                                  | 30   | -4.43               | -0.001               |             |                                  | 30    | 3.53                | 0.001                |             |
|                                  | 40   | 6.95                | 0.002                |             |                                  | 40    | 3.32                | 0.001                |             |
|                                  | 50   | -4.28               | -0.001               |             |                                  | 50    | 4.48                | 0.001                |             |
| 132Vac                           | 25   | -3.01               | -0.001               | 132Vac      | 25                               | 3.64  | 0.001               |                      |             |
| 108Vac                           | 25   | -2.48               | -0.001               | 108Vac      | 25                               | 2.22  | 0.001               |                      |             |
| Frequency Band : 3700 - 3980 MHz |      |                     |                      |             | Frequency Band : 3700 - 3980 MHz |       |                     |                      |             |
| DU1                              | Temp | Frequency drift(Hz) | Frequency drift(ppm) | Limit (ppm) | DU2                              | Temp  | Frequency drift(Hz) | Frequency drift(ppm) | Limit (ppm) |
| 120Vac                           | -30  | -1.39               | 0.000                | ±2.5        | 120Vac                           | -30   | -0.70               | 0.000                | ±2.5        |
|                                  | -20  | -1.73               | 0.000                |             |                                  | -20   | -9.15               | -0.002               |             |
|                                  | -10  | -3.38               | -0.001               |             |                                  | -10   | -7.35               | -0.002               |             |
|                                  | 0    | -3.60               | -0.001               |             |                                  | 0     | -5.71               | -0.001               |             |
|                                  | 10   | 1.62                | 0.000                |             |                                  | 10    | -6.70               | -0.002               |             |
|                                  | 20   | 6.61                | 0.002                |             |                                  | 20    | -8.53               | -0.002               |             |
|                                  | 30   | 4.15                | 0.001                |             |                                  | 30    | 4.68                | 0.001                |             |
|                                  | 40   | 6.61                | 0.002                |             |                                  | 40    | 6.51                | 0.002                |             |
|                                  | 50   | 4.92                | 0.001                |             |                                  | 50    | -2.00               | -0.001               |             |
| 132Vac                           | 25   | 4.99                | 0.001                | 132Vac      | 25                               | -5.22 | -0.001              |                      |             |
| 108Vac                           | 25   | 3.84                | 0.002                | 108Vac      | 25                               | 4.18  | 0.001               |                      |             |



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022

| Frequency Band : 3450 - 3550 MHz |      |                     |                      |             | Frequency Band : 3450 - 3550 MHz |      |                     |                      |             |
|----------------------------------|------|---------------------|----------------------|-------------|----------------------------------|------|---------------------|----------------------|-------------|
| SU1                              | Temp | Frequency drift(Hz) | Frequency drift(ppm) | Limit (ppm) | SU2                              | Temp | Frequency drift(Hz) | Frequency drift(ppm) | Limit (ppm) |
| 120Vac                           | -30  | 6.01                | 0.002                | ±2.5        | 120Vac                           | -30  | -3.73               | -0.001               | ±2.5        |
|                                  | -20  | 7.40                | 0.002                |             |                                  | -20  | -3.33               | -0.001               |             |
|                                  | -10  | 5.66                | 0.002                |             |                                  | -10  | -3.29               | -0.001               |             |
|                                  | 0    | 3.49                | 0.001                |             |                                  | 0    | -3.61               | -0.001               |             |
|                                  | 10   | -3.45               | -0.001               |             |                                  | 10   | 2.18                | 0.001                |             |
|                                  | 20   | -2.18               | -0.001               |             |                                  | 20   | 3.34                | 0.001                |             |
|                                  | 30   | -8.88               | -0.003               |             |                                  | 30   | 3.53                | 0.001                |             |
|                                  | 40   | -10.18              | -0.003               |             |                                  | 40   | 3.32                | 0.001                |             |
|                                  | 50   | -11.46              | -0.003               |             |                                  | 50   | 4.48                | 0.001                |             |
| 132Vac                           | 25   | -6.07               | -0.002               |             | 132Vac                           | 25   | 3.64                | 0.001                |             |
| 108Vac                           | 25   | -5.74               | -0.002               |             | 108Vac                           | 25   | 2.22                | 0.001                |             |
| Frequency Band : 3700 - 3980 MHz |      |                     |                      |             | Frequency Band : 3700 - 3980 MHz |      |                     |                      |             |
| SU1                              | Temp | Frequency drift(Hz) | Frequency drift(ppm) | Limit (ppm) | SU1                              | Temp | Frequency drift(Hz) | Frequency drift(ppm) | Limit (ppm) |
| 120Vac                           | -30  | 5.46                | 0.001                | ±2.5        | 120Vac                           | -30  | -0.70               | 0.000                | ±2.5        |
|                                  | -20  | 2.82                | 0.001                |             |                                  | -20  | -9.15               | -0.002               |             |
|                                  | -10  | 4.28                | 0.001                |             |                                  | -10  | -7.35               | -0.002               |             |
|                                  | 0    | -6.18               | -0.002               |             |                                  | 0    | -5.71               | -0.001               |             |
|                                  | 10   | 2.15                | 0.001                |             |                                  | 10   | -6.70               | -0.002               |             |
|                                  | 20   | 1.96                | 0.001                |             |                                  | 20   | -8.53               | -0.002               |             |
|                                  | 30   | -2.98               | -0.001               |             |                                  | 30   | 4.68                | 0.001                |             |
|                                  | 40   | 1.15                | 0.000                |             |                                  | 40   | 6.51                | 0.002                |             |
|                                  | 50   | -2.25               | -0.001               |             |                                  | 50   | -2.00               | -0.001               |             |
| 132Vac                           | 25   | -0.70               | 0.000                |             | 132Vac                           | 25   | -5.22               | -0.001               |             |
| 108Vac                           | 25   | -2.67               | -0.001               |             | 108Vac                           | 25   | 4.18                | 0.001                |             |



Report Number: W6M22502-24125-P-20

FCC ID: 2AVNXCYLH022

## 9. Spurious emissions radiated measurements

### 9.1 Test procedure

This measurement is intended to produce test data necessary to demonstrate compliance to the radiated spurious emission requirements specified in Section 2.1053 of the FCC rules. This test is intended to capture any emissions that radiate directly from the case, cabinet, control circuits, etc., instead of via the antenna output port, and thus would not be captured in conducted spurious emission measurements. See KDB Publication 971168 [R8] for measurement procedure guidance.

### 9.2 Test Results

Model: CY-LH0-22-XB1 Date: --  
Mode: -- Temperature: -- °C Engineer: --  
Polarization: Horizontal Humidity: -- %

| Frequency (MHz) | Reading (dBuV) | Detector | Factor (dB) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Table Degree (Deg.) | Ant. High (cm) |
|-----------------|----------------|----------|-------------|-----------------|----------------|-------------|---------------------|----------------|
| --              | --             | --       | --          | --              | --             | --          | --                  | --             |
| --              | --             | --       | --          | --              | --             | --          | --                  | --             |
| --              | --             | --       | --          | --              | --             | --          | --                  | --             |
| --              | --             | --       | --          | --              | --             | --          | --                  | --             |

| Frequency (MHz) | Reading (dBuV) |      | Factor (dB) | Result @3m (dBuV/m) |      | Limit @3m (dBuV/m) |      | Margin (dB) | Table Degree (Deg.) | Ant. High (cm) |
|-----------------|----------------|------|-------------|---------------------|------|--------------------|------|-------------|---------------------|----------------|
|                 | Peak           | Ave. | Corr.       | Peak                | Ave. | Peak               | Ave. |             |                     |                |
| --              | --             | --   | --          | --                  | --   | --                 | --   | --          | --                  | --             |
| --              | --             | --   | --          | --                  | --   | --                 | --   | --          | --                  | --             |

#### Note:

1. Correction Factor = Antenna factor + Cable loss - Preamplifier
2. The formula of measured value as: Test Result = Reading + Correction Factor
3. Detector function in the form : PK = Peak, QP = Quasi Peak, AV = Average
4. Up Line: PK Limit Line, Down Line: Ave Limit Line.
5. See attached diagrams in appendix.



Report Number: W6M22502-24125-P-20  
FCC ID: 2AVNXCYLH022

## **Appendix**

Measurement diagrams

Spurious Emission



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:23:52

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 39.6900         | -85.52        | peak     | 25.78             | -59.74       | -13.00      | 150          | 200            | -46.74      |         |
| *   | 144.7500        | -77.52        | peak     | 22.88             | -54.64       | -13.00      | 150          | 100            | -41.64      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:47:01

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 142.8800        | -78.37        | peak     | 22.87             | -55.50       | -13.00      | 150          | 170            | -42.50      |         |
|     | 187.2500        | -81.31        | peak     | 24.02             | -57.29       | -13.00      | 150          | 20             | -44.29      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:59:27

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 253.6000        | -73.64        | peak     | 25.71             | -47.93       | -13.00      | 150          | 70             | -34.93      |         |
|     | 326.4000        | -75.92        | peak     | 27.72             | -48.20       | -13.00      | 150          | 140            | -35.20      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:24:37

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 331.2000        | -77.65        | peak     | 29.12             | -48.53       | -13.00      | 150          | 150            | -35.53      |         |
|     | 906.4000        | -84.97        | peak     | 34.69             | -50.28       | -13.00      | 150          | 230            | -37.28      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:45:55

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:49:43

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:46:47

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4960.000        | -57.46        | peak     | 6.69              | -50.77       | -13.00      | 150          | 90             | -37.77      |         |
|     | 6780.000        | -67.90        | peak     | 11.36             | -56.54       | -13.00      | 150          | 120            | -43.54      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:50:35

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4852.000        | -56.85        | peak     | 6.86              | -49.99       | -13.00      | 150          | 180            | -36.99      |         |
|     | 7488.000        | -66.44        | peak     | 11.05             | -55.39       | -13.00      | 150          | 60             | -42.39      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:48:08

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 02:51:42

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 02:48:23

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 02:51:56

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:48:37

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:52:11

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:48:52

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:52:25

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1


Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:24:40

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 97.6600         | -83.65        | peak     | 22.71             | -60.94       | -13.00      | 150          | 200            | -47.94      |         |
| *   | 146.2800        | -77.02        | peak     | 23.05             | -53.97       | -13.00      | 150          | 170            | -40.97      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:47:20

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 58.3900         | -80.12        | peak     | 22.61             | -57.51       | -13.00      | 150          | 200            | -44.51      |         |
| *   | 142.8800        | -78.37        | peak     | 22.87             | -55.50       | -13.00      | 150          | 70             | -42.50      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:00:35

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 347.2000        | -80.47        | peak     | 27.79             | -52.68       | -13.00      | 150          | 70             | -39.68      |         |
| *   | 922.4000        | -84.67        | peak     | 36.94             | -47.73       | -13.00      | 150          | 150            | -34.73      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:25:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 332.0000        | -77.13        | peak     | 29.08             | -48.05       | -13.00      | 150          | 170            | -35.05      |         |
|     | 916.8000        | -83.98        | peak     | 34.63             | -49.35       | -13.00      | 150          | 240            | -36.35      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:36:03

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:40:46

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:36:54

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4852.000        | -62.27        | peak     | 6.89              | -55.38       | -13.00      | 150          | 40             | -42.38      |         |
|     | 4960.000        | -63.15        | peak     | 6.69              | -56.46       | -13.00      | 150          | 100            | -43.46      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:41:45

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4804.000        | -53.89        | peak     | 6.94              | -46.95       | -13.00      | 150          | 240            | -33.95      |         |
|     | 4852.000        | -57.63        | peak     | 6.86              | -50.77       | -13.00      | 150          | 70             | -37.77      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:37:47

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 04:42:45

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:38:01

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 04:42:59

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:38:16

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:43:14

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:38:30

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:43:28

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1


Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:25:16

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 146.2800        | -77.02        | peak     | 23.05             | -53.97       | -13.00      | 150          | 70             | -40.97      |         |
|     | 158.1800        | -80.06        | peak     | 24.36             | -55.70       | -13.00      | 150          | 250            | -42.70      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:48:16

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 58.5600         | -81.18        | peak     | 22.60             | -58.58       | -13.00      | 150          | 70             | -45.58      |         |
| *   | 154.1000        | -80.90        | peak     | 23.55             | -57.35       | -13.00      | 150          | 140            | -44.35      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:01:13

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 328.0000        | -77.17        | peak     | 27.73             | -49.44       | -13.00      | 150          | 70             | -36.44      |         |
| *   | 890.4000        | -85.90        | peak     | 37.43             | -48.47       | -13.00      | 150          | 140            | -35.47      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:26:14

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 332.8000        | -80.78        | peak     | 29.05             | -51.73       | -13.00      | 150          | 40             | -38.73      |         |
| *   | 929.6000        | -84.77        | peak     | 34.56             | -50.21       | -13.00      | 150          | 130            | -37.21      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3


Data :#1

Date: 2025/3/31

Temperature:26 °C

Time: 下午 02:31:44

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:37:10

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:32:56

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4960.000        | -61.09        | peak     | 6.69              | -54.40       | -13.00      | 150          | 250            | -41.40      |         |
|     | 7744.000        | -66.64        | peak     | 10.92             | -55.72       | -13.00      | 150          | 70             | -42.72      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:38:04

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4804.000        | -55.95        | peak     | 6.94              | -49.01       | -13.00      | 150          | 230            | -36.01      |         |
|     | 4960.000        | -56.03        | peak     | 6.68              | -49.35       | -13.00      | 150          | 280            | -36.35      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:33:48

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:39:46

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:34:01

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:39:59

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:34:15

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:40:13

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:34:29

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:40:26

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:23:16

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 145.4300        | -77.05        | peak     | 22.96             | -54.09       | -13.00      | 150          | 360            | -41.09      |         |
|     | 158.3500        | -79.94        | peak     | 24.38             | -55.56       | -13.00      | 150          | 300            | -42.56      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:54:07

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 58.3900         | -80.94        | peak     | 22.61             | -58.33       | -13.00      | 150          | 70             | -45.33      |         |
|     | 189.6300        | -83.01        | peak     | 23.94             | -59.07       | -13.00      | 150          | 190            | -46.07      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:06:02

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 332.8000        | -77.97        | peak     | 27.74             | -50.23       | -13.00      | 150          | 80             | -37.23      |         |
| *   | 897.6000        | -84.22        | peak     | 37.63             | -46.59       | -13.00      | 150          | 70             | -33.59      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:30:42

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 332.0000        | -77.38        | peak     | 29.08             | -48.30       | -13.00      | 150          | 40             | -35.30      |         |
|     | 829.6000        | -85.28        | peak     | 34.33             | -50.95       | -13.00      | 150          | 280            | -37.95      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:08:15

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:12:44

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:09:10

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 4800.000        | -62.92        | peak     | 6.99              | -55.93       | -13.00      | 150          | 170            | -42.93      |         |
| *   | 7420.000        | -65.70        | peak     | 10.09             | -55.61       | -13.00      | 150          | 160            | -42.61      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:13:40

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4850.000        | -51.42        | peak     | 6.86              | -44.56       | -13.00      | 150          | 80             | -31.56      |         |
|     | 4960.000        | -54.01        | peak     | 6.68              | -47.33       | -13.00      | 150          | 160            | -34.33      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:10:03

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:14:38

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:10:17

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:14:53

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:10:31

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:15:06

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:10:45

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:15:20

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:28:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 147.1300        | -77.85        | peak     | 23.14             | -54.71       | -13.00      | 150          | 180            | -41.71      |         |
|     | 159.7100        | -82.94        | peak     | 24.53             | -58.41       | -13.00      | 150          | 200            | -45.41      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1


Data : #2

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:34:35

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 58.3900         | -82.53        | peak     | 22.61             | -59.92       | -13.00      | 150          | 170            | -46.92      |         |
| *   | 143.9000        | -79.82        | peak     | 22.93             | -56.89       | -13.00      | 150          | 40             | -43.89      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:11:45

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 332.8000        | -76.27        | peak     | 27.74             | -48.53       | -13.00      | 150          | 70             | -35.53      |         |
| *   | 894.4000        | -84.86        | peak     | 37.54             | -47.32       | -13.00      | 150          | 140            | -34.32      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:34:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 335.2000        | -77.50        | peak     | 28.95             | -48.55       | -13.00      | 150          | 140            | -35.55      |         |
|     | 903.2000        | -84.62        | peak     | 34.71             | -49.91       | -13.00      | 150          | 70             | -36.91      |         |

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:05:37

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:16:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:07:14

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4852.000        | -64.62        | peak     | 6.89              | -57.73       | -13.00      | 150          | 200            | -44.73      |         |
|     | 5848.000        | -69.46        | peak     | 11.52             | -57.94       | -13.00      | 150          | 60             | -44.94      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:17:53

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4804.000        | -49.52        | peak     | 6.94              | -42.58       | -13.00      | 150          | 140            | -29.58      |         |
|     | 4960.000        | -52.00        | peak     | 6.68              | -45.32       | -13.00      | 150          | 80             | -32.32      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:08:16

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:18:45

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:08:30

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:18:59

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:08:43

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:19:14

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:08:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:19:28

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:29:26

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 146.2800        | -77.14        | peak     | 23.05             | -54.09       | -13.00      | 150          | 170            | -41.09      |         |
|     | 154.1000        | -81.49        | peak     | 23.91             | -57.58       | -13.00      | 150          | 240            | -44.58      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:35:34

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 58.5600         | -79.50        | peak     | 22.60             | -56.90       | -13.00      | 150          | 40             | -43.90      |         |
|     | 157.3300        | -81.38        | peak     | 23.75             | -57.63       | -13.00      | 150          | 280            | -44.63      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:13:06

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 256.0000        | -76.69        | peak     | 25.98             | -50.71       | -13.00      | 150          | 140            | -37.71      |         |
| *   | 739.2000        | -71.06        | peak     | 34.23             | -36.83       | -13.00      | 150          | 200            | -23.83      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:35:41

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 335.2000        | -77.09        | peak     | 28.95             | -48.14       | -13.00      | 150          | 30             | -35.14      |         |
|     | 865.6000        | -84.75        | peak     | 34.55             | -50.20       | -13.00      | 150          | 320            | -37.20      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3


Data :#1

Date: 2025/3/31

Temperature:26 °C

Time: 下午 04:24:55

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:28:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:25:51

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4852.000        | -61.10        | peak     | 6.89              | -54.21       | -13.00      | 150          | 190            | -41.21      |         |
|     | 6960.000        | -67.34        | peak     | 11.18             | -56.16       | -13.00      | 150          | 80             | -43.16      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:29:54

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 4804.000        | -58.33        | peak     | 6.94              | -51.39       | -13.00      | 150          | 140            | -38.39      |         |
| *   | 4960.000        | -56.61        | peak     | 6.68              | -49.93       | -13.00      | 150          | 200            | -36.93      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:26:51

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:30:47

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 04:27:05

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:31:02

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:27:19

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:31:16

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:27:34

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:31:31

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:29:54

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 147.4700        | -78.46        | peak     | 23.18             | -55.28       | -13.00      | 150          | 170            | -42.28      |         |
|     | 159.2000        | -83.03        | peak     | 24.47             | -58.56       | -13.00      | 150          | 200            | -45.56      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:35:53

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 141.1800        | -78.25        | peak     | 22.76             | -55.49       | -13.00      | 150          | 140            | -42.49      |         |
|     | 184.5300        | -81.36        | peak     | 24.12             | -57.24       | -13.00      | 150          | 40             | -44.24      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:14:45

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 327.2000        | -76.06        | peak     | 27.73             | -48.33       | -13.00      | 150          | 140            | -35.33      |         |
| *   | 904.0000        | -85.25        | peak     | 37.56             | -47.69       | -13.00      | 150          | 240            | -34.69      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:36:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 336.8000        | -76.69        | peak     | 28.88             | -47.81       | -13.00      | 150          | 80             | -34.81      |         |
|     | 903.2000        | -84.37        | peak     | 34.71             | -49.66       | -13.00      | 150          | 340            | -36.66      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:11:11

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:22:31

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:12:07

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4804.000        | -58.92        | peak     | 6.98              | -51.94       | -13.00      | 150          | 210            | -38.94      |         |
|     | 6484.000        | -68.36        | peak     | 11.66             | -56.70       | -13.00      | 150          | 120            | -43.70      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:23:26

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4804.000        | -60.44        | peak     | 6.94              | -53.50       | -13.00      | 150          | 250            | -40.50      |         |
|     | 7092.000        | -67.30        | peak     | 10.95             | -56.35       | -13.00      | 150          | 140            | -43.35      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 02:13:00

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:24:20

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 02:13:14

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:24:33

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:13:27

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:24:48

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 02:13:41

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 02:25:01

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:32:04

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 145.6000        | -77.35        | peak     | 22.98             | -54.37       | -13.00      | 150          | 70             | -41.37      |         |
|     | 157.3300        | -78.69        | peak     | 24.27             | -54.42       | -13.00      | 150          | 190            | -41.42      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1


Data : #2

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:39:52

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 153.2500        | -81.44        | peak     | 23.50             | -57.94       | -13.00      | 150          | 140            | -44.94      |         |
| *   | 187.2500        | -80.91        | peak     | 24.02             | -56.89       | -13.00      | 150          | 270            | -43.89      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:19:51

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 254.4000        | -76.45        | peak     | 25.80             | -50.65       | -13.00      | 150          | 70             | -37.65      |         |
| *   | 892.8000        | -85.58        | peak     | 37.50             | -48.08       | -13.00      | 150          | 200            | -35.08      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:39:45

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 336.0000        | -77.34        | peak     | 28.91             | -48.43       | -13.00      | 150          | 200            | -35.43      |         |
|     | 819.2000        | -84.86        | peak     | 34.26             | -50.60       | -13.00      | 150          | 70             | -37.60      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:56:40

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:01:50

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:57:40

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4800.000        | -60.45        | peak     | 6.99              | -53.46       | -13.00      | 150          | 180            | -40.46      |         |
|     | 7750.000        | -65.64        | peak     | 10.95             | -54.69       | -13.00      | 150          | 140            | -41.69      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:02:55

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4800.000        | -53.73        | peak     | 6.94              | -46.79       | -13.00      | 150          | 160            | -33.79      |         |
|     | 4960.000        | -54.27        | peak     | 6.68              | -47.59       | -13.00      | 150          | 40             | -34.59      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 09:58:44

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:03:47

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:58:58

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:04:01

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:59:12

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:04:15

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:59:26

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:04:29

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:26:06

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 145.9400        | -77.17        | peak     | 23.01             | -54.16       | -13.00      | 150          | 140            | -41.16      |         |
|     | 159.2000        | -81.34        | peak     | 24.47             | -56.87       | -13.00      | 150          | 140            | -43.87      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:52:30

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 58.5600         | -79.48        | peak     | 22.60             | -56.88       | -13.00      | 150          | 40             | -43.88      |         |
|     | 149.8500        | -80.75        | peak     | 23.29             | -57.46       | -13.00      | 150          | 140            | -44.46      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:02:31

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 329.6000        | -75.76        | peak     | 27.73             | -48.03       | -13.00      | 150          | 320            | -35.03      |         |
| *   | 880.0000        | -84.77        | peak     | 37.15             | -47.62       | -13.00      | 150          | 70             | -34.62      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:27:18

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 336.0000        | -77.54        | peak     | 28.91             | -48.63       | -13.00      | 150          | 330            | -35.63      |         |
|     | 856.0000        | -84.75        | peak     | 34.50             | -50.25       | -13.00      | 150          | 130            | -37.25      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:48:00

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:58:09

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:49:33

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 4960.000        | -60.04        | peak     | 6.69              | -53.35       | -13.00      | 150          | 40             | -40.35      |         |
| *   | 7412.000        | -61.52        | peak     | 10.11             | -51.41       | -13.00      | 150          | 120            | -38.41      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:59:03

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 4852.000        | -66.84        | peak     | 6.86              | -59.98       | -13.00      | 150          | 200            | -46.98      |         |
| *   | 6936.000        | -67.78        | peak     | 11.23             | -56.55       | -13.00      | 150          | 40             | -43.55      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:50:31

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 05:00:10

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:50:45

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:00:24

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 04:50:59

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:00:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 04:51:14

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:00:53

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:27:38

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 148.1500        | -77.27        | peak     | 23.26             | -54.01       | -13.00      | 150          | 100            | -41.01      |         |
|     | 158.8600        | -79.56        | peak     | 24.43             | -55.13       | -13.00      | 150          | 70             | -42.13      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:53:19

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 58.3900         | -80.02        | peak     | 22.61             | -57.41       | -13.00      | 150          | 70             | -44.41      |         |
|     | 149.8500        | -81.95        | peak     | 23.29             | -58.66       | -13.00      | 150          | 210            | -45.66      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:04:33

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 254.4000        | -76.28        | peak     | 25.80             | -50.48       | -13.00      | 150          | 210            | -37.48      |         |
| *   | 880.8000        | -84.37        | peak     | 37.17             | -47.20       | -13.00      | 150          | 70             | -34.20      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:28:14

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 338.4000        | -77.61        | peak     | 28.81             | -48.80       | -13.00      | 150          | 280            | -35.80      |         |
|     | 704.8000        | -85.42        | peak     | 33.98             | -51.44       | -13.00      | 150          | 20             | -38.44      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2025/3/31

Temperature:26 °C

Time: 下午 05:28:36

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:33:48

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:29:30

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4960.000        | -58.54        | peak     | 6.69              | -51.85       | -13.00      | 150          | 120            | -38.85      |         |
|     | 5240.000        | -63.27        | peak     | 8.09              | -55.18       | -13.00      | 150          | 170            | -42.18      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:34:43

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4850.000        | -55.23        | peak     | 6.86              | -48.37       | -13.00      | 150          | 70             | -35.37      |         |
|     | 6460.000        | -69.10        | peak     | 13.24             | -55.86       | -13.00      | 150          | 120            | -42.86      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 05:30:27

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2025/3/31

Temperature:26 °C

Time: 下午 05:35:36

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:30:40

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 05:35:49

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:30:53

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:36:03

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 05:31:06

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:36:17

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:28:06

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 35.9500         | -83.74        | peak     | 25.58             | -58.16       | -13.00      | 150          | 70             | -45.16      |         |
| *   | 144.4100        | -77.13        | peak     | 22.85             | -54.28       | -13.00      | 150          | 130            | -41.28      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:53:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 149.8500        | -81.95        | peak     | 23.29             | -58.66       | -13.00      | 150          | 40             | -45.66      |         |
| *   | 187.0800        | -80.98        | peak     | 24.03             | -56.95       | -13.00      | 150          | 170            | -43.95      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:05:02

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 628.8000        | -85.27        | peak     | 34.06             | -51.21       | -13.00      | 150          | 70             | -38.21      |         |
| *   | 880.8000        | -84.37        | peak     | 37.17             | -47.20       | -13.00      | 150          | 90             | -34.20      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:28:58

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 337.6000        | -77.68        | peak     | 28.85             | -48.83       | -13.00      | 150          | 200            | -35.83      |         |
|     | 800.0000        | -84.14        | peak     | 34.13             | -50.01       | -13.00      | 150          | 140            | -37.01      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 09:25:49

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:29:43

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:26:07

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 5730.000        | -69.04        | peak     | 10.90             | -58.14       | -13.00      | 150          | 150            | -45.14      |         |
| *   | 7940.000        | -66.67        | peak     | 11.76             | -54.91       | -13.00      | 150          | 180            | -41.91      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:30:48

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 4800.000        | -52.60        | peak     | 6.94              | -45.66       | -13.00      | 150          | 40             | -32.66      |         |
| *   | 7950.000        | -56.52        | peak     | 11.68             | -44.84       | -13.00      | 150          | 190            | -31.84      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:28:05

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 09:31:47

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 09:28:19

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 09:32:01

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 09:28:33

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 09:32:15

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:28:47

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 09:32:29

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:22:46

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 144.0700        | -77.02        | peak     | 22.81             | -54.21       | -13.00      | 150          | 315            | -41.21      |         |
|     | 158.3500        | -79.94        | peak     | 24.38             | -55.56       | -13.00      | 150          | 0              | -42.56      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:54:53

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 58.3900         | -80.80        | peak     | 22.61             | -58.19       | -13.00      | 150          | 70             | -45.19      |         |
|     | 168.2100        | -84.31        | peak     | 24.06             | -60.25       | -13.00      | 150          | 60             | -47.25      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:08:14

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 327.2000        | -76.19        | peak     | 27.73             | -48.46       | -13.00      | 150          | 250            | -35.46      |         |
| *   | 884.0000        | -85.09        | peak     | 37.26             | -47.83       | -13.00      | 150          | 70             | -34.83      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:31:32

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 338.4000        | -77.35        | peak     | 28.81             | -48.54       | -13.00      | 150          | 100            | -35.54      |         |
| *   | 715.2000        | -77.49        | peak     | 33.88             | -43.61       | -13.00      | 150          | 260            | -30.61      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:24:33

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:33:05

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:25:50

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 4960.000        | -56.14        | peak     | 6.69              | -49.45       | -13.00      | 150          | 300            | -36.45      |         |
|     | 7980.000        | -66.29        | peak     | 11.93             | -54.36       | -13.00      | 150          | 170            | -41.36      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:33:36

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 6010.000        | -70.62        | peak     | 13.16             | -57.46       | -13.00      | 150          | 270            | -44.46      |         |
| *   | 7460.000        | -66.82        | peak     | 11.04             | -55.78       | -13.00      | 150          | 40             | -42.78      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:26:43

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:34:28

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:26:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.


Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:27:11

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/4/1

Temperature:26 °C

Time: 上午 10:34:54

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:27:25

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:35:07

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3750MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1


Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:21:41

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 145.2600        | -76.20        | peak     | 22.94             | -53.26       | -13.00      | 150          | 180            | -40.26      |         |
|     | 157.6700        | -80.18        | peak     | 24.30             | -55.88       | -13.00      | 150          | 335            | -42.88      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:55:35

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 149.8500        | -81.91        | peak     | 23.29             | -58.62       | -13.00      | 150          | 170            | -45.62      |         |
| *   | 186.5700        | -81.75        | peak     | 24.05             | -57.70       | -13.00      | 150          | 100            | -44.70      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:09:52

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 254.4000        | -73.82        | peak     | 25.80             | -48.02       | -13.00      | 150          | 70             | -35.02      |         |
|     | 327.2000        | -76.09        | peak     | 27.73             | -48.36       | -13.00      | 150          | 140            | -35.36      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:32:04

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| *   | 332.8000        | -79.44        | peak     | 29.05             | -50.39       | -13.00      | 150          | 220            | -37.39      |         |
|     | 702.4000        | -85.19        | peak     | 34.01             | -51.18       | -13.00      | 150          | 140            | -38.18      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:03:38

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:08:31

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:04:30

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 4850.000        | -58.52        | peak     | 6.89              | -51.63       | -13.00      | 150          | 70             | -38.63      |         |
| *   | 4960.000        | -54.93        | peak     | 6.69              | -48.24       | -13.00      | 150          | 290            | -35.24      |         |

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:09:27

Humidity: 54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|     | 4850.000        | -62.14        | peak     | 6.86              | -55.28       | -13.00      | 150          | 190            | -42.28      |         |
| *   | 7780.000        | -66.49        | peak     | 11.44             | -55.05       | -13.00      | 150          | 50             | -42.05      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:06:57

Humidity:54 %



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:10:19

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:07:10

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC\_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin