



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:10:32

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:07:23

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/4/1

Temperature:26 °C

Time: 上午 11:10:46

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:07:36

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:11:00

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:50:55

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	40.8800	-83.94	peak	25.61	-58.33	-13.00	150	120	-45.33	
*	151.8900	-78.95	peak	23.67	-55.28	-13.00	150	250	-42.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:55:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	58.3900	-83.36	peak	22.61	-60.75	-13.00	150	70	-47.75	
*	139.4800	-78.98	peak	22.69	-56.29	-13.00	150	120	-43.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:10:18

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	327.2000	-76.09	peak	27.73	-48.36	-13.00	150	80	-35.36	
	655.2000	-84.42	peak	35.13	-49.29	-13.00	150	140	-36.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:32:53

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	331.2000	-77.72	peak	29.12	-48.60	-13.00	150	280	-35.60	
	792.0000	-85.07	peak	34.04	-51.03	-13.00	150	40	-38.03	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:18:08

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:21:28

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:18:59

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4800.000	-61.07	peak	6.99	-54.08	-13.00	150	180	-41.08	
	7600.000	-66.69	peak	10.31	-56.38	-13.00	150	140	-43.38	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:22:20

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4960.000	-50.83	peak	6.68	-44.15	-13.00	150	120	-31.15	
	7410.000	-66.58	peak	11.03	-55.55	-13.00	150	170	-42.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:19:52

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:23:11

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:20:06

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:23:24

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:20:19

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:23:37

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:20:32

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:23:51

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-DU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:30:19

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	61.1100	-84.43	peak	22.97	-61.46	-13.00	150	330	-48.46	
*	145.9400	-77.19	peak	23.01	-54.18	-13.00	150	140	-41.18	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:36:46

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	58.2200	-80.88	peak	22.62	-58.26	-13.00	150	40	-45.26	
*	154.2700	-81.23	peak	23.56	-57.67	-13.00	150	140	-44.67	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:16:33

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	330.4000	-76.24	peak	27.74	-48.50	-13.00	150	250	-35.50	
*	894.4000	-85.69	peak	37.54	-48.15	-13.00	150	70	-35.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:37:08

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	626.4000	-84.36	peak	31.83	-52.53	-13.00	150	10	-39.53	
*	903.2000	-84.37	peak	34.71	-49.66	-13.00	150	0	-36.66	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:07:48

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:12:02

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:08:41

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4850.000	-62.58	peak	6.89	-55.69	-13.00	150	200	-42.69	
	7370.000	-66.41	peak	10.21	-56.20	-13.00	150	190	-43.20	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:12:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4960.000	-57.43	peak	6.68	-50.75	-13.00	150	100	-37.75	
	7590.000	-66.70	peak	11.18	-55.52	-13.00	150	70	-42.52	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2025/3/31

Temperature:26 °C

Time: 下午 05:09:34

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9

Date: 2025/3/31

Temperature:26 °C

Time: 下午 05:13:51

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 05:09:47

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 05:14:04

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:10:00

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/3/31

Temperature:26 °C

Time: 下午 05:14:18

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 05:10:14

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:14:31

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3705MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:30:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	148.3200	-78.53	peak	23.28	-55.25	-13.00	150	120	-42.25	
	158.3500	-82.96	peak	24.38	-58.58	-13.00	150	70	-45.58	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:37:46

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	58.3900	-79.97	peak	22.61	-57.36	-13.00	150	40	-44.36	
*	143.2200	-79.07	peak	22.89	-56.18	-13.00	150	180	-43.18	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:17:49

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	329.6000	-76.26	peak	27.73	-48.53	-13.00	150	40	-35.53	
*	876.0000	-84.53	peak	37.04	-47.49	-13.00	150	70	-34.49	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:37:50

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	331.2000	-78.91	peak	29.12	-49.79	-13.00	150	70	-36.79	
	853.6000	-84.69	peak	34.49	-50.20	-13.00	150	250	-37.20	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1

Date: 2025/3/31

Temperature:26 °C

Time: 下午 05:18:17

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:22:59

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:19:12

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4800.000	-62.86	peak	6.99	-55.87	-13.00	150	280	-42.87	
	7190.000	-67.15	peak	10.67	-56.48	-13.00	150	160	-43.48	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:23:53

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4850.000	-52.69	peak	6.86	-45.83	-13.00	150	160	-32.83	
	6610.000	-68.52	peak	12.74	-55.78	-13.00	150	70	-42.78	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:20:05

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/3/31

Temperature: 26 °C

Time: 下午 05:24:52

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:20:18

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:25:05

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:20:31

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:25:18

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/3/31

Temperature: 26 °C

0.0 dBm

Time: 下午 05:20:45

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/3/31

Temperature:26 °C

0.0 dBm

Time: 下午 05:25:32

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:31:20

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	146.1100	-77.29	peak	23.03	-54.26	-13.00	150	160	-41.26	
	158.5200	-80.23	peak	24.40	-55.83	-13.00	150	40	-42.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1


Data : #2

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:38:35

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	143.0500	-78.63	peak	22.88	-55.75	-13.00	150	180	-42.75	
	188.1000	-82.07	peak	23.99	-58.08	-13.00	150	40	-45.08	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:18:56

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	332.0000	-76.13	peak	27.74	-48.39	-13.00	150	140	-35.39	
*	902.4000	-84.43	peak	37.61	-46.82	-13.00	150	80	-33.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:38:08

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	334.4000	-77.76	peak	28.98	-48.78	-13.00	150	50	-35.78	
	853.6000	-84.69	peak	34.49	-50.20	-13.00	150	170	-37.20	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 09:40:42

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 09:44:35

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:41:47

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4960.000	-60.86	peak	6.69	-54.17	-13.00	150	200	-41.17	
*	7950.000	-61.31	peak	11.80	-49.51	-13.00	150	40	-36.51	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:45:41

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4960.000	-54.31	peak	6.68	-47.63	-13.00	150	140	-34.63	
*	7960.000	-57.98	peak	11.69	-46.29	-13.00	150	180	-33.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 09:42:44

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 09:46:34

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:42:58

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:46:48

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:43:12

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 09:47:02

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 09:43:27

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 09:47:16

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-10M-3975MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:32:29

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	145.6000	-77.35	peak	22.98	-54.37	-13.00	150	70	-41.37	
	157.3300	-78.69	peak	24.27	-54.42	-13.00	150	140	-41.42	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:40:48

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	141.5200	-78.37	peak	22.78	-55.59	-13.00	150	140	-42.59	
	188.4400	-81.55	peak	23.98	-57.57	-13.00	150	70	-44.57	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:20:30

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	337.6000	-76.94	peak	27.76	-49.18	-13.00	150	140	-36.18	
*	900.0000	-85.62	peak	37.69	-47.93	-13.00	150	310	-34.93	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:40:47

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	336.0000	-77.97	peak	28.91	-49.06	-13.00	150	340	-36.06	
	833.6000	-84.36	peak	34.36	-50.00	-13.00	150	70	-37.00	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:38:45

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:41:59

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:39:37

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4850.000	-58.53	peak	6.89	-51.64	-13.00	150	150	-38.64	
	7600.000	-66.56	peak	10.31	-56.25	-13.00	150	60	-43.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:42:51

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4850.000	-54.15	peak	6.86	-47.29	-13.00	150	50	-34.29	
	7620.000	-67.21	peak	11.22	-55.99	-13.00	150	70	-42.99	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:40:28

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:43:43

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:40:42

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:43:56

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:40:55

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:44:09

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:41:08

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:44:22

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3750MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1


Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:32:58

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	145.4300	-77.87	peak	22.96	-54.91	-13.00	150	160	-41.91	
	159.0300	-82.61	peak	24.45	-58.16	-13.00	150	20	-45.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:42:25

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	141.8600	-78.63	peak	22.80	-55.83	-13.00	150	170	-42.83	
	185.5500	-81.63	peak	24.08	-57.55	-13.00	150	40	-44.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:21:41

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	253.6000	-74.66	peak	25.71	-48.95	-13.00	150	170	-35.95	
*	326.4000	-76.18	peak	27.72	-48.46	-13.00	150	250	-35.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:41:20

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	330.4000	-79.32	peak	29.15	-50.17	-13.00	150	20	-37.17	
	729.6000	-84.21	peak	33.74	-50.47	-13.00	150	140	-37.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:52:04

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:57:16

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:52:55

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4960.000	-59.58	peak	6.69	-52.89	-13.00	150	160	-39.89	
	7910.000	-67.41	peak	11.63	-55.78	-13.00	150	20	-42.78	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:58:11

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4800.000	-56.07	peak	6.94	-49.13	-13.00	150	190	-36.13	
	4850.000	-56.43	peak	6.86	-49.57	-13.00	150	120	-36.57	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:54:55

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:59:02

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:55:08

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:59:15

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:55:21

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:59:29

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:55:34

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:59:42

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1


Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:33:22

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	145.4300	-77.87	peak	22.96	-54.91	-13.00	150	280	-41.91	
	159.0300	-82.61	peak	24.45	-58.16	-13.00	150	120	-45.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:44:04

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	153.2500	-80.89	peak	23.50	-57.39	-13.00	150	70	-44.39	
	187.5900	-83.10	peak	24.01	-59.09	-13.00	150	130	-46.09	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:22:38

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	329.6000	-76.02	peak	27.73	-48.29	-13.00	150	70	-35.29	
*	912.0000	-84.72	peak	37.29	-47.43	-13.00	150	0	-34.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:42:15

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	336.8000	-77.39	peak	28.88	-48.51	-13.00	150	60	-35.51	
	811.2000	-84.49	peak	34.21	-50.28	-13.00	150	270	-37.28	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:33:47

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:38:12

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:34:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4800.000	-60.79	peak	6.99	-53.80	-13.00	150	160	-40.80	
*	4960.000	-57.65	peak	6.69	-50.96	-13.00	150	80	-37.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:41:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4850.000	-49.61	peak	6.86	-42.75	-13.00	150	180	-29.75	
	4960.000	-50.52	peak	6.68	-43.84	-13.00	150	70	-30.84	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:35:30

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:42:44

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:35:43

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:42:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:35:56

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:43:10

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:36:09

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#12

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:43:23

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin