



<Photographs of EUT>





<Antenna Location>




<EUT Back View>

The separation distance for antenna to edge:


Antenna	Overall diagonal(mm)	Display diagonal(mm)	To Left Side (mm)	To Right Side (mm)	To Top Side (mm)	To Bottom Side (mm)
WWAN Ant 1	183	153	4	63	4	159
WWAN Ant 2			4	4	160	5
WWAN Ant 3			74	4	75	86
WWAN Ant 4			74	4	148	15
WWAN Ant 5			4	74	75	86
WWAN Ant 6			4	74	148	15
WWAN Ant 7			4	74	23	144
WLAN/BT Ant 8			63	4	4	159
WLAN Ant 9			74	4	23	144

Antenna	Supported bands
WWAN Ant 1	GSM1900, WCDMA II/IV, LTE 2/4/7/25/30/38/41/66, NR n2/7/25/30/38/41/66, SRS: NR n41
WWAN Ant 2	GSM850, WCDMA V, LTE 5/12/13/14/17/26/71, NR n5/12/71, SRS: NR n41
WWAN Ant 3	RX only, SRS: NR n41
WWAN Ant 4	RX only, SRS: NR n77/78
WWAN Ant 5	RX only, SRS: NR n41/77/78
WWAN Ant 6	RX only, SRS: NR n77/78
WWAN Ant 7	LTE 42/43/48, NR n48/77/78, SRS: NR n77/78
WLAN/BT Ant 8	WLAN2.4G, WLAN5G, Bluetooth
WLAN Ant 9	WLAN2.4G, WLAN5G


<Photographs of SAR Setup>




Right Cheek



Right Tilted



Left Cheek



Left Tilted



Front Face of EUT with 1.5 cm Gap



Rear Face of EUT with 1.5 cm Gap



Front Face of EUT with 1.0 cm Gap



Rear Face of EUT with 1.0 cm Gap



Left Side of EUT with 1.0 cm Gap



Right Side of EUT with 1.0 cm Gap



Top Side of EUT with 1.0 cm Gap



Bottom Side of EUT with 1.0 cm Gap



BUREAU
VERITAS

FCC SAR Test Report




Front Face of EUT with 0 cm Gap



Rear Face of EUT with 0 cm Gap



Right Side of EUT with 0 cm Gap



Top Side of EUT with 0 cm Gap