

Transmit at 2412MHz by 802.11n(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.33	40.29	-6.04	74.00	33.71	PK	Horizo	PASS
2	4824.00	39.90	33.86	-6.04	54.00	20.14	AV	Horizo	PASS
3	7236.00	41.23	44.20	2.97	74.00	29.80	PK	Horizo	PASS
4	7236.00	32.24	35.21	2.97	54.00	18.79	AV	Horizo	PASS
5	9648.00	37.07	43.15	6.08	74.00	30.85	PK	Horizo	PASS
6	9648.00	28.75	34.83	6.08	54.00	19.17	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.00	40.96	-6.04	74.00	33.04	PK	Vertic	PASS
2	4824.00	36.63	30.59	-6.04	54.00	23.41	AV	Vertic	PASS
3	7236.00	30.29	33.26	2.97	54.00	20.74	AV	Vertic	PASS
4	7236.00	38.08	41.05	2.97	74.00	32.95	PK	Vertic	PASS
5	9648.00	36.58	42.66	6.08	74.00	31.34	PK	Vertic	PASS
6	9648.00	29.09	35.17	6.08	54.00	18.83	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.80	40.72	-6.08	74.00	33.28	PK	Horizo	PASS
2	4874.00	37.06	30.98	-6.08	54.00	23.02	AV	Horizo	PASS
3	7311.00	44.28	47.15	2.87	74.00	26.85	PK	Horizo	PASS
4	7311.00	34.63	37.50	2.87	54.00	16.50	AV	Horizo	PASS
5	9748.00	28.31	34.47	6.16	54.00	19.53	AV	Horizo	PASS
6	9748.00	35.22	41.38	6.16	74.00	32.62	PK	Horizo	PASS

Transmit at 2437MHz by 802.11n(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	44.09	38.01	-6.08	74.00	35.99	PK	Vertic	PASS
2	4874.00	37.46	31.38	-6.08	54.00	22.62	AV	Vertic	PASS
3	7311.00	31.58	34.45	2.87	54.00	19.55	AV	Vertic	PASS
4	7311.00	37.79	40.66	2.87	74.00	33.34	PK	Vertic	PASS
5	9748.00	34.35	40.51	6.16	74.00	33.49	PK	Vertic	PASS
6	9748.00	26.91	33.07	6.16	54.00	20.93	AV	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	49.02	43.26	-5.76	74.00	30.74	PK	Horizo	PASS
2	4924.00	44.91	39.15	-5.76	54.00	14.85	AV	Horizo	PASS
3	7386.00	38.80	41.10	2.30	74.00	32.90	PK	Horizo	PASS
4	7386.00	31.85	34.15	2.30	54.00	19.85	AV	Horizo	PASS
5	9848.00	36.13	41.93	5.80	74.00	32.07	PK	Horizo	PASS
6	9848.00	28.25	34.05	5.80	54.00	19.95	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	47.79	42.03	-5.76	74.00	31.97	PK	Vertic	PASS
2	4924.00	40.19	34.43	-5.76	54.00	19.57	AV	Vertic	PASS
3	7386.00	37.25	39.55	2.30	74.00	34.45	PK	Vertic	PASS
4	7386.00	29.57	31.87	2.30	54.00	22.13	AV	Vertic	PASS
5	9848.00	34.61	40.41	5.80	74.00	33.59	PK	Vertic	PASS
6	9848.00	28.58	34.38	5.80	54.00	19.62	AV	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	42.68	36.62	-6.06	74.00	37.38	PK	Horizo	PASS
2	4844.00	38.10	32.04	-6.06	54.00	21.96	AV	Horizo	PASS
3	7266.00	31.48	34.44	2.96	54.00	19.56	AV	Horizo	PASS
4	7266.00	41.38	44.34	2.96	74.00	29.66	PK	Horizo	PASS
5	9688.00	27.72	33.94	6.22	54.00	20.06	AV	Horizo	PASS
6	9688.00	33.81	40.03	6.22	74.00	33.97	PK	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	41.88	35.82	-6.06	74.00	38.18	PK	Vertic	PASS
2	4844.00	36.30	30.24	-6.06	54.00	23.76	AV	Vertic	PASS
3	7266.00	29.84	32.80	2.96	54.00	21.20	AV	Vertic	PASS
4	7266.00	36.72	39.68	2.96	74.00	34.32	PK	Vertic	PASS
5	9688.00	35.78	42.00	6.22	74.00	32.00	PK	Vertic	PASS
6	9688.00	28.47	34.69	6.22	54.00	19.31	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	41.65	35.57	-6.08	74.00	38.43	PK	Horizo	PASS
2	4874.00	33.67	27.59	-6.08	54.00	26.41	AV	Horizo	PASS
3	7311.00	39.51	42.38	2.87	74.00	31.62	PK	Horizo	PASS
4	7311.00	30.77	33.64	2.87	54.00	20.36	AV	Horizo	PASS
5	9748.00	36.45	42.61	6.16	74.00	31.39	PK	Horizo	PASS
6	9748.00	27.55	33.71	6.16	54.00	20.29	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	42.32	36.24	-6.08	74.00	37.76	PK	Vertic	PASS
2	4874.00	34.76	28.68	-6.08	54.00	25.32	AV	Vertic	PASS
3	7311.00	36.35	39.22	2.87	74.00	34.78	PK	Vertic	PASS
4	7311.00	29.49	32.36	2.87	54.00	21.64	AV	Vertic	PASS
5	9748.00	33.85	40.01	6.16	74.00	33.99	PK	Vertic	PASS
6	9748.00	26.29	32.45	6.16	54.00	21.55	AV	Vertic	PASS

Transmit at 2452MHz by 802.11n(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	45.24	39.21	-6.03	74.00	34.79	PK	Horizo	PASS
2	4904.00	36.63	30.60	-6.03	54.00	23.40	AV	Horizo	PASS
3	7356.00	29.37	31.90	2.53	54.00	22.10	AV	Horizo	PASS
4	7356.00	36.30	38.83	2.53	74.00	35.17	PK	Horizo	PASS
5	9808.00	33.02	39.02	6.00	74.00	34.98	PK	Horizo	PASS
6	9808.00	26.90	32.90	6.00	54.00	21.10	AV	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	44.49	38.46	-6.03	74.00	35.54	PK	Vertic	PASS
2	4904.00	38.32	32.29	-6.03	54.00	21.71	AV	Vertic	PASS
3	7356.00	36.46	38.99	2.53	74.00	35.01	PK	Vertic	PASS
4	7356.00	29.14	31.67	2.53	54.00	22.33	AV	Vertic	PASS
5	9808.00	32.95	38.95	6.00	74.00	35.05	PK	Vertic	PASS
6	9808.00	26.89	32.89	6.00	54.00	21.11	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4826.63	35.78	29.74	-6.04	54.00	24.26	AV	Horizo	PASS
2	4828.88	44.64	38.59	-6.05	74.00	35.41	PK	Horizo	PASS
3	7236.00	34.99	37.96	2.97	74.00	36.04	PK	Horizo	PASS
4	7236.00	29.01	31.98	2.97	54.00	22.02	AV	Horizo	PASS
5	9648.00	35.63	41.71	6.08	74.00	32.29	PK	Horizo	PASS
6	9648.00	28.13	34.21	6.08	54.00	19.79	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4821.00	42.85	36.81	-6.04	74.00	37.19	PK	Vertic	PASS
2	4824.00	33.68	27.64	-6.04	54.00	26.36	AV	Vertic	PASS
3	7236.00	35.70	38.67	2.97	74.00	35.33	PK	Vertic	PASS
4	7236.00	28.06	31.03	2.97	54.00	22.97	AV	Vertic	PASS
5	9648.00	26.71	32.79	6.08	54.00	21.21	AV	Vertic	PASS
6	9648.00	33.98	40.06	6.08	74.00	33.94	PK	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	35.43	29.35	-6.08	54.00	24.65	AV	Horizo	PASS
2	4880.63	45.41	39.33	-6.08	74.00	34.67	PK	Horizo	PASS
3	7311.00	37.31	40.18	2.87	74.00	33.82	PK	Horizo	PASS
4	7311.00	29.46	32.33	2.87	54.00	21.67	AV	Horizo	PASS
5	9748.00	27.01	33.17	6.16	54.00	20.83	AV	Horizo	PASS
6	9748.00	34.01	40.17	6.16	74.00	33.83	PK	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.50	35.74	29.66	-6.08	54.00	24.34	AV	Vertic	PASS
2	4874.63	44.79	38.71	-6.08	74.00	35.29	PK	Vertic	PASS
3	7311.00	35.21	38.08	2.87	74.00	35.92	PK	Vertic	PASS
4	7311.00	28.66	31.53	2.87	54.00	22.47	AV	Vertic	PASS
5	9748.00	33.87	40.03	6.16	74.00	33.97	PK	Vertic	PASS
6	9748.00	26.08	32.24	6.16	54.00	21.76	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4921.88	45.33	39.54	-5.79	74.00	34.46	PK	Horizo	PASS
2	4922.25	36.74	30.95	-5.79	54.00	23.05	AV	Horizo	PASS
3	7386.00	36.36	38.66	2.30	74.00	35.34	PK	Horizo	PASS
4	7386.00	29.33	31.63	2.30	54.00	22.37	AV	Horizo	PASS
5	9848.00	33.41	39.21	5.80	74.00	34.79	PK	Horizo	PASS
6	9848.00	27.22	33.02	5.80	54.00	20.98	AV	Horizo	PASS

Transmit at 2422MHz by 802.11ax(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4923.75	43.76	37.99	-5.77	74.00	36.01	PK	Vertic	PASS
2	4925.25	36.78	31.03	-5.75	54.00	22.97	AV	Vertic	PASS
3	7386.00	29.07	31.37	2.30	54.00	22.63	AV	Vertic	PASS
4	7386.00	35.89	38.19	2.30	74.00	35.81	PK	Vertic	PASS
5	9848.00	32.79	38.59	5.80	74.00	35.41	PK	Vertic	PASS
6	9848.00	26.07	31.87	5.80	54.00	22.13	AV	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	40.68	34.62	-6.06	74.00	39.38	PK	Horizo	PASS
2	4844.00	33.06	27.00	-6.06	54.00	27.00	AV	Horizo	PASS
3	7266.00	37.69	40.65	2.96	74.00	33.35	PK	Horizo	PASS
4	7266.00	29.44	32.40	2.96	54.00	21.60	AV	Horizo	PASS
5	9688.00	34.62	40.84	6.22	74.00	33.16	PK	Horizo	PASS
6	9688.00	26.66	32.88	6.22	54.00	21.12	AV	Horizo	PASS

Transmit at 2422MHz by 802.11ax(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	39.46	33.40	-6.06	74.00	40.60	PK	Vertic	PASS
2	4844.00	33.82	27.76	-6.06	54.00	26.24	AV	Vertic	PASS
3	7266.00	35.50	38.46	2.96	74.00	35.54	PK	Vertic	PASS
4	7266.00	29.99	32.95	2.96	54.00	21.05	AV	Vertic	PASS
5	9688.00	34.03	40.25	6.22	74.00	33.75	PK	Vertic	PASS
6	9688.00	27.30	33.52	6.22	54.00	20.48	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.13	35.32	29.24	-6.08	54.00	24.76	AV	Horizo	PASS
2	4878.00	42.39	36.31	-6.08	74.00	37.69	PK	Horizo	PASS
3	7311.00	29.74	32.61	2.87	54.00	21.39	AV	Horizo	PASS
4	7311.00	37.60	40.47	2.87	74.00	33.53	PK	Horizo	PASS
5	9748.00	34.34	40.50	6.16	74.00	33.50	PK	Horizo	PASS
6	9748.00	27.78	33.94	6.16	54.00	20.06	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	39.27	33.19	-6.08	74.00	40.81	PK	Vertic	PASS
2	4874.00	31.84	25.76	-6.08	54.00	28.24	AV	Vertic	PASS
3	7311.00	36.17	39.04	2.87	74.00	34.96	PK	Vertic	PASS
4	7311.00	28.30	31.17	2.87	54.00	22.83	AV	Vertic	PASS
5	9748.00	34.31	40.47	6.16	74.00	33.53	PK	Vertic	PASS
6	9748.00	27.05	33.21	6.16	54.00	20.79	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	42.34	36.31	-6.03	74.00	37.69	PK	Horizo	PASS
2	4904.00	34.22	28.19	-6.03	54.00	25.81	AV	Horizo	PASS
3	7356.00	37.02	39.55	2.53	74.00	34.45	PK	Horizo	PASS
4	7356.00	29.04	31.57	2.53	54.00	22.43	AV	Horizo	PASS
5	9808.00	33.10	39.10	6.00	74.00	34.90	PK	Horizo	PASS
6	9808.00	26.52	32.52	6.00	54.00	21.48	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	40.29	34.26	-6.03	74.00	39.74	PK	Vertic	PASS
2	4904.00	34.64	28.61	-6.03	54.00	25.39	AV	Vertic	PASS
3	7356.00	28.44	30.97	2.53	54.00	23.03	AV	Vertic	PASS
4	7356.00	35.57	38.10	2.53	74.00	35.90	PK	Vertic	PASS
5	9808.00	33.01	39.01	6.00	74.00	34.99	PK	Vertic	PASS
6	9808.00	26.16	32.16	6.00	54.00	21.84	AV	Vertic	PASS

Transmit at 2412MHz by 802.11be(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	40.86	34.82	-6.04	74.00	39.18	PK	Horizo	PASS
2	4824.00	34.54	28.50	-6.04	54.00	25.50	AV	Horizo	PASS
3	7236.00	28.60	31.57	2.97	54.00	22.43	AV	Horizo	PASS
4	7236.00	34.14	37.11	2.97	74.00	36.89	PK	Horizo	PASS
5	9648.00	34.56	40.64	6.08	74.00	33.36	PK	Horizo	PASS
6	9648.00	27.48	33.56	6.08	54.00	20.44	AV	Horizo	PASS

Transmit at 2412MHz by 802.11be(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.78	33.74	-6.04	74.00	40.26	PK	Vertic	PASS
2	4824.00	33.85	27.81	-6.04	54.00	26.19	AV	Vertic	PASS
3	7236.00	36.75	39.72	2.97	74.00	34.28	PK	Vertic	PASS
4	7236.00	27.98	30.95	2.97	54.00	23.05	AV	Vertic	PASS
5	9648.00	35.77	41.85	6.08	74.00	32.15	PK	Vertic	PASS
6	9648.00	27.21	33.29	6.08	54.00	20.71	AV	Vertic	PASS

Transmit at 2437MHz by 802.11be(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.13	44.97	38.89	-6.08	74.00	35.11	PK	Horizo	PASS
2	4874.00	36.32	30.24	-6.08	54.00	23.76	AV	Horizo	PASS
3	7309.50	41.65	44.53	2.88	74.00	29.47	PK	Horizo	PASS
4	7311.00	31.72	34.59	2.87	54.00	19.41	AV	Horizo	PASS
5	9748.00	35.66	41.82	6.16	74.00	32.18	PK	Horizo	PASS
6	9748.00	27.28	33.44	6.16	54.00	20.56	AV	Horizo	PASS

Transmit at 2437MHz by 802.11be(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.88	43.12	37.04	-6.08	74.00	36.96	PK	Vertic	PASS
2	4874.00	35.16	29.08	-6.08	54.00	24.92	AV	Vertic	PASS
3	7311.00	35.81	38.68	2.87	74.00	35.32	PK	Vertic	PASS
4	7311.00	28.99	31.86	2.87	54.00	22.14	AV	Vertic	PASS
5	9748.00	26.95	33.11	6.16	54.00	20.89	AV	Vertic	PASS
6	9748.00	33.58	39.74	6.16	74.00	34.26	PK	Vertic	PASS

Transmit at 2462MHz by 802.11be(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.11	39.35	-5.76	74.00	34.65	PK	Horizo	PASS
2	4924.00	37.58	31.82	-5.76	54.00	22.18	AV	Horizo	PASS
3	7386.00	29.41	31.71	2.30	54.00	22.29	AV	Horizo	PASS
4	7386.00	37.56	39.86	2.30	74.00	34.14	PK	Horizo	PASS
5	9848.00	33.13	38.93	5.80	74.00	35.07	PK	Horizo	PASS
6	9848.00	25.90	31.70	5.80	54.00	22.30	AV	Horizo	PASS

Transmit at 2462MHz by 802.11be(20MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	37.06	31.30	-5.76	54.00	22.70	AV	Vertic	PASS
2	4929.00	45.39	39.69	-5.70	74.00	34.31	PK	Vertic	PASS
3	7386.00	28.77	31.07	2.30	54.00	22.93	AV	Vertic	PASS
4	7386.00	36.40	38.70	2.30	74.00	35.30	PK	Vertic	PASS
5	9848.00	26.02	31.82	5.80	54.00	22.18	AV	Vertic	PASS
6	9848.00	34.13	39.93	5.80	74.00	34.07	PK	Vertic	PASS

Transmit at 2422MHz by 802.11be(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	41.96	35.90	-6.06	74.00	38.10	PK	Horizo	PASS
2	4844.00	33.17	27.11	-6.06	54.00	26.89	AV	Horizo	PASS
3	7266.00	36.88	39.84	2.96	74.00	34.16	PK	Horizo	PASS
4	7266.00	28.43	31.39	2.96	54.00	22.61	AV	Horizo	PASS
5	9688.00	35.17	41.39	6.22	74.00	32.61	PK	Horizo	PASS
6	9688.00	27.25	33.47	6.22	54.00	20.53	AV	Horizo	PASS

Transmit at 2422MHz by 802.11be(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	40.81	34.75	-6.06	74.00	39.25	PK	Vertic	PASS
2	4844.00	32.74	26.68	-6.06	54.00	27.32	AV	Vertic	PASS
3	7266.00	35.83	38.79	2.96	74.00	35.21	PK	Vertic	PASS
4	7266.00	29.17	32.13	2.96	54.00	21.87	AV	Vertic	PASS
5	9688.00	34.23	40.45	6.22	74.00	33.55	PK	Vertic	PASS
6	9688.00	25.89	32.11	6.22	54.00	21.89	AV	Vertic	PASS

Transmit at 2437MHz by 802.11be(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	41.87	35.79	-6.08	74.00	38.21	PK	Horizo	PASS
2	4874.00	34.25	28.17	-6.08	54.00	25.83	AV	Horizo	PASS
3	7311.00	36.67	39.54	2.87	74.00	34.46	PK	Horizo	PASS
4	7311.00	29.51	32.38	2.87	54.00	21.62	AV	Horizo	PASS
5	9748.00	33.74	39.90	6.16	74.00	34.10	PK	Horizo	PASS
6	9748.00	27.61	33.77	6.16	54.00	20.23	AV	Horizo	PASS

Transmit at 2437MHz by 802.11be(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	38.66	32.58	-6.08	74.00	41.42	PK	Vertic	PASS
2	4874.00	33.76	27.68	-6.08	54.00	26.32	AV	Vertic	PASS
3	7311.00	28.73	31.60	2.87	54.00	22.40	AV	Vertic	PASS
4	7311.00	35.34	38.21	2.87	74.00	35.79	PK	Vertic	PASS
5	9748.00	33.39	39.55	6.16	74.00	34.45	PK	Vertic	PASS
6	9748.00	26.67	32.83	6.16	54.00	21.17	AV	Vertic	PASS

Transmit at 2452MHz by 802.11be(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	40.47	34.44	-6.03	74.00	39.56	PK	Horizo	PASS
2	4904.00	35.11	29.08	-6.03	54.00	24.92	AV	Horizo	PASS
3	7356.00	35.86	38.39	2.53	74.00	35.61	PK	Horizo	PASS
4	7356.00	28.62	31.15	2.53	54.00	22.85	AV	Horizo	PASS
5	9808.00	33.68	39.68	6.00	74.00	34.32	PK	Horizo	PASS
6	9808.00	27.02	33.02	6.00	54.00	20.98	AV	Horizo	PASS

Transmit at 2452MHz by 802.11be(40MHz) above 1GHz

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	41.39	35.36	-6.03	74.00	38.64	PK	Vertic	PASS
2	4904.00	34.14	28.11	-6.03	54.00	25.89	AV	Vertic	PASS
3	7356.00	36.90	39.43	2.53	74.00	34.57	PK	Vertic	PASS
4	7356.00	28.04	30.57	2.53	54.00	23.43	AV	Vertic	PASS
5	9808.00	33.64	39.64	6.00	74.00	34.36	PK	Vertic	PASS
6	9808.00	26.50	32.50	6.00	54.00	21.50	AV	Vertic	PASS

Note: Level = Reading + Factor

Worst data of Emissions in Restricted Bands below 1GHz:**Transmit at 2452MHz by 802.11ax(40MHz)**

Data List								
NO.	Frequency	Reading	Level	Factor	Limit	Margin	Pol	Verdict
	[MHz]	[dBμV]	[dBμV/m]	[dB/m]	[dBμV/m]	[dB]		
1	37.96	16.9	30.5	13.6	40	9.5	Horizontal	PASS
2	59.8	17.75	30.61	12.86	40	9.39	Horizontal	PASS
3	129.73	20.1	30.05	9.95	43.5	13.45	Horizontal	PASS
4	171.87	22.44	32.4	9.96	43.5	11.1	Horizontal	PASS
5	395.97	14.91	30.92	16.01	46	15.08	Horizontal	PASS
6	584.89	15.2	34.67	19.47	46	11.33	Horizontal	PASS


Transmit at 2452MHz by 802.11ax(40MHz)

Data List								
NO.	Frequency	Reading	Level	Factor	Limit	Margin	Pol	Verdict
	[MHz]	[dBμV]	[dBμV/m]	[dB/m]	[dBμV/m]	[dB]		
1	53.72	18.68	33.51	14.83	40	6.49	Vertical	PASS
2	73.95	19.42	30.47	11.05	40	9.53	Vertical	PASS
3	95.73	23.74	35.65	11.91	43.5	7.85	Vertical	PASS
4	187.3	18.18	29.03	10.85	43.5	14.47	Vertical	PASS
5	342.11	14.16	29.14	14.98	46	16.86	Vertical	PASS
6	644.04	15.11	35.29	20.18	46	10.71	Vertical	PASS

Note: Level = Reading + Factor


Appendix F: AC Power Line Conducted Emission

Profile: 2560724R	Page No.: 2
Engineer: Yu Liu	
Site: TR1	Time: 2025/08/04 - 21:24
Limit: 2560724R_Part 15.207_CE_AC Power	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: FRRO505C	Power: 120Vac
Note: Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.170	48.535	38.871	-16.425	64.960	9.664	QP
2		0.354	34.537	24.858	-24.331	58.868	9.679	QP
3		1.570	30.975	21.238	-25.025	56.000	9.737	QP
4		3.170	30.782	20.984	-25.218	56.000	9.798	QP
5		10.806	32.095	22.110	-27.905	60.000	9.985	QP
6		21.214	42.988	32.432	-17.012	60.000	10.556	QP

Profile: 2560724R	Page No.: 5
Engineer: Yu Liu	
Site: TR1	Time: 2025/08/04 - 21:31
Limit: 2560724R_Part 15.207_CE_AC Power	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: FRRO505C	Power: 120Vac
Note: Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.190	44.908	35.253	-19.128	64.037	9.655	QP
2		0.506	30.341	20.744	-25.659	56.000	9.598	QP
3		0.990	29.290	19.611	-26.710	56.000	9.679	QP
4		2.310	31.663	21.952	-24.337	56.000	9.711	QP
5		7.266	29.987	20.073	-30.013	60.000	9.914	QP
6	*	21.022	43.392	32.910	-16.608	60.000	10.482	QP

Note:

1. " * ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

_____ The End _____