






11AX40-5510-PASS



11AX40-5550-PASS




11AX40-5670-PASS




11AX40-5755-PASS




11AX40-5795-PASS




11AX80-5210-PASS




11AX80-5290-PASS




11AX80-5530-PASS




11AX80-5610-PASS




11AX80-5775-PASS




11AX160-5250\_UNII-1-PASS




11AX160-5250\_UNII-2A-PASS




11AX160-5570-PASS




11BE20-5180-PASS




11BE20-5200-PASS




11BE20-5240-PASS




11BE20-5260-PASS




11BE20-5280-PASS




11BE20-5320-PASS




11BE20-5500-PASS




11BE20-5580-PASS




11BE20-5700-PASS




11BE20-5745-PASS



11BE20-5785-PASS




11BE20-5825-PASS




11BE40-5190-PASS




11BE40-5230-PASS



11BE40-5270-PASS



11BE40-5310-PASS



11BE40-5510-PASS



11BE40-5550-PASS




11BE40-5670-PASS




11BE40-5755-PASS




11BE40-5795-PASS




11BE80-5210-PASS



11BE80-5290-PASS




11BE80-5530-PASS




11BE80-5610-PASS




11BE80-5775-PASS



11BE160-5250\_UNII-1-PASS




11BE160-5250\_UNII-2A-PASS



11BE160-5570-PASS


Appendix G: Test result of Radiated Emission Band Edge

UNII-1, UNII-2A, UNII-2C  
Transmit at 5180MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5149.12         | 38.47          | 53.57          | 15.10         | 74.00          | 20.43       | PK  | Horizo | PASS    |
| 2         | 5150.00         | 35.37          | 50.48          | 15.11         | 74.00          | 23.52       | PK  | Horizo | PASS    |

Transmit at 5180MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5148.00         | 28.74          | 43.84          | 15.10         | 54.00          | 10.16       | AV  | Horizo | PASS    |
| 2         | 5150.00         | 27.92          | 43.03          | 15.11         | 54.00          | 10.97       | AV  | Horizo | PASS    |

Transmit at 5180MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5144.46         | 42.41          | 57.49          | 15.08         | 74.00          | 16.51       | PK  | Vertic | PASS    |
| 2         | 5150.00         | 41.72          | 56.83          | 15.11         | 74.00          | 17.17       | PK  | Vertic | PASS    |

Transmit at 5180MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 4983.35         | 29.47          | 43.79          | 14.32         | 54.00          | 10.21       | AV  | Vertic | PASS    |
| 2         | 5150.00         | 31.70          | 46.81          | 15.11         | 54.00          | 7.19        | AV  | Vertic | PASS    |

Transmit at 5320MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 33.57          | 49.28          | 15.71         | 74.00          | 24.72       | PK  | Horizo | PASS    |
| 2         | 5353.16         | 39.38          | 55.09          | 15.71         | 74.00          | 18.91       | PK  | Horizo | PASS    |

Transmit at 5320MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 26.35          | 42.06          | 15.71         | 54.00          | 11.94       | AV  | Horizo | PASS    |
| 2         | 5351.08         | 27.29          | 43.00          | 15.71         | 54.00          | 11.00       | AV  | Horizo | PASS    |

Transmit at 5320MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 37.03          | 52.74          | 15.71         | 74.00          | 21.26       | PK  | Vertic | PASS    |
| 2         | 5352.11         | 45.89          | 61.60          | 15.71         | 74.00          | 12.40       | PK  | Vertic | PASS    |

Transmit at 5320MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 30.02          | 45.73          | 15.71         | 54.00          | 8.27        | AV  | Vertic | PASS    |
| 2         | 5351.21         | 30.94          | 46.65          | 15.71         | 54.00          | 7.35        | AV  | Vertic | PASS    |

Transmit at 5500MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 37.19          | 53.53          | 16.34         | 68.30          | 14.77       | PK  | Horizo | PASS    |
| 2         | 5466.69         | 41.72          | 58.13          | 16.41         | 68.30          | 10.17       | PK  | Horizo | PASS    |

Transmit at 5500MHz by 802.11a



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5457.26         | 28.03          | 44.34          | 16.31         | 54.00          | 9.66        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 27.39          | 43.73          | 16.34         | 54.00          | 10.27       | AV  | Horizo | PASS    |


Transmit at 5500MHz by 802.11a



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5460.00         | 38.79          | 55.13          | 16.34         | 68.30          | 13.17       | PK  | Vertic | PASS    |
| 2  | 5466.69         | 50.10          | 66.51          | 16.41         | 68.30          | 1.79        | PK  | Vertic | PASS    |

Transmit at 5500MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5456.28         | 28.49          | 44.79          | 16.30         | 54.00          | 9.21        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 27.73          | 44.07          | 16.34         | 54.00          | 9.93        | AV  | Vertic | PASS    |

Transmit at 5700MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 37.75          | 56.42          | 18.67         | 68.30          | 11.88       | PK  | Horizo | PASS    |
| 2         | 5734.70         | 38.53          | 57.18          | 18.65         | 68.30          | 11.12       | PK  | Horizo | PASS    |

Transmit at 5700MHz by 802.11a




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 45.94          | 64.61          | 18.67         | 68.30          | 3.69        | PK  | Vertic | PASS    |
| 2         | 5725.90         | 46.75          | 65.42          | 18.67         | 68.30          | 2.88        | PK  | Vertic | PASS    |

Transmit at 5180MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5093.49         | 38.46          | 53.24          | 14.78         | 74.00          | 20.76       | PK  | Horizo | PASS    |
| 2         | 5150.00         | 35.34          | 50.45          | 15.11         | 74.00          | 23.55       | PK  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5145.50         | 28.88          | 43.96          | 15.08         | 54.00          | 10.04       | AV  | Horizo | PASS    |
| 2         | 5150.00         | 28.50          | 43.61          | 15.11         | 54.00          | 10.39       | AV  | Horizo | PASS    |

Transmit at 5180MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5146.70         | 43.37          | 58.46          | 15.09         | 74.00          | 15.54       | PK  | Vertic | PASS    |
| 2         | 5150.00         | 42.78          | 57.89          | 15.11         | 74.00          | 16.11       | PK  | Vertic | PASS    |

Transmit at 5180MHz by 802.11ac(20MHz)



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 4985.42         | 29.06          | 43.38          | 14.32         | 54.00          | 10.62       | AV  | Vertic | PASS    |
| 2         | 5150.00         | 31.75          | 46.86          | 15.11         | 54.00          | 7.14        | AV  | Vertic | PASS    |


Transmit at 5320MHz by 802.11ac(20MHz)



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 34.36          | 50.07          | 15.71         | 74.00          | 23.93       | PK  | Horizo | PASS    |
| 2  | 5352.41         | 36.55          | 52.26          | 15.71         | 74.00          | 21.74       | PK  | Horizo | PASS    |


Transmit at 5320MHz by 802.11ac(20MHz)



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 26.37          | 42.08          | 15.71         | 54.00          | 11.92       | AV  | Horizo | PASS    |
| 2  | 5352.58         | 27.38          | 43.09          | 15.71         | 54.00          | 10.91       | AV  | Horizo | PASS    |

Transmit at 5320MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 39.82          | 55.53          | 15.71         | 74.00          | 18.47       | PK  | Vertic | PASS    |
| 2         | 5360.01         | 44.22          | 59.92          | 15.70         | 74.00          | 14.08       | PK  | Vertic | PASS    |

Transmit at 5320MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 31.02          | 46.73          | 15.71         | 54.00          | 7.27        | AV  | Vertic | PASS    |
| 2         | 5351.49         | 31.60          | 47.31          | 15.71         | 54.00          | 6.69        | AV  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 37.41          | 53.75          | 16.34         | 68.30          | 14.55       | PK  | Horizo | PASS    |
| 2         | 5466.59         | 44.21          | 60.62          | 16.41         | 68.30          | 7.68        | PK  | Horizo | PASS    |

Transmit at 5500MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5458.62         | 28.43          | 44.75          | 16.32         | 54.00          | 9.25        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 27.62          | 43.96          | 16.34         | 54.00          | 10.04       | AV  | Horizo | PASS    |

Transmit at 5500MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 39.94          | 56.28          | 16.34         | 68.30          | 12.02       | PK  | Vertic | PASS    |
| 2         | 5469.89         | 50.11          | 66.56          | 16.45         | 68.30          | 1.74        | PK  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5459.38         | 28.60          | 44.94          | 16.34         | 54.00          | 9.06        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 28.41          | 44.75          | 16.34         | 54.00          | 9.25        | AV  | Vertic | PASS    |

Transmit at 5700MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 36.22          | 54.89          | 18.67         | 68.30          | 13.41       | PK  | Horizo | PASS    |
| 2         | 5728.80         | 38.67          | 57.33          | 18.66         | 68.30          | 10.97       | PK  | Horizo | PASS    |

Transmit at 5700MHz by 802.11ac(20MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5725.00         | 47.12          | 65.79          | 18.67         | 68.30          | 2.51        | PK  | Vertic | PASS    |
| 2         | 5725.80         | 47.57          | 66.24          | 18.67         | 68.30          | 2.06        | PK  | Vertic | PASS    |

Transmit at 5190MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5137.76         | 40.86          | 55.90          | 15.04         | 74.00          | 18.10       | PK  | Horizo | PASS    |
| 2         | 5150.00         | 37.62          | 52.73          | 15.11         | 74.00          | 21.27       | PK  | Horizo | PASS    |

Transmit at 5190MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5146.19         | 30.11          | 45.20          | 15.09         | 54.00          | 8.80        | AV  | Horizo | PASS    |
| 2         | 5150.00         | 30.11          | 45.22          | 15.11         | 54.00          | 8.78        | AV  | Horizo | PASS    |

Transmit at 5190MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5142.99         | 49.63          | 64.70          | 15.07         | 74.00          | 9.30        | PK  | Vertic | PASS    |
| 2         | 5150.00         | 43.85          | 58.96          | 15.11         | 74.00          | 15.04       | PK  | Vertic | PASS    |

Transmit at 5190MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 4852.78         | 29.62          | 44.02          | 14.40         | 54.00          | 9.98        | AV  | Vertic | PASS    |
| 2         | 5150.00         | 35.59          | 50.70          | 15.11         | 54.00          | 3.30        | AV  | Vertic | PASS    |

Transmit at 5310MHz by 802.11ac(40MHz)



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 37.71          | 53.42          | 15.71         | 74.00          | 20.58       | PK  | Horizo | PASS    |
| 2         | 5354.52         | 38.91          | 54.61          | 15.70         | 74.00          | 19.39       | PK  | Horizo | PASS    |


Transmit at 5310MHz by 802.11ac(40MHz)



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 5350.00         | 27.75          | 43.46          | 15.71         | 54.00          | 10.54       | AV  | Horizo | PASS    |
| 2  | 5351.69         | 29.20          | 44.91          | 15.71         | 54.00          | 9.09        | AV  | Horizo | PASS    |

Transmit at 5310MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 43.06          | 58.77          | 15.71         | 74.00          | 15.23       | PK  | Vertic | PASS    |
| 2         | 5358.66         | 45.96          | 61.66          | 15.70         | 74.00          | 12.34       | PK  | Vertic | PASS    |

Transmit at 5310MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5350.00         | 31.13          | 46.84          | 15.71         | 54.00          | 7.16        | AV  | Vertic | PASS    |
| 2         | 5351.88         | 33.86          | 49.57          | 15.71         | 54.00          | 4.43        | AV  | Vertic | PASS    |

Transmit at 5510MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 37.68          | 54.02          | 16.34         | 68.30          | 14.28       | PK  | Horizo | PASS    |
| 2         | 5467.18         | 44.66          | 61.08          | 16.42         | 68.30          | 7.22        | PK  | Horizo | PASS    |

Transmit at 5510MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5456.47         | 28.35          | 44.65          | 16.30         | 54.00          | 9.35        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 27.73          | 44.07          | 16.34         | 54.00          | 9.93        | AV  | Horizo | PASS    |

Transmit at 5510MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5460.00         | 42.85          | 59.19          | 16.34         | 68.30          | 9.11        | PK  | Vertic | PASS    |
| 2         | 5467.60         | 50.34          | 66.77          | 16.43         | 68.30          | 1.53        | PK  | Vertic | PASS    |

Transmit at 5510MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5457.33         | 29.78          | 46.09          | 16.31         | 54.00          | 7.91        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 28.74          | 45.08          | 16.34         | 54.00          | 8.92        | AV  | Vertic | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5470.00         | 37.49          | 53.94          | 16.45         | 68.30          | 14.36       | PK  | Horizo | PASS    |
| 2         | 5725.00         | 36.90          | 55.57          | 18.67         | 68.30          | 12.73       | PK  | Horizo | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5455.15         | 28.15          | 44.44          | 16.29         | 54.00          | 9.56        | AV  | Horizo | PASS    |
| 2         | 5460.00         | 27.68          | 44.02          | 16.34         | 54.00          | 9.98        | AV  | Horizo | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz)




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5470.00         | 38.01          | 54.46          | 16.45         | 68.30          | 13.84       | PK  | Vertic | PASS    |
| 2         | 5725.00         | 45.16          | 63.83          | 18.67         | 68.30          | 4.47        | PK  | Vertic | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz)



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5448.77         | 28.19          | 44.40          | 16.21         | 54.00          | 9.60        | AV  | Vertic | PASS    |
| 2         | 5460.00         | 27.78          | 44.12          | 16.34         | 54.00          | 9.88        | AV  | Vertic | PASS    |


Transmit at 5210MHz by 802.11ax(80MHz)



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5141.53         | 41.37          | 56.43          | 15.06         | 74.00          | 17.57       | PK  | Horizo | PASS    |
| 2         | 5150.00         | 37.45          | 52.56          | 15.11         | 74.00          | 21.44       | PK  | Horizo | PASS    |



Transmit at 5210MHz by 802.11ax(80MHz)



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 5145.75         | 30.49          | 45.58          | 15.09         | 54.00          | 8.42        | AV  | Horizo | PASS    |
| 2         | 5150.00         | 30.08          | 45.19          | 15.11         | 54.00          | 8.81        | AV  | Horizo | PASS    |