



Canada

## **Exhibit: Test Setup Photos**

FCC ID: 2AVQC-NOMAD

IC: 25878-NOMAD

Report File #: 7169007240R-000

© TÜV SÜD Canada Inc. This test report shall not be reproduced except in full, without written approval of TÜV SÜD Canada Inc.

Client	<b>Lucere Inc.</b>	
Product	<b>Lucere Nomad</b>	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	



Figure 1 – EUT Close Up

Client	<b>Lucere Inc.</b>	
Product	<b>Lucere Nomad</b>	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	



Figure 2 – Radiated Emissions Setup

Client	<b>Lucere Inc.</b>	
Product	<b>Lucere Nomad</b>	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	



Figure 3 – Radiated Emissions Setup  
9kHz to 30MHz

Client	<b>Lucere Inc.</b>	
Product	<b>Lucere Nomad</b>	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	



Figure 4 – Radiated Emissions Setup  
30MHz to 1GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.

Client	<b>Lucere Inc.</b>	
Product	<b>Lucere Nomad</b>	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	




Figure 5 – Radiated Emissions Setup  
1GHz to 4GHz

Client	<b>Lucere Inc.</b>	
Product	<b>Lucere Nomad</b>	
Standard(s)	RSS 210 Issue 10:2019 FCC Part 15 Subpart 15.249	




Figure 6 – Radiated Emissions Setup  
4GHz to 10GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.