



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: NoteBook

Test Model: HT14CB12I5E01

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant0	0.965	N/A	Pass
NVNT	1-DH5	2441	Ant0	0.949	N/A	Pass
NVNT	1-DH5	2480	Ant0	0.949	N/A	Pass
NVNT	2-DH5	2402	Ant0	1.284	N/A	Pass
NVNT	2-DH5	2441	Ant0	1.285	N/A	Pass
NVNT	2-DH5	2480	Ant0	1.287	N/A	Pass
NVNT	3-DH5	2402	Ant0	1.297	N/A	Pass
NVNT	3-DH5	2441	Ant0	1.307	N/A	Pass
NVNT	3-DH5	2480	Ant0	1.304	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant0



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant0






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant0




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant0






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant0




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant0







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant0



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant0







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant0	0.25	21	Pass
NVNT	1-DH5	2441	Ant0	0.54	21	Pass
NVNT	1-DH5	2480	Ant0	-0.03	21	Pass
NVNT	2-DH5	2402	Ant0	0.32	21	Pass
NVNT	2-DH5	2441	Ant0	0.77	21	Pass
NVNT	2-DH5	2480	Ant0	-0.24	21	Pass
NVNT	3-DH5	2402	Ant0	0.85	21	Pass
NVNT	3-DH5	2441	Ant0	1.09	21	Pass
NVNT	3-DH5	2480	Ant0	-0.1	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant0




Power NVNT 1-DH5 2441MHz Ant0






Power NVNT 1-DH5 2480MHz Ant0




Power NVNT 2-DH5 2402MHz Ant0






Power NVNT 2-DH5 2441MHz Ant0




Power NVNT 2-DH5 2480MHz Ant0







Power NVNT 3-DH5 2402MHz Ant0



Power NVNT 3-DH5 2441MHz Ant0







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant0	2401.844	2402.832	0.988	0.643	Pass
NVNT	2-DH5	Ant0	2402.006	2403.036	1.03	0.858	Pass
NVNT	3-DH5	Ant0	2402.012	2403.028	1.016	0.871	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant0



CFS NVNT 2-DH5 2402MHz Ant0







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant0	2.91	296.82	102	31600	400	Pass
NVNT	2-DH5	2402	Ant0	2.898	284.004	98	31600	400	Pass
NVNT	3-DH5	2402	Ant0	2.897	324.464	112	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant0 One Burst




Dwell NVNT 1-DH5 2402MHz Ant0 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant0 One Burst




Dwell NVNT 2-DH5 2402MHz Ant0 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant0 One Burst



Dwell NVNT 3-DH5 2402MHz Ant0 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant0	79	15	Pass
NVNT	2-DH5	Ant0	79	15	Pass
NVNT	3-DH5	Ant0	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant0



Hopping No. NVNT 2-DH5 2402MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	No-Hopping	-56.2	-20	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	-55.46	-20	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	-50.33	-20	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	-54.18	-20	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	-52.13	-20	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	-54.5	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant0 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant0 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant0 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant0 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant0 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant0 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant0 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant0 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant0 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant0 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant0 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant0 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	Hopping	-61.61	-20	Pass
NVNT	1-DH5	2480	Ant0	Hopping	-61.85	-20	Pass
NVNT	2-DH5	2402	Ant0	Hopping	-61.24	-20	Pass
NVNT	2-DH5	2480	Ant0	Hopping	-60.44	-20	Pass
NVNT	3-DH5	2402	Ant0	Hopping	-60.32	-20	Pass
NVNT	3-DH5	2480	Ant0	Hopping	-57.23	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant0 Hopping Ref





Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant0 Hopping Emission















Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant0 Hopping Emission







A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	-55.47	-20	Pass
NVNT	1-DH5	2441	Ant0	-55.7	-20	Pass
NVNT	1-DH5	2480	Ant0	-54.5	-20	Pass
NVNT	2-DH5	2402	Ant0	-53.28	-20	Pass
NVNT	2-DH5	2441	Ant0	-53.65	-20	Pass
NVNT	2-DH5	2480	Ant0	-52.39	-20	Pass
NVNT	3-DH5	2402	Ant0	-53.01	-20	Pass
NVNT	3-DH5	2441	Ant0	-49.26	-20	Pass
NVNT	3-DH5	2480	Ant0	-52.53	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant0 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant0 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant0	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant0	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant0	77.63	1.1	0.34
NVNT	2-DH5	2402	Ant0	77.33	1.12	0.34
NVNT	2-DH5	2441	Ant0	77.33	1.12	0.34
NVNT	2-DH5	2480	Ant0	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant0	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant0	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant0	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant0




Duty Cycle NVNT 1-DH5 2441MHz Ant0






Duty Cycle NVNT 1-DH5 2480MHz Ant0




Duty Cycle NVNT 2-DH5 2402MHz Ant0






Duty Cycle NVNT 2-DH5 2441MHz Ant0




Duty Cycle NVNT 2-DH5 2480MHz Ant0







Duty Cycle NVNT 3-DH5 2402MHz Ant0



Duty Cycle NVNT 3-DH5 2441MHz Ant0







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant0	No-Hopping	2310	-50.61	2.61	-	47.26	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2310	-58.64	2.61	1.1	40.33	Average	54	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2369.04	-46.22	2.61	-	51.65	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2341.968	-57.59	2.61	1.1	41.38	Average	54	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2390	-49.6	2.61	-	48.27	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2390	-58.19	2.61	1.1	40.78	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.5	-49.43	2.61	-	48.44	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.5	-57.65	2.61	1.1	41.32	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2489.824	-47.23	2.61	-	50.64	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2486.8	-57.06	2.61	1.1	41.91	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2500	-49.37	2.61	-	48.50	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2500	-58.3	2.61	1.1	40.67	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2310	-51.69	2.61	-	46.18	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2310	-58.63	2.61	1.12	40.36	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2361.36	-47.74	2.61	-	50.13	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2385.072	-57.6	2.61	1.12	41.39	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2390	-48.76	2.61	-	49.11	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2390	-58.21	2.61	1.12	40.78	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.5	-50.02	2.61	-	47.85	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.5	-57.44	2.61	1.12	41.55	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2489.512	-46.75	2.61	-	51.12	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2495.896	-57.12	2.61	1.12	41.87	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2500	-50.13	2.61	-	47.74	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2500	-58.39	2.61	1.12	40.60	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2310	-49.65	2.61	-	48.22	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2310	-58.63	2.61	1.12	40.36	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2338.224	-46.59	2.61	-	51.28	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2384.976	-57.45	2.61	1.12	41.54	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2390	-50.38	2.61	-	47.49	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2390	-58.16	2.61	1.12	40.83	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.5	-50.54	2.61	-	47.33	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.5	-57.78	2.61	1.12	41.21	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2499.088	-46.66	2.61	-	51.21	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2488.504	-57.08	2.61	1.12	41.91	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2500	-49.3	2.61	-	48.57	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2500	-57.66	2.61	1.12	41.33	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant0 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant0 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant0 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant0 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant0 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant0 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant0 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant0 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant0 No-Hopping Average

