







Date: 15.APR.2025 04:59:31





Date: 15.APR.2025 05:01:03







Date: 11.APR.2025 05:07:00




Date: 11.APR.2025 05:07:03












Date: 11.APR.2025 05:17:30




Date: 11.APR.2025 05:17:33




Date: 15.APR.2025 05:03:40




Date: 15.APR.2025 05:03:43




Date: 11.APR.2025 04:45:01




Date: 11.APR.2025 04:45:04




Date: 11.APR.2025 04:49:34





Date: 11.APR.2025 04:49:38




Date: 11.APR.2025 04:51:21




Date: 11.APR.2025 04:51:25





Date: 11.APR.2025 05:04:57



Date: 11.APR.2025 05:05:00

Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 138V	a	5180	Ant1	5180	0	0	25	Pass
-20C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-10C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
0C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
10C 120V	a	5180	Ant1	5180	0	0	25	Pass
30C 120V	a	5180	Ant1	5180	0	0	25	Pass
40C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
50C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 102V	a	5200	Ant1	5200	0	0	25	Pass
20C 120V	a	5200	Ant1	5200	0	0	25	Pass
20C 138V	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
-20C 120V	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
-10C 120V	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
0C 120V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
10C 120V	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
30C 120V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
40C 120V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
50C 120V	a	5200	Ant1	5200	0	0	25	Pass
20C 102V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 120V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 138V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-20C 120V	a	5240	Ant1	5240	0	0	25	Pass
-10C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
0C 120V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
10C 120V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
40C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
50C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 102V	a	5180	Ant2	5180	0	0	25	Pass

20C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 138V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
-20C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
-10C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
10C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
30C 120V	a	5180	Ant2	5180	0	0	25	Pass
40C 120V	a	5180	Ant2	5180	0	0	25	Pass
50C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 102V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 120V	a	5200	Ant2	5200	0	0	25	Pass
20C 138V	a	5200	Ant2	5199.96	-40000	-7.69	25	Pass
-20C 120V	a	5200	Ant2	5200	0	0	25	Pass
-10C 120V	a	5200	Ant2	5199.96	-40000	-7.69	25	Pass
0C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
10C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
30C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
40C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
50C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 102V	a	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 138V	a	5240	Ant2	5240	0	0	25	Pass
-20C 120V	a	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-10C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
0C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
10C 120V	a	5240	Ant2	5239.96	-40000	-7.63	25	Pass
30C 120V	a	5240	Ant2	5239.96	-40000	-7.63	25	Pass
40C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
50C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 102V	AC20MIMO	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 120V	AC20MIMO	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 138V	AC20MIMO	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-20C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
-10C 120V	AC20MIMO	5180	Ant1	5179.98	-20000	-3.86	25	Pass


0C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
10C 120V	AC20MIMO	5180	Ant1	5179.98	-20000	-3.86	25	Pass
30C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
40C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
50C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
20C 102V	AC20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
20C 120V	AC20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 138V	AC20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
-20C 120V	AC20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
-10C 120V	AC20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
0C 120V	AC20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
10C 120V	AC20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
30C 120V	AC20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
40C 120V	AC20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
50C 120V	AC20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 102V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 120V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 138V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-20C 120V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-10C 120V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
0C 120V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
10C 120V	AC20MIMO	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 120V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
40C 120V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
50C 120V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 102V	AC40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 120V	AC40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 138V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
-20C 120V	AC40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C 120V	AC40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
0C 120V	AC40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
30C 120V	AC40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C 120V	AC40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
20C 102V	AC40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass

20C 120V	AC40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 138V	AC40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-20C 120V	AC40MIMO	5230	Ant1	5229.92	-80000	-15.3	25	Pass
-10C 120V	AC40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
0C 120V	AC40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
10C 120V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
30C 120V	AC40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 120V	AC40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
50C 120V	AC40MIMO	5230	Ant1	5229.92	-80000	-15.3	25	Pass
20C 102V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
20C 120V	AC80MIMO	5210	Ant1	5209.84	-160000	-30.71	25	Pass
20C 138V	AC80MIMO	5210	Ant1	5209.92	-80000	-15.36	25	Pass
-20C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
-10C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
0C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
10C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
30C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
40C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
50C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
20C 102V	N20MIMO	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 120V	N20MIMO	5180	Ant1	5179.92	-80000	-15.44	25	Pass
20C 138V	N20MIMO	5180	Ant1	5179.92	-80000	-15.44	25	Pass
-20C 120V	N20MIMO	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-10C 120V	N20MIMO	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C 120V	N20MIMO	5180	Ant1	5179.94	-60000	-11.58	25	Pass
10C 120V	N20MIMO	5180	Ant1	5179.94	-60000	-11.58	25	Pass
30C 120V	N20MIMO	5180	Ant1	5179.92	-80000	-15.44	25	Pass
40C 120V	N20MIMO	5180	Ant1	5179.94	-60000	-11.58	25	Pass
50C 120V	N20MIMO	5180	Ant1	5179.92	-80000	-15.44	25	Pass
20C 102V	N20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
20C 120V	N20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 138V	N20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
-20C 120V	N20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
-10C 120V	N20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass


0C 120V	N20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
10C 120V	N20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
30C 120V	N20MIMO	5200	Ant1	5200	0	0	25	Pass
40C 120V	N20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
50C 120V	N20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 102V	N20MIMO	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 120V	N20MIMO	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 138V	N20MIMO	5240	Ant1	5240	0	0	25	Pass
-20C 120V	N20MIMO	5240	Ant1	5240	0	0	25	Pass
-10C 120V	N20MIMO	5240	Ant1	5240	0	0	25	Pass
0C 120V	N20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
10C 120V	N20MIMO	5240	Ant1	5239.94	-60000	-11.45	25	Pass
30C 120V	N20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
40C 120V	N20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
50C 120V	N20MIMO	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 102V	N40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 120V	N40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 138V	N40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-20C 120V	N40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C 120V	N40MIMO	5190	Ant1	5190	0	0	25	Pass
0C 120V	N40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C 120V	N40MIMO	5190	Ant1	5189.88	-120000	-23.12	25	Pass
30C 120V	N40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C 120V	N40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C 120V	N40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 102V	N40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 120V	N40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 138V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
-20C 120V	N40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-10C 120V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
0C 120V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
10C 120V	N40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
30C 120V	N40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 120V	N40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass
50C 120V	N40MIMO	5230	Ant1	5229.96	-40000	-7.65	25	Pass




Date: 15.APR.2025 04:51:51




Date: 15.APR.2025 04:52:12




Date: 15.APR.2025 04:51:57




Date: 15.APR.2025 04:52:00




Date: 15.APR.2025 04:52:03




Date: 15.APR.2025 04:52:06




Date: 15.APR.2025 04:52:09




Date: 15.APR.2025 04:52:15




Date: 15.APR.2025 04:52:18




Date: 15.APR.2025 04:52:21




Date: 15.APR.2025 04:53:52




Date: 15.APR.2025 04:54:13




Date: 15.APR.2025 04:53:58




Date: 15.APR.2025 04:54:01




Date: 15.APR.2025 04:54:04



Date: 15.APR.2025 04:54:07



Date: 15.APR.2025 04:54:10



Date: 15.APR.2025 04:54:16