






APPENDIX C - CONDUCTED SPURIOUS EMISSIONS



























APPENDIX D - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode	LTE Band 4	Test Date	2020/6/1
Test Channel	CH20175	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		106.6300	-61.67	2.58	-59.09	-13.00	-46.09	peak	
2		195.8700	-61.46	5.31	-56.15	-13.00	-43.15	peak	
3		275.4100	-64.75	9.82	-54.93	-13.00	-41.93	peak	
4		359.8000	-65.01	8.55	-56.46	-13.00	-43.46	peak	
5		661.4700	-69.13	14.84	-54.29	-13.00	-41.29	peak	
6	*	899.1200	-66.39	12.95	-53.44	-13.00	-40.44	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 4	Test Date	2020/6/1
Test Channel	CH20175	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		40.6700	-69.42	19.07	-50.35	-13.00	-37.35	peak	
2		81.4100	-57.52	7.61	-49.91	-13.00	-36.91	peak	
3	*	102.7500	-53.68	5.51	-48.17	-13.00	-35.17	peak	
4		195.8700	-53.00	0.46	-52.54	-13.00	-39.54	peak	
5		335.5500	-57.14	5.30	-51.84	-13.00	-38.84	peak	
6		452.9200	-68.31	17.33	-50.98	-13.00	-37.98	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 12	Test Date	2020/6/1
Test Channel	CH23095	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Over dB	Detector	Comment
1		81.4100	-59.69	0.10	-59.59	-13.00	-46.59	peak	
2		106.6300	-60.73	2.58	-58.15	-13.00	-45.15	peak	
3		195.8700	-61.21	5.31	-55.90	-13.00	-42.90	peak	
4		251.1600	-64.73	9.88	-54.85	-13.00	-41.85	peak	
5		335.5500	-64.56	9.07	-55.49	-13.00	-42.49	peak	
6	*	736.1600	-47.54	14.01	-33.53	-13.00	-20.53	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 12	Test Date	2020/6/1
Test Channel	CH23095	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		38.7300	-69.10	18.68	-50.42	-13.00	-37.42	peak	
2		81.4100	-57.45	7.61	-49.84	-13.00	-36.84	peak	
3		195.8700	-53.06	0.46	-52.60	-13.00	-39.60	peak	
4		335.5500	-57.61	5.30	-52.31	-13.00	-39.31	peak	
5		455.8300	-69.22	17.16	-52.06	-13.00	-39.06	peak	
6	*	736.1600	-44.48	13.97	-30.51	-13.00	-17.51	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode	LTE Band 4	Test Date	2020/5/20
Test Channel	CH20175	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3447.155	-43.79	-1.21	-45.00	-13.00	-32.00	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 4	Test Date	2020/5/20
Test Channel	CH20175	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3447.255	-46.49	-1.15	-47.64	-13.00	-34.64	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 12	Test Date	2020/6/1
Test Channel	CH23095	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1415.000	-40.65	-6.86	-47.51	-13.00	-34.51	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	LTE Band 12	Test Date	2020/6/1
Test Channel	CH23095	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1415.000	-40.71	-6.58	-47.29	-13.00	-34.29	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX F - BAND EDGE

