



802.11ax40_6565MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:10:23

802.11ax40_6685MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:11:41

802.11ax40_6845MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:12:49

802.11ax40_6565MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:43:33

802.11ax40_6685MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:44:49

802.11ax40_6845MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:46:01

802.11ax80_6865MHz_RU_996/67_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:22:12

802.11ax80_6625MHz_RU_996/67_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:18:49

802.11ax80_6705MHz_RU_996/67_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:19:31

802.11ax80_6785MHz_RU_996/67_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:20:25

802.11ax80_6865MHz_RU_996/67_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:48:38

802.11ax80_6625MHz_RU_996/67_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:45:12

802.11ax80_6705MHz_RU_996/67_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:46:26

802.11ax80_6785MHz_RU_996/67_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:47:36

802.11ax80_6865MHz_RU_996/67_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:32:38

802.11ax80_6625MHz_RU_996/67_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:28:30

802.11ax80_6705MHz_RU_996/67_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:29:45

802.11ax80_6785MHz_RU_996/67_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:31:10

802.11ax80_6865MHz_RU_996/67_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:56:04

802.11ax80_6625MHz_RU_996/67_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:52:23

802.11ax80_6705MHz_RU_996/67_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:53:35

802.11ax80_6785MHz_RU_996/67_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:54:47

802.11ax160_6825MHz_RU_2*996_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 10:23:46

802.11ax160_6665MHz_RU_2*996_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 10:22:12

802.11ax160_6825MHz_RU_2*996_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 14:11:05

802.11ax160_6665MHz_RU_2*996_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 14:08:41

802.11ax160_6825MHz_RU_2*996_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 14:25:28

802.11ax160_6665MHz_RU_2*996_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 14:22:31

802.11ax160_6825MHz_RU_2*996_Chain 3



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 17:22:58


802.11ax160_6665MHz_RU_2*996_Chain 3



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 17:19:58


6875-7125 MHz:

802.11ax20_6875MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 10:44:20

802.11ax20_6895MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 10:45:10

802.11ax20_6995MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 10:46:48

802.11ax20_7095MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 10:48:07

802.11ax20_6875MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:56:36

802.11ax20_6895MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:58:08

802.11ax20_6995MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 12:01:31

802.11ax20_7095MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:04:57

802.11ax20_6875MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 14:50:29

802.11ax20_6895MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 14:52:07

802.11ax20_6995MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 14:57:35

802.11ax20_7095MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:00:33

802.11ax20_6875MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:24:37

802.11ax20_6895MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:26:19

802.11ax20_6995MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:30:02

802.11ax20_7095MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:32:31

802.11ax40_6885MHz_RU_484/65_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:09:34

802.11ax40_6925MHz_RU_484/65_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:10:10

802.11ax40_7005MHz_RU_484/65_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:11:36

802.11ax40_7085MHz_RU_484/65_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:13:12

802.11ax40_6885MHz_RU_484/65_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:25:09

802.11ax40_6925MHz_RU_484/65_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:26:09

802.11ax40_7005MHz_RU_484/65_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:28:34

802.11ax40_7085MHz_RU_484/65_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:30:13

802.11ax40_6885MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:13:59

802.11ax40_6925MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:15:15

802.11ax40_7005MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:18:08

802.11ax40_7085MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 15:19:45

802.11ax40_6885MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:47:17

802.11ax40_6925MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:48:32

802.11ax40_7005MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:51:24

802.11ax40_7085MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 16:53:25

802.11ax80_6945MHz_RU_996/67_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:23:42

802.11ax80_7025MHz_RU_996/67_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 11:25:13

802.11ax80_6945MHz_RU_996/67_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:51:18

802.11ax80_7025MHz_RU_996/67_Chain 1



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 13:54:00


802.11ax80_6945MHz_RU_996/67_Chain 2



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei

Date: 31.DEC.2024 15:35:29


802.11ax80_7025MHz_RU_996/67_Chain 2



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei

Date: 31.DEC.2024 15:38:27


802.11ax80_6945MHz_RU_996/67_Chain 3



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei

Date: 31.DEC.2024 15:50:44


802.11ax80_7025MHz_RU_996/67_Chain 3



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei

Date: 31.DEC.2024 16:01:43


802.11ax160_6985MHz_RU_2*996_Chain 0



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei

Date: 31.DEC.2024 10:25:27


802.11ax160_6985MHz_RU_2*996_Chain 1



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei


Date: 31.DEC.2024 14:14:07

802.11ax160_6985MHz_RU_2*996_Chain 2



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 14:28:22

802.11ax160_6985MHz_RU_2*996_Chain 3



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 31.DEC.2024 17:33:13

5.5 Maximum Conducted Output Power

Test Information:

Serial No.:	2V0G-1	Test Date:	2025/1/2~2025/1/3
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	22.4~22.8	Relative Humidity: (%)	33~46	ATM Pressure: (kPa)	101..2~101.5
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	--------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2024/8/27	2025/8/26
Eastsheep	Coaxial Attenuator	5W-N-JK-6G- 10dB	F-08- EM504	2024/6/7	2025/6/6

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
U-NII 5 Band(5925-6425 MHz):								
ax20	5955	26/0	-10.27	-10.67	-9.87	-10.17	0.72	≤30
		52/37	-7.89	-7.39	-7.39	-7.89	3.33	
		106/53	-4.64	-4.24	-4.94	-5.04	6.26	
		242/61	-1.74	-1.64	-1.74	-1.34	9.35	
	6175	26/0	-10.01	-10.21	-9.61	-9.61	1.11	
		52/37	-7.45	-7.25	-6.95	-7.55	3.67	
		106/53	-4.70	-4.80	-4.30	-4.20	6.47	
		242/61	-1.24	1.34	-1.74	-4.34	9.92	
	6415	26/8	-10.08	-9.78	-9.68	-9.88	1.11	
		52/40	-7.69	-7.89	-8.09	-7.89	3.07	
		106/54	-4.63	-4.33	-4.33	-4.53	6.51	
		242/61	-1.23	-1.23	-1.43	-1.63	9.58	
ax40	5965	26/0	-10.67	-11.17	-10.37	-11.07	0.15	
		52/37	-7.61	-7.81	-8.01	-8.11	3.08	
		106/53	-4.57	-4.37	-4.27	-4.27	6.59	
		242/61	-1.35	-1.05	-1.85	-0.85	9.70	
		484/65	1.09	1.49	1.19	1.09	12.18	
	6165	26/0	-10.36	-10.56	-10.36	-9.96	0.66	
		52/37	-7.21	-7.21	-6.71	-7.11	3.91	
		106/53	-4.34	-4.44	-4.44	-4.04	6.65	
		242/61	-0.90	-0.50	-0.60	-1.00	10.22	
		484/65	1.18	1.38	1.68	1.28	12.34	
	6405	26/17	-10.75	-10.85	-11.05	-10.75	0.11	
		52/44	-7.22	-7.32	-7.22	-7.52	3.64	
		106/56	-4.27	-4.27	-4.07	-4.27	6.74	
		242/62	-0.89	-0.39	-0.89	-1.09	10.15	
		484/65	1.22	1.52	1.72	1.32	12.41	
ax80	5985	26/0	-9.87	-9.97	-9.37	-9.87	1.20	
		52/37	-7.45	-7.85	-7.45	-7.75	3.34	
		106/53	-3.80	-3.30	-4.10	-3.50	7.30	
		242/61	-0.28	-0.78	-0.58	-0.78	10.36	
		484/65	1.81	1.61	1.91	2.11	12.82	
		996/67	4.11	4.51	3.91	4.21	15.15	
	6145	26/0	-9.75	-9.65	-9.25	-9.25	1.49	
		52/37	-7.72	-7.42	-7.32	-7.92	3.37	
		106/53	-4.29	-4.19	-4.29	-3.99	6.77	
		242/61	-1.13	-1.23	-1.13	-0.93	9.86	
		484/65	1.62	1.82	1.62	1.42	12.58	
		996/67	3.89	3.79	4.39	3.39	14.84	

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
ax80	6385	26/0	-10.27	-10.57	-10.77	-10.07	0.55	≤30
		52/37	-7.15	-6.85	-7.15	-6.65	4.02	
		106/53	-4.78	-4.38	-4.58	-4.88	6.31	
		242/61	-1.44	-1.54	-1.74	-1.34	9.45	
		484/65	1.53	1.73	2.03	1.53	12.67	
		996/67	4.30	3.80	4.10	4.30	15.09	
ax160	6025	26/0	-9.92	-9.69	-9.95	-9.97	1.08	
		52/37	-7.42	-7.23	-6.98	-7.05	3.79	
		106/53	-4.47	-4.22	-4.57	-4.06	6.64	
		242/61	-0.77	-0.64	-0.84	-0.92	10.17	
		484/65	1.41	1.86	1.56	1.32	12.50	
		996/67	5.49	5.04	4.53	4.35	15.84	
		2*996/67	7.13	7.23	7.34	7.41	18.24	
	6185	26/0	-10.06	-10.06	-9.86	-10.06	0.95	
		52/37	-7.18	-7.48	-7.18	-6.88	3.79	
		106/53	-4.64	-4.64	-5.04	-5.14	6.10	
		242/61	-0.84	-0.94	-0.54	-0.54	10.25	
		484/65	2.22	2.62	2.22	1.82	13.19	
		996/67	4.25	4.25	4.75	3.95	15.27	
		2*996/67	7.47	7.97	6.97	7.27	18.40	
	6345	26/0	-9.78	-9.38	-9.28	-10.08	1.34	
		52/37	-7.01	-7.21	-6.71	-6.51	4.11	
		106/53	-4.45	-4.15	-4.85	-4.75	6.42	
		242/61	-0.89	-0.39	-1.09	-0.89	10.15	
		484/65	2.17	2.07	1.67	2.37	13.04	
		996/67	4.80	4.80	4.60	4.90	15.74	
		2*996/67	7.22	7.62	7.42	7.62	18.43	

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
U-NII 6 Band(6425-6525 MHz):								
ax20	6435	26/0	-10.05	-10.45	-10.25	-9.55	0.90	≤30
		52/37	-7.08	-7.38	-6.08	-6.88	4.13	
		106/53	-4.32	-4.52	-4.52	-4.62	6.47	
		242/61	-1.01	-1.41	-1.31	-0.91	9.81	
	6475	26/0	-10.26	-9.76	-10.76	-9.86	0.82	
		52/37	-7.32	-7.02	-7.72	-7.52	3.57	
		106/53	-4.32	-3.82	-4.62	-4.02	6.78	
		242/61	-0.80	-1.20	-0.30	-1.30	10.08	
	6515	26/8	-10.57	-10.57	-10.57	-10.57	0.39	
		52/40	-7.77	-8.27	-7.67	-8.07	3.02	
		106/54	-4.69	-4.29	-4.49	-4.19	6.55	
		242/61	-1.29	-1.39	-1.59	-1.79	9.45	
ax40	6445	26/0	-10.14	-10.54	-10.14	-10.34	0.67	
		52/37	-7.19	-6.89	-7.29	-7.39	3.77	
		106/53	-4.65	-4.75	-4.85	-4.95	6.16	
		242/61	-1.35	-1.35	-1.05	-1.35	9.69	
		484/65	1.47	1.37	1.47	1.07	12.31	
	6485	26/17	-10.34	-10.24	-10.34	-10.04	0.72	
		52/44	-7.71	-7.51	-7.21	-8.11	3.34	
		106/56	-4.75	-4.65	-4.45	-5.25	6.20	
		242/62	-1.52	-1.02	-2.02	-1.82	9.38	
		484/65	1.49	1.89	1.89	1.69	12.70	
ax80	6465	26/0	-10.43	-10.33	-10.33	-10.03	0.68	
		52/37	-7.51	-7.31	-7.41	-7.31	3.58	
		106/53	-4.55	-4.65	-4.95	-4.55	6.29	
		242/61	-1.07	-1.17	-1.57	-1.07	9.75	
		484/65	1.73	2.13	2.03	2.03	12.94	
		996/67	4.13	4.03	3.93	4.33	15.07	

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
Crossed U-NII 6 and U-NII 7:								
ax40	6525	26/0	-10.03	-10.23	-10.53	-10.03	0.76	≤30
		52/37	-7.46	-7.76	-7.46	-6.96	3.56	
		106/53	-4.57	-4.77	-4.67	-5.07	6.19	
		242/61	-1.29	-0.79	-1.79	-1.19	9.71	
		484/65	1.64	2.14	1.54	2.14	12.83	
ax80	6545	26/0	-10.41	-10.01	-10.01	-10.31	0.78	
		52/37	-7.49	-7.09	-7.89	-7.39	3.50	
		106/53	-4.48	-4.98	-4.08	-3.98	6.60	
		242/61	-0.71	-1.21	-1.11	-0.41	10.11	
		484/65	1.52	1.82	1.52	2.02	12.69	
		996/67	4.00	4.30	3.60	4.40	15.05	
ax160	6505	26/0	-9.69	-9.89	-9.99	-9.39	1.23	
		52/37	-7.43	-7.23	-7.63	-7.13	3.61	
		106/53	-4.51	-5.01	-4.31	-4.41	6.41	
		242/61	-0.87	-0.37	-0.37	-1.07	10.30	
		484/65	2.03	2.53	1.63	2.53	13.16	
		996/67	4.42	4.32	4.92	4.72	15.56	
		2*996/67	7.04	7.04	6.94	7.14	18.00	

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
U-NII 7 Band(6525-6875 MHz):								
ax20	6535	26/0	-10.23	-9.93	-10.73	-10.53	0.62	≤30
		52/37	-7.20	-6.70	-6.50	-7.60	3.98	
		106/53	-4.33	-4.83	-4.73	-4.53	6.36	
		242/61	-1.19	-1.59	-0.79	-1.59	9.68	
	6695	26/0	-10.22	-10.22	-10.22	-10.42	0.69	
		52/37	-7.79	-7.89	-7.69	-7.39	3.27	
		106/53	-4.33	-4.83	-4.23	-4.13	6.59	
		242/61	-0.89	-0.49	-1.09	-0.49	10.23	
	6855	26/8	-10.21	-10.31	-9.81	-10.11	0.85	
		52/40	-7.10	-7.10	-7.50	-6.70	3.87	
		106/54	-4.55	-4.25	-4.45	-4.65	6.49	
		242/61	-1.07	-0.87	-0.97	-1.27	9.92	
ax40	6565	26/0	-10.33	-10.13	-9.93	-10.33	0.78	
		52/37	-7.73	-7.63	-7.53	-7.43	3.38	
		106/53	-4.51	-5.01	-4.21	-4.81	6.34	
		242/61	-1.40	-1.20	-0.90	-1.60	9.69	
		484/65	1.48	1.68	1.08	1.18	12.32	
	6685	26/0	-10.18	-10.38	-10.58	-10.28	0.61	
		52/37	-7.27	-7.57	-6.97	-7.27	3.70	
		106/53	-4.32	-4.12	-4.02	-4.62	6.70	
		242/61	-0.93	-0.83	-1.23	-0.43	10.12	
		484/65	1.62	1.42	2.02	1.62	12.64	
	6845	26/17	-10.59	-10.99	-10.69	-10.89	0.17	
		52/44	-8.24	-7.44	-7.64	-7.46	3.28	
		106/56	-4.02	-3.82	-4.22	-4.52	6.82	
		242/62	-0.72	-0.62	-0.72	-1.22	10.15	
		484/65	1.34	1.14	1.04	1.14	12.13	
ax80	6625	26/0	-10.03	-10.43	-9.93	-10.43	0.76	
		52/37	-7.68	-7.98	-7.48	-7.38	3.34	
		106/53	-4.11	-4.61	-3.71	-4.31	6.79	
		242/61	-0.73	-0.73	-0.53	-1.13	10.19	
		484/65	1.52	1.62	1.92	1.82	12.68	
		996/67	3.93	3.83	4.43	3.73	14.95	
	6705	26/0	-9.92	-9.72	-9.82	-9.42	1.24	
		52/37	-7.11	-6.91	-7.61	-6.91	3.83	
		106/53	-4.60	-4.70	-4.90	-4.10	6.40	
		242/61	-1.18	-1.58	-1.48	-0.68	9.74	
		484/65	1.54	1.84	1.34	1.24	12.46	
		996/67	4.42	4.72	4.92	4.82	15.68	

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
ax80	6785	26/0	-10.11	-9.71	-9.91	-9.81	1.08	≤30
		52/37	-7.68	-7.98	-7.98	-7.18	3.27	
		106/53	-4.29	-3.99	-4.49	-4.09	6.75	
		242/61	-0.96	-1.16	-0.56	-0.56	10.16	
		484/65	1.53	1.63	1.33	1.93	12.57	
		996/67	3.25	3.95	3.55	4.55	14.81	
ax160	6665	26/0	-9.88	-9.48	-9.98	-9.68	1.21	
		52/37	-7.29	-7.59	-7.09	-6.99	3.73	
		106/53	-3.81	-4.31	-3.31	-4.01	7.12	
		242/61	-0.96	-1.36	-0.96	-0.56	10.01	
		484/65	2.13	2.33	1.63	2.03	13.00	
		996/67	3.87	3.97	4.87	4.77	15.35	
		2*996/67	7.12	7.62	7.02	7.02	18.16	

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
Crossed U-NII 7 and U-NII 8:								
ax20	6875	26/0	-10.33	-10.53	-10.63	-10.33	0.51	≤30
		52/37	-7.47	-7.37	-6.97	-7.77	3.58	
		106/53	-4.46	-4.36	-4.46	-4.46	6.53	
		242/61	-1.14	-1.14	-0.84	-1.54	9.80	
ax40	6885	26/0	-10.16	-9.96	-10.66	-10.46	0.66	
		52/37	-7.77	-7.37	-7.57	-7.27	3.47	
		106/53	-4.89	-4.39	-4.79	-4.49	6.33	
		242/61	-1.63	-1.73	-1.73	-1.93	9.21	
		484/65	1.28	1.58	1.08	1.58	12.35	
ax80	6865	26/0	-10.14	-10.34	-9.94	-9.64	0.95	
		52/37	-7.40	-7.70	-7.60	-7.00	3.54	
		106/53	-4.32	-4.02	-3.92	-3.92	6.92	
		242/61	-1.07	-1.27	-0.67	-0.57	10.07	
		484/65	1.71	2.01	1.61	1.81	12.75	
		996/67	4.13	3.63	3.83	4.33	14.95	
ax160	6825	26/0	-10.25	-10.25	-10.55	-10.35	0.61	
		52/37	-7.31	-7.31	-7.81	-6.81	3.66	
		106/53	-3.73	-4.13	-4.03	-4.33	6.91	
		242/61	-0.97	-0.67	-0.77	-1.07	10.09	
		484/65	1.83	1.73	1.83	2.03	12.82	
		996/67	4.56	4.56	4.76	4.56	15.57	
		2*996/67	7.79	7.69	8.29	8.29	18.98	

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
U-NII 8 Band(6875-7125 MHz):								
ax20	6895	26/0	-10.62	-11.02	-10.32	-10.12	0.45	≤30
		52/37	-7.54	-8.04	-7.54	-8.04	3.18	
		106/53	-4.57	-5.07	-4.17	-5.07	6.26	
		242/61	-1.25	-1.65	-1.75	-1.45	9.44	
	6995	26/0	-10.23	-10.23	-10.73	-10.73	0.49	
		52/37	-7.25	-7.45	-7.65	-7.25	3.56	
		106/53	-4.28	-4.28	-4.18	-4.78	6.59	
		242/61	-1.57	-2.07	-1.07	-1.17	9.51	
	7095	26/8	-10.15	-9.95	-10.45	-10.35	0.74	
		52/40	-7.56	-7.06	-7.46	-7.66	3.53	
		106/54	-4.66	-5.06	-4.36	-4.96	6.21	
		242/61	-1.41	-1.31	-0.91	-1.61	9.66	
ax40	6925	26/0	-10.32	-10.82	-10.22	-9.82	0.68	
		52/37	-7.46	-7.96	-7.26	-7.26	3.48	
		106/53	-4.64	-4.94	-4.34	-4.74	6.30	
		242/61	-1.38	-1.08	-1.88	-0.88	9.67	
		484/65	1.54	1.14	1.14	1.04	12.18	
	6965	26/0	-10.37	-10.07	-10.37	-9.97	0.77	
		52/37	-7.55	-8.05	-8.05	-7.35	3.22	
		106/53	-4.56	-4.96	-4.86	-4.76	6.18	
		242/61	-1.39	-1.29	-1.29	-1.49	9.60	
		484/65	1.52	1.52	1.42	1.72	12.51	
	7085	26/17	-10.36	-10.46	-10.36	-10.06	0.65	
		52/44	-7.33	-7.83	-7.13	-7.63	3.49	
		106/56	-4.16	-3.76	-3.96	-3.66	7.08	
		242/62	-1.43	-1.83	-1.83	-1.33	9.36	
		484/65	1.43	1.43	1.53	1.73	12.49	
ax80	6945	26/0	-10.69	-10.89	-11.19	-10.79	0.07	
		52/37	-7.73	-8.13	-7.53	-7.33	3.29	
		106/53	-4.19	-4.39	-3.69	-4.69	6.74	
		242/61	-1.00	-1.30	-0.80	-0.60	10.04	
		484/65	1.59	1.99	1.89	2.09	12.85	
		996/67	4.37	4.67	4.27	4.87	15.51	
	7025	26/0	-10.44	-10.14	-10.64	-10.54	0.52	
		52/37	-7.57	-8.07	-7.87	-7.97	3.09	
		106/53	-4.17	-4.47	-4.07	-3.67	6.88	
		242/61	-0.81	-0.61	-0.81	-1.31	10.08	
		484/65	1.60	1.90	1.30	1.70	12.59	
		996/67	4.32	4.12	4.22	4.12	15.16	

Test Modes	Test Frequency (MHz)	Tones/ RU Index	Reading (dBm)				EIRP (dBm)	
			Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit
ax160	6985	26/0	-9.78	-9.98	-9.78	-10.28	1.01	≤30
		52/37	-6.99	-7.09	-6.79	-7.29	3.92	
		106/53	-3.56	-3.76	-3.36	-3.56	7.40	
		242/61	-0.40	0.10	-0.30	-0.30	10.74	
		484/65	2.03	2.13	1.73	1.63	12.85	
		996/67	4.74	4.44	5.24	4.64	15.74	
		2*996/67	7.21	7.11	7.71	7.61	18.38	

5.6 Maximum power spectral density

Test Information:

Serial No.:	2V0G-1	Test Date:	2024/12/20~2025/2/14
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	20.6~23.5	Relative Humidity: (%)	34~57	ATM Pressure: (kPa)	101.2~102.3
-----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2024/06/13	2025/06/12
R&S	Spectrum Analyzer	FSV40	101947	2024/09/05	2025/09/04

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5925-6425 MHz:

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20_RU_26/0	Chain 0	5955	-13.55	/	/	/	5
		6175	-13.23	/	/	/	5
	Chain 1	5955	-13.42	/	/	/	5
		6175	-13.62	/	/	/	5
	Chain 2	5955	-13.64	/	/	/	5
		6175	-13.54	/	/	/	5
	Chain 3	5955	-13.50	/	/	/	5
		6175	-13.60	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5955	-7.51	10.96	0.87	4.32	5
		6175	-7.47	10.96	0.87	4.36	5
802.11ax20_RU_26/8	Chain 0	6415	-13.36	/	/	/	5
	Chain 1	6415	-13.40	/	/	/	5
	Chain 2	6415	-13.23	/	/	/	5
	Chain 3	6415	-13.62	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6415	-7.38	10.96	0.87	4.45	5
802.11ax20_RU_52/37	Chain 0	5955	-13.33	/	/	/	5
		6175	-13.86	/	/	/	5
	Chain 1	5955	-13.12	/	/	/	5
		6175	-13.35	/	/	/	5
	Chain 2	5955	-13.22	/	/	/	5
		6175	-13.09	/	/	/	5
	Chain 3	5955	-13.03	/	/	/	5
		6175	-13.19	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5955	-7.15	10.96	0.87	4.68	5
		6175	-7.34	10.96	0.87	4.49	5
802.11ax20_RU_52/40	Chain 0	6415	-13.03	/	/	/	5
	Chain 1	6415	-13.30	/	/	/	5
	Chain 2	6415	-13.44	/	/	/	5
	Chain 3	6415	-13.43	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6415	-7.28	10.96	0.87	4.55	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20_RU_106/53	Chain 0	5955	-13.31	/	/	/	5
		6175	-13.42	/	/	/	5
	Chain 1	5955	-13.45	/	/	/	5
		6175	-13.19	/	/	/	5
	Chain 2	5955	-13.05	/	/	/	5
		6175	-13.24	/	/	/	5
	Chain 3	5955	-13.46	/	/	/	5
		6175	-13.11	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5955	-7.29	10.96	0.87	4.54	5
		6175	-7.22	10.96	0.87	4.61	5
802.11ax20_RU_106/54	Chain 0	6415	-13.39	/	/	/	5
	Chain 1	6415	-13.04	/	/	/	5
	Chain 2	6415	-13.38	/	/	/	5
	Chain 3	6415	-13.35	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6415	-7.27	10.96	0.87	4.56	5
802.11ax20_RU_242/61	Chain 0	5955	-13.60	/	/	/	5
		6175	-13.88	/	/	/	5
		6415	-13.45	/	/	/	5
	Chain 1	5955	-13.44	/	/	/	5
		6175	-11.16	/	/	/	5
		6415	-13.78	/	/	/	5
	Chain 2	5955	-13.57	/	/	/	5
		6175	-13.37	/	/	/	5
		6415	-13.49	/	/	/	5
	Chain 3	5955	-13.66	/	/	/	5
		6175	-17.43	/	/	/	5
		6415	-14.03	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5955	-7.55	10.96	0.87	4.28	5
		6175	-7.41	10.96	0.87	4.42	5
		6415	-7.66	10.96	0.87	4.17	5
802.11ax40_RU_26/0	Chain 0	5965	-13.65	/	/	/	5
		6165	-13.60	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_26/0	Chain 1	5965	-13.70	/	/	/	5
		6165	-13.39	/	/	/	5
	Chain 2	5965	-13.28	/	/	/	5
		6165	-13.57	/	/	/	5
	Chain 3	5965	-13.29	/	/	/	5
		6165	-13.58	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5965	-7.45	10.96	0.87	4.38	5
		6165	-7.51	10.96	0.87	4.32	5
802.11ax40 _RU_26/17	Chain 0	6405	-13.93	/	/	/	5
	Chain 1	6405	-13.44	/	/	/	5
	Chain 2	6405	-13.42	/	/	/	5
	Chain 3	6405	-13.32	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6405	-7.50	10.96	0.87	4.33	5
802.11ax40 _RU_52/37	Chain 0	5965	-13.77	/	/	/	5
		6165	-13.16	/	/	/	5
	Chain 1	5965	-13.81	/	/	/	5
		6165	-13.26	/	/	/	5
	Chain 2	5965	-13.19	/	/	/	5
		6165	-13.17	/	/	/	5
	Chain 3	5965	-13.31	/	/	/	5
		6165	-13.48	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5965	-7.49	10.96	0.87	4.34	5
802.11ax40 _RU_52/44	Chain 0	6405	-13.78	/	/	/	5
	Chain 1	6405	-13.31	/	/	/	5
	Chain 2	6405	-13.14	/	/	/	5
	Chain 3	6405	-13.27	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6405	-7.35	10.96	0.87	4.48	5
802.11ax40 _RU_106/53	Chain 0	5965	-13.82	/	/	/	5
		6165	-13.35	/	/	/	5
	Chain 1	5965	-13.85	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_106/53	Chain 1	6165	-13.38	/	/	/	5
	Chain 2	5965	-13.22	/	/	/	5
		6165	-13.47	/	/	/	5
	Chain 3	5965	-13.37	/	/	/	5
		6165	-13.53	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5965	-7.54	10.96	0.87	4.29	5
		6165	-7.41	10.96	0.87	4.42	5
802.11ax40 _RU_106/56	Chain 0	6405	-13.94	/	/	/	5
	Chain 1	6405	-13.30	/	/	/	5
	Chain 2	6405	-13.66	/	/	/	5
	Chain 3	6405	-13.22	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6405	-7.50	10.96	0.87	4.33	5
802.11ax40 _RU_242/61	Chain 0	5965	-13.16	/	/	/	5
		6165	-13.30	/	/	/	5
	Chain 1	5965	-13.41	/	/	/	5
		6165	-13.56	/	/	/	5
	Chain 2	5965	-13.58	/	/	/	5
		6165	-13.31	/	/	/	5
	Chain 3	5965	-13.44	/	/	/	5
		6165	-13.44	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5965	-7.37	10.96	0.87	4.46	5
		6165	-7.38	10.96	0.87	4.45	5
802.11ax40 _RU_242/62	Chain 0	6405	-13.58	/	/	/	5
	Chain 1	6405	-13.22	/	/	/	5
	Chain 2	6405	-13.50	/	/	/	5
	Chain 3	6405	-13.26	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6405	-7.37	10.96	0.87	4.46	5
802.11ax40 _RU_484/65	Chain 0	5965	-13.65	/	/	/	5
		6165	-13.42	/	/	/	5
		6405	-13.43	/	/	/	5
	Chain 1	5965	-13.64	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_484/65	Chain 1	6165	-13.26	/	/	/	5
		6405	-13.35	/	/	/	5
	Chain 2	5965	-13.29	/	/	/	5
		6165	-13.33	/	/	/	5
		6405	-13.12	/	/	/	5
	Chain 3	5965	-13.20	/	/	/	5
		6165	-13.38	/	/	/	5
		6405	-13.24	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5965	-7.42	10.96	0.87	4.41	5
		6165	-7.33	10.96	0.87	4.5	5
		6405	-7.26	10.96	0.87	4.57	5
802.11ax80 _RU_26/0	Chain 0	5985	-13.08	/	/	/	5
		6145	-13.11	/	/	/	5
		6385	-13.52	/	/	/	5
	Chain 1	5985	-13.10	/	/	/	5
		6145	-13.57	/	/	/	5
		6385	-13.19	/	/	/	5
	Chain 2	5985	-13.37	/	/	/	5
		6145	-13.30	/	/	/	5
		6385	-13.18	/	/	/	5
	Chain 3	5985	-13.33	/	/	/	5
		6145	-13.48	/	/	/	5
		6385	-13.51	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5985	-7.20	10.96	1.06	4.82	5
		6145	-7.34	10.96	1.06	4.68	5
		6385	-7.33	10.96	1.06	4.69	5
802.11ax80 _RU_52/37	Chain 0	5985	-13.67	/	/	/	5
		6145	-13.25	/	/	/	5
		6385	-13.32	/	/	/	5
	Chain 1	5985	-13.44	/	/	/	5
		6145	-13.90	/	/	/	5
		6385	-13.29	/	/	/	5
	Chain 2	5985	-13.23	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80_RU_52/37	Chain 2	6145	-13.48	/	/	/	5
		6385	-13.37	/	/	/	5
	Chain 3	5985	-13.07	/	/	/	5
		6145	-13.45	/	/	/	5
		6385	-13.76	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5985	-7.33	10.96	1.06	4.69	5
		6145	-7.49	10.96	1.06	4.53	5
		6385	-7.41	10.96	1.06	4.61	5
802.11ax80_RU_106/53	Chain 0	5985	-13.34	/	/	/	5
		6145	-13.48	/	/	/	5
		6385	-13.04	/	/	/	5
	Chain 1	5985	-13.43	/	/	/	5
		6145	-13.50	/	/	/	5
		6385	-13.33	/	/	/	5
	Chain 2	5985	-13.26	/	/	/	5
		6145	-13.37	/	/	/	5
		6385	-13.44	/	/	/	5
	Chain 3	5985	-13.62	/	/	/	5
		6145	-13.12	/	/	/	5
		6385	-13.19	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5985	-7.39	10.96	1.06	4.63	5
		6145	-7.34	10.96	1.06	4.68	5
		6385	-7.23	10.96	1.06	4.79	5
802.11ax80_RU_242/61	Chain 0	5985	-13.25	/	/	/	5
		6145	-13.71	/	/	/	5
		6385	-13.26	/	/	/	5
	Chain 1	5985	-13.70	/	/	/	5
		6145	-13.40	/	/	/	5
		6385	-13.26	/	/	/	5
	Chain 2	5985	-13.28	/	/	/	5
		6145	-13.53	/	/	/	5
		6385	-13.48	/	/	/	5
	Chain 3	5985	-13.63	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80_RU_242/61	Chain 3	6145	-13.61	/	/	/	5
		6385	-13.33	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5985	-7.44	10.96	1.06	4.58	5
		6145	-7.54	10.96	1.06	4.48	5
		6385	-7.31	10.96	1.06	4.71	5
802.11ax80_RU_484/65	Chain 0	5985	-12.99	/	/	/	5
		6145	-13.69	/	/	/	5
		6385	-13.09	/	/	/	5
	Chain 1	5985	-13.49	/	/	/	5
		6145	-12.64	/	/	/	5
		6385	-13.75	/	/	/	5
	Chain 2	5985	-13.17	/	/	/	5
		6145	-13.25	/	/	/	5
		6385	-13.16	/	/	/	5
	Chain 3	5985	-13.45	/	/	/	5
		6145	-13.46	/	/	/	5
		6385	-13.09	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5985	-7.25	10.96	1.06	4.77	5
		6145	-7.22	10.96	1.06	4.8	5
		6385	-7.24	10.96	1.06	4.78	5
802.11ax80_RU_996/67	Chain 0	5985	-13.49	/	/	/	5
		6145	-13.36	/	/	/	5
		6385	-13.38	/	/	/	5
	Chain 1	5985	-13.62	/	/	/	5
		6145	-13.04	/	/	/	5
		6385	-13.49	/	/	/	5
	Chain 2	5985	-13.53	/	/	/	5
		6145	-13.89	/	/	/	5
		6385	-13.64	/	/	/	5
	Chain 3	5985	-13.18	/	/	/	5
		6145	-13.67	/	/	/	5
		6385	-13.46	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	5985	-7.43	10.96	1.06	4.59	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80 _RU_996/67	Chain 0 +Chain 1 +Chain 2 +Chain 3	6145	-7.46	10.96	1.06	4.56	5
		6385	-7.47	10.96	1.06	4.55	5
802.11ax160 _RU_26/0	Chain 0	6025	-13.01	/	/	/	5
		6185	-13.34	/	/	/	5
		6345	-13.16	/	/	/	5
	Chain 1	6025	-13.35	/	/	/	5
		6185	-13.09	/	/	/	5
		6345	-13.68	/	/	/	5
	Chain 2	6025	-13.40	/	/	/	5
		6185	-13.57	/	/	/	5
		6345	-13.57	/	/	/	5
	Chain 3	6025	-13.59	/	/	/	5
		6185	-13.20	/	/	/	5
		6345	-13.28	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6025	-7.31	10.96	1.17	4.82	5
		6185	-7.28	10.96	1.17	4.85	5
		6345	-7.40	10.96	1.17	4.73	5
	Chain 0	6025	-13.29	/	/	/	5
		6185	-13.15	/	/	/	5
		6345	-13.23	/	/	/	5
	Chain 1	6025	-13.34	/	/	/	5
		6185	-13.32	/	/	/	5
		6345	-13.37	/	/	/	5
	Chain 2	6025	-13.56	/	/	/	5
		6185	-13.21	/	/	/	5
		6345	-13.52	/	/	/	5
	Chain 3	6025	-13.24	/	/	/	5
		6185	-13.19	/	/	/	5
		6345	-13.56	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6025	-7.34	10.96	1.17	4.79	5
		6185	-7.20	10.96	1.17	4.93	5
		6345	-7.40	10.96	1.17	4.73	5
802.11ax160 _RU_106/53	Chain 0	6025	-13.42	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax160 _RU_106/53	Chain 0	6185	-13.20	/	/	/	5
		6345	-13.08	/	/	/	5
	Chain 1	6025	-13.57	/	/	/	5
		6185	-13.61	/	/	/	5
		6345	-13.25	/	/	/	5
	Chain 2	6025	-13.34	/	/	/	5
		6185	-13.28	/	/	/	5
		6345	-13.56	/	/	/	5
	Chain 3	6025	-13.59	/	/	/	5
		6185	-13.35	/	/	/	5
		6345	-13.36	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6025	-7.46	10.96	1.17	4.67	5
		6185	-7.34	10.96	1.17	4.79	5
		6345	-7.29	10.96	1.17	4.84	5
802.11ax160 _RU_242/61	Chain 0	6025	-13.17	/	/	/	5
		6185	-13.32	/	/	/	5
		6345	-13.02	/	/	/	5
	Chain 1	6025	-13.86	/	/	/	5
		6185	-13.72	/	/	/	5
		6345	-13.50	/	/	/	5
	Chain 2	6025	-13.26	/	/	/	5
		6185	-13.37	/	/	/	5
		6345	-13.83	/	/	/	5
	Chain 3	6025	-13.69	/	/	/	5
		6185	-13.27	/	/	/	5
		6345	-13.68	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6025	-7.46	10.96	1.17	4.67	5
		6185	-7.40	10.96	1.17	4.73	5
		6345	-7.48	10.96	1.17	4.65	5
802.11ax160 _RU_484/65	Chain 0	6025	-13.09	/	/	/	5
		6185	-13.03	/	/	/	5
		6345	-12.92	/	/	/	5
	Chain 1	6025	-13.60	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax160_RU_484/65	Chain 1	6185	-13.33	/	/	/	5
		6345	-13.17	/	/	/	5
	Chain 2	6025	-13.64	/	/	/	5
		6185	-13.38	/	/	/	5
		6345	-13.64	/	/	/	5
	Chain 3	6025	-13.58	/	/	/	5
		6185	-13.19	/	/	/	5
		6345	-13.21	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6025	-7.45	10.96	1.17	4.68	5
		6185	-7.21	10.96	1.17	4.92	5
		6345	-7.21	10.96	1.17	4.92	5
802.11ax160_RU_996/67	Chain 0	6025	-12.37	/	/	/	5
		6185	-13.15	/	/	/	5
		6345	-12.94	/	/	/	5
	Chain 1	6025	-13.52	/	/	/	5
		6185	-13.28	/	/	/	5
		6345	-13.33	/	/	/	5
	Chain 2	6025	-13.61	/	/	/	5
		6185	-13.37	/	/	/	5
		6345	-13.61	/	/	/	5
	Chain 3	6025	-13.35	/	/	/	5
		6185	-13.42	/	/	/	5
		6345	-13.06	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6025	-7.16	10.96	1.17	4.97	5
		6185	-7.28	10.96	1.17	4.85	5
		6345	-7.21	10.96	1.17	4.92	5
802.11ax160_RU_2*996	Chain 0	6025	-13.26	/	/	/	5
		6185	-13.22	/	/	/	5
		6345	-13.16	/	/	/	5
	Chain 1	6025	-13.15	/	/	/	5
		6185	-13.06	/	/	/	5
		6345	-13.69	/	/	/	5
	Chain 2	6025	-13.41	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax160 _RU_2*996	Chain 2	6185	-13.38	/	/	/	5
		6345	-13.49	/	/	/	5
	Chain 3	6025	-13.27	/	/	/	5
		6185	-13.44	/	/	/	5
		6345	-13.62	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6025	-7.25	10.96	1.17	4.88	5
		6185	-7.25	10.96	1.17	4.88	5
		6345	-7.46	10.96	1.17	4.67	5

6425-6525 MHz:

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20 _RU_26/0	Chain 0	6435	-13.08	/	/	/	5
		6475	-13.27	/	/	/	5
	Chain 1	6435	-13.65	/	/	/	5
		6475	-13.54	/	/	/	5
	Chain 2	6435	-13.11	/	/	/	5
		6475	-13.24	/	/	/	5
	Chain 3	6435	-13.41	/	/	/	5
		6475	-13.32	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6435	-7.29	10.96	0.87	4.54	5
		6475	-7.32	10.96	0.87	4.51	5
802.11ax20 _RU_26/8	Chain 0	6515	-13.30	/	/	/	5
	Chain 1	6515	-13.48	/	/	/	5
	Chain 2	6515	-13.60	/	/	/	5
	Chain 3	6515	-13.56	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6515	-7.46	10.96	0.87	4.37	5
802.11ax20 _RU_52/37	Chain 0	6435	-13.04	/	/	/	5
		6475	-13.20	/	/	/	5
	Chain 1	6435	-13.63	/	/	/	5
		6475	-13.42	/	/	/	5
	Chain 2	6435	-12.41	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20_RU_52/37	Chain 2	6475	-13.04	/	/	/	5
	Chain 3	6435	-13.35	/	/	/	5
		6475	-13.21	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6435	-7.06	10.96	0.87	4.77	5
		6475	-7.19	10.96	0.87	4.64	5
802.11ax20_RU_52/40	Chain 0	6515	-13.00	/	/	/	5
	Chain 1	6515	-13.60	/	/	/	5
	Chain 2	6515	-13.17	/	/	/	5
	Chain 3	6515	-13.51	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6515	-7.29	10.96	0.87	4.54	5
802.11ax20_RU_106/53	Chain 0	6435	-13.05	/	/	/	5
		6475	-13.12	/	/	/	5
	Chain 1	6435	-13.25	/	/	/	5
		6475	-13.32	/	/	/	5
	Chain 2	6435	-13.46	/	/	/	5
		6475	-13.17	/	/	/	5
	Chain 3	6435	-13.36	/	/	/	5
		6475	-13.08	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6435	-7.26	10.96	0.87	4.57	5
802.11ax20_RU_106/54	Chain 0	6435	-13.18	/	/	/	5
		6475	-13.52	/	/	/	5
	Chain 1	6435	-13.42	/	/	/	5
		6475	-13.55	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6515	-7.31	10.96	0.87	4.52	5
802.11ax20_RU_242/61	Chain 0	6435	-13.18	/	/	/	5
		6475	-13.52	/	/	/	5
		6515	-13.42	/	/	/	5
	Chain 1	6435	-13.55	/	/	/	5
		6475	-13.62	/	/	/	5
		6515	-13.35	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20 _RU_242/61	Chain 2	6435	-13.13	/	/	/	5
		6475	-13.41	/	/	/	5
		6515	-13.49	/	/	/	5
	Chain 3	6435	-13.70	/	/	/	5
		6475	-13.51	/	/	/	5
		6515	-13.28	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6435	-7.36	10.96	0.87	4.47	5
		6475	-7.49	10.96	0.87	4.34	5
		6515	-7.36	10.96	0.87	4.47	5
802.11ax40 _RU_26/0	Chain 0	6525	-13.63	/	/	/	5
		6445	-13.31	/	/	/	5
	Chain 1	6525	-13.54	/	/	/	5
		6445	-13.63	/	/	/	5
	Chain 2	6525	-13.56	/	/	/	5
		6445	-13.51	/	/	/	5
	Chain 3	6525	-13.46	/	/	/	5
		6445	-13.20	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6525	-7.53	10.96	0.87	4.3	5
		6445	-7.39	10.96	0.87	4.44	5
802.11ax40 _RU_26/17	Chain 0	6485	-13.68	/	/	/	5
	Chain 1	6485	-13.50	/	/	/	5
	Chain 2	6485	-13.19	/	/	/	5
	Chain 3	6485	-13.41	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6485	-7.42	10.96	0.87	4.41	5
802.11ax40 _RU_52/37	Chain 0	6525	-13.56	/	/	/	5
		6445	-13.22	/	/	/	5
	Chain 1	6525	-13.38	/	/	/	5
		6445	-13.10	/	/	/	5
	Chain 2	6525	-13.27	/	/	/	5
		6445	-13.61	/	/	/	5
	Chain 3	6525	-13.39	/	/	/	5
		6445	-13.45	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_52/37	Chain 0	6525	-7.38	10.96	0.87	4.45	5
	+Chain 1						
	+Chain 2	6445	-7.32	10.96	0.87	4.51	5
	+Chain 3						
802.11ax40 _RU_52/44	Chain 0	6485	-13.51	/	/	/	5
	Chain 1	6485	-13.11	/	/	/	5
	Chain 2	6485	-13.36	/	/	/	5
	Chain 3	6485	-13.27	/	/	/	5
	Chain 0						
	+Chain 1	6485	-7.29	10.96	0.87	4.54	5
802.11ax40 _RU_106/53	Chain 0	6525	-13.62	/	/	/	5
		6445	-13.31	/	/	/	5
	Chain 1	6525	-13.19	/	/	/	5
		6445	-13.54	/	/	/	5
	Chain 2	6525	-13.52	/	/	/	5
		6445	-13.72	/	/	/	5
	Chain 3	6525	-13.50	/	/	/	5
		6445	-13.52	/	/	/	5
	Chain 0	6525	-7.43	10.96	0.87	4.4	5
		6445	-7.50	10.96	0.87	4.33	5
	Chain 1	6525	-7.43	10.96	0.87	4.4	5
		6445	-7.50	10.96	0.87	4.33	5
802.11ax40 _RU_106/56	Chain 0	6485	-13.59	/	/	/	5
	Chain 1	6485	-13.03	/	/	/	5
	Chain 2	6485	-13.67	/	/	/	5
	Chain 3	6485	-13.29	/	/	/	5
	Chain 0						
	+Chain 1	6485	-7.37	10.96	0.87	4.46	5
802.11ax40 _RU_242/61	Chain 0	6525	-13.59	/	/	/	5
		6445	-13.19	/	/	/	5
	Chain 1	6525	-13.19	/	/	/	5
		6445	-13.52	/	/	/	5
	Chain 2	6525	-13.29	/	/	/	5
		6445	-13.57	/	/	/	5
	Chain 3	6525	-13.24	/	/	/	5
		6445	-13.20	/	/	/	5
	Chain 0	6525	-13.59	/	/	/	5
		6445	-13.19	/	/	/	5
	Chain 1	6525	-13.19	/	/	/	5
		6445	-13.52	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_242/61	Chain 0	6445	-7.35	10.96	0.87	4.48	5
	+Chain 1						
	+Chain 2	6525	-7.30	10.96	0.87	4.53	5
802.11ax40 _RU_242/62	+Chain 3						
	Chain 0	6485	-13.67	/	/	/	5
	Chain 1	6485	-13.05	/	/	/	5
	Chain 2	6485	-13.65	/	/	/	5
	Chain 3	6485	-13.10	/	/	/	5
802.11ax40 _RU_484/65	Chain 0	6485	-7.34	10.96	0.87	4.49	5
	Chain 0	6525	-13.52	/	/	/	5
		6445	-13.33	/	/	/	5
		6485	-13.40	/	/	/	5
	Chain 1	6525	-13.08	/	/	/	5
		6445	-13.23	/	/	/	5
		6485	-13.31	/	/	/	5
	Chain 2	6525	-13.50	/	/	/	5
		6445	-13.16	/	/	/	5
		6485	-13.39	/	/	/	5
	Chain 3	6525	-13.45	/	/	/	5
		6445	-13.43	/	/	/	5
		6485	-13.19	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6525	-7.36	10.96	0.87	4.47	5
		6445	-7.27	10.96	0.87	4.56	5
		6485	-7.30	10.96	0.87	4.53	5
802.11ax80 _RU_26/0	Chain 0	6545	-13.11	/	/	/	5
		6465	-13.55	/	/	/	5
	Chain 1	6545	-13.51	/	/	/	5
		6465	-13.01	/	/	/	5
	Chain 2	6545	-13.61	/	/	/	5
		6465	-13.07	/	/	/	5
	Chain 3	6545	-13.19	/	/	/	5
		6465	-13.64	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6545	-7.33	10.96	1.06	4.69	5
		6465	-7.29	10.96	1.06	4.73	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80_RU_52/37	Chain 0	6545	-13.03	/	/	/	5
		6465	-13.44	/	/	/	5
	Chain 1	6545	-13.21	/	/	/	5
		6465	-13.35	/	/	/	5
	Chain 2	6545	-13.18	/	/	/	5
		6465	-13.36	/	/	/	5
	Chain 3	6545	-13.39	/	/	/	5
		6465	-13.10	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6545	-7.18	10.96	1.06	4.84	5
		6465	-7.29	10.96	1.06	4.73	5
802.11ax80_RU_106/53	Chain 0	6545	-13.39	/	/	/	5
		6465	-13.36	/	/	/	5
	Chain 1	6545	-13.40	/	/	/	5
		6465	-13.05	/	/	/	5
	Chain 2	6545	-13.42	/	/	/	5
		6465	-13.05	/	/	/	5
	Chain 3	6545	-13.03	/	/	/	5
		6465	-13.11	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6545	-7.29	10.96	1.06	4.73	5
		6465	-7.12	10.96	1.06	4.9	5
802.11ax80_RU_242/61	Chain 0	6545	-13.36	/	/	/	5
		6465	-13.45	/	/	/	5
	Chain 1	6545	-13.42	/	/	/	5
		6465	-13.44	/	/	/	5
	Chain 2	6545	-13.23	/	/	/	5
		6465	-13.14	/	/	/	5
	Chain 3	6545	-13.02	/	/	/	5
		6465	-13.44	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6545	-7.23	10.96	1.06	4.79	5
		6465	-7.34	10.96	1.06	4.68	5
802.11ax80_RU_484/65	Chain 0	6545	-13.18	/	/	/	5
		6465	-13.31	/	/	/	5
	Chain 1	6545	-13.60	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80_RU_484/65	Chain 1	6465	-13.08	/	/	/	5
	Chain 2	6545	-13.65	/	/	/	5
		6465	-13.42	/	/	/	5
	Chain 3	6545	-13.00	/	/	/	5
		6465	-13.06	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6545	-7.33	10.96	1.06	4.69	5
		6465	-7.19	10.96	1.06	4.83	5
802.11ax80_RU_996/67	Chain 0	6545	-13.75	/	/	/	5
		6465	-13.48	/	/	/	5
	Chain 1	6545	-13.02	/	/	/	5
		6465	-13.08	/	/	/	5
	Chain 2	6545	-13.29	/	/	/	5
		6465	-13.73	/	/	/	5
	Chain 3	6545	-13.76	/	/	/	5
		6465	-13.58	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6545	-7.42	10.96	1.06	4.6	5
		6465	-7.44	10.96	1.06	4.58	5
802.11ax160_RU_26/0	Chain 0	6505	-13.59	/	/	/	5
	Chain 1	6505	-13.54	/	/	/	5
	Chain 2	6505	-13.39	/	/	/	5
	Chain 3	6505	-13.49	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6505	-7.48	10.96	1.17	4.65	5
802.11ax160_RU_52/37	Chain 0	6505	-13.03	/	/	/	5
	Chain 1	6505	-13.40	/	/	/	5
	Chain 2	6505	-13.47	/	/	/	5
	Chain 3	6505	-13.35	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6505	-7.29	10.96	1.17	4.84	5
802.11ax160_RU_106/53	Chain 0	6505	-13.30	/	/	/	5
	Chain 1	6505	-13.02	/	/	/	5
	Chain 2	6505	-13.11	/	/	/	5
	Chain 3	6505	-13.50	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax160_RU_106/53	Chain 0 +Chain 1 +Chain 2 +Chain 3	6505	-7.21	10.96	1.17	4.92	5
802.11ax160_RU_242/61	Chain 0	6505	-13.65	/	/	/	5
	Chain 1	6505	-13.60	/	/	/	5
	Chain 2	6505	-13.10	/	/	/	5
	Chain 3	6505	-13.47	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6505	-7.43	10.96	1.17	4.7	5
802.11ax160_RU_484/65	Chain 0	6505	-13.68	/	/	/	5
	Chain 1	6505	-12.69	/	/	/	5
	Chain 2	6505	-13.53	/	/	/	5
	Chain 3	6505	-13.37	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6505	-7.28	10.96	1.17	4.85	5
802.11ax160_RU_996/67	Chain 0	6505	-13.22	/	/	/	5
	Chain 1	6505	-13.25	/	/	/	5
	Chain 2	6505	-13.56	/	/	/	5
	Chain 3	6505	-13.72	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6505	-7.41	10.96	1.17	4.72	5
802.11ax160_RU_2*996	Chain 0	6505	-13.10	/	/	/	5
	Chain 1	6505	-13.37	/	/	/	5
	Chain 2	6505	-13.32	/	/	/	5
	Chain 3	6505	-13.31	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6505	-7.25	10.96	1.17	4.88	5

6525-6875 MHz:

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)	Verdict
802.11ax20_RU_26/0	Chain 0	6535	-13.23	/	/	/	5	Pass
		6695	-13.47	/	/	/	5	Pass
	Chain 1	6535	-13.60	/	/	/	5	Pass

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20_RU_26/0	Chain 1	6695	-13.27	/	/	/	5
	Chain 2	6535	-13.50	/	/	/	5
		6695	-13.80	/	/	/	5
	Chain 3	6535	-13.77	/	/	/	5
		6695	-13.80	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6535	-7.50	10.96	0.87	4.33	5
		6695	-7.56	10.96	0.87	4.27	5
802.11ax20_RU_26/8	Chain 0	6855	-13.71	/	/	/	5
	Chain 1	6855	-13.64	/	/	/	5
	Chain 2	6855	-13.72	/	/	/	5
	Chain 3	6855	-13.08	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6855	-7.51	10.96	0.87	4.32	5
802.11ax20_RU_52/37	Chain 0	6535	-13.30	/	/	/	5
		6695	-13.54	/	/	/	5
	Chain 1	6535	-13.35	/	/	/	5
		6695	-13.44	/	/	/	5
	Chain 2	6535	-13.03	/	/	/	5
		6695	-13.08	/	/	/	5
	Chain 3	6535	-13.81	/	/	/	5
		6695	-13.17	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6535	-7.34	10.96	0.87	4.49	5
		6695	-7.28	10.96	0.87	4.55	5
802.11ax20_RU_52/40	Chain 0	6855	-13.38	/	/	/	5
	Chain 1	6855	-13.41	/	/	/	5
	Chain 2	6855	-13.35	/	/	/	5
	Chain 3	6855	-13.12	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6855	-7.29	10.96	0.87	4.54	5
802.11ax20_RU_106/53	Chain 0	6535	-13.14	/	/	/	5
		6695	-13.47	/	/	/	5
	Chain 1	6535	-13.25	/	/	/	5
		6695	-13.42	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20 _RU_106/53	Chain 2	6535	-13.18	/	/	/	5
		6695	-13.60	/	/	/	5
	Chain 3	6535	-13.68	/	/	/	5
		6695	-13.10	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6535	-7.29	10.96	0.87	4.54	5
		6695	-7.37	10.96	0.87	4.46	5
802.11ax20 _RU_106/54	Chain 0	6855	-13.61	/	/	/	5
	Chain 1	6855	-13.06	/	/	/	5
	Chain 2	6855	-13.28	/	/	/	5
	Chain 3	6855	-13.55	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6855	-7.35	10.96	0.87	4.48	5
802.11ax20 _RU_242/61	Chain 0	6535	-13.50	/	/	/	5
		6695	-13.28	/	/	/	5
		6855	-13.19	/	/	/	5
	Chain 1	6535	-13.18	/	/	/	5
		6695	-13.53	/	/	/	5
		6855	-13.87	/	/	/	5
	Chain 2	6535	-13.42	/	/	/	5
		6695	-13.77	/	/	/	5
		6855	-13.36	/	/	/	5
	Chain 3	6535	-13.13	/	/	/	5
		6695	-13.27	/	/	/	5
		6855	-13.08	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6535	-7.28	10.96	0.87	4.55	5
		6695	-7.44	10.96	0.87	4.39	5
		6855	-7.34	10.96	0.87	4.49	5
802.11ax40 _RU_26/0	Chain 0	6565	-13.85	/	/	/	5
		6685	-13.55	/	/	/	5
	Chain 1	6565	-13.79	/	/	/	5
		6685	-13.32	/	/	/	5
	Chain 2	6565	-13.46	/	/	/	5
		6685	-13.33	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40_RU_26/0	Chain 3	6565	-13.46	/	/	/	5
		6685	-13.37	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6565	-7.62	10.96	0.87	4.21	5
		6685	-7.37	10.96	0.87	4.46	5
802.11ax40_RU_26/17	Chain 0	6845	-13.68	/	/	/	5
	Chain 1	6845	-13.68	/	/	/	5
	Chain 2	6845	-13.39	/	/	/	5
	Chain 3	6845	-13.62	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6845	-7.57	10.96	0.87	4.26	5
802.11ax40_RU_52/37	Chain 0	6565	-13.67	/	/	/	5
		6685	-13.31	/	/	/	5
	Chain 1	6565	-13.52	/	/	/	5
		6685	-13.53	/	/	/	5
	Chain 2	6565	-13.35	/	/	/	5
		6685	-13.03	/	/	/	5
	Chain 3	6565	-13.42	/	/	/	5
		6685	-13.20	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6565	-7.47	10.96	0.87	4.36	5
		6685	-7.24	10.96	0.87	4.59	5
802.11ax40_RU_52/44	Chain 0	6845	-13.44	/	/	/	5
	Chain 1	6845	-13.69	/	/	/	5
	Chain 2	6845	-13.30	/	/	/	5
	Chain 3	6845	-13.47	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6845	-7.45	10.96	0.87	4.38	5
802.11ax40_RU_106/53	Chain 0	6565	-13.97	/	/	/	5
		6685	-13.34	/	/	/	5
	Chain 1	6565	-13.55	/	/	/	5
		6685	-13.63	/	/	/	5
	Chain 2	6565	-13.41	/	/	/	5
		6685	-13.00	/	/	/	5
	Chain 3	6565	-13.46	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_106/53	Chain 3	6685	-13.22	/	/	/	5
	Chain 0	6565	-7.57	10.96	0.87	4.26	5
	+Chain 1						
	+Chain 2	6685	-7.27	10.96	0.87	4.56	5
802.11ax40 _RU_106/56	+Chain 3						
	Chain 0	6845	-13.73	/	/	/	5
	Chain 1	6845	-13.72	/	/	/	5
	Chain 2	6845	-13.39	/	/	/	5
	Chain 3	6845	-13.81	/	/	/	5
802.11ax40 _RU_242/61	Chain 0	6845					
		6565	-13.89	/	/	/	5
	Chain 1	6685	-13.58	/	/	/	5
		6565	-13.52	/	/	/	5
	Chain 2	6685	-13.45	/	/	/	5
		6565	-13.23	/	/	/	5
	Chain 3	6685	-13.26	/	/	/	5
		6565	-13.56	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6685	-13.44	/	/	/	5
		6565	-7.52	10.96	0.87	4.31	5
802.11ax40 _RU_242/62	Chain 1	6685	-7.41	10.96	0.87	4.42	5
		6565	-7.48	10.96	0.87	4.35	5
	Chain 0	6845	-13.70	/	/	/	5
	Chain 1	6845	-13.46	/	/	/	5
	Chain 2	6845	-13.44	/	/	/	5
802.11ax40 _RU_484/65	Chain 3	6845	-13.40	/	/	/	5
	Chain 0	6565	-13.61	/	/	/	5
		6685	-13.00	/	/	/	5
		6845	-14.22	/	/	/	5
	Chain 1	6565	-13.46	/	/	/	5
		6685	-13.12	/	/	/	5
		6845	-13.02	/	/	/	5
	Chain 2	6565	-13.57	/	/	/	5
		6685	-13.53	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_484/65	Chain 2	6845	-13.52	/	/	/	5
	Chain 3	6565	-13.18	/	/	/	5
		6685	-13.38	/	/	/	5
		6845	-13.41	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6565	-7.43	10.96	0.87	4.4	5
		6685	-7.23	10.96	0.87	4.6	5
		6845	-7.50	10.96	0.87	4.33	5
802.11ax80 _RU_26/0	Chain 0	6865	-13.64	/	/	/	5
		6625	-13.54	/	/	/	5
		6705	-13.15	/	/	/	5
		6785	-13.03	/	/	/	5
	Chain 1	6865	-13.40	/	/	/	5
		6625	-13.37	/	/	/	5
		6705	-13.52	/	/	/	5
		6785	-13.22	/	/	/	5
	Chain 2	6865	-13.16	/	/	/	5
		6625	-13.57	/	/	/	5
		6705	-13.34	/	/	/	5
		6785	-13.07	/	/	/	5
	Chain 3	6865	-13.40	/	/	/	5
		6625	-13.44	/	/	/	5
		6705	-13.54	/	/	/	5
		6785	-13.35	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6865	-7.38	10.96	1.06	4.64	5
		6625	-7.46	10.96	1.06	4.56	5
		6705	-7.36	10.96	1.06	4.66	5
		6785	-7.15	10.96	1.06	4.87	5
802.11ax80 _RU_52/37	Chain 0	6865	-13.26	/	/	/	5
		6625	-13.36	/	/	/	5
		6705	-13.24	/	/	/	5
		6785	-13.78	/	/	/	5
	Chain 1	6865	-13.52	/	/	/	5
		6625	-13.49	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80 _RU_52/37	Chain 1	6705	-13.49	/	/	/	5
		6785	-13.00	/	/	/	5
	Chain 2	6865	-13.45	/	/	/	5
		6625	-13.44	/	/	/	5
		6705	-13.16	/	/	/	5
		6785	-13.35	/	/	/	5
	Chain 3	6865	-13.02	/	/	/	5
		6625	-13.08	/	/	/	5
		6705	-13.35	/	/	/	5
		6785	-13.46	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6865	-7.29	10.96	1.06	4.73	5
		6625	-7.32	10.96	1.06	4.7	5
		6705	-7.29	10.96	1.06	4.73	5
		6785	-7.37	10.96	1.06	4.65	5
802.11ax80 _RU_106/53	Chain 0	6865	-13.10	/	/	/	5
		6625	-13.43	/	/	/	5
		6705	-13.15	/	/	/	5
		6785	-13.44	/	/	/	5
	Chain 1	6865	-13.12	/	/	/	5
		6625	-13.11	/	/	/	5
		6705	-13.33	/	/	/	5
		6785	-13.11	/	/	/	5
	Chain 2	6865	-13.07	/	/	/	5
		6625	-13.00	/	/	/	5
		6705	-13.22	/	/	/	5
		6785	-13.41	/	/	/	5
	Chain 3	6865	-13.21	/	/	/	5
		6625	-13.11	/	/	/	5
		6705	-13.45	/	/	/	5
		6785	-13.08	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6865	-7.10	10.96	1.06	4.92	5
		6625	-7.14	10.96	1.06	4.88	5
		6705	-7.27	10.96	1.06	4.75	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80_RU_106/53	Chain 0 +Chain 1 +Chain 2 +Chain 3	6785	-7.24	10.96	1.06	4.78	5
802.11ax80_RU_242/61	Chain 0	6865	-13.26	/	/	/	5
		6625	-13.63	/	/	/	5
		6705	-13.01	/	/	/	5
		6785	-13.37	/	/	/	5
	Chain 1	6865	-13.85	/	/	/	5
		6625	-13.24	/	/	/	5
		6705	-13.61	/	/	/	5
		6785	-13.44	/	/	/	5
	Chain 2	6865	-13.12	/	/	/	5
		6625	-13.73	/	/	/	5
		6705	-13.57	/	/	/	5
		6785	-13.62	/	/	/	5
	Chain 3	6865	-13.18	/	/	/	5
		6625	-13.10	/	/	/	5
		6705	-13.02	/	/	/	5
		6785	-13.51	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6865	-7.32	10.96	1.06	4.7	5
		6625	-7.40	10.96	1.06	4.62	5
		6705	-7.27	10.96	1.06	4.75	5
		6785	-7.46	10.96	1.06	4.56	5
802.11ax80_RU_484/65	Chain 0	6865	-14.01	/	/	/	5
		6625	-13.42	/	/	/	5
		6705	-13.30	/	/	/	5
		6785	-13.23	/	/	/	5
	Chain 1	6865	-13.47	/	/	/	5
		6625	-13.19	/	/	/	5
		6705	-13.39	/	/	/	5
		6785	-13.49	/	/	/	5
	Chain 2	6865	-13.03	/	/	/	5
		6625	-13.51	/	/	/	5
		6705	-13.33	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80 _RU_484/65	Chain 2	6785	-13.53	/	/	/	5
	Chain 3	6865	-13.72	/	/	/	5
		6625	-13.10	/	/	/	5
		6705	-13.26	/	/	/	5
		6785	-13.53	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6865	-7.52	10.96	1.06	4.5	5
		6625	-7.28	10.96	1.06	4.74	5
		6705	-7.30	10.96	1.06	4.72	5
		6785	-7.42	10.96	1.06	4.6	5
802.11ax80 _RU_996/67	Chain 0	6865	-13.23	/	/	/	5
		6625	-13.68	/	/	/	5
		6705	-13.35	/	/	/	5
		6785	-15.25	/	/	/	5
	Chain 1	6865	-14.66	/	/	/	5
		6625	-13.87	/	/	/	5
		6705	-13.36	/	/	/	5
		6785	-13.27	/	/	/	5
	Chain 2	6865	-14.48	/	/	/	5
		6625	-13.22	/	/	/	5
		6705	-13.13	/	/	/	5
		6785	-14.51	/	/	/	5
	Chain 3	6865	-13.55	/	/	/	5
		6625	-13.43	/	/	/	5
		6705	-13.70	/	/	/	5
		6785	-12.96	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6865	-7.92	10.96	1.06	4.1	5
		6625	-7.52	10.96	1.06	4.5	5
		6705	-7.36	10.96	1.06	4.66	5
		6785	-7.88	10.96	1.06	4.14	5
802.11ax160 _RU_26/0	Chain 0	6825	-13.64	/	/	/	5
		6665	-13.40	/	/	/	5
	Chain 1	6825	-13.51	/	/	/	5
		6665	-13.64	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax160_RU_26/0	Chain 2	6825	-13.67	/	/	/	5
		6665	-13.09	/	/	/	5
	Chain 3	6825	-13.67	/	/	/	5
		6665	-13.37	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6825	-7.60	10.96	1.17	4.53	5
		6665	-7.35	10.96	1.17	4.78	5
802.11ax160_RU_52/37	Chain 0	6825	-13.63	/	/	/	5
		6665	-13.24	/	/	/	5
	Chain 1	6825	-13.15	/	/	/	5
		6665	-13.43	/	/	/	5
	Chain 2	6825	-13.37	/	/	/	5
		6665	-13.27	/	/	/	5
	Chain 3	6825	-13.47	/	/	/	5
		6665	-13.44	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6825	-7.38	10.96	1.17	4.75	5
		6665	-7.32	10.96	1.17	4.81	5
802.11ax160_RU_106/53	Chain 0	6825	-12.95	/	/	/	5
		6665	-12.72	/	/	/	5
	Chain 1	6825	-13.26	/	/	/	5
		6665	-13.60	/	/	/	5
	Chain 2	6825	-13.08	/	/	/	5
		6665	-13.39	/	/	/	5
	Chain 3	6825	-13.63	/	/	/	5
		6665	-13.89	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6825	-7.20	10.96	1.17	4.93	5
		6665	-7.36	10.96	1.17	4.77	5
802.11ax160_RU_242/61	Chain 0	6825	-13.43	/	/	/	5
		6665	-13.63	/	/	/	5
	Chain 1	6825	-13.38	/	/	/	5
		6665	-13.49	/	/	/	5
	Chain 2	6825	-13.30	/	/	/	5
		6665	-13.34	/	/	/	5
	Chain 3	6825	-13.38	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax160_RU_242/61	Chain 3	6665	-13.14	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6825	-7.35	10.96	1.17	4.78	5
		6665	-7.38	10.96	1.17	4.75	5
802.11ax160_RU_484/65	Chain 0	6825	-13.14	/	/	/	5
		6665	-13.88	/	/	/	5
	Chain 1	6825	-13.22	/	/	/	5
		6665	-13.76	/	/	/	5
	Chain 2	6825	-13.39	/	/	/	5
		6665	-13.23	/	/	/	5
	Chain 3	6825	-13.23	/	/	/	5
		6665	-13.02	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6825	-7.22	10.96	1.17	4.91	5
		6665	-7.44	10.96	1.17	4.69	5
802.11ax160_RU_996/67	Chain 0	6825	-13.71	/	/	/	5
		6665	-14.90	/	/	/	5
	Chain 1	6825	-13.51	/	/	/	5
		6665	-14.79	/	/	/	5
	Chain 2	6825	-13.82	/	/	/	5
		6665	-12.54	/	/	/	5
	Chain 3	6825	-13.34	/	/	/	5
		6665	-13.70	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6825	-7.57	10.96	1.17	4.56	5
		6665	-7.85	10.96	1.17	4.28	5
802.11ax160_RU_2*996	Chain 0	6825	-13.15	/	/	/	5
		6665	-13.58	/	/	/	5
	Chain 1	6825	-14.09	/	/	/	5
		6665	-13.19	/	/	/	5
	Chain 2	6825	-13.30	/	/	/	5
		6665	-13.56	/	/	/	5
	Chain 3	6825	-13.08	/	/	/	5
		6665	-13.28	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6825	-7.37	10.96	1.17	4.76	5
		6665	-7.38	10.96	1.17	4.75	5

6875-7125 MHz:

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20 _RU_26/0	Chain 0	6875	-13.63	/	/	/	5
		6895	-13.39	/	/	/	5
		6995	-13.37	/	/	/	5
	Chain 1	6875	-13.19	/	/	/	5
		6895	-13.54	/	/	/	5
		6995	-13.08	/	/	/	5
	Chain 2	6875	-13.13	/	/	/	5
		6895	-13.16	/	/	/	5
		6995	-14.35	/	/	/	5
	Chain 3	6875	-13.52	/	/	/	5
		6895	-13.50	/	/	/	5
		6995	-13.62	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6875	-7.34	10.96	0.87	4.49	5
		6895	-7.37	10.96	0.87	4.46	5
		6995	-7.56	10.96	0.87	4.27	5
802.11ax20 _RU_26/8	Chain 0	7095	-13.66	/	/	/	5
	Chain 1	7095	-13.21	/	/	/	5
	Chain 2	7095	-13.55	/	/	/	5
	Chain 3	7095	-13.60	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	7095	-7.48	10.96	0.87	4.35	5
802.11ax20 _RU_52/37	Chain 0	6875	-13.35	/	/	/	5
		6895	-13.21	/	/	/	5
		6995	-13.24	/	/	/	5
	Chain 1	6875	-13.52	/	/	/	5
		6895	-13.26	/	/	/	5
		6995	-13.41	/	/	/	5
	Chain 2	6875	-13.50	/	/	/	5
		6895	-13.22	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20 _RU_52/37	Chain 2	6995	-13.93	/	/	/	5
	Chain 3	6875	-13.26	/	/	/	5
		6895	-13.33	/	/	/	5
		6995	-13.35	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6875	-7.39	10.96	0.87	4.44	5
		6895	-7.23	10.96	0.87	4.6	5
		6995	-7.45	10.96	0.87	4.38	5
802.11ax20 _RU_52/40	Chain 0	7095	-13.09	/	/	/	5
	Chain 1	7095	-13.57	/	/	/	5
	Chain 2	7095	-13.33	/	/	/	5
	Chain 3	7095	-13.28	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	7095	-7.29	10.96	0.87	4.54	5
802.11ax20 _RU_106/53	Chain 0	6875	-13.28	/	/	/	5
		6895	-13.09	/	/	/	5
		6995	-13.25	/	/	/	5
	Chain 1	6875	-13.81	/	/	/	5
		6895	-13.05	/	/	/	5
		6995	-13.12	/	/	/	5
	Chain 2	6875	-13.49	/	/	/	5
		6895	-13.41	/	/	/	5
		6995	-13.80	/	/	/	5
	Chain 3	6875	-13.21	/	/	/	5
		6895	-13.18	/	/	/	5
		6995	-13.12	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6875	-7.42	10.96	0.87	4.41	5
		6895	-7.16	10.96	0.87	4.67	5
		6995	-7.29	10.96	0.87	4.54	5
802.11ax20 _RU_106/54	Chain 0	7095	-13.04	/	/	/	5
	Chain 1	7095	-13.28	/	/	/	5
	Chain 2	7095	-13.04	/	/	/	5
	Chain 3	7095	-13.61	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	7095	-7.22	10.96	0.87	4.61	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax20 _RU_242/61	Chain 0	6875	-13.02	/	/	/	5
		6895	-13.50	/	/	/	5
		6995	-13.32	/	/	/	5
		7095	-13.19	/	/	/	5
	Chain 1	6875	-13.74	/	/	/	5
		6895	-13.04	/	/	/	5
		6995	-13.20	/	/	/	5
		7095	-13.40	/	/	/	5
	Chain 2	6875	-13.53	/	/	/	5
		6895	-13.24	/	/	/	5
		6995	-13.39	/	/	/	5
		7095	-13.29	/	/	/	5
	Chain 3	6875	-13.30	/	/	/	5
		6895	-13.34	/	/	/	5
		6995	-13.15	/	/	/	5
		7095	-13.39	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6875	-7.37	10.96	0.87	4.46	5
		6895	-7.26	10.96	0.87	4.57	5
		6995	-7.24	10.96	0.87	4.59	5
		7095	-7.30	10.96	0.87	4.53	5
802.11ax40 _RU_26/0	Chain 0	6885	-13.13	/	/	/	5
		6925	-13.30	/	/	/	5
		7005	-13.89	/	/	/	5
	Chain 1	6885	-13.77	/	/	/	5
		6925	-13.52	/	/	/	5
		7005	-13.80	/	/	/	5
	Chain 2	6885	-13.49	/	/	/	5
		6925	-13.64	/	/	/	5
		7005	-13.16	/	/	/	5
	Chain 3	6885	-13.07	/	/	/	5
		6925	-13.63	/	/	/	5
		7005	-13.06	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6885	-7.34	10.96	0.87	4.49	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_26/0	Chain 0	6925	-7.50	10.96	0.87	4.33	5
	+Chain 1						
	+Chain 2	7005	-7.44	10.96	0.87	4.39	5
	+Chain 3						
802.11ax40 _RU_26/17	Chain 0	7085	-13.89	/	/	/	5
	Chain 1	7085	-13.36	/	/	/	5
	Chain 2	7085	-13.14	/	/	/	5
	Chain 3	7085	-13.57	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	7085	-7.46	10.96	0.87	4.37	5
802.11ax40 _RU_52/37	Chain 0	6885	-13.04	/	/	/	5
		6925	-13.18	/	/	/	5
		7005	-13.49	/	/	/	5
	Chain 1	6885	-13.59	/	/	/	5
		6925	-13.38	/	/	/	5
		7005	-13.56	/	/	/	5
	Chain 2	6885	-13.61	/	/	/	5
		6925	-13.55	/	/	/	5
		7005	-13.04	/	/	/	5
	Chain 3	6885	-13.36	/	/	/	5
		6925	-13.17	/	/	/	5
		7005	-13.47	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6885	-7.37	10.96	0.87	4.46	5
		6925	-7.30	10.96	0.87	4.53	5
		7005	-7.36	10.96	0.87	4.47	5
802.11ax40 _RU_52/44	Chain 0	7085	-13.74	/	/	/	5
	Chain 1	7085	-13.21	/	/	/	5
	Chain 2	7085	-13.47	/	/	/	5
	Chain 3	7085	-13.34	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	7085	-7.42	10.96	0.87	4.41	5
802.11ax40 _RU_106/53	Chain 0	6885	-13.39	/	/	/	5
		6925	-13.39	/	/	/	5
		7005	-13.58	/	/	/	5
	Chain 1	6885	-13.45	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40 _RU_106/53	Chain 1	6925	-13.43	/	/	/	5
		7005	-13.84	/	/	/	5
	Chain 2	6885	-13.60	/	/	/	5
		6925	-13.50	/	/	/	5
		7005	-13.12	/	/	/	5
	Chain 3	6885	-13.45	/	/	/	5
		6925	-13.22	/	/	/	5
		7005	-13.29	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6885	-7.45	10.96	0.87	4.38	5
		6925	-7.36	10.96	0.87	4.47	5
		7005	-7.43	10.96	0.87	4.4	5
802.11ax40 _RU_106/56	Chain 0	7085	-13.86	/	/	/	5
	Chain 1	7085	-13.34	/	/	/	5
	Chain 2	7085	-13.62	/	/	/	5
	Chain 3	7085	-13.56	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	7085	-7.57	10.96	0.87	4.26	5
802.11ax40 _RU_242/61	Chain 0	6885	-13.27	/	/	/	5
		6925	-13.30	/	/	/	5
		7005	-13.21	/	/	/	5
	Chain 1	6885	-13.88	/	/	/	5
		6925	-13.80	/	/	/	5
		7005	-13.54	/	/	/	5
	Chain 2	6885	-13.73	/	/	/	5
		6925	-13.63	/	/	/	5
		7005	-13.33	/	/	/	5
	Chain 3	6885	-13.68	/	/	/	5
		6925	-13.51	/	/	/	5
		7005	-13.23	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6885	-7.61	10.96	0.87	4.22	5
		6925	-7.54	10.96	0.87	4.29	5
		7005	-7.30	10.96	0.87	4.53	5
802.11ax40 _RU_242/62	Chain 0	7085	-13.71	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax40_RU_242/62	Chain 1	7085	-13.32	/	/	/	5
	Chain 2	7085	-13.51	/	/	/	5
	Chain 3	7085	-13.66	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	7085	-7.53	10.96	0.87	4.3	5
802.11ax40_RU_484/65	Chain 0	6885	-14.85	/	/	/	5
		6925	-15.03	/	/	/	5
		7005	-13.43	/	/	/	5
		7085	-13.35	/	/	/	5
	Chain 1	6885	-13.64	/	/	/	5
		6925	-13.55	/	/	/	5
		7005	-13.53	/	/	/	5
		7085	-13.52	/	/	/	5
	Chain 2	6885	-13.31	/	/	/	5
		6925	-13.17	/	/	/	5
		7005	-13.13	/	/	/	5
		7085	-13.96	/	/	/	5
	Chain 3	6885	-13.33	/	/	/	5
		6925	-13.05	/	/	/	5
		7005	-13.28	/	/	/	5
		7085	-13.08	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6885	-7.72	10.96	0.87	4.11	5
		6925	-7.61	10.96	0.87	4.22	5
		7005	-7.32	10.96	0.87	4.51	5
		7085	-7.45	10.96	0.87	4.38	5
802.11ax80_RU_26/0	Chain 0	6945	-13.63	/	/	/	5
		7025	-13.23	/	/	/	5
	Chain 1	6945	-13.58	/	/	/	5
		7025	-13.45	/	/	/	5
	Chain 2	6945	-13.42	/	/	/	5
		7025	-13.53	/	/	/	5
	Chain 3	6945	-13.34	/	/	/	5
		7025	-13.04	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80_RU_26/0	Chain 0 +Chain 1 +Chain 2 +Chain 3	6945	-7.47	10.96	1.06	4.55	5
		7025	-7.29	10.96	1.06	4.73	5
	Chain 0	6945	-13.44	/	/	/	5
		7025	-13.05	/	/	/	5
802.11ax80_RU_52/37	Chain 1	6945	-13.51	/	/	/	5
		7025	-13.57	/	/	/	5
	Chain 2	6945	-13.03	/	/	/	5
		7025	-13.24	/	/	/	5
	Chain 3	6945	-13.24	/	/	/	5
		7025	-13.24	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6945	-7.28	10.96	1.06	4.74	5
		7025	-7.25	10.96	1.06	4.77	5
	Chain 0	6945	-13.62	/	/	/	5
		7025	-13.46	/	/	/	5
	Chain 1	6945	-13.53	/	/	/	5
		7025	-13.26	/	/	/	5
802.11ax80_RU_106/53	Chain 2	6945	-13.20	/	/	/	5
		7025	-13.17	/	/	/	5
	Chain 3	6945	-13.42	/	/	/	5
		7025	-13.25	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6945	-7.42	10.96	1.06	4.6	5
		7025	-7.26	10.96	1.06	4.76	5
802.11ax80_RU_242/61	Chain 0	6945	-13.63	/	/	/	5
		7025	-13.68	/	/	/	5
	Chain 1	6945	-13.57	/	/	/	5
		7025	-13.38	/	/	/	5
	Chain 2	6945	-13.05	/	/	/	5
		7025	-13.53	/	/	/	5
	Chain 3	6945	-13.15	/	/	/	5
		7025	-13.67	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6945	-7.32	10.96	1.06	4.7	5
		7025	-7.54	10.96	1.06	4.48	5
802.11ax80_RU_484/65	Chain 0	6945	-13.44	/	/	/	5


Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax80 _RU_484/65	Chain 0	7025	-13.42	/	/	/	5
	Chain 1	6945	-13.45	/	/	/	5
		7025	-13.62	/	/	/	5
	Chain 2	6945	-13.57	/	/	/	5
		7025	-13.30	/	/	/	5
	Chain 3	6945	-13.37	/	/	/	5
		7025	-13.17	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6945	-7.44	10.96	1.06	4.58	5
802.11ax80 _RU_996/67	Chain 0	6945	-13.01	/	/	/	5
		7025	-13.28	/	/	/	5
	Chain 1	6945	-13.26	/	/	/	5
		7025	-13.42	/	/	/	5
	Chain 2	6945	-13.62	/	/	/	5
		7025	-13.58	/	/	/	5
	Chain 3	6945	-13.05	/	/	/	5
		7025	-13.62	/	/	/	5
802.11ax160 _RU_26/0	Chain 0 +Chain 1 +Chain 2 +Chain 3	6945	-7.21	10.96	1.06	4.81	5
		7025	-7.45	10.96	1.06	4.57	5
	Chain 0	6985	-13.52	/	/	/	5
	Chain 1	6985	-13.46	/	/	/	5
	Chain 2	6985	-13.54	/	/	/	5
	Chain 3	6985	-13.27	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6985	-7.43	10.96	1.17	4.7	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6985	-7.43	10.96	1.17	4.7	5
802.11ax160 _RU_52/37	Chain 0	6985	-13.34	/	/	/	5
	Chain 1	6985	-13.15	/	/	/	5
	Chain 2	6985	-13.35	/	/	/	5
	Chain 3	6985	-13.25	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6985	-7.25	10.96	1.17	4.88	5
802.11ax160 _RU_106/53	Chain 0	6985	-13.24	/	/	/	5
	Chain 1	6985	-13.26	/	/	/	5

Mode	Antenna	Test Frequency (MHz)	PSD (dBm/MHz)	Directional Gain(dBi)	Duty Cycle Factor(dB)	EIRP PSD(dBm /MHz)	Limit (dBm /MHz)
802.11ax160_RU_106/53	Chain 2	6985	-13.11	/	/	/	5
	Chain 3	6985	-13.74	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6985	-7.31	10.96	1.17	4.82	5
802.11ax160_RU_242/61	Chain 0	6985	-13.34	/	/	/	5
	Chain 1	6985	-13.35	/	/	/	5
	Chain 2	6985	-13.59	/	/	/	5
	Chain 3	6985	-13.74	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6985	-7.48	10.96	1.17	4.65	5
802.11ax160_RU_484/65	Chain 0	6985	-13.40	/	/	/	5
	Chain 1	6985	-13.54	/	/	/	5
	Chain 2	6985	-13.41	/	/	/	5
	Chain 3	6985	-13.28	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6985	-7.39	10.96	1.17	4.74	5
802.11ax160_RU_996/67	Chain 0	6985	-13.38	/	/	/	5
	Chain 1	6985	-13.17	/	/	/	5
	Chain 2	6985	-13.66	/	/	/	5
	Chain 3	6985	-13.26	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6985	-7.34	10.96	1.17	4.79	5
802.11ax160_RU_2*996	Chain 0	6985	-13.51	/	/	/	5
	Chain 1	6985	-13.22	/	/	/	5
	Chain 2	6985	-13.11	/	/	/	5
	Chain 3	6985	-13.23	/	/	/	5
	Chain 0 +Chain 1 +Chain 2 +Chain 3	6985	-7.24	10.96	1.17	4.89	5

Note:**EIRP PSD=PSD+Directional Gain+Duty Cycle Factor****Duty Cycle Factor=10*log(1/x),where:x is Duty Cycle(Linear)**


5925-6425 MHz:

802.11ax20_5955MHz_RU_26/0_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 17:40:08

802.11ax20_6175MHz_RU_26/0_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 18:07:39

802.11ax20_5955MHz_RU_26/0_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 03:31:48

802.11ax20_6175MHz_RU_26/0_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 03:42:25

802.11ax20_5955MHz_RU_26/0_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 19:58:26

802.11ax20_6175MHz_RU_26/0_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:10:58

802.11ax20_5955MHz_RU_26/0_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 19:53:51

802.11ax20_6175MHz_RU_26/0_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 20:20:49

802.11ax20_6415MHz_RU_26/8_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 19:27:37

802.11ax20_6415MHz_RU_26/8_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 17:24:33

802.11ax20_6415MHz_RU_26/8_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:17:51

802.11ax20_6415MHz_RU_26/8_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 20:32:55

802.11ax20_5955MHz_RU_52/37_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 17:41:17

802.11ax20_6175MHz_RU_52/37_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 21:37:27

802.11ax20_5955MHz_RU_52/37_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 03:33:25

802.11ax20_6175MHz_RU_52/37_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 03:43:57

802.11ax20_5955MHz_RU_52/37_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 19:59:12

802.11ax20_6175MHz_RU_52/37_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:11:50

802.11ax20_5955MHz_RU_52/37_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 19:55:19

802.11ax20_6175MHz_RU_52/37_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 20:25:36

802.11ax20_6415MHz_RU_52/40_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 19:28:20

802.11ax20_6415MHz_RU_52/40_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 17:25:13

802.11ax20_6415MHz_RU_52/40_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:20:06

802.11ax20_6415MHz_RU_52/40_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 20:34:18

802.11ax20_5955MHz_RU_106/53_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 17:42:12

802.11ax20_6175MHz_RU_106/53_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 18:16:11

802.11ax20_5955MHz_RU_106/53_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 03:36:08

802.11ax20_6175MHz_RU_106/53_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 03:45:12

802.11ax20_5955MHz_RU_106/53_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 19:59:52

802.11ax20_6175MHz_RU_106/53_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:12:32

802.11ax20_5955MHz_RU_106/53_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 19:56:53

802.11ax20_6175MHz_RU_106/53_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 14.FEB.2025 13:55:07

802.11ax20_6415MHz_RU_106/54_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 19:29:40

802.11ax20_6415MHz_RU_106/54_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 17:26:02

802.11ax20_6415MHz_RU_106/54_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:21:40

802.11ax20_6415MHz_RU_106/54_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 20:35:18

802.11ax20_5955MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 17:45:15

802.11ax20_6175MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 19:21:15

802.11ax20_6415MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 24.DEC.2024 19:30:36

802.11ax20_5955MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 03:39:33

802.11ax20_6175MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 03:55:40

802.11ax20_6415MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 17:28:07

802.11ax20_5955MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:01:41

802.11ax20_6175MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:14:48

802.11ax20_6415MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 20:22:59

802.11ax20_5955MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 19:57:48

802.11ax20_6175MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 20:29:08

802.11ax20_6415MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 20:39:59

802.11ax40_5965MHz_RU_26/0_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 20:27:35

802.11ax40_6165MHz_RU_26/0_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 20:44:49

802.11ax40_5965MHz_RU_26/0_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:21:07

802.11ax40_6165MHz_RU_26/0_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:33:38

802.11ax40_5965MHz_RU_26/0_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:42:09

802.11ax40_6165MHz_RU_26/0_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:49:23


802.11ax40_5965MHz_RU_26/0_Chain 3




802.11ax40_6165MHz_RU_26/0_Chain 3




802.11ax40_6405MHz_RU_26/17_Chain 0




802.11ax40_6405MHz_RU_26/17_Chain 1




802.11ax40_6405MHz_RU_26/17_Chain 2



802.11ax40_6405MHz_RU_26/17_Chain 3




802.11ax40_5965MHz_RU_52/37_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 19:49:30

802.11ax40_6165MHz_RU_52/37_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 20:47:59

802.11ax40_5965MHz_RU_52/37_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:21:56

802.11ax40_6165MHz_RU_52/37_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:35:42

802.11ax40_5965MHz_RU_52/37_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:42:55

802.11ax40_6165MHz_RU_52/37_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:50:28


802.11ax40_5965MHz_RU_52/37_Chain 3




802.11ax40_6165MHz_RU_52/37_Chain 3




802.11ax40_6405MHz_RU_52/44_Chain 0




802.11ax40_6405MHz_RU_52/44_Chain 1




802.11ax40_6405MHz_RU_52/44_Chain 2



802.11ax40_6405MHz_RU_52/44_Chain 3




802.11ax40_5965MHz_RU_106/53_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 19:50:21

802.11ax40_6165MHz_RU_106/53_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 20:49:30

802.11ax40_5965MHz_RU_106/53_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:22:48

802.11ax40_6165MHz_RU_106/53_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:36:41

802.11ax40_5965MHz_RU_106/53_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:43:40

802.11ax40_6165MHz_RU_106/53_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:51:08

802.11ax40_5965MHz_RU_106/53_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 21:43:44

802.11ax40_6165MHz_RU_106/53_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 22:41:47

802.11ax40_6405MHz_RU_106/56_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 22:19:50

802.11ax40_6405MHz_RU_106/56_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 20:03:06

802.11ax40_6405MHz_RU_106/56_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 22:22:48

802.11ax40_6405MHz_RU_106/56_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 22:52:23

802.11ax40_5965MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 20:28:52

802.11ax40_6165MHz_RU_242/61_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 20:52:50

802.11ax40_5965MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:23:33

802.11ax40_6165MHz_RU_242/61_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:38:36

802.11ax40_5965MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:45:34

802.11ax40_6165MHz_RU_242/61_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:52:26

802.11ax40_5965MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 21:46:38

802.11ax40_6165MHz_RU_242/61_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 22:43:25

802.11ax40_6405MHz_RU_242/62_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 22:22:03

802.11ax40_6405MHz_RU_242/62_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 20:03:53

802.11ax40_6405MHz_RU_242/62_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 22:24:42

802.11ax40_6405MHz_RU_242/62_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 22:53:13

802.11ax40_5965MHz_RU_484/65_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 20:31:18

802.11ax40_6165MHz_RU_484/65_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 21:05:20

802.11ax40_6405MHz_RU_484/65_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 22:24:14

802.11ax40_5965MHz_RU_484/65_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:25:44

802.11ax40_6165MHz_RU_484/65_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 19:44:20

802.11ax40_6405MHz_RU_484/65_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 30.DEC.2024 20:06:14

802.11ax40_5965MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:47:34

802.11ax40_6165MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 21:54:08

802.11ax40_6405MHz_RU_484/65_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 27.DEC.2024 22:25:41

802.11ax40_5965MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 21:50:29

802.11ax40_6165MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 22:47:48

802.11ax40_6405MHz_RU_484/65_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 25.DEC.2024 22:55:15

802.11ax80_5985MHz_RU_26/0_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 17:44:47

802.11ax80_6145MHz_RU_26/0_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 18:00:14

802.11ax80_6385MHz_RU_26/0_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 18:00:57

802.11ax80_5985MHz_RU_26/0_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 21:46:43

802.11ax80_6145MHz_RU_26/0_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 22:28:54

802.11ax80_6385MHz_RU_26/0_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 23:15:08

802.11ax80_5985MHz_RU_26/0_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:23:53

802.11ax80_6145MHz_RU_26/0_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:35:35

802.11ax80_6385MHz_RU_26/0_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:44:13

802.11ax80_5985MHz_RU_26/0_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 01:16:00

802.11ax80_6145MHz_RU_26/0_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 02:05:55

802.11ax80_6385MHz_RU_26/0_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 02:18:49

802.11ax80_5985MHz_RU_52/37_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 17:46:19

802.11ax80_6145MHz_RU_52/37_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 18:01:17

802.11ax80_6385MHz_RU_52/37_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 18:09:42

802.11ax80_5985MHz_RU_52/37_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 21:40:57

802.11ax80_6145MHz_RU_52/37_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 22:30:10

802.11ax80_6385MHz_RU_52/37_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 23:16:48

802.11ax80_5985MHz_RU_52/37_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:26:08

802.11ax80_6145MHz_RU_52/37_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:37:33

802.11ax80_6385MHz_RU_52/37_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:45:36

802.11ax80_5985MHz_RU_52/37_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 01:17:08

802.11ax80_6145MHz_RU_52/37_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 02:08:42

802.11ax80_6385MHz_RU_52/37_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 02:20:09

802.11ax80_5985MHz_RU_106/53_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 17:47:51

802.11ax80_6145MHz_RU_106/53_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 18:02:58

802.11ax80_6385MHz_RU_106/53_Chain 0




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 23.DEC.2024 18:10:48

802.11ax80_5985MHz_RU_106/53_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 21:50:25

802.11ax80_6145MHz_RU_106/53_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 22:31:10

802.11ax80_6385MHz_RU_106/53_Chain 1




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 29.DEC.2024 23:19:07

802.11ax80_5985MHz_RU_106/53_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:27:44

802.11ax80_6145MHz_RU_106/53_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:40:23

802.11ax80_6385MHz_RU_106/53_Chain 2




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 28.DEC.2024 00:47:28

802.11ax80_5985MHz_RU_106/53_Chain 3




ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 01:19:08

802.11ax80_6145MHz_RU_106/53_Chain 3



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 02:09:56

802.11ax80_6385MHz_RU_106/53_Chain 3



ProjectNo.:2402Z38564E-RF Tester:Jeff Wei
Date: 26.DEC.2024 02:21:45