

DFS Appendix

802.11ax(HE20) - 5260MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	89	1	598
2	62	1	858
3	83	1	638
4	59	1	898
5	63	1	838
6	86	1	618
7	59	1	898
8	63	1	838
9	59	1	898
10	83	1	638
11	98	1	538
12	57	1	938
13	59	1	898
14	65	1	818
15	92	1	578
16	92	1	578
17	78	1	678
18	63	1	838
19	81	1	658
20	86	1	618
21	74	1	718
22	83	1	638
23	67	1	798
24	81	1	658
25	74	1	718
26	83	1	638
27	74	1	718
28	70	1	758
29	89	1	598
30	63	1	838

802.11ax(HE20) - 5260MHz

RADAR TYPE 2

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	29	3.9	181
2	25	4.6	151
3	25	3.1	162
4	24	3.5	213
5	24	3.3	229
6	25	2	166
7	28	1.1	171
8	26	1.8	216
9	28	3.8	224
10	25	2.2	182
11	29	4.3	160
12	27	3.8	211
13	25	4.8	157
14	28	1.9	205
15	26	2.1	167
16	26	3.6	165
17	24	3.5	201
18	25	2.5	212
19	24	4.9	203
20	27	4.6	208
21	26	1.5	192
22	26	2.7	151
23	27	5	172
24	27	4	160
25	25	1.6	209
26	27	1.6	150
27	29	2.4	211
28	28	1.9	211
29	28	1.5	199
30	29	2.5	216

802.11ax(HE20) - 5260MHz**RADAR TYPE 3**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	18	7.7	218
2	17	7.9	286
3	18	9.6	428
4	16	9.4	333
5	17	6.9	344
6	16	9.9	277
7	16	8.4	438
8	17	9.8	321
9	18	7	277
10	16	6.9	445
11	17	9.7	335
12	17	8.2	330
13	16	6.6	332
14	17	6.6	389
15	17	8.7	282
16	17	9.5	425
17	17	6.2	354
18	16	7.1	259
19	18	10	319
20	17	9	225
21	18	7.5	380
22	18	8.2	329
23	16	6	474
24	16	9.4	391
25	16	7	330
26	18	9.6	270
27	16	9.1	277
28	16	8.8	213
29	17	8.7	336
30	18	9.2	443

802.11ax(HE20) - 5260MHz

RADAR TYPE 4

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	12.7	268
2	16	17.2	432
3	15	14.9	393
4	13	11.8	243
5	12	15.9	213
6	15	17.6	244
7	14	19.1	337
8	15	15.5	396
9	13	11.4	281
10	16	16.3	361
11	15	15.9	226
12	16	15.5	435
13	15	14.4	226
14	14	11.1	281
15	13	19.9	402
16	13	16.1	390
17	13	14.1	326
18	14	16.8	395
19	12	13.1	294
20	12	11.4	403
21	16	14	328
22	15	19.8	250
23	12	15.3	378
24	14	18.2	230
25	15	19.5	372
26	12	17.2	242
27	13	15	356
28	14	11.3	269
29	12	12	231
30	13	11.1	392

802.11ax(HE20) - 5260MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	5	1	5260
2	14	1	5260
3	13	1	5260
4	19	1	5260
5	10	1	5260
6	11	1	5260
7	7	1	5260
8	20	1	5260
9	10	1	5260
10	18	1	5260
11	16	2	5256.4
12	12	2	5254.8
13	7	2	5252.8
14	9	2	5253.6
15	12	2	5254.8
16	7	2	5252.8
17	14	2	5255.6
18	12	2	5254.8
19	6	2	5252.4
20	17	2	5256.8
21	12	3	5265.2
22	17	3	5263.2
23	12	3	5265.2
24	5	3	5268
25	9	3	5266.4
26	9	3	5266.4
27	19	3	5262.4
28	16	3	5263.6
29	12	3	5265.2
30	20	3	5262

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	87.3	5	1470		424.855
2	3	67.8	5	1644	1529	295.994
3	2	86.6	5	1101		182.857
4	3	60.1	5	1797	1149	214.03
5	2	69.7	5	1833		79.013
6	1	88.3	5			279.207
7	2	81.5	5	1213		411.11
8	2	50	5	1716		313.913
9	1	62.6	5			193.667
10	2	88.8	5	1502		562.35
11	2	70.4	5	1265		538.393
12	1	50.8	5			412.467
13	3	90.9	5	1541	1866	477.93
14	2	51	5	1312		103.103
15	2	95	5	1701		486.857
16	2	81.9	5	1663		466
17	3	87.6	5	1742	1051	194.133
18	2	81.7	5	1357		300.267

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 10

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	72.7	13	1947		303.74
2	2	54.4	13	1743		17.897
3	2	89.4	13	1897		568.17
4	1	51.5	13			472.13
5	1	97.8	13			791.76
6	2	63.2	13	1888		172.58
7	2	73.5	13	1973		305.58
8	2	82.8	13	1012		67.18
9	2	80.7	13	1560		256.97
10	2	81.6	13	1579		776.24
11	3	80.9	13	1512	1887	716.55
12	2	62.8	13	1514		103.79
13	2	92.2	13	1667		437.7
14	2	86.9	13	1645		429.3
15	1	50.2	13			478

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	95.7	19	1117	1241	281.968
2	1	93.3	19			837.81
3	3	86.6	19	1030	1382	563.29
4	3	65.5	19	1831	1600	398.74
5	2	63.3	19	1855		97.27
6	3	90.8	19	1840	1715	869.42
7	1	52	19			416.76
8	2	95	19	1250		369.29
9	2	92	19	1960		47.17
10	2	85	19	1072		482.73
11	2	93	19	1401		367.3
12	2	86.6	19	1055		258.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	73.3	10	1874		905.122
2	2	73	10	1943		876.96
3	3	58.4	10	1786	1159	637.79
4	2	95.7	10	1775		560.31
5	1	69	10			712.6
6	2	51.7	10	1190		38.39
7	1	61.5	10			354.58
8	1	52.1	10			231.03
9	1	59.2	10			662.56
10	2	82	10	1184		420.24
11	3	76.9	10	1205	1781	493.1
12	2	60.2	10	1842		563.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	84.7	11	1473	1016	447.919
2	1	62.3	11			776.227
3	3	93.4	11	1829	1434	370.494
4	3	89.8	11	1399	1339	498.161
5	3	54.4	11	1832	1166	698.869
6	3	88.1	11	1760	1894	584.666
7	3	98.9	11	1488	1886	636.493
8	1	50.6	11			789.88
9	3	52.4	11	1442	1460	69.977
10	2	86.5	11	1356		202.494
11	1	98.9	11			392.641
12	2	95.1	11	1769		497.789
13	2	71.8	11	1705		413.386
14	2	86.9	11	1653		338.843

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	93.9	7	1411		636.777
2	2	94.9	7	1358		487.278
3	1	55.3	7			183.185
4	3	85.6	7	1502	1819	501.883
5	2	66.1	7	1833		561.601
6	2	76.4	7	1237		687.028
7	3	86.7	7	1788	1652	623.786
8	1	96	7			360.564
9	3	83	7	1893	1645	197.961
10	2	73	7	1508		212.429
11	2	92.9	7	1007		290.696
12	2	93.9	7	1217		682.214
13	2	50.5	7	1042		468.382
14	1	73.4	7			24.649
15	3	90	7	1360	1788	156.447
16	1	57.7	7			495.365
17	1	99.2	7			225.982

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	84.1	20			448.352
2	2	80.2	20	1546		463.693
3	2	94.1	20	1797		115.417
4	2	89.1	20	1327		521.41
5	2	96.7	20	1293		309.803
6	3	71.5	20	1914	1080	532.217
7	3	88	20	1167	1009	478.05
8	2	60.6	20	1428		620.343
9	3	56	20	1542	1633	564.197
10	1	82.8	20			636.12
11	1	88.2	20			327.573
12	2	54.6	20	1444		340.627
13	2	86.7	20	1982		447.96
14	2	83.4	20	1967		417.123
15	1	92.1	20			176.127
16	3	93.6	20	1023	1227	37.7
17	3	55.6	20	1074	1483	295.833
18	3	84.3	20	1375	1263	59.867

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	50	10	1334		71.025
2	1	88.2	10			238.263
3	2	74.9	10	1962		509.06
4	3	72.9	10	1135	1119	122.76
5	2	50.1	10	1610		111.94
6	3	98.8	10	1676	1526	452.71
7	2	93.1	10	1810		72.87
8	2	72.6	10	1180		25.36
9	3	84.7	10	1432	1087	57.4
10	2	55.4	10	1484		379.74
11	2	98	10	1422		51.37
12	2	70.7	10	1588		236.53
13	3	54.4	10	1998	1110	114.1
14	2	96.7	10	1803		377.13
15	2	50.7	10	1217		498.34
16	3	66.5	10	1812	1126	144.82
17	3	55	10	1538	1688	423.4
18	1	63.7	10			477.6
19	2	51.8	10	1925		171
20	2	66.3	10	1330		317

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	90.8	16	1804		569.233
2	1	79.8	16			404.367
3	2	75.5	16	1778		732.914
4	2	94.9	16	1851		310.091
5	2	76.7	16	1538		712.209
6	2	67.9	16	1434		732.296
7	2	51.6	16	1285		46.343
8	3	71.6	16	1052	1419	135.14
9	2	76.2	16	1281		490.117
10	1	57	16			539.524
11	3	56.1	16	1674	1884	391.561
12	2	65.5	16	1281		276.559
13	2	94.4	16	1853		414.186
14	1	71.6	16			171.643

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	91.3	12	1343	1284	155.707
2	2	64.4	12	1423		325.623
3	1	84.1	12			625.496
4	2	88.7	12	1335		861.659
5	2	60.9	12	1512		384.212
6	2	54	12	1083		457.965
7	1	95	12			291.408
8	2	75.6	12	1283		317.642
9	2	79.5	12	1860		78.055
10	1	50.7	12			359.328
11	3	99	12	1420	1617	82.191
12	2	50.6	12	1635		678.254
13	2	58.3	12	1476		49.477

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	86.1	7	1667	1340	15.377
2	3	58.3	7	1875	1951	469.54
3	1	50.3	7			228.96
4	3	60.6	7	1261	1775	284.67
5	2	97.4	7	1659		405.94
6	1	95.3	7			615.89
7	2	66.5	7	1123		186.8
8	1	65.6	7			33.63
9	3	57.3	7	1877	1581	161.96
10	2	70.9	7	1801		2.14
11	3	54.4	7	1895	1929	554.35
12	3	56.9	7	1938	1714	147.51
13	3	87.9	7	1080	1470	172.34
14	2	51.4	7	1418		23.4
15	3	80.7	7	1641	1368	44.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	54.2	12			330.597
2	2	61.7	12	1392		573.031
3	2	63.4	12	1170		176.672
4	2	68.9	12	1624		573.833
5	2	78.2	12	1334		57.984
6	2	53	12	1612		520.825
7	2	60.1	12	1868		334.176
8	2	90	12	1713		75.627
9	2	63.8	12	1820		35.298
10	2	71.9	12	1010		221.449
11	2	51.1	12	1288		218.941
12	2	72	12	1040		452.732
13	2	93.8	12	1487		97.283
14	1	84.8	12			59.764
15	2	88.5	12	1892		516.975
16	1	63	12			444.046
17	2	57.3	12	1889		618.637
18	2	91.7	12	1854		142.758
19	2	92.8	12	1832		158.779

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	74.9	7	1433	1370	925.503
2	3	94.2	7	1872	1204	517.4
3	3	65.5	7	1312	1416	807.96
4	1	50.3	7			262.6
5	1	57.9	7			855.76
6	2	54.9	7	1850		655.42
7	3	52	7	1227	1278	7.19
8	2	52.8	7	1263		928.25
9	2	89.8	7	1650		53.77
10	2	71.3	7	1341		185.65
11	2	55.3	7	1998		92
12	2	73.5	7	1143		338.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	88.1	14	1432	1750	479.02
2	2	73.6	14	1274		605.663
3	2	73.4	14	1813		207.827
4	3	52.5	14	1358	1939	459.61
5	1	79.9	14			15.153
6	1	87.1	14			404.387
7	2	67.9	14	1121		427.66
8	3	69.8	14	1991	1579	475.493
9	3	55.3	14	1181	1935	178.347
10	2	71.3	14	1874		615.95
11	2	68.2	14	1166		462.533
12	1	55.8	14			123.367
13	1	87.7	14			33.82
14	2	54.5	14	1616		3.103
15	1	62.9	14			173.507
16	1	66.5	14			314.1
17	2	86.2	14	1117		531.233
18	3	58.9	14	1570	1499	94.667

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	53.4	12	1581		587.375
2	2	53.1	12	1665		261.177
3	3	99	12	1179	1731	378.584
4	1	75.4	12			178.991
5	1	57.6	12			216.989
6	1	99.7	12			793.516
7	2	77.1	12	1312		32.933
8	2	52.6	12	1509		414.57
9	1	52.7	12			605.417
10	1	93	12			621.234
11	3	98.2	12	1398	1615	627.821
12	2	80.3	12	1350		842.529
13	3	67.8	12	1598	1435	247.586
14	1	57.5	12			823.643

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	81.7	6	1496	1927	799.317
2	2	62.3	6	1056		163.117
3	3	93.9	6	1004	1603	675.574
4	2	61.6	6	1232		713.251
5	3	95.7	6	1533	1511	420.339
6	1	82.6	6			116.236
7	3	66.9	6	1388	1415	37.843
8	2	95.2	6	1579		571.75
9	3	95.3	6	1149	1713	803.937
10	2	59.8	6	1468		99.134
11	2	94.1	6	1334		737.021
12	1	50.5	6			366.829
13	1	60.2	6			532.886
14	2	81.6	6	1668		408.743

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	58.3	17	1290		177.308
2	2	64.4	17	1061		120.227
3	2	61.3	17	1698		145.627
4	1	94.3	17			504.5
5	2	99	17	1349		28.363
6	1	65	17			7.847
7	3	68	17	1904	1792	586.14
8	2	65.9	17	1242		417.853
9	2	99.4	17	1720		279.927
10	1	64	17			40.52
11	1	80.2	17			131.503
12	1	63	17			214.137
13	2	67.7	17	1082		612.3
14	3	73.2	17	1308	1584	324.773
15	3	52.9	17	1194	1453	190.267
16	2	94.7	17	1445		420.3
17	1	66.9	17			78.333
18	1	85.6	17			34.767

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	54.7	12	1789		459.876
2	3	67.2	12	1087	1842	8.897
3	2	51.8	12	1726		489.81
4	2	71.5	12	1514		567.55
5	2	54.3	12	1315		142.7
6	3	89	12	1783	1516	53.18
7	1	85.9	12			545.3
8	3	98.9	12	1630	1461	457.57
9	2	85.5	12	1899		537.18
10	2	54.4	12	1874		473.29
11	2	58.8	12	1969		360.19
12	1	82.3	12			112.28
13	2	97.3	12	1437		293.37
14	1	62.4	12			166.53
15	2	60.9	12	1482		80.88
16	2	52.6	12	1262		481.55
17	1	56.1	12			258
18	2	73.8	12	1055		428.7
19	2	72.3	12	1857		411.5
20	2	66	12	1060		130

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	58.2	17	1598		487.68
2	2	68.7	17	1093		108.808
3	2	62.1	17	1636		512.734
4	3	64.5	17	1897	1773	273.521
5	1	75.6	17			622.549
6	2	57.9	17	1242		184.576
7	3	90.5	17	1511	1921	42.303
8	1	72	17			660.35
9	2	65.1	17	1117		826.117
10	2	78.4	17	1775		624.754
11	3	82.3	17	1653	1819	691.731
12	2	90.1	17	1432		486.019
13	2	92.2	17	1404		754.686
14	2	92.5	17	1534		590.243

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	80.8	12	1308	1105	334.108
2	2	77.6	12	1170		336.65
3	2	53	12	1902		791.08
4	3	68	12	1593	1120	513.08
5	1	70.9	12			139.33
6	1	77.7	12			771.52
7	2	74.1	12	1476		16.66
8	3	62.9	12	1354	1154	0.99
9	2	60.3	12	1672		668.37
10	2	70.7	12	1763		204.49
11	1	71.4	12			453.43
12	3	72	12	1072	1746	280.72
13	1	91.5	12			618.7
14	2	71	12	1732		235.9
15	1	82.6	12			479.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	85.2	5	1396	1338	720.721
2	2	88.1	5	1982		489.58
3	2	55.3	5	1798		698.36
4	3	63	5	1687	1550	420.45
5	2	62.2	5	1603		216.35
6	2	95.3	5	1906		789.32
7	3	69.4	5	1765	1603	693.7
8	2	83.9	5	1858		369.9
9	3	96.8	5	1494	1286	473.1
10	2	78.1	5	1077		382.86
11	2	67.1	5	1755		102.21
12	3	55.3	5	1304	1670	27.33
13	3	60.8	5	1395	1922	451.5
14	1	64.2	5			356.7
15	3	71.7	5	1199	1884	72.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	92.6	9			568.913
2	2	86.8	9	1786		620.327
3	2	55.4	9	1204		326.584
4	2	71.9	9	2000		666.751
5	3	53.2	9	1486	1145	780.369
6	2	97.4	9	1942		576.136
7	3	96.4	9	1193	1856	63.203
8	3	54.6	9	1038	1714	579.52
9	2	53.2	9	1669		572.367
10	3	60.4	9	1446	1536	680.204
11	2	89.5	9	1178		519.451
12	1	84.4	9			12.899
13	2	97.1	9	1138		550.986
14	3	91.1	9	1888	1883	179.943

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	59.1	9	1068		874.591
2	1	99.3	9			526.84
3	2	71.9	9	1094		688.71
4	2	79.1	9	1284		447.69
5	1	90.7	9			187.23
6	1	89	9			507.02
7	2	57.1	9	1115		909.2
8	3	66.4	9	1523	1767	389.29
9	2	92.5	9	1853		178.01
10	1	75.5	9			485.52
11	1	75.2	9			723.3
12	2	86.4	9	1762		769.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	91.7	19	1721		418.601
2	2	64.7	19	1643		423.618
3	2	77.8	19	1524		256.925
4	2	76.1	19	1152		631.203
5	2	72.6	19	1630		463.661
6	2	66.2	19	1350		617.308
7	1	61.3	19			167.886
8	2	82.4	19	1284		151.804
9	2	57.6	19	1996		190.521
10	2	97.2	19	1983		395.009
11	2	96	19	1787		654.806
12	1	89.4	19			635.164
13	1	91.1	19			75.302
14	2	85.1	19	1397		148.849
15	1	80.9	19			501.047
16	2	52.5	19	1653		623.165
17	2	51.6	19	1688		547.982

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	87.6	12	1320		490.101
2	1	57	12			159.426
3	2	97	12	1233		250.782
4	1	59	12			20.663
5	2	81.1	12	1233		436.834
6	2	70.9	12	1126		250.585
7	1	92.1	12			428.216
8	2	74.2	12	1681		0.017
9	1	92.9	12			303.408
10	2	97.9	12	1682		406.009
11	2	58.3	12	1284		407.641
12	1	92.2	12			161.902
13	3	50.1	12	1913	1572	295.213
14	2	74.6	12	1443		35.504
15	1	86.3	12			515.835
16	2	57.2	12	1156		265.096
17	2	78.6	12	1191		122.937
18	2	99.7	12	1990		163.758
19	1	85.5	12			436.779

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	56.9	20	1748	1221	614.348
2	1	89.7	20			560.253
3	1	92.2	20			856.186
4	1	60.2	20			629.479
5	2	81.5	20	1959		845.752
6	1	94.7	20			769.585
7	2	84.6	20	1201		89.078
8	2	65	20	1902		30.952
9	2	93.8	20	1125		162.575
10	1	88.3	20			305.198
11	2	55	20	1537		862.431
12	2	73.6	20	1085		679.054
13	2	58.3	20	1412		424.477

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.396	20	
2	5.26	5.679	20	
3	5.26	5.635	20	
4	5.26	5.501	20	*
5	5.26	5.515	20	
6	5.26	5.462	20	
7	5.26	5.426	20	
8	5.26	5.52	20	
9	5.26	5.34	20	
10	5.26	5.664	20	
11	5.26	5.581	20	
12	5.26	5.404	20	
13	5.26	5.281	20	
14	5.26	5.535	20	
15	5.26	5.665	20	
16	5.26	5.351	20	
17	5.26	5.568	20	
18	5.26	5.539	20	
19	5.26	5.637	20	
20	5.26	5.66	20	
21	5.26	5.6	20	
22	5.26	5.446	20	
23	5.26	5.365	20	
24	5.26	5.513	20	
25	5.26	5.575	20	
26	5.26	5.62	20	
27	5.26	5.374	20	
28	5.26	5.58	20	
29	5.26	5.265	20	
30	5.26	5.588	20	
31	5.26	5.327	20	
32	5.26	5.413	20	
33	5.26	5.548	20	
34	5.26	5.64	20	
35	5.26	5.275	20	
36	5.26	5.691	20	
37	5.26	5.703	20	
38	5.26	5.648	20	
39	5.26	5.273	20	
40	5.26	5.272	20	
41	5.26	5.614	20	
42	5.26	5.571	20	
43	5.26	5.527	20	
44	5.26	5.605	20	
45	5.26	5.536	20	
46	5.26	5.32	20	
47	5.26	5.5	20	*

48	5.26	5.577	20	
49	5.26	5.721	20	
50	5.26	5.323	20	
51	5.26	5.533	20	
52	5.26	5.308	20	
53	5.26	5.284	20	
54	5.26	5.525	20	
55	5.26	5.316	20	
56	5.26	5.471	20	
57	5.26	5.583	20	
58	5.26	5.511	20	
59	5.26	5.698	20	
60	5.26	5.53	20	
61	5.26	5.685	20	
62	5.26	5.28	20	
63	5.26	5.554	20	
64	5.26	5.617	20	
65	5.26	5.628	20	
66	5.26	5.504	20	*
67	5.26	5.68	20	
68	5.26	5.629	20	
69	5.26	5.634	20	
70	5.26	5.341	20	
71	5.26	5.557	20	
72	5.26	5.348	20	
73	5.26	5.613	20	
74	5.26	5.309	20	
75	5.26	5.674	20	
76	5.26	5.512	20	
77	5.26	5.523	20	
78	5.26	5.48	20	
79	5.26	5.359	20	
80	5.26	5.586	20	
81	5.26	5.531	20	
82	5.26	5.702	20	
83	5.26	5.587	20	
84	5.26	5.449	20	
85	5.26	5.642	20	
86	5.26	5.509	20	*
87	5.26	5.251	20	
88	5.26	5.717	20	
89	5.26	5.598	20	
90	5.26	5.661	20	
91	5.26	5.305	20	
92	5.26	5.632	20	
93	5.26	5.295	20	
94	5.26	5.718	20	
95	5.26	5.619	20	
96	5.26	5.563	20	
97	5.26	5.406	20	
98	5.26	5.559	20	
99	5.26	5.567	20	
100	5.26	5.532	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.494	20	*
2	5.26	5.522	20	
3	5.26	5.405	20	
4	5.26	5.5	20	*
5	5.26	5.55	20	
6	5.26	5.277	20	
7	5.26	5.71	20	
8	5.26	5.523	20	
9	5.26	5.25	20	
10	5.26	5.394	20	
11	5.26	5.52	20	
12	5.26	5.452	20	
13	5.26	5.697	20	
14	5.26	5.695	20	
15	5.26	5.282	20	
16	5.26	5.505	20	*
17	5.26	5.579	20	
18	5.26	5.602	20	
19	5.26	5.422	20	
20	5.26	5.576	20	
21	5.26	5.448	20	
22	5.26	5.648	20	
23	5.26	5.301	20	
24	5.26	5.524	20	
25	5.26	5.596	20	
26	5.26	5.511	20	
27	5.26	5.296	20	
28	5.26	5.455	20	
29	5.26	5.621	20	
30	5.26	5.265	20	
31	5.26	5.287	20	
32	5.26	5.559	20	
33	5.26	5.636	20	
34	5.26	5.441	20	
35	5.26	5.672	20	
36	5.26	5.607	20	
37	5.26	5.671	20	
38	5.26	5.276	20	
39	5.26	5.708	20	
40	5.26	5.507	20	*
41	5.26	5.391	20	
42	5.26	5.374	20	
43	5.26	5.281	20	
44	5.26	5.666	20	
45	5.26	5.679	20	
46	5.26	5.709	20	
47	5.26	5.319	20	

48	5.26	5.423	20	
49	5.26	5.418	20	
50	5.26	5.436	20	
51	5.26	5.61	20	
52	5.26	5.628	20	
53	5.26	5.632	20	
54	5.26	5.4	20	
55	5.26	5.582	20	
56	5.26	5.398	20	
57	5.26	5.308	20	
58	5.26	5.657	20	
59	5.26	5.262	20	
60	5.26	5.305	20	
61	5.26	5.39	20	
62	5.26	5.339	20	
63	5.26	5.463	20	
64	5.26	5.54	20	
65	5.26	5.317	20	
66	5.26	5.477	20	
67	5.26	5.499	20	*
68	5.26	5.724	20	
69	5.26	5.288	20	
70	5.26	5.615	20	
71	5.26	5.566	20	
72	5.26	5.528	20	
73	5.26	5.684	20	
74	5.26	5.682	20	
75	5.26	5.533	20	
76	5.26	5.574	20	
77	5.26	5.611	20	
78	5.26	5.616	20	
79	5.26	5.548	20	
80	5.26	5.459	20	
81	5.26	5.421	20	
82	5.26	5.322	20	
83	5.26	5.292	20	
84	5.26	5.487	20	
85	5.26	5.268	20	
86	5.26	5.41	20	
87	5.26	5.546	20	
88	5.26	5.367	20	
89	5.26	5.53	20	
90	5.26	5.465	20	
91	5.26	5.275	20	
92	5.26	5.643	20	
93	5.26	5.416	20	
94	5.26	5.694	20	
95	5.26	5.332	20	
96	5.26	5.35	20	
97	5.26	5.329	20	
98	5.26	5.492	20	*
99	5.26	5.712	20	
100	5.26	5.503	20	*

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.711	20	
2	5.26	5.436	20	
3	5.26	5.527	20	
4	5.26	5.59	20	
5	5.26	5.492	20	*
6	5.26	5.322	20	
7	5.26	5.67	20	
8	5.26	5.618	20	
9	5.26	5.515	20	
10	5.26	5.719	20	
11	5.26	5.425	20	
12	5.26	5.307	20	
13	5.26	5.276	20	
14	5.26	5.569	20	
15	5.26	5.398	20	
16	5.26	5.315	20	
17	5.26	5.609	20	
18	5.26	5.371	20	
19	5.26	5.345	20	
20	5.26	5.573	20	
21	5.26	5.356	20	
22	5.26	5.304	20	
23	5.26	5.264	20	
24	5.26	5.301	20	
25	5.26	5.277	20	
26	5.26	5.671	20	
27	5.26	5.448	20	
28	5.26	5.414	20	
29	5.26	5.64	20	
30	5.26	5.313	20	
31	5.26	5.253	20	
32	5.26	5.62	20	
33	5.26	5.643	20	
34	5.26	5.302	20	
35	5.26	5.566	20	
36	5.26	5.68	20	
37	5.26	5.401	20	
38	5.26	5.581	20	
39	5.26	5.582	20	
40	5.26	5.578	20	
41	5.26	5.312	20	
42	5.26	5.251	20	
43	5.26	5.432	20	
44	5.26	5.709	20	
45	5.26	5.454	20	
46	5.26	5.327	20	
47	5.26	5.685	20	

48	5.26	5.689	20	
49	5.26	5.402	20	
50	5.26	5.649	20	
51	5.26	5.358	20	
52	5.26	5.258	20	
53	5.26	5.549	20	
54	5.26	5.703	20	
55	5.26	5.495	20	*
56	5.26	5.602	20	
57	5.26	5.707	20	
58	5.26	5.287	20	
59	5.26	5.612	20	
60	5.26	5.716	20	
61	5.26	5.265	20	
62	5.26	5.667	20	
63	5.26	5.634	20	
64	5.26	5.391	20	
65	5.26	5.721	20	
66	5.26	5.293	20	
67	5.26	5.65	20	
68	5.26	5.687	20	
69	5.26	5.472	20	
70	5.26	5.43	20	
71	5.26	5.299	20	
72	5.26	5.342	20	
73	5.26	5.261	20	
74	5.26	5.529	20	
75	5.26	5.469	20	
76	5.26	5.295	20	
77	5.26	5.393	20	
78	5.26	5.673	20	
79	5.26	5.351	20	
80	5.26	5.463	20	
81	5.26	5.288	20	
82	5.26	5.39	20	
83	5.26	5.336	20	
84	5.26	5.489	20	
85	5.26	5.48	20	
86	5.26	5.724	20	
87	5.26	5.713	20	
88	5.26	5.417	20	
89	5.26	5.694	20	
90	5.26	5.599	20	
91	5.26	5.318	20	
92	5.26	5.475	20	
93	5.26	5.298	20	
94	5.26	5.42	20	
95	5.26	5.539	20	
96	5.26	5.452	20	
97	5.26	5.51	20	*
98	5.26	5.254	20	
99	5.26	5.381	20	
100	5.26	5.654	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.45	20	
2	5.26	5.596	20	
3	5.26	5.401	20	
4	5.26	5.454	20	
5	5.26	5.666	20	
6	5.26	5.542	20	
7	5.26	5.563	20	
8	5.26	5.494	20	*
9	5.26	5.58	20	
10	5.26	5.534	20	
11	5.26	5.548	20	
12	5.26	5.262	20	
13	5.26	5.25	20	
14	5.26	5.556	20	
15	5.26	5.451	20	
16	5.26	5.579	20	
17	5.26	5.574	20	
18	5.26	5.336	20	
19	5.26	5.305	20	
20	5.26	5.313	20	
21	5.26	5.354	20	
22	5.26	5.456	20	
23	5.26	5.562	20	
24	5.26	5.526	20	
25	5.26	5.462	20	
26	5.26	5.287	20	
27	5.26	5.558	20	
28	5.26	5.587	20	
29	5.26	5.268	20	
30	5.26	5.692	20	
31	5.26	5.46	20	
32	5.26	5.529	20	
33	5.26	5.444	20	
34	5.26	5.561	20	
35	5.26	5.695	20	
36	5.26	5.657	20	
37	5.26	5.524	20	
38	5.26	5.455	20	
39	5.26	5.379	20	
40	5.26	5.304	20	
41	5.26	5.595	20	
42	5.26	5.691	20	
43	5.26	5.399	20	
44	5.26	5.517	20	
45	5.26	5.403	20	
46	5.26	5.382	20	
47	5.26	5.677	20	

48	5.26	5.357	20	
49	5.26	5.621	20	
50	5.26	5.613	20	
51	5.26	5.541	20	
52	5.26	5.589	20	
53	5.26	5.482	20	
54	5.26	5.581	20	
55	5.26	5.499	20	*
56	5.26	5.409	20	
57	5.26	5.631	20	
58	5.26	5.328	20	
59	5.26	5.509	20	*
60	5.26	5.7	20	
61	5.26	5.671	20	
62	5.26	5.353	20	
63	5.26	5.32	20	
64	5.26	5.453	20	
65	5.26	5.479	20	
66	5.26	5.36	20	
67	5.26	5.296	20	
68	5.26	5.564	20	
69	5.26	5.644	20	
70	5.26	5.67	20	
71	5.26	5.412	20	
72	5.26	5.416	20	
73	5.26	5.464	20	
74	5.26	5.275	20	
75	5.26	5.363	20	
76	5.26	5.507	20	*
77	5.26	5.551	20	
78	5.26	5.477	20	
79	5.26	5.417	20	
80	5.26	5.475	20	
81	5.26	5.271	20	
82	5.26	5.53	20	
83	5.26	5.321	20	
84	5.26	5.577	20	
85	5.26	5.619	20	
86	5.26	5.622	20	
87	5.26	5.54	20	
88	5.26	5.701	20	
89	5.26	5.254	20	
90	5.26	5.576	20	
91	5.26	5.687	20	
92	5.26	5.72	20	
93	5.26	5.528	20	
94	5.26	5.724	20	
95	5.26	5.457	20	
96	5.26	5.684	20	
97	5.26	5.664	20	
98	5.26	5.459	20	
99	5.26	5.443	20	
100	5.26	5.573	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.354	20	
2	5.26	5.531	20	
3	5.26	5.404	20	
4	5.26	5.251	20	
5	5.26	5.322	20	
6	5.26	5.584	20	
7	5.26	5.695	20	
8	5.26	5.442	20	
9	5.26	5.418	20	
10	5.26	5.548	20	
11	5.26	5.565	20	
12	5.26	5.478	20	
13	5.26	5.438	20	
14	5.26	5.357	20	
15	5.26	5.554	20	
16	5.26	5.708	20	
17	5.26	5.623	20	
18	5.26	5.629	20	
19	5.26	5.608	20	
20	5.26	5.395	20	
21	5.26	5.46	20	
22	5.26	5.473	20	
23	5.26	5.416	20	
24	5.26	5.469	20	
25	5.26	5.52	20	
26	5.26	5.467	20	
27	5.26	5.706	20	
28	5.26	5.479	20	
29	5.26	5.273	20	
30	5.26	5.625	20	
31	5.26	5.422	20	
32	5.26	5.431	20	
33	5.26	5.268	20	
34	5.26	5.683	20	
35	5.26	5.707	20	
36	5.26	5.355	20	
37	5.26	5.543	20	
38	5.26	5.713	20	
39	5.26	5.31	20	
40	5.26	5.351	20	
41	5.26	5.607	20	
42	5.26	5.505	20	*
43	5.26	5.282	20	
44	5.26	5.561	20	
45	5.26	5.697	20	
46	5.26	5.28	20	
47	5.26	5.454	20	

48	5.26	5.259	20	
49	5.26	5.41	20	
50	5.26	5.487	20	
51	5.26	5.507	20	*
52	5.26	5.381	20	
53	5.26	5.657	20	
54	5.26	5.603	20	
55	5.26	5.39	20	
56	5.26	5.451	20	
57	5.26	5.4	20	
58	5.26	5.321	20	
59	5.26	5.643	20	
60	5.26	5.686	20	
61	5.26	5.703	20	
62	5.26	5.464	20	
63	5.26	5.29	20	
64	5.26	5.595	20	
65	5.26	5.593	20	
66	5.26	5.694	20	
67	5.26	5.532	20	
68	5.26	5.488	20	
69	5.26	5.284	20	
70	5.26	5.297	20	
71	5.26	5.278	20	
72	5.26	5.606	20	
73	5.26	5.551	20	
74	5.26	5.443	20	
75	5.26	5.641	20	
76	5.26	5.419	20	
77	5.26	5.698	20	
78	5.26	5.573	20	
79	5.26	5.432	20	
80	5.26	5.482	20	
81	5.26	5.525	20	
82	5.26	5.684	20	
83	5.26	5.675	20	
84	5.26	5.458	20	
85	5.26	5.674	20	
86	5.26	5.585	20	
87	5.26	5.437	20	
88	5.26	5.276	20	
89	5.26	5.572	20	
90	5.26	5.581	20	
91	5.26	5.715	20	
92	5.26	5.563	20	
93	5.26	5.401	20	
94	5.26	5.614	20	
95	5.26	5.649	20	
96	5.26	5.342	20	
97	5.26	5.336	20	
98	5.26	5.3	20	
99	5.26	5.632	20	
100	5.26	5.452	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.478	20	
2	5.26	5.526	20	
3	5.26	5.689	20	
4	5.26	5.406	20	
5	5.26	5.377	20	
6	5.26	5.356	20	
7	5.26	5.51	20	*
8	5.26	5.352	20	
9	5.26	5.659	20	
10	5.26	5.705	20	
11	5.26	5.284	20	
12	5.26	5.719	20	
13	5.26	5.484	20	
14	5.26	5.686	20	
15	5.26	5.297	20	
16	5.26	5.314	20	
17	5.26	5.398	20	
18	5.26	5.321	20	
19	5.26	5.315	20	
20	5.26	5.285	20	
21	5.26	5.642	20	
22	5.26	5.342	20	
23	5.26	5.538	20	
24	5.26	5.458	20	
25	5.26	5.337	20	
26	5.26	5.382	20	
27	5.26	5.493	20	*
28	5.26	5.52	20	
29	5.26	5.452	20	
30	5.26	5.598	20	
31	5.26	5.287	20	
32	5.26	5.589	20	
33	5.26	5.404	20	
34	5.26	5.554	20	
35	5.26	5.355	20	
36	5.26	5.637	20	
37	5.26	5.368	20	
38	5.26	5.438	20	
39	5.26	5.334	20	
40	5.26	5.718	20	
41	5.26	5.697	20	
42	5.26	5.528	20	
43	5.26	5.545	20	
44	5.26	5.687	20	
45	5.26	5.683	20	
46	5.26	5.399	20	
47	5.26	5.585	20	

48	5.26	5.469	20	
49	5.26	5.28	20	
50	5.26	5.265	20	
51	5.26	5.604	20	
52	5.26	5.35	20	
53	5.26	5.525	20	
54	5.26	5.681	20	
55	5.26	5.41	20	
56	5.26	5.295	20	
57	5.26	5.396	20	
58	5.26	5.421	20	
59	5.26	5.517	20	
60	5.26	5.663	20	
61	5.26	5.59	20	
62	5.26	5.451	20	
63	5.26	5.257	20	
64	5.26	5.685	20	
65	5.26	5.441	20	
66	5.26	5.53	20	
67	5.26	5.455	20	
68	5.26	5.502	20	*
69	5.26	5.543	20	
70	5.26	5.465	20	
71	5.26	5.597	20	
72	5.26	5.303	20	
73	5.26	5.318	20	
74	5.26	5.443	20	
75	5.26	5.677	20	
76	5.26	5.706	20	
77	5.26	5.577	20	
78	5.26	5.282	20	
79	5.26	5.253	20	
80	5.26	5.366	20	
81	5.26	5.275	20	
82	5.26	5.364	20	
83	5.26	5.251	20	
84	5.26	5.311	20	
85	5.26	5.521	20	
86	5.26	5.409	20	
87	5.26	5.605	20	
88	5.26	5.423	20	
89	5.26	5.548	20	
90	5.26	5.407	20	
91	5.26	5.448	20	
92	5.26	5.378	20	
93	5.26	5.649	20	
94	5.26	5.676	20	
95	5.26	5.72	20	
96	5.26	5.639	20	
97	5.26	5.581	20	
98	5.26	5.333	20	
99	5.26	5.643	20	
100	5.26	5.477	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.364	20	
2	5.26	5.565	20	
3	5.26	5.29	20	
4	5.26	5.288	20	
5	5.26	5.704	20	
6	5.26	5.691	20	
7	5.26	5.632	20	
8	5.26	5.513	20	
9	5.26	5.403	20	
10	5.26	5.72	20	
11	5.26	5.558	20	
12	5.26	5.555	20	
13	5.26	5.654	20	
14	5.26	5.693	20	
15	5.26	5.267	20	
16	5.26	5.301	20	
17	5.26	5.625	20	
18	5.26	5.427	20	
19	5.26	5.484	20	
20	5.26	5.645	20	
21	5.26	5.432	20	
22	5.26	5.268	20	
23	5.26	5.317	20	
24	5.26	5.46	20	
25	5.26	5.284	20	
26	5.26	5.613	20	
27	5.26	5.589	20	
28	5.26	5.305	20	
29	5.26	5.316	20	
30	5.26	5.646	20	
31	5.26	5.42	20	
32	5.26	5.3	20	
33	5.26	5.601	20	
34	5.26	5.374	20	
35	5.26	5.445	20	
36	5.26	5.542	20	
37	5.26	5.551	20	
38	5.26	5.416	20	
39	5.26	5.576	20	
40	5.26	5.577	20	
41	5.26	5.27	20	
42	5.26	5.679	20	
43	5.26	5.67	20	
44	5.26	5.51	20	*
45	5.26	5.537	20	
46	5.26	5.475	20	
47	5.26	5.678	20	

48	5.26	5.724	20	
49	5.26	5.63	20	
50	5.26	5.6	20	
51	5.26	5.461	20	
52	5.26	5.717	20	
53	5.26	5.651	20	
54	5.26	5.49	20	*
55	5.26	5.407	20	
56	5.26	5.356	20	
57	5.26	5.473	20	
58	5.26	5.512	20	
59	5.26	5.423	20	
60	5.26	5.495	20	*
61	5.26	5.414	20	
62	5.26	5.567	20	
63	5.26	5.289	20	
64	5.26	5.705	20	
65	5.26	5.298	20	
66	5.26	5.404	20	
67	5.26	5.533	20	
68	5.26	5.661	20	
69	5.26	5.602	20	
70	5.26	5.464	20	
71	5.26	5.349	20	
72	5.26	5.379	20	
73	5.26	5.332	20	
74	5.26	5.294	20	
75	5.26	5.662	20	
76	5.26	5.634	20	
77	5.26	5.499	20	*
78	5.26	5.581	20	
79	5.26	5.449	20	
80	5.26	5.69	20	
81	5.26	5.61	20	
82	5.26	5.357	20	
83	5.26	5.493	20	*
84	5.26	5.708	20	
85	5.26	5.251	20	
86	5.26	5.58	20	
87	5.26	5.376	20	
88	5.26	5.573	20	
89	5.26	5.549	20	
90	5.26	5.711	20	
91	5.26	5.368	20	
92	5.26	5.677	20	
93	5.26	5.694	20	
94	5.26	5.339	20	
95	5.26	5.437	20	
96	5.26	5.483	20	
97	5.26	5.254	20	
98	5.26	5.257	20	
99	5.26	5.564	20	
100	5.26	5.408	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.288	20	
2	5.26	5.661	20	
3	5.26	5.425	20	
4	5.26	5.677	20	
5	5.26	5.639	20	
6	5.26	5.413	20	
7	5.26	5.454	20	
8	5.26	5.343	20	
9	5.26	5.543	20	
10	5.26	5.41	20	
11	5.26	5.484	20	
12	5.26	5.603	20	
13	5.26	5.277	20	
14	5.26	5.577	20	
15	5.26	5.316	20	
16	5.26	5.452	20	
17	5.26	5.667	20	
18	5.26	5.666	20	
19	5.26	5.279	20	
20	5.26	5.3	20	
21	5.26	5.463	20	
22	5.26	5.523	20	
23	5.26	5.493	20	*
24	5.26	5.645	20	
25	5.26	5.596	20	
26	5.26	5.649	20	
27	5.26	5.529	20	
28	5.26	5.486	20	
29	5.26	5.369	20	
30	5.26	5.549	20	
31	5.26	5.495	20	*
32	5.26	5.259	20	
33	5.26	5.352	20	
34	5.26	5.392	20	
35	5.26	5.253	20	
36	5.26	5.568	20	
37	5.26	5.351	20	
38	5.26	5.342	20	
39	5.26	5.545	20	
40	5.26	5.438	20	
41	5.26	5.363	20	
42	5.26	5.372	20	
43	5.26	5.592	20	
44	5.26	5.4	20	
45	5.26	5.614	20	
46	5.26	5.657	20	
47	5.26	5.659	20	

48	5.26	5.416	20	
49	5.26	5.328	20	
50	5.26	5.496	20	*
51	5.26	5.696	20	
52	5.26	5.697	20	
53	5.26	5.52	20	
54	5.26	5.7	20	
55	5.26	5.665	20	
56	5.26	5.587	20	
57	5.26	5.658	20	
58	5.26	5.575	20	
59	5.26	5.671	20	
60	5.26	5.525	20	
61	5.26	5.698	20	
62	5.26	5.341	20	
63	5.26	5.662	20	
64	5.26	5.599	20	
65	5.26	5.421	20	
66	5.26	5.298	20	
67	5.26	5.502	20	*
68	5.26	5.595	20	
69	5.26	5.426	20	
70	5.26	5.456	20	
71	5.26	5.254	20	
72	5.26	5.434	20	
73	5.26	5.586	20	
74	5.26	5.511	20	
75	5.26	5.443	20	
76	5.26	5.422	20	
77	5.26	5.611	20	
78	5.26	5.48	20	
79	5.26	5.503	20	*
80	5.26	5.681	20	
81	5.26	5.362	20	
82	5.26	5.384	20	
83	5.26	5.581	20	
84	5.26	5.538	20	
85	5.26	5.625	20	
86	5.26	5.512	20	
87	5.26	5.715	20	
88	5.26	5.31	20	
89	5.26	5.394	20	
90	5.26	5.313	20	
91	5.26	5.506	20	*
92	5.26	5.69	20	
93	5.26	5.355	20	
94	5.26	5.371	20	
95	5.26	5.381	20	
96	5.26	5.402	20	
97	5.26	5.54	20	
98	5.26	5.501	20	*
99	5.26	5.573	20	
100	5.26	5.519	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.654	20	
2	5.26	5.492	20	*
3	5.26	5.389	20	
4	5.26	5.627	20	
5	5.26	5.71	20	
6	5.26	5.718	20	
7	5.26	5.601	20	
8	5.26	5.714	20	
9	5.26	5.691	20	
10	5.26	5.605	20	
11	5.26	5.498	20	*
12	5.26	5.557	20	
13	5.26	5.292	20	
14	5.26	5.622	20	
15	5.26	5.405	20	
16	5.26	5.669	20	
17	5.26	5.412	20	
18	5.26	5.679	20	
19	5.26	5.458	20	
20	5.26	5.596	20	
21	5.26	5.541	20	
22	5.26	5.358	20	
23	5.26	5.548	20	
24	5.26	5.591	20	
25	5.26	5.606	20	
26	5.26	5.643	20	
27	5.26	5.624	20	
28	5.26	5.519	20	
29	5.26	5.443	20	
30	5.26	5.533	20	
31	5.26	5.264	20	
32	5.26	5.435	20	
33	5.26	5.393	20	
34	5.26	5.287	20	
35	5.26	5.344	20	
36	5.26	5.571	20	
37	5.26	5.345	20	
38	5.26	5.356	20	
39	5.26	5.699	20	
40	5.26	5.593	20	
41	5.26	5.687	20	
42	5.26	5.365	20	
43	5.26	5.637	20	
44	5.26	5.317	20	
45	5.26	5.284	20	
46	5.26	5.335	20	
47	5.26	5.431	20	

48	5.26	5.351	20	
49	5.26	5.574	20	
50	5.26	5.649	20	
51	5.26	5.297	20	
52	5.26	5.32	20	
53	5.26	5.675	20	
54	5.26	5.439	20	
55	5.26	5.615	20	
56	5.26	5.387	20	
57	5.26	5.538	20	
58	5.26	5.72	20	
59	5.26	5.552	20	
60	5.26	5.357	20	
61	5.26	5.323	20	
62	5.26	5.544	20	
63	5.26	5.578	20	
64	5.26	5.49	20	*
65	5.26	5.413	20	
66	5.26	5.445	20	
67	5.26	5.525	20	
68	5.26	5.265	20	
69	5.26	5.456	20	
70	5.26	5.254	20	
71	5.26	5.331	20	
72	5.26	5.289	20	
73	5.26	5.262	20	
74	5.26	5.539	20	
75	5.26	5.257	20	
76	5.26	5.308	20	
77	5.26	5.336	20	
78	5.26	5.59	20	
79	5.26	5.469	20	
80	5.26	5.338	20	
81	5.26	5.273	20	
82	5.26	5.532	20	
83	5.26	5.367	20	
84	5.26	5.521	20	
85	5.26	5.508	20	*
86	5.26	5.404	20	
87	5.26	5.553	20	
88	5.26	5.644	20	
89	5.26	5.483	20	
90	5.26	5.45	20	
91	5.26	5.366	20	
92	5.26	5.546	20	
93	5.26	5.701	20	
94	5.26	5.417	20	
95	5.26	5.353	20	
96	5.26	5.535	20	
97	5.26	5.568	20	
98	5.26	5.324	20	
99	5.26	5.646	20	
100	5.26	5.437	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.515	20	
2	5.26	5.471	20	
3	5.26	5.483	20	
4	5.26	5.681	20	
5	5.26	5.44	20	
6	5.26	5.581	20	
7	5.26	5.26	20	
8	5.26	5.692	20	
9	5.26	5.472	20	
10	5.26	5.308	20	
11	5.26	5.684	20	
12	5.26	5.588	20	
13	5.26	5.716	20	
14	5.26	5.667	20	
15	5.26	5.259	20	
16	5.26	5.661	20	
17	5.26	5.543	20	
18	5.26	5.637	20	
19	5.26	5.715	20	
20	5.26	5.5	20	*
21	5.26	5.698	20	
22	5.26	5.338	20	
23	5.26	5.522	20	
24	5.26	5.373	20	
25	5.26	5.294	20	
26	5.26	5.311	20	
27	5.26	5.405	20	
28	5.26	5.584	20	
29	5.26	5.495	20	*
30	5.26	5.64	20	
31	5.26	5.521	20	
32	5.26	5.526	20	
33	5.26	5.702	20	
34	5.26	5.651	20	
35	5.26	5.487	20	
36	5.26	5.288	20	
37	5.26	5.376	20	
38	5.26	5.271	20	
39	5.26	5.691	20	
40	5.26	5.307	20	
41	5.26	5.39	20	
42	5.26	5.499	20	*
43	5.26	5.37	20	
44	5.26	5.492	20	*
45	5.26	5.418	20	
46	5.26	5.572	20	
47	5.26	5.426	20	

48	5.26	5.274	20	
49	5.26	5.626	20	
50	5.26	5.62	20	
51	5.26	5.449	20	
52	5.26	5.536	20	
53	5.26	5.718	20	
54	5.26	5.636	20	
55	5.26	5.505	20	*
56	5.26	5.334	20	
57	5.26	5.604	20	
58	5.26	5.484	20	
59	5.26	5.654	20	
60	5.26	5.531	20	
61	5.26	5.329	20	
62	5.26	5.617	20	
63	5.26	5.516	20	
64	5.26	5.583	20	
65	5.26	5.456	20	
66	5.26	5.503	20	*
67	5.26	5.534	20	
68	5.26	5.719	20	
69	5.26	5.254	20	
70	5.26	5.407	20	
71	5.26	5.357	20	
72	5.26	5.473	20	
73	5.26	5.714	20	
74	5.26	5.596	20	
75	5.26	5.326	20	
76	5.26	5.336	20	
77	5.26	5.693	20	
78	5.26	5.377	20	
79	5.26	5.461	20	
80	5.26	5.384	20	
81	5.26	5.298	20	
82	5.26	5.688	20	
83	5.26	5.287	20	
84	5.26	5.658	20	
85	5.26	5.365	20	
86	5.26	5.262	20	
87	5.26	5.629	20	
88	5.26	5.535	20	
89	5.26	5.712	20	
90	5.26	5.284	20	
91	5.26	5.455	20	
92	5.26	5.387	20	
93	5.26	5.463	20	
94	5.26	5.453	20	
95	5.26	5.645	20	
96	5.26	5.511	20	
97	5.26	5.565	20	
98	5.26	5.701	20	
99	5.26	5.668	20	
100	5.26	5.512	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.426	20	
2	5.26	5.384	20	
3	5.26	5.388	20	
4	5.26	5.536	20	
5	5.26	5.292	20	
6	5.26	5.36	20	
7	5.26	5.493	20	*
8	5.26	5.561	20	
9	5.26	5.521	20	
10	5.26	5.636	20	
11	5.26	5.424	20	
12	5.26	5.285	20	
13	5.26	5.407	20	
14	5.26	5.716	20	
15	5.26	5.264	20	
16	5.26	5.405	20	
17	5.26	5.435	20	
18	5.26	5.539	20	
19	5.26	5.431	20	
20	5.26	5.701	20	
21	5.26	5.687	20	
22	5.26	5.639	20	
23	5.26	5.667	20	
24	5.26	5.329	20	
25	5.26	5.593	20	
26	5.26	5.606	20	
27	5.26	5.697	20	
28	5.26	5.276	20	
29	5.26	5.459	20	
30	5.26	5.567	20	
31	5.26	5.649	20	
32	5.26	5.656	20	
33	5.26	5.515	20	
34	5.26	5.682	20	
35	5.26	5.545	20	
36	5.26	5.478	20	
37	5.26	5.715	20	
38	5.26	5.721	20	
39	5.26	5.416	20	
40	5.26	5.612	20	
41	5.26	5.587	20	
42	5.26	5.638	20	
43	5.26	5.495	20	*
44	5.26	5.555	20	
45	5.26	5.325	20	
46	5.26	5.614	20	
47	5.26	5.661	20	

48	5.26	5.338	20	
49	5.26	5.404	20	
50	5.26	5.469	20	
51	5.26	5.554	20	
52	5.26	5.418	20	
53	5.26	5.553	20	
54	5.26	5.312	20	
55	5.26	5.537	20	
56	5.26	5.319	20	
57	5.26	5.408	20	
58	5.26	5.307	20	
59	5.26	5.487	20	
60	5.26	5.34	20	
61	5.26	5.627	20	
62	5.26	5.646	20	
63	5.26	5.437	20	
64	5.26	5.309	20	
65	5.26	5.251	20	
66	5.26	5.252	20	
67	5.26	5.605	20	
68	5.26	5.678	20	
69	5.26	5.304	20	
70	5.26	5.616	20	
71	5.26	5.449	20	
72	5.26	5.443	20	
73	5.26	5.669	20	
74	5.26	5.602	20	
75	5.26	5.498	20	*
76	5.26	5.29	20	
77	5.26	5.621	20	
78	5.26	5.526	20	
79	5.26	5.57	20	
80	5.26	5.488	20	
81	5.26	5.409	20	
82	5.26	5.604	20	
83	5.26	5.651	20	
84	5.26	5.422	20	
85	5.26	5.585	20	
86	5.26	5.259	20	
87	5.26	5.724	20	
88	5.26	5.69	20	
89	5.26	5.542	20	
90	5.26	5.468	20	
91	5.26	5.719	20	
92	5.26	5.311	20	
93	5.26	5.55	20	
94	5.26	5.532	20	
95	5.26	5.704	20	
96	5.26	5.391	20	
97	5.26	5.496	20	*
98	5.26	5.556	20	
99	5.26	5.406	20	
100	5.26	5.647	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.471	20	
2	5.26	5.3	20	
3	5.26	5.423	20	
4	5.26	5.438	20	
5	5.26	5.547	20	
6	5.26	5.535	20	
7	5.26	5.643	20	
8	5.26	5.483	20	
9	5.26	5.675	20	
10	5.26	5.606	20	
11	5.26	5.686	20	
12	5.26	5.478	20	
13	5.26	5.312	20	
14	5.26	5.399	20	
15	5.26	5.336	20	
16	5.26	5.373	20	
17	5.26	5.554	20	
18	5.26	5.571	20	
19	5.26	5.444	20	
20	5.26	5.591	20	
21	5.26	5.405	20	
22	5.26	5.712	20	
23	5.26	5.298	20	
24	5.26	5.297	20	
25	5.26	5.427	20	
26	5.26	5.64	20	
27	5.26	5.368	20	
28	5.26	5.383	20	
29	5.26	5.425	20	
30	5.26	5.669	20	
31	5.26	5.589	20	
32	5.26	5.667	20	
33	5.26	5.26	20	
34	5.26	5.533	20	
35	5.26	5.377	20	
36	5.26	5.304	20	
37	5.26	5.342	20	
38	5.26	5.53	20	
39	5.26	5.603	20	
40	5.26	5.319	20	
41	5.26	5.403	20	
42	5.26	5.705	20	
43	5.26	5.54	20	
44	5.26	5.674	20	
45	5.26	5.337	20	
46	5.26	5.564	20	
47	5.26	5.704	20	

48	5.26	5.42	20	
49	5.26	5.723	20	
50	5.26	5.386	20	
51	5.26	5.341	20	
52	5.26	5.307	20	
53	5.26	5.282	20	
54	5.26	5.719	20	
55	5.26	5.696	20	
56	5.26	5.541	20	
57	5.26	5.381	20	
58	5.26	5.523	20	
59	5.26	5.608	20	
60	5.26	5.621	20	
61	5.26	5.666	20	
62	5.26	5.644	20	
63	5.26	5.505	20	*
64	5.26	5.332	20	
65	5.26	5.594	20	
66	5.26	5.459	20	
67	5.26	5.659	20	
68	5.26	5.632	20	
69	5.26	5.393	20	
70	5.26	5.663	20	
71	5.26	5.334	20	
72	5.26	5.484	20	
73	5.26	5.363	20	
74	5.26	5.673	20	
75	5.26	5.432	20	
76	5.26	5.544	20	
77	5.26	5.532	20	
78	5.26	5.716	20	
79	5.26	5.677	20	
80	5.26	5.326	20	
81	5.26	5.321	20	
82	5.26	5.264	20	
83	5.26	5.301	20	
84	5.26	5.714	20	
85	5.26	5.372	20	
86	5.26	5.414	20	
87	5.26	5.454	20	
88	5.26	5.618	20	
89	5.26	5.331	20	
90	5.26	5.379	20	
91	5.26	5.355	20	
92	5.26	5.671	20	
93	5.26	5.416	20	
94	5.26	5.692	20	
95	5.26	5.702	20	
96	5.26	5.376	20	
97	5.26	5.349	20	
98	5.26	5.492	20	*
99	5.26	5.688	20	
100	5.26	5.38	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.416	20	
2	5.26	5.709	20	
3	5.26	5.613	20	
4	5.26	5.409	20	
5	5.26	5.466	20	
6	5.26	5.527	20	
7	5.26	5.402	20	
8	5.26	5.446	20	
9	5.26	5.605	20	
10	5.26	5.292	20	
11	5.26	5.69	20	
12	5.26	5.596	20	
13	5.26	5.449	20	
14	5.26	5.664	20	
15	5.26	5.393	20	
16	5.26	5.545	20	
17	5.26	5.53	20	
18	5.26	5.344	20	
19	5.26	5.572	20	
20	5.26	5.492	20	*
21	5.26	5.306	20	
22	5.26	5.521	20	
23	5.26	5.494	20	*
24	5.26	5.579	20	
25	5.26	5.435	20	
26	5.26	5.291	20	
27	5.26	5.455	20	
28	5.26	5.695	20	
29	5.26	5.361	20	
30	5.26	5.669	20	
31	5.26	5.539	20	
32	5.26	5.601	20	
33	5.26	5.377	20	
34	5.26	5.315	20	
35	5.26	5.279	20	
36	5.26	5.266	20	
37	5.26	5.395	20	
38	5.26	5.392	20	
39	5.26	5.298	20	
40	5.26	5.571	20	
41	5.26	5.369	20	
42	5.26	5.54	20	
43	5.26	5.397	20	
44	5.26	5.513	20	
45	5.26	5.704	20	
46	5.26	5.321	20	
47	5.26	5.565	20	

48	5.26	5.658	20	
49	5.26	5.691	20	
50	5.26	5.437	20	
51	5.26	5.648	20	
52	5.26	5.309	20	
53	5.26	5.326	20	
54	5.26	5.569	20	
55	5.26	5.322	20	
56	5.26	5.59	20	
57	5.26	5.705	20	
58	5.26	5.334	20	
59	5.26	5.25	20	
60	5.26	5.272	20	
61	5.26	5.641	20	
62	5.26	5.655	20	
63	5.26	5.673	20	
64	5.26	5.512	20	
65	5.26	5.653	20	
66	5.26	5.417	20	
67	5.26	5.652	20	
68	5.26	5.508	20	*
69	5.26	5.47	20	
70	5.26	5.532	20	
71	5.26	5.3	20	
72	5.26	5.64	20	
73	5.26	5.467	20	
74	5.26	5.721	20	
75	5.26	5.318	20	
76	5.26	5.332	20	
77	5.26	5.575	20	
78	5.26	5.499	20	*
79	5.26	5.359	20	
80	5.26	5.625	20	
81	5.26	5.517	20	
82	5.26	5.341	20	
83	5.26	5.444	20	
84	5.26	5.549	20	
85	5.26	5.386	20	
86	5.26	5.301	20	
87	5.26	5.34	20	
88	5.26	5.428	20	
89	5.26	5.351	20	
90	5.26	5.477	20	
91	5.26	5.697	20	
92	5.26	5.609	20	
93	5.26	5.427	20	
94	5.26	5.643	20	
95	5.26	5.711	20	
96	5.26	5.29	20	
97	5.26	5.703	20	
98	5.26	5.31	20	
99	5.26	5.432	20	
100	5.26	5.519	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.495	20	*
2	5.26	5.367	20	
3	5.26	5.418	20	
4	5.26	5.446	20	
5	5.26	5.321	20	
6	5.26	5.578	20	
7	5.26	5.678	20	
8	5.26	5.314	20	
9	5.26	5.449	20	
10	5.26	5.526	20	
11	5.26	5.564	20	
12	5.26	5.698	20	
13	5.26	5.323	20	
14	5.26	5.402	20	
15	5.26	5.322	20	
16	5.26	5.259	20	
17	5.26	5.687	20	
18	5.26	5.41	20	
19	5.26	5.398	20	
20	5.26	5.585	20	
21	5.26	5.477	20	
22	5.26	5.438	20	
23	5.26	5.417	20	
24	5.26	5.337	20	
25	5.26	5.387	20	
26	5.26	5.368	20	
27	5.26	5.638	20	
28	5.26	5.549	20	
29	5.26	5.556	20	
30	5.26	5.65	20	
31	5.26	5.612	20	
32	5.26	5.69	20	
33	5.26	5.435	20	
34	5.26	5.383	20	
35	5.26	5.488	20	
36	5.26	5.52	20	
37	5.26	5.401	20	
38	5.26	5.28	20	
39	5.26	5.475	20	
40	5.26	5.514	20	
41	5.26	5.554	20	
42	5.26	5.714	20	
43	5.26	5.426	20	
44	5.26	5.318	20	
45	5.26	5.365	20	
46	5.26	5.274	20	
47	5.26	5.646	20	

48	5.26	5.701	20	
49	5.26	5.414	20	
50	5.26	5.625	20	
51	5.26	5.67	20	
52	5.26	5.425	20	
53	5.26	5.51	20	*
54	5.26	5.267	20	
55	5.26	5.46	20	
56	5.26	5.296	20	
57	5.26	5.352	20	
58	5.26	5.713	20	
59	5.26	5.584	20	
60	5.26	5.566	20	
61	5.26	5.522	20	
62	5.26	5.468	20	
63	5.26	5.629	20	
64	5.26	5.541	20	
65	5.26	5.694	20	
66	5.26	5.535	20	
67	5.26	5.339	20	
68	5.26	5.361	20	
69	5.26	5.302	20	
70	5.26	5.31	20	
71	5.26	5.301	20	
72	5.26	5.648	20	
73	5.26	5.502	20	*
74	5.26	5.709	20	
75	5.26	5.712	20	
76	5.26	5.26	20	
77	5.26	5.645	20	
78	5.26	5.718	20	
79	5.26	5.372	20	
80	5.26	5.476	20	
81	5.26	5.469	20	
82	5.26	5.478	20	
83	5.26	5.655	20	
84	5.26	5.415	20	
85	5.26	5.471	20	
86	5.26	5.6	20	
87	5.26	5.543	20	
88	5.26	5.442	20	
89	5.26	5.37	20	
90	5.26	5.374	20	
91	5.26	5.429	20	
92	5.26	5.27	20	
93	5.26	5.265	20	
94	5.26	5.615	20	
95	5.26	5.467	20	
96	5.26	5.284	20	
97	5.26	5.513	20	
98	5.26	5.64	20	
99	5.26	5.606	20	
100	5.26	5.504	20	*

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.518	20	
2	5.26	5.652	20	
3	5.26	5.655	20	
4	5.26	5.455	20	
5	5.26	5.385	20	
6	5.26	5.428	20	
7	5.26	5.414	20	
8	5.26	5.682	20	
9	5.26	5.466	20	
10	5.26	5.35	20	
11	5.26	5.532	20	
12	5.26	5.307	20	
13	5.26	5.45	20	
14	5.26	5.528	20	
15	5.26	5.526	20	
16	5.26	5.718	20	
17	5.26	5.535	20	
18	5.26	5.509	20	*
19	5.26	5.617	20	
20	5.26	5.608	20	
21	5.26	5.456	20	
22	5.26	5.514	20	
23	5.26	5.338	20	
24	5.26	5.253	20	
25	5.26	5.494	20	*
26	5.26	5.657	20	
27	5.26	5.436	20	
28	5.26	5.673	20	
29	5.26	5.59	20	
30	5.26	5.499	20	*
31	5.26	5.345	20	
32	5.26	5.308	20	
33	5.26	5.408	20	
34	5.26	5.512	20	
35	5.26	5.676	20	
36	5.26	5.424	20	
37	5.26	5.606	20	
38	5.26	5.269	20	
39	5.26	5.371	20	
40	5.26	5.473	20	
41	5.26	5.618	20	
42	5.26	5.679	20	
43	5.26	5.493	20	*
44	5.26	5.714	20	
45	5.26	5.285	20	
46	5.26	5.687	20	
47	5.26	5.407	20	

48	5.26	5.25	20	
49	5.26	5.571	20	
50	5.26	5.471	20	
51	5.26	5.323	20	
52	5.26	5.551	20	
53	5.26	5.604	20	
54	5.26	5.282	20	
55	5.26	5.254	20	
56	5.26	5.397	20	
57	5.26	5.429	20	
58	5.26	5.538	20	
59	5.26	5.34	20	
60	5.26	5.326	20	
61	5.26	5.321	20	
62	5.26	5.328	20	
63	5.26	5.36	20	
64	5.26	5.586	20	
65	5.26	5.252	20	
66	5.26	5.448	20	
67	5.26	5.593	20	
68	5.26	5.355	20	
69	5.26	5.683	20	
70	5.26	5.504	20	*
71	5.26	5.516	20	
72	5.26	5.6	20	
73	5.26	5.452	20	
74	5.26	5.476	20	
75	5.26	5.67	20	
76	5.26	5.69	20	
77	5.26	5.43	20	
78	5.26	5.305	20	
79	5.26	5.369	20	
80	5.26	5.454	20	
81	5.26	5.644	20	
82	5.26	5.511	20	
83	5.26	5.264	20	
84	5.26	5.298	20	
85	5.26	5.32	20	
86	5.26	5.578	20	
87	5.26	5.322	20	
88	5.26	5.382	20	
89	5.26	5.392	20	
90	5.26	5.356	20	
91	5.26	5.541	20	
92	5.26	5.373	20	
93	5.26	5.44	20	
94	5.26	5.505	20	*
95	5.26	5.68	20	
96	5.26	5.324	20	
97	5.26	5.506	20	*
98	5.26	5.603	20	
99	5.26	5.409	20	
100	5.26	5.567	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.628	20	
2	5.26	5.273	20	
3	5.26	5.486	20	
4	5.26	5.283	20	
5	5.26	5.306	20	
6	5.26	5.582	20	
7	5.26	5.667	20	
8	5.26	5.558	20	
9	5.26	5.604	20	
10	5.26	5.399	20	
11	5.26	5.478	20	
12	5.26	5.339	20	
13	5.26	5.286	20	
14	5.26	5.45	20	
15	5.26	5.554	20	
16	5.26	5.378	20	
17	5.26	5.521	20	
18	5.26	5.579	20	
19	5.26	5.717	20	
20	5.26	5.256	20	
21	5.26	5.653	20	
22	5.26	5.323	20	
23	5.26	5.456	20	
24	5.26	5.552	20	
25	5.26	5.305	20	
26	5.26	5.474	20	
27	5.26	5.708	20	
28	5.26	5.542	20	
29	5.26	5.462	20	
30	5.26	5.484	20	
31	5.26	5.539	20	
32	5.26	5.52	20	
33	5.26	5.646	20	
34	5.26	5.275	20	
35	5.26	5.584	20	
36	5.26	5.522	20	
37	5.26	5.31	20	
38	5.26	5.498	20	*
39	5.26	5.481	20	
40	5.26	5.333	20	
41	5.26	5.706	20	
42	5.26	5.386	20	
43	5.26	5.64	20	
44	5.26	5.635	20	
45	5.26	5.49	20	*
46	5.26	5.26	20	
47	5.26	5.534	20	

48	5.26	5.32	20	
49	5.26	5.359	20	
50	5.26	5.404	20	
51	5.26	5.318	20	
52	5.26	5.428	20	
53	5.26	5.433	20	
54	5.26	5.677	20	
55	5.26	5.417	20	
56	5.26	5.303	20	
57	5.26	5.553	20	
58	5.26	5.595	20	
59	5.26	5.451	20	
60	5.26	5.351	20	
61	5.26	5.277	20	
62	5.26	5.48	20	
63	5.26	5.284	20	
64	5.26	5.66	20	
65	5.26	5.637	20	
66	5.26	5.372	20	
67	5.26	5.335	20	
68	5.26	5.302	20	
69	5.26	5.414	20	
70	5.26	5.716	20	
71	5.26	5.252	20	
72	5.26	5.583	20	
73	5.26	5.514	20	
74	5.26	5.475	20	
75	5.26	5.565	20	
76	5.26	5.581	20	
77	5.26	5.344	20	
78	5.26	5.713	20	
79	5.26	5.368	20	
80	5.26	5.697	20	
81	5.26	5.25	20	
82	5.26	5.476	20	
83	5.26	5.529	20	
84	5.26	5.457	20	
85	5.26	5.33	20	
86	5.26	5.391	20	
87	5.26	5.439	20	
88	5.26	5.416	20	
89	5.26	5.274	20	
90	5.26	5.661	20	
91	5.26	5.541	20	
92	5.26	5.321	20	
93	5.26	5.322	20	
94	5.26	5.656	20	
95	5.26	5.4	20	
96	5.26	5.355	20	
97	5.26	5.407	20	
98	5.26	5.659	20	
99	5.26	5.297	20	
100	5.26	5.505	20	*

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.452	20	
2	5.26	5.602	20	
3	5.26	5.555	20	
4	5.26	5.664	20	
5	5.26	5.587	20	
6	5.26	5.446	20	
7	5.26	5.559	20	
8	5.26	5.574	20	
9	5.26	5.724	20	
10	5.26	5.427	20	
11	5.26	5.314	20	
12	5.26	5.673	20	
13	5.26	5.591	20	
14	5.26	5.632	20	
15	5.26	5.292	20	
16	5.26	5.455	20	
17	5.26	5.61	20	
18	5.26	5.621	20	
19	5.26	5.336	20	
20	5.26	5.598	20	
21	5.26	5.262	20	
22	5.26	5.347	20	
23	5.26	5.354	20	
24	5.26	5.459	20	
25	5.26	5.685	20	
26	5.26	5.323	20	
27	5.26	5.562	20	
28	5.26	5.255	20	
29	5.26	5.468	20	
30	5.26	5.461	20	
31	5.26	5.266	20	
32	5.26	5.634	20	
33	5.26	5.625	20	
34	5.26	5.338	20	
35	5.26	5.416	20	
36	5.26	5.503	20	*
37	5.26	5.692	20	
38	5.26	5.573	20	
39	5.26	5.253	20	
40	5.26	5.669	20	
41	5.26	5.72	20	
42	5.26	5.532	20	
43	5.26	5.422	20	
44	5.26	5.309	20	
45	5.26	5.409	20	
46	5.26	5.585	20	
47	5.26	5.359	20	

48	5.26	5.674	20	
49	5.26	5.68	20	
50	5.26	5.709	20	
51	5.26	5.63	20	
52	5.26	5.439	20	
53	5.26	5.261	20	
54	5.26	5.345	20	
55	5.26	5.358	20	
56	5.26	5.413	20	
57	5.26	5.552	20	
58	5.26	5.704	20	
59	5.26	5.38	20	
60	5.26	5.481	20	
61	5.26	5.474	20	
62	5.26	5.353	20	
63	5.26	5.517	20	
64	5.26	5.36	20	
65	5.26	5.435	20	
66	5.26	5.627	20	
67	5.26	5.491	20	*
68	5.26	5.394	20	
69	5.26	5.386	20	
70	5.26	5.279	20	
71	5.26	5.533	20	
72	5.26	5.303	20	
73	5.26	5.299	20	
74	5.26	5.471	20	
75	5.26	5.406	20	
76	5.26	5.513	20	
77	5.26	5.308	20	
78	5.26	5.263	20	
79	5.26	5.448	20	
80	5.26	5.708	20	
81	5.26	5.384	20	
82	5.26	5.251	20	
83	5.26	5.295	20	
84	5.26	5.687	20	
85	5.26	5.691	20	
86	5.26	5.636	20	
87	5.26	5.333	20	
88	5.26	5.265	20	
89	5.26	5.607	20	
90	5.26	5.335	20	
91	5.26	5.254	20	
92	5.26	5.538	20	
93	5.26	5.389	20	
94	5.26	5.539	20	
95	5.26	5.596	20	
96	5.26	5.509	20	*
97	5.26	5.547	20	
98	5.26	5.494	20	*
99	5.26	5.306	20	
100	5.26	5.495	20	*

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.462	20	
2	5.26	5.258	20	
3	5.26	5.39	20	
4	5.26	5.415	20	
5	5.26	5.309	20	
6	5.26	5.373	20	
7	5.26	5.529	20	
8	5.26	5.456	20	
9	5.26	5.51	20	*
10	5.26	5.689	20	
11	5.26	5.395	20	
12	5.26	5.259	20	
13	5.26	5.573	20	
14	5.26	5.598	20	
15	5.26	5.265	20	
16	5.26	5.707	20	
17	5.26	5.417	20	
18	5.26	5.581	20	
19	5.26	5.473	20	
20	5.26	5.536	20	
21	5.26	5.687	20	
22	5.26	5.374	20	
23	5.26	5.683	20	
24	5.26	5.451	20	
25	5.26	5.488	20	
26	5.26	5.27	20	
27	5.26	5.671	20	
28	5.26	5.69	20	
29	5.26	5.557	20	
30	5.26	5.467	20	
31	5.26	5.52	20	
32	5.26	5.513	20	
33	5.26	5.547	20	
34	5.26	5.343	20	
35	5.26	5.43	20	
36	5.26	5.508	20	*
37	5.26	5.252	20	
38	5.26	5.701	20	
39	5.26	5.424	20	
40	5.26	5.48	20	
41	5.26	5.311	20	
42	5.26	5.678	20	
43	5.26	5.695	20	
44	5.26	5.414	20	
45	5.26	5.492	20	*
46	5.26	5.318	20	
47	5.26	5.393	20	

48	5.26	5.317	20	
49	5.26	5.46	20	
50	5.26	5.496	20	*
51	5.26	5.704	20	
52	5.26	5.305	20	
53	5.26	5.559	20	
54	5.26	5.406	20	
55	5.26	5.397	20	
56	5.26	5.349	20	
57	5.26	5.585	20	
58	5.26	5.54	20	
59	5.26	5.324	20	
60	5.26	5.635	20	
61	5.26	5.599	20	
62	5.26	5.35	20	
63	5.26	5.452	20	
64	5.26	5.621	20	
65	5.26	5.287	20	
66	5.26	5.302	20	
67	5.26	5.516	20	
68	5.26	5.329	20	
69	5.26	5.65	20	
70	5.26	5.594	20	
71	5.26	5.348	20	
72	5.26	5.439	20	
73	5.26	5.724	20	
74	5.26	5.663	20	
75	5.26	5.323	20	
76	5.26	5.308	20	
77	5.26	5.408	20	
78	5.26	5.276	20	
79	5.26	5.487	20	
80	5.26	5.475	20	
81	5.26	5.651	20	
82	5.26	5.403	20	
83	5.26	5.392	20	
84	5.26	5.593	20	
85	5.26	5.411	20	
86	5.26	5.319	20	
87	5.26	5.3	20	
88	5.26	5.613	20	
89	5.26	5.31	20	
90	5.26	5.285	20	
91	5.26	5.484	20	
92	5.26	5.314	20	
93	5.26	5.675	20	
94	5.26	5.58	20	
95	5.26	5.521	20	
96	5.26	5.602	20	
97	5.26	5.47	20	
98	5.26	5.562	20	
99	5.26	5.356	20	
100	5.26	5.448	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.584	20	
2	5.26	5.507	20	*
3	5.26	5.263	20	
4	5.26	5.338	20	
5	5.26	5.49	20	*
6	5.26	5.711	20	
7	5.26	5.407	20	
8	5.26	5.61	20	
9	5.26	5.503	20	*
10	5.26	5.267	20	
11	5.26	5.351	20	
12	5.26	5.326	20	
13	5.26	5.57	20	
14	5.26	5.327	20	
15	5.26	5.583	20	
16	5.26	5.292	20	
17	5.26	5.363	20	
18	5.26	5.615	20	
19	5.26	5.66	20	
20	5.26	5.691	20	
21	5.26	5.62	20	
22	5.26	5.296	20	
23	5.26	5.295	20	
24	5.26	5.323	20	
25	5.26	5.367	20	
26	5.26	5.298	20	
27	5.26	5.645	20	
28	5.26	5.413	20	
29	5.26	5.701	20	
30	5.26	5.69	20	
31	5.26	5.709	20	
32	5.26	5.504	20	*
33	5.26	5.329	20	
34	5.26	5.355	20	
35	5.26	5.276	20	
36	5.26	5.528	20	
37	5.26	5.29	20	
38	5.26	5.657	20	
39	5.26	5.382	20	
40	5.26	5.402	20	
41	5.26	5.509	20	*
42	5.26	5.628	20	
43	5.26	5.466	20	
44	5.26	5.273	20	
45	5.26	5.616	20	
46	5.26	5.656	20	
47	5.26	5.25	20	

48	5.26	5.557	20	
49	5.26	5.541	20	
50	5.26	5.378	20	
51	5.26	5.594	20	
52	5.26	5.561	20	
53	5.26	5.389	20	
54	5.26	5.302	20	
55	5.26	5.533	20	
56	5.26	5.601	20	
57	5.26	5.371	20	
58	5.26	5.39	20	
59	5.26	5.543	20	
60	5.26	5.269	20	
61	5.26	5.707	20	
62	5.26	5.398	20	
63	5.26	5.714	20	
64	5.26	5.613	20	
65	5.26	5.673	20	
66	5.26	5.297	20	
67	5.26	5.689	20	
68	5.26	5.534	20	
69	5.26	5.654	20	
70	5.26	5.553	20	
71	5.26	5.291	20	
72	5.26	5.592	20	
73	5.26	5.702	20	
74	5.26	5.622	20	
75	5.26	5.337	20	
76	5.26	5.455	20	
77	5.26	5.567	20	
78	5.26	5.586	20	
79	5.26	5.547	20	
80	5.26	5.478	20	
81	5.26	5.361	20	
82	5.26	5.42	20	
83	5.26	5.345	20	
84	5.26	5.604	20	
85	5.26	5.286	20	
86	5.26	5.471	20	
87	5.26	5.408	20	
88	5.26	5.3	20	
89	5.26	5.576	20	
90	5.26	5.428	20	
91	5.26	5.427	20	
92	5.26	5.5	20	*
93	5.26	5.53	20	
94	5.26	5.684	20	
95	5.26	5.299	20	
96	5.26	5.595	20	
97	5.26	5.648	20	
98	5.26	5.416	20	
99	5.26	5.446	20	
100	5.26	5.46	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.471	20	
2	5.26	5.713	20	
3	5.26	5.312	20	
4	5.26	5.678	20	
5	5.26	5.287	20	
6	5.26	5.387	20	
7	5.26	5.384	20	
8	5.26	5.269	20	
9	5.26	5.657	20	
10	5.26	5.339	20	
11	5.26	5.702	20	
12	5.26	5.561	20	
13	5.26	5.521	20	
14	5.26	5.417	20	
15	5.26	5.317	20	
16	5.26	5.568	20	
17	5.26	5.259	20	
18	5.26	5.292	20	
19	5.26	5.314	20	
20	5.26	5.66	20	
21	5.26	5.271	20	
22	5.26	5.563	20	
23	5.26	5.622	20	
24	5.26	5.434	20	
25	5.26	5.36	20	
26	5.26	5.5	20	*
27	5.26	5.451	20	
28	5.26	5.576	20	
29	5.26	5.639	20	
30	5.26	5.635	20	
31	5.26	5.57	20	
32	5.26	5.586	20	
33	5.26	5.527	20	
34	5.26	5.681	20	
35	5.26	5.282	20	
36	5.26	5.661	20	
37	5.26	5.255	20	
38	5.26	5.426	20	
39	5.26	5.284	20	
40	5.26	5.461	20	
41	5.26	5.446	20	
42	5.26	5.42	20	
43	5.26	5.597	20	
44	5.26	5.412	20	
45	5.26	5.502	20	*
46	5.26	5.26	20	
47	5.26	5.628	20	

48	5.26	5.408	20	
49	5.26	5.704	20	
50	5.26	5.582	20	
51	5.26	5.717	20	
52	5.26	5.567	20	
53	5.26	5.526	20	
54	5.26	5.481	20	
55	5.26	5.332	20	
56	5.26	5.616	20	
57	5.26	5.402	20	
58	5.26	5.494	20	*
59	5.26	5.499	20	*
60	5.26	5.573	20	
61	5.26	5.365	20	
62	5.26	5.429	20	
63	5.26	5.41	20	
64	5.26	5.697	20	
65	5.26	5.585	20	
66	5.26	5.377	20	
67	5.26	5.61	20	
68	5.26	5.689	20	
69	5.26	5.334	20	
70	5.26	5.395	20	
71	5.26	5.667	20	
72	5.26	5.326	20	
73	5.26	5.643	20	
74	5.26	5.632	20	
75	5.26	5.302	20	
76	5.26	5.356	20	
77	5.26	5.556	20	
78	5.26	5.344	20	
79	5.26	5.655	20	
80	5.26	5.493	20	*
81	5.26	5.557	20	
82	5.26	5.695	20	
83	5.26	5.634	20	
84	5.26	5.336	20	
85	5.26	5.675	20	
86	5.26	5.559	20	
87	5.26	5.45	20	
88	5.26	5.598	20	
89	5.26	5.427	20	
90	5.26	5.459	20	
91	5.26	5.646	20	
92	5.26	5.352	20	
93	5.26	5.401	20	
94	5.26	5.298	20	
95	5.26	5.656	20	
96	5.26	5.569	20	
97	5.26	5.623	20	
98	5.26	5.278	20	
99	5.26	5.59	20	
100	5.26	5.486	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.695	20	
2	5.26	5.447	20	
3	5.26	5.49	20	*
4	5.26	5.526	20	
5	5.26	5.294	20	
6	5.26	5.292	20	
7	5.26	5.383	20	
8	5.26	5.425	20	
9	5.26	5.68	20	
10	5.26	5.275	20	
11	5.26	5.356	20	
12	5.26	5.515	20	
13	5.26	5.401	20	
14	5.26	5.658	20	
15	5.26	5.276	20	
16	5.26	5.46	20	
17	5.26	5.509	20	*
18	5.26	5.434	20	
19	5.26	5.364	20	
20	5.26	5.613	20	
21	5.26	5.671	20	
22	5.26	5.432	20	
23	5.26	5.616	20	
24	5.26	5.258	20	
25	5.26	5.608	20	
26	5.26	5.38	20	
27	5.26	5.338	20	
28	5.26	5.455	20	
29	5.26	5.545	20	
30	5.26	5.562	20	
31	5.26	5.333	20	
32	5.26	5.354	20	
33	5.26	5.431	20	
34	5.26	5.323	20	
35	5.26	5.592	20	
36	5.26	5.551	20	
37	5.26	5.452	20	
38	5.26	5.62	20	
39	5.26	5.668	20	
40	5.26	5.683	20	
41	5.26	5.723	20	
42	5.26	5.312	20	
43	5.26	5.677	20	
44	5.26	5.369	20	
45	5.26	5.289	20	
46	5.26	5.4	20	
47	5.26	5.57	20	

48	5.26	5.508	20	*
49	5.26	5.669	20	
50	5.26	5.404	20	
51	5.26	5.284	20	
52	5.26	5.533	20	
53	5.26	5.37	20	
54	5.26	5.466	20	
55	5.26	5.706	20	
56	5.26	5.423	20	
57	5.26	5.604	20	
58	5.26	5.453	20	
59	5.26	5.689	20	
60	5.26	5.53	20	
61	5.26	5.724	20	
62	5.26	5.441	20	
63	5.26	5.374	20	
64	5.26	5.274	20	
65	5.26	5.408	20	
66	5.26	5.715	20	
67	5.26	5.489	20	
68	5.26	5.327	20	
69	5.26	5.397	20	
70	5.26	5.332	20	
71	5.26	5.584	20	
72	5.26	5.569	20	
73	5.26	5.659	20	
74	5.26	5.264	20	
75	5.26	5.605	20	
76	5.26	5.576	20	
77	5.26	5.624	20	
78	5.26	5.407	20	
79	5.26	5.693	20	
80	5.26	5.359	20	
81	5.26	5.514	20	
82	5.26	5.633	20	
83	5.26	5.597	20	
84	5.26	5.416	20	
85	5.26	5.279	20	
86	5.26	5.303	20	
87	5.26	5.451	20	
88	5.26	5.35	20	
89	5.26	5.664	20	
90	5.26	5.465	20	
91	5.26	5.375	20	
92	5.26	5.595	20	
93	5.26	5.446	20	
94	5.26	5.263	20	
95	5.26	5.479	20	
96	5.26	5.628	20	
97	5.26	5.64	20	
98	5.26	5.694	20	
99	5.26	5.487	20	
100	5.26	5.268	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.674	20	
2	5.26	5.543	20	
3	5.26	5.268	20	
4	5.26	5.585	20	
5	5.26	5.384	20	
6	5.26	5.621	20	
7	5.26	5.289	20	
8	5.26	5.546	20	
9	5.26	5.362	20	
10	5.26	5.566	20	
11	5.26	5.435	20	
12	5.26	5.418	20	
13	5.26	5.414	20	
14	5.26	5.433	20	
15	5.26	5.284	20	
16	5.26	5.446	20	
17	5.26	5.586	20	
18	5.26	5.318	20	
19	5.26	5.285	20	
20	5.26	5.267	20	
21	5.26	5.364	20	
22	5.26	5.662	20	
23	5.26	5.583	20	
24	5.26	5.448	20	
25	5.26	5.598	20	
26	5.26	5.635	20	
27	5.26	5.461	20	
28	5.26	5.317	20	
29	5.26	5.542	20	
30	5.26	5.352	20	
31	5.26	5.506	20	*
32	5.26	5.629	20	
33	5.26	5.717	20	
34	5.26	5.402	20	
35	5.26	5.302	20	
36	5.26	5.487	20	
37	5.26	5.298	20	
38	5.26	5.669	20	
39	5.26	5.686	20	
40	5.26	5.672	20	
41	5.26	5.576	20	
42	5.26	5.703	20	
43	5.26	5.494	20	*
44	5.26	5.512	20	
45	5.26	5.439	20	
46	5.26	5.338	20	
47	5.26	5.677	20	

48	5.26	5.351	20	
49	5.26	5.419	20	
50	5.26	5.365	20	
51	5.26	5.397	20	
52	5.26	5.66	20	
53	5.26	5.263	20	
54	5.26	5.409	20	
55	5.26	5.641	20	
56	5.26	5.463	20	
57	5.26	5.601	20	
58	5.26	5.633	20	
59	5.26	5.408	20	
60	5.26	5.382	20	
61	5.26	5.349	20	
62	5.26	5.265	20	
63	5.26	5.489	20	
64	5.26	5.685	20	
65	5.26	5.69	20	
66	5.26	5.653	20	
67	5.26	5.485	20	
68	5.26	5.683	20	
69	5.26	5.699	20	
70	5.26	5.492	20	*
71	5.26	5.35	20	
72	5.26	5.618	20	
73	5.26	5.357	20	
74	5.26	5.491	20	*
75	5.26	5.431	20	
76	5.26	5.374	20	
77	5.26	5.691	20	
78	5.26	5.705	20	
79	5.26	5.484	20	
80	5.26	5.603	20	
81	5.26	5.264	20	
82	5.26	5.553	20	
83	5.26	5.413	20	
84	5.26	5.55	20	
85	5.26	5.567	20	
86	5.26	5.655	20	
87	5.26	5.361	20	
88	5.26	5.516	20	
89	5.26	5.334	20	
90	5.26	5.325	20	
91	5.26	5.701	20	
92	5.26	5.537	20	
93	5.26	5.521	20	
94	5.26	5.381	20	
95	5.26	5.538	20	
96	5.26	5.509	20	*
97	5.26	5.692	20	
98	5.26	5.415	20	
99	5.26	5.301	20	
100	5.26	5.441	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.392	20	
2	5.26	5.646	20	
3	5.26	5.442	20	
4	5.26	5.331	20	
5	5.26	5.424	20	
6	5.26	5.535	20	
7	5.26	5.52	20	
8	5.26	5.474	20	
9	5.26	5.45	20	
10	5.26	5.296	20	
11	5.26	5.637	20	
12	5.26	5.656	20	
13	5.26	5.718	20	
14	5.26	5.528	20	
15	5.26	5.522	20	
16	5.26	5.267	20	
17	5.26	5.614	20	
18	5.26	5.394	20	
19	5.26	5.658	20	
20	5.26	5.39	20	
21	5.26	5.372	20	
22	5.26	5.582	20	
23	5.26	5.578	20	
24	5.26	5.714	20	
25	5.26	5.68	20	
26	5.26	5.682	20	
27	5.26	5.365	20	
28	5.26	5.617	20	
29	5.26	5.456	20	
30	5.26	5.415	20	
31	5.26	5.51	20	*
32	5.26	5.572	20	
33	5.26	5.703	20	
34	5.26	5.585	20	
35	5.26	5.303	20	
36	5.26	5.462	20	
37	5.26	5.642	20	
38	5.26	5.678	20	
39	5.26	5.254	20	
40	5.26	5.587	20	
41	5.26	5.652	20	
42	5.26	5.468	20	
43	5.26	5.568	20	
44	5.26	5.287	20	
45	5.26	5.717	20	
46	5.26	5.56	20	
47	5.26	5.343	20	

48	5.26	5.505	20	*
49	5.26	5.409	20	
50	5.26	5.295	20	
51	5.26	5.514	20	
52	5.26	5.545	20	
53	5.26	5.309	20	
54	5.26	5.386	20	
55	5.26	5.305	20	
56	5.26	5.448	20	
57	5.26	5.577	20	
58	5.26	5.47	20	
59	5.26	5.597	20	
60	5.26	5.282	20	
61	5.26	5.49	20	*
62	5.26	5.314	20	
63	5.26	5.406	20	
64	5.26	5.351	20	
65	5.26	5.607	20	
66	5.26	5.693	20	
67	5.26	5.486	20	
68	5.26	5.516	20	
69	5.26	5.261	20	
70	5.26	5.332	20	
71	5.26	5.593	20	
72	5.26	5.453	20	
73	5.26	5.321	20	
74	5.26	5.257	20	
75	5.26	5.494	20	*
76	5.26	5.361	20	
77	5.26	5.5	20	*
78	5.26	5.278	20	
79	5.26	5.281	20	
80	5.26	5.299	20	
81	5.26	5.603	20	
82	5.26	5.251	20	
83	5.26	5.255	20	
84	5.26	5.683	20	
85	5.26	5.618	20	
86	5.26	5.459	20	
87	5.26	5.633	20	
88	5.26	5.352	20	
89	5.26	5.495	20	*
90	5.26	5.689	20	
91	5.26	5.35	20	
92	5.26	5.48	20	
93	5.26	5.532	20	
94	5.26	5.663	20	
95	5.26	5.391	20	
96	5.26	5.461	20	
97	5.26	5.275	20	
98	5.26	5.631	20	
99	5.26	5.435	20	
100	5.26	5.324	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.552	20	
2	5.26	5.439	20	
3	5.26	5.407	20	
4	5.26	5.575	20	
5	5.26	5.574	20	
6	5.26	5.363	20	
7	5.26	5.713	20	
8	5.26	5.379	20	
9	5.26	5.571	20	
10	5.26	5.377	20	
11	5.26	5.494	20	*
12	5.26	5.58	20	
13	5.26	5.501	20	*
14	5.26	5.427	20	
15	5.26	5.54	20	
16	5.26	5.662	20	
17	5.26	5.388	20	
18	5.26	5.389	20	
19	5.26	5.447	20	
20	5.26	5.573	20	
21	5.26	5.396	20	
22	5.26	5.513	20	
23	5.26	5.342	20	
24	5.26	5.633	20	
25	5.26	5.563	20	
26	5.26	5.721	20	
27	5.26	5.477	20	
28	5.26	5.67	20	
29	5.26	5.336	20	
30	5.26	5.275	20	
31	5.26	5.587	20	
32	5.26	5.313	20	
33	5.26	5.495	20	*
34	5.26	5.546	20	
35	5.26	5.484	20	
36	5.26	5.418	20	
37	5.26	5.528	20	
38	5.26	5.424	20	
39	5.26	5.61	20	
40	5.26	5.252	20	
41	5.26	5.41	20	
42	5.26	5.332	20	
43	5.26	5.472	20	
44	5.26	5.69	20	
45	5.26	5.362	20	
46	5.26	5.519	20	
47	5.26	5.478	20	

48	5.26	5.306	20	
49	5.26	5.622	20	
50	5.26	5.381	20	
51	5.26	5.695	20	
52	5.26	5.294	20	
53	5.26	5.256	20	
54	5.26	5.614	20	
55	5.26	5.709	20	
56	5.26	5.658	20	
57	5.26	5.582	20	
58	5.26	5.357	20	
59	5.26	5.399	20	
60	5.26	5.268	20	
61	5.26	5.491	20	*
62	5.26	5.474	20	
63	5.26	5.442	20	
64	5.26	5.537	20	
65	5.26	5.536	20	
66	5.26	5.685	20	
67	5.26	5.403	20	
68	5.26	5.386	20	
69	5.26	5.634	20	
70	5.26	5.715	20	
71	5.26	5.567	20	
72	5.26	5.261	20	
73	5.26	5.56	20	
74	5.26	5.296	20	
75	5.26	5.316	20	
76	5.26	5.592	20	
77	5.26	5.655	20	
78	5.26	5.712	20	
79	5.26	5.267	20	
80	5.26	5.593	20	
81	5.26	5.686	20	
82	5.26	5.57	20	
83	5.26	5.675	20	
84	5.26	5.656	20	
85	5.26	5.465	20	
86	5.26	5.527	20	
87	5.26	5.309	20	
88	5.26	5.583	20	
89	5.26	5.554	20	
90	5.26	5.66	20	
91	5.26	5.279	20	
92	5.26	5.641	20	
93	5.26	5.415	20	
94	5.26	5.295	20	
95	5.26	5.493	20	*
96	5.26	5.602	20	
97	5.26	5.338	20	
98	5.26	5.281	20	
99	5.26	5.624	20	
100	5.26	5.627	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.598	20	
2	5.26	5.287	20	
3	5.26	5.388	20	
4	5.26	5.356	20	
5	5.26	5.303	20	
6	5.26	5.68	20	
7	5.26	5.596	20	
8	5.26	5.491	20	*
9	5.26	5.665	20	
10	5.26	5.533	20	
11	5.26	5.58	20	
12	5.26	5.605	20	
13	5.26	5.521	20	
14	5.26	5.411	20	
15	5.26	5.351	20	
16	5.26	5.381	20	
17	5.26	5.663	20	
18	5.26	5.561	20	
19	5.26	5.353	20	
20	5.26	5.329	20	
21	5.26	5.35	20	
22	5.26	5.472	20	
23	5.26	5.461	20	
24	5.26	5.697	20	
25	5.26	5.66	20	
26	5.26	5.274	20	
27	5.26	5.578	20	
28	5.26	5.639	20	
29	5.26	5.56	20	
30	5.26	5.632	20	
31	5.26	5.435	20	
32	5.26	5.433	20	
33	5.26	5.273	20	
34	5.26	5.468	20	
35	5.26	5.421	20	
36	5.26	5.462	20	
37	5.26	5.345	20	
38	5.26	5.33	20	
39	5.26	5.683	20	
40	5.26	5.587	20	
41	5.26	5.609	20	
42	5.26	5.528	20	
43	5.26	5.368	20	
44	5.26	5.676	20	
45	5.26	5.25	20	
46	5.26	5.34	20	
47	5.26	5.441	20	

48	5.26	5.514	20	
49	5.26	5.46	20	
50	5.26	5.65	20	
51	5.26	5.338	20	
52	5.26	5.55	20	
53	5.26	5.477	20	
54	5.26	5.53	20	
55	5.26	5.326	20	
56	5.26	5.361	20	
57	5.26	5.291	20	
58	5.26	5.693	20	
59	5.26	5.687	20	
60	5.26	5.502	20	*
61	5.26	5.257	20	
62	5.26	5.537	20	
63	5.26	5.365	20	
64	5.26	5.613	20	
65	5.26	5.443	20	
66	5.26	5.612	20	
67	5.26	5.336	20	
68	5.26	5.586	20	
69	5.26	5.28	20	
70	5.26	5.715	20	
71	5.26	5.719	20	
72	5.26	5.377	20	
73	5.26	5.379	20	
74	5.26	5.312	20	
75	5.26	5.704	20	
76	5.26	5.334	20	
77	5.26	5.44	20	
78	5.26	5.271	20	
79	5.26	5.476	20	
80	5.26	5.606	20	
81	5.26	5.4	20	
82	5.26	5.486	20	
83	5.26	5.307	20	
84	5.26	5.385	20	
85	5.26	5.712	20	
86	5.26	5.342	20	
87	5.26	5.501	20	*
88	5.26	5.562	20	
89	5.26	5.711	20	
90	5.26	5.439	20	
91	5.26	5.585	20	
92	5.26	5.602	20	
93	5.26	5.475	20	
94	5.26	5.289	20	
95	5.26	5.519	20	
96	5.26	5.398	20	
97	5.26	5.343	20	
98	5.26	5.282	20	
99	5.26	5.414	20	
100	5.26	5.565	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.574	20	
2	5.26	5.351	20	
3	5.26	5.655	20	
4	5.26	5.527	20	
5	5.26	5.492	20	*
6	5.26	5.688	20	
7	5.26	5.564	20	
8	5.26	5.479	20	
9	5.26	5.591	20	
10	5.26	5.601	20	
11	5.26	5.488	20	
12	5.26	5.646	20	
13	5.26	5.509	20	*
14	5.26	5.697	20	
15	5.26	5.275	20	
16	5.26	5.543	20	
17	5.26	5.641	20	
18	5.26	5.413	20	
19	5.26	5.467	20	
20	5.26	5.297	20	
21	5.26	5.507	20	*
22	5.26	5.585	20	
23	5.26	5.441	20	
24	5.26	5.382	20	
25	5.26	5.352	20	
26	5.26	5.292	20	
27	5.26	5.362	20	
28	5.26	5.301	20	
29	5.26	5.676	20	
30	5.26	5.305	20	
31	5.26	5.599	20	
32	5.26	5.55	20	
33	5.26	5.44	20	
34	5.26	5.662	20	
35	5.26	5.677	20	
36	5.26	5.484	20	
37	5.26	5.587	20	
38	5.26	5.393	20	
39	5.26	5.256	20	
40	5.26	5.626	20	
41	5.26	5.366	20	
42	5.26	5.56	20	
43	5.26	5.651	20	
44	5.26	5.334	20	
45	5.26	5.706	20	
46	5.26	5.48	20	
47	5.26	5.381	20	

48	5.26	5.656	20	
49	5.26	5.282	20	
50	5.26	5.525	20	
51	5.26	5.431	20	
52	5.26	5.561	20	
53	5.26	5.329	20	
54	5.26	5.572	20	
55	5.26	5.304	20	
56	5.26	5.32	20	
57	5.26	5.485	20	
58	5.26	5.609	20	
59	5.26	5.324	20	
60	5.26	5.53	20	
61	5.26	5.346	20	
62	5.26	5.36	20	
63	5.26	5.622	20	
64	5.26	5.576	20	
65	5.26	5.65	20	
66	5.26	5.63	20	
67	5.26	5.62	20	
68	5.26	5.66	20	
69	5.26	5.309	20	
70	5.26	5.541	20	
71	5.26	5.611	20	
72	5.26	5.539	20	
73	5.26	5.557	20	
74	5.26	5.385	20	
75	5.26	5.367	20	
76	5.26	5.573	20	
77	5.26	5.504	20	*
78	5.26	5.448	20	
79	5.26	5.279	20	
80	5.26	5.266	20	
81	5.26	5.299	20	
82	5.26	5.546	20	
83	5.26	5.675	20	
84	5.26	5.471	20	
85	5.26	5.605	20	
86	5.26	5.678	20	
87	5.26	5.3	20	
88	5.26	5.639	20	
89	5.26	5.33	20	
90	5.26	5.705	20	
91	5.26	5.417	20	
92	5.26	5.259	20	
93	5.26	5.687	20	
94	5.26	5.501	20	*
95	5.26	5.628	20	
96	5.26	5.607	20	
97	5.26	5.7	20	
98	5.26	5.597	20	
99	5.26	5.592	20	
100	5.26	5.547	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.522	20	
2	5.26	5.486	20	
3	5.26	5.576	20	
4	5.26	5.503	20	*
5	5.26	5.715	20	
6	5.26	5.609	20	
7	5.26	5.349	20	
8	5.26	5.318	20	
9	5.26	5.458	20	
10	5.26	5.541	20	
11	5.26	5.693	20	
12	5.26	5.662	20	
13	5.26	5.529	20	
14	5.26	5.619	20	
15	5.26	5.663	20	
16	5.26	5.482	20	
17	5.26	5.47	20	
18	5.26	5.595	20	
19	5.26	5.6	20	
20	5.26	5.687	20	
21	5.26	5.629	20	
22	5.26	5.367	20	
23	5.26	5.708	20	
24	5.26	5.315	20	
25	5.26	5.404	20	
26	5.26	5.291	20	
27	5.26	5.573	20	
28	5.26	5.489	20	
29	5.26	5.273	20	
30	5.26	5.497	20	*
31	5.26	5.473	20	
32	5.26	5.38	20	
33	5.26	5.675	20	
34	5.26	5.343	20	
35	5.26	5.379	20	
36	5.26	5.385	20	
37	5.26	5.669	20	
38	5.26	5.487	20	
39	5.26	5.601	20	
40	5.26	5.567	20	
41	5.26	5.514	20	
42	5.26	5.549	20	
43	5.26	5.358	20	
44	5.26	5.368	20	
45	5.26	5.641	20	
46	5.26	5.288	20	
47	5.26	5.504	20	*

48	5.26	5.483	20	
49	5.26	5.637	20	
50	5.26	5.44	20	
51	5.26	5.597	20	
52	5.26	5.419	20	
53	5.26	5.372	20	
54	5.26	5.703	20	
55	5.26	5.556	20	
56	5.26	5.688	20	
57	5.26	5.627	20	
58	5.26	5.625	20	
59	5.26	5.506	20	*
60	5.26	5.276	20	
61	5.26	5.391	20	
62	5.26	5.474	20	
63	5.26	5.538	20	
64	5.26	5.312	20	
65	5.26	5.583	20	
66	5.26	5.547	20	
67	5.26	5.35	20	
68	5.26	5.491	20	*
69	5.26	5.672	20	
70	5.26	5.481	20	
71	5.26	5.476	20	
72	5.26	5.25	20	
73	5.26	5.674	20	
74	5.26	5.569	20	
75	5.26	5.605	20	
76	5.26	5.33	20	
77	5.26	5.254	20	
78	5.26	5.381	20	
79	5.26	5.683	20	
80	5.26	5.622	20	
81	5.26	5.596	20	
82	5.26	5.345	20	
83	5.26	5.54	20	
84	5.26	5.267	20	
85	5.26	5.56	20	
86	5.26	5.535	20	
87	5.26	5.616	20	
88	5.26	5.472	20	
89	5.26	5.317	20	
90	5.26	5.272	20	
91	5.26	5.3	20	
92	5.26	5.536	20	
93	5.26	5.613	20	
94	5.26	5.356	20	
95	5.26	5.655	20	
96	5.26	5.427	20	
97	5.26	5.671	20	
98	5.26	5.559	20	
99	5.26	5.311	20	
100	5.26	5.442	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.29	20	
2	5.26	5.284	20	
3	5.26	5.539	20	
4	5.26	5.445	20	
5	5.26	5.333	20	
6	5.26	5.323	20	
7	5.26	5.353	20	
8	5.26	5.627	20	
9	5.26	5.722	20	
10	5.26	5.507	20	*
11	5.26	5.586	20	
12	5.26	5.367	20	
13	5.26	5.391	20	
14	5.26	5.406	20	
15	5.26	5.587	20	
16	5.26	5.463	20	
17	5.26	5.274	20	
18	5.26	5.702	20	
19	5.26	5.505	20	*
20	5.26	5.415	20	
21	5.26	5.509	20	*
22	5.26	5.615	20	
23	5.26	5.588	20	
24	5.26	5.357	20	
25	5.26	5.289	20	
26	5.26	5.623	20	
27	5.26	5.425	20	
28	5.26	5.489	20	
29	5.26	5.366	20	
30	5.26	5.306	20	
31	5.26	5.608	20	
32	5.26	5.43	20	
33	5.26	5.27	20	
34	5.26	5.648	20	
35	5.26	5.319	20	
36	5.26	5.283	20	
37	5.26	5.421	20	
38	5.26	5.551	20	
39	5.26	5.716	20	
40	5.26	5.399	20	
41	5.26	5.582	20	
42	5.26	5.47	20	
43	5.26	5.645	20	
44	5.26	5.577	20	
45	5.26	5.286	20	
46	5.26	5.581	20	
47	5.26	5.482	20	

48	5.26	5.602	20	
49	5.26	5.525	20	
50	5.26	5.412	20	
51	5.26	5.303	20	
52	5.26	5.404	20	
53	5.26	5.697	20	
54	5.26	5.543	20	
55	5.26	5.471	20	
56	5.26	5.598	20	
57	5.26	5.466	20	
58	5.26	5.554	20	
59	5.26	5.511	20	
60	5.26	5.304	20	
61	5.26	5.644	20	
62	5.26	5.473	20	
63	5.26	5.533	20	
64	5.26	5.699	20	
65	5.26	5.583	20	
66	5.26	5.681	20	
67	5.26	5.263	20	
68	5.26	5.474	20	
69	5.26	5.528	20	
70	5.26	5.724	20	
71	5.26	5.254	20	
72	5.26	5.679	20	
73	5.26	5.361	20	
74	5.26	5.643	20	
75	5.26	5.527	20	
76	5.26	5.705	20	
77	5.26	5.42	20	
78	5.26	5.545	20	
79	5.26	5.655	20	
80	5.26	5.634	20	
81	5.26	5.332	20	
82	5.26	5.496	20	*
83	5.26	5.268	20	
84	5.26	5.492	20	*
85	5.26	5.504	20	*
86	5.26	5.518	20	
87	5.26	5.675	20	
88	5.26	5.297	20	
89	5.26	5.418	20	
90	5.26	5.708	20	
91	5.26	5.682	20	
92	5.26	5.267	20	
93	5.26	5.689	20	
94	5.26	5.691	20	
95	5.26	5.296	20	
96	5.26	5.607	20	
97	5.26	5.261	20	
98	5.26	5.291	20	
99	5.26	5.632	20	
100	5.26	5.524	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.639	20	
2	5.26	5.531	20	
3	5.26	5.498	20	*
4	5.26	5.511	20	
5	5.26	5.271	20	
6	5.26	5.605	20	
7	5.26	5.314	20	
8	5.26	5.442	20	
9	5.26	5.276	20	
10	5.26	5.385	20	
11	5.26	5.607	20	
12	5.26	5.456	20	
13	5.26	5.312	20	
14	5.26	5.299	20	
15	5.26	5.706	20	
16	5.26	5.402	20	
17	5.26	5.328	20	
18	5.26	5.413	20	
19	5.26	5.625	20	
20	5.26	5.256	20	
21	5.26	5.657	20	
22	5.26	5.656	20	
23	5.26	5.371	20	
24	5.26	5.325	20	
25	5.26	5.521	20	
26	5.26	5.669	20	
27	5.26	5.355	20	
28	5.26	5.492	20	*
29	5.26	5.665	20	
30	5.26	5.315	20	
31	5.26	5.308	20	
32	5.26	5.558	20	
33	5.26	5.404	20	
34	5.26	5.551	20	
35	5.26	5.564	20	
36	5.26	5.382	20	
37	5.26	5.391	20	
38	5.26	5.647	20	
39	5.26	5.51	20	*
40	5.26	5.563	20	
41	5.26	5.648	20	
42	5.26	5.32	20	
43	5.26	5.596	20	
44	5.26	5.681	20	
45	5.26	5.487	20	
46	5.26	5.281	20	
47	5.26	5.461	20	

48	5.26	5.646	20	
49	5.26	5.576	20	
50	5.26	5.495	20	*
51	5.26	5.411	20	
52	5.26	5.55	20	
53	5.26	5.327	20	
54	5.26	5.337	20	
55	5.26	5.323	20	
56	5.26	5.536	20	
57	5.26	5.451	20	
58	5.26	5.684	20	
59	5.26	5.356	20	
60	5.26	5.435	20	
61	5.26	5.523	20	
62	5.26	5.604	20	
63	5.26	5.544	20	
64	5.26	5.298	20	
65	5.26	5.717	20	
66	5.26	5.302	20	
67	5.26	5.569	20	
68	5.26	5.671	20	
69	5.26	5.465	20	
70	5.26	5.626	20	
71	5.26	5.594	20	
72	5.26	5.614	20	
73	5.26	5.422	20	
74	5.26	5.291	20	
75	5.26	5.53	20	
76	5.26	5.352	20	
77	5.26	5.632	20	
78	5.26	5.496	20	*
79	5.26	5.462	20	
80	5.26	5.651	20	
81	5.26	5.348	20	
82	5.26	5.61	20	
83	5.26	5.578	20	
84	5.26	5.667	20	
85	5.26	5.67	20	
86	5.26	5.476	20	
87	5.26	5.309	20	
88	5.26	5.565	20	
89	5.26	5.707	20	
90	5.26	5.366	20	
91	5.26	5.282	20	
92	5.26	5.65	20	
93	5.26	5.445	20	
94	5.26	5.708	20	
95	5.26	5.418	20	
96	5.26	5.624	20	
97	5.26	5.62	20	
98	5.26	5.297	20	
99	5.26	5.527	20	
100	5.26	5.573	20	

--

802.11ax(HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.692	20	
2	5.26	5.345	20	
3	5.26	5.533	20	
4	5.26	5.532	20	
5	5.26	5.333	20	
6	5.26	5.352	20	
7	5.26	5.461	20	
8	5.26	5.705	20	
9	5.26	5.35	20	
10	5.26	5.678	20	
11	5.26	5.418	20	
12	5.26	5.596	20	
13	5.26	5.379	20	
14	5.26	5.263	20	
15	5.26	5.401	20	
16	5.26	5.696	20	
17	5.26	5.497	20	*
18	5.26	5.477	20	
19	5.26	5.324	20	
20	5.26	5.425	20	
21	5.26	5.64	20	
22	5.26	5.566	20	
23	5.26	5.337	20	
24	5.26	5.661	20	
25	5.26	5.582	20	
26	5.26	5.331	20	
27	5.26	5.46	20	
28	5.26	5.424	20	
29	5.26	5.402	20	
30	5.26	5.512	20	
31	5.26	5.41	20	
32	5.26	5.674	20	
33	5.26	5.313	20	
34	5.26	5.572	20	
35	5.26	5.255	20	
36	5.26	5.528	20	
37	5.26	5.589	20	
38	5.26	5.703	20	
39	5.26	5.353	20	
40	5.26	5.285	20	
41	5.26	5.712	20	
42	5.26	5.399	20	
43	5.26	5.396	20	
44	5.26	5.684	20	
45	5.26	5.538	20	
46	5.26	5.329	20	
47	5.26	5.44	20	

48	5.26	5.367	20	
49	5.26	5.34	20	
50	5.26	5.485	20	
51	5.26	5.453	20	
52	5.26	5.576	20	
53	5.26	5.548	20	
54	5.26	5.635	20	
55	5.26	5.708	20	
56	5.26	5.617	20	
57	5.26	5.28	20	
58	5.26	5.256	20	
59	5.26	5.563	20	
60	5.26	5.689	20	
61	5.26	5.545	20	
62	5.26	5.49	20	*
63	5.26	5.361	20	
64	5.26	5.585	20	
65	5.26	5.373	20	
66	5.26	5.587	20	
67	5.26	5.282	20	
68	5.26	5.591	20	
69	5.26	5.671	20	
70	5.26	5.67	20	
71	5.26	5.711	20	
72	5.26	5.687	20	
73	5.26	5.6	20	
74	5.26	5.336	20	
75	5.26	5.567	20	
76	5.26	5.348	20	
77	5.26	5.295	20	
78	5.26	5.347	20	
79	5.26	5.5	20	*
80	5.26	5.714	20	
81	5.26	5.648	20	
82	5.26	5.273	20	
83	5.26	5.45	20	
84	5.26	5.691	20	
85	5.26	5.391	20	
86	5.26	5.564	20	
87	5.26	5.632	20	
88	5.26	5.628	20	
89	5.26	5.623	20	
90	5.26	5.48	20	
91	5.26	5.33	20	
92	5.26	5.445	20	
93	5.26	5.372	20	
94	5.26	5.697	20	
95	5.26	5.349	20	
96	5.26	5.444	20	
97	5.26	5.501	20	*
98	5.26	5.3	20	
99	5.26	5.43	20	
100	5.26	5.636	20	

--

802.11ax(HE40) - 5270MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	81	1	658
2	78	1	678
3	63	1	838
4	78	1	678
5	58	1	918
6	63	1	838
7	62	1	858
8	18	1	3066
9	78	1	678
10	95	1	558
11	89	1	598
12	95	1	558
13	67	1	798
14	89	1	598
15	86	1	618
16	74	1	718
17	65	1	818
18	67	1	798
19	89	1	598
20	78	1	678
21	61	1	878
22	83	1	638
23	61	1	878
24	65	1	818
25	57	1	938
26	61	1	878
27	76	1	698
28	72	1	738
29	95	1	558
30	68	1	778

802.11ax(HE40) - 5270MHz**RADAR TYPE 2**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	25	2	183
2	26	4.5	204
3	23	3	171
4	27	3.1	152
5	24	5	216
6	24	2.7	207
7	28	4.5	191
8	27	4.5	178
9	23	1.8	222
10	25	3.2	156
11	27	3.9	207
12	29	2.9	169
13	28	3.4	188
14	27	2.3	210
15	26	5	216
16	28	4.9	169
17	28	3.9	201
18	27	1.3	217
19	24	3	176
20	25	2.9	213
21	24	1.3	209
22	24	1.4	182
23	23	1.5	165
24	27	1.8	218
25	26	3.8	175
26	27	3.1	230
27	28	2.6	226
28	27	2.6	154
29	23	3.2	177
30	24	3.5	153

802.11ax(HE40) - 5270MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	6.1	432
2	18	9.2	471
3	17	7.6	302
4	17	6.4	425
5	17	8.2	395
6	16	9.9	238
7	17	8.6	284
8	17	7	390
9	17	6.5	281
10	17	7.7	389
11	17	9.1	393
12	16	8.2	494
13	17	8.5	272
14	18	7.2	417
15	17	8.4	427
16	17	9.1	399
17	16	7.9	467
18	17	7.9	489
19	18	8.3	443
20	17	9.4	327
21	17	7.2	290
22	17	7.2	249
23	16	6.5	419
24	17	8.8	440
25	17	6.8	229
26	16	9	250
27	18	7.6	272
28	18	9.2	277
29	17	9.5	439
30	18	8.8	488

802.11ax(HE40) - 5270MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	19.3	272
2	14	14.4	418
3	15	13.5	416
4	14	18.2	222
5	16	14.7	232
6	13	11.3	272
7	15	14.1	291
8	15	19.5	378
9	13	19	321
10	14	18.4	474
11	15	14.1	352
12	15	13.8	494
13	15	11.5	354
14	15	19.7	450
15	13	15.5	455
16	13	18.2	422
17	15	18.9	240
18	12	11.5	268
19	13	14.5	391
20	15	15.2	247
21	15	19.5	442
22	14	12.9	246
23	14	17.1	246
24	15	17.6	398
25	13	11.8	415
26	14	15.6	460
27	12	17.9	272
28	13	15.9	375
29	13	13.5	362
30	16	18.7	240

802.11ax(HE40) - 5270MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	10	1	5270
2	13	1	5270
3	7	1	5270
4	17	1	5270
5	6	1	5270
6	8	1	5270
7	10	1	5270
8	7	1	5270
9	6	1	5270
10	10	1	5270
11	14	2	5256.6
12	13	2	5256.2
13	5	2	5253
14	6	2	5253.4
15	11	2	5255.4
16	12	2	5255.8
17	17	2	5257.8
18	15	2	5257
19	10	2	5255
20	14	2	5256.6
21	17	3	5282.2
22	16	3	5282.6
23	19	3	5281.4
24	20	3	5281
25	13	3	5283.8
26	6	3	5286.6
27	15	3	5283
28	8	3	5285.8
29	7	3	5286.2
30	6	3	5286.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	90.8	10			635.533
2	3	99.9	10	1258	1725	356.25
3	3	96.9	10	1811	1737	621.66
4	2	97.8	10	1095		364.43
5	1	80.1	10			626.58
6	2	64	10	1912		292.04
7	1	89.6	10			109.91
8	2	67.2	10	1451		546.47
9	3	79.6	10	1700	1607	581.57
10	2	70.5	10	1040		744.19
11	3	59	10	1495	1877	38.16
12	2	80.5	10	1766		343.7
13	1	97.9	10			729.6
14	3	75.4	10	1922	1311	397.9
15	2	92.5	10	1410		255.5

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	88.7	13	1528	1096	41.017
2	2	82.3	13	1419		159.97
3	3	97.7	13	1090	1161	687.07
4	2	67.3	13	1835		611.94
5	2	72.4	13	1127		177.73
6	2	75.9	13	1464		35.27
7	1	87	13			248.19
8	1	74	13			180.05
9	3	91.3	13	1985	1911	47.63
10	2	56	13	1378		846.5
11	3	79.4	13	1286	1229	398.5
12	1	95.7	13			452.3

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	54.9	7	1850		500.316
2	1	80.4	7			626.107
3	1	72.3	7			834.984
4	2	97	7	1891		145.731
5	1	50.5	7			140.949
6	2	87.2	7	1853		607.516
7	1	84.6	7			114.413
8	2	53.7	7	1190		644.93
9	3	51	7	1114	1636	355.137
10	2	50.7	7	1923		794.634
11	2	57.3	7	1392		293.911
12	1	93.3	7			470.989
13	3	73.9	7	1973	1992	52.986
14	2	96.2	7	1683		83.843

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	90	17	1417		443.405
2	2	76	17	1631		154.427
3	2	63.1	17	1245		105.884
4	1	87.8	17			314.231
5	1	81	17			740.509
6	1	97.3	17			701.996
7	2	94.5	17	1695		844.953
8	3	82.9	17	1554	1066	275.66
9	2	87.5	17	1288		743.567
10	3	54.9	17	1342	1887	605.514
11	2	61.2	17	1439		77.491
12	3	76.1	17	1594	1534	642.729
13	3	63.2	17	1289	1144	54.486
14	2	78	17	1120		456.543

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	54.3	6	1277	1883	527.225
2	2	55.1	6	1214		437.63
3	2	71.4	6	1123		238.04
4	2	83.6	6	1049		439.38
5	2	85.6	6	1942		294.42
6	2	53.6	6	1016		181.89
7	2	57.9	6	1523		295.84
8	2	89.2	6	1784		348.17
9	3	80.3	6	1986	1913	55.98
10	2	61.2	6	1620		374.55
11	2	57.3	6	1652		199.94
12	2	89.8	6	1967		414.72
13	1	83.8	6			128.14
14	2	55	6	1389		435.48
15	2	60.7	6	1955		568.16
16	1	81.9	6			57.47
17	2	94.8	6	1059		57.01
18	1	81.9	6			326
19	2	82.1	6	1338		223.8
20	2	58	6	1217		371.5

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	61.4	8	1302	1451	138.513
2	1	95.1	8			572.227
3	1	60.7	8			618.004
4	2	62.6	8	1380		424.271
5	1	52.8	8			512.569
6	2	52.1	8	1902		237.006
7	2	51.1	8	1783		63.943
8	3	95.6	8	1123	1059	418.02
9	1	50.7	8			211.147
10	2	57.1	8	1973		212.344
11	3	58.1	8	1447	1083	108.941
12	1	97.3	8			113.719
13	3	58.3	8	1542	1924	177.086
14	1	59.6	8			538.043

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	52.4	10			286.077
2	2	70.9	10	1110		539.51
3	1	77.3	10			191.7
4	2	62	10	1568		481.11
5	1	57.5	10			339.02
6	2	95.1	10	1670		96.77
7	3	59	10	1491	1250	497.91
8	1	78.9	10			578.33
9	2	57.3	10	1849		470.91
10	2	71.4	10	1769		544.05
11	2	86.8	10	1040		314.31
12	3	54.6	10	1727	1361	584.23
13	2	89.8	10	1107		492.86
14	2	88.5	10	1347		577.56
15	3	91	10	1653	1931	129.27
16	1	98.5	10			48.59
17	3	71.9	10	1109	1747	97.11
18	1	79.1	10			407.3
19	2	91.5	10	1289		561.8
20	2	54.1	10	1807		114.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	52.4	7	1094		64.315
2	2	99.8	7	1129		609.257
3	1	60.6	7			218.604
4	2	51.8	7	1535		408.581
5	3	79.3	7	1282	1772	777.759
6	2	61.3	7	1478		48.936
7	1	72.6	7			837.893
8	3	54.9	7	1777	1332	123.97
9	2	63.5	7	1433		318.247
10	3	93.6	7	1151	1708	142.034
11	3	51.4	7	1333	1290	785.671
12	2	96.9	7	1176		586.329
13	1	82.9	7			235.686
14	2	69	7	1348		199.743

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	61.8	6	1401		83.552
2	2	84.6	6	1884		32.823
3	2	84	6	1880		178.586
4	2	97.1	6	1944		735.779
5	1	64.5	6			127.662
6	1	81	6			737.545
7	2	57.1	6	1333		655.018
8	1	83.9	6			748.872
9	1	80.5	6			379.795
10	1	70.1	6			490.398
11	2	75.4	6	1697		771.431
12	3	68.2	6	1001	1354	549.954
13	2	84.1	6	1577		470.077

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	53.6	10	1542		364.709
2	3	86.4	10	1183	1538	404.137
3	2	62.9	10	1945		197.594
4	3	64.2	10	1077	1467	709.861
5	2	61.5	10	1421		623.549
6	2	61.7	10	1924		625.846
7	2	60.9	10	1090		601.743
8	2	51.6	10	1267		147.33
9	2	78.7	10	1804		762.917
10	3	53	10	1449	1518	196.664
11	2	87.1	10	1794		585.221
12	2	73.7	10	1857		227.439
13	3	73.8	10	1494	1084	101.186
14	3	69.1	10	1057	1298	725.243

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.9	14	1746		106.295
2	1	92.9	14			267.29
3	2	89.7	14	1880		720.07
4	3	70.7	14	1685	1233	13.37
5	3	53.5	14	1160	1975	632.57
6	2	52.8	14	1320		322.65
7	1	62.3	14			752.72
8	2	86.3	14	1232		455.72
9	1	85.9	14			784.67
10	2	96.9	14	1873		392.58
11	3	60.5	14	1289	1332	19.87
12	2	67.4	14	1962		685.55
13	2	94.2	14	1761		679.2
14	2	64.3	14	1630		181
15	3	65	14	1626	1816	593.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	88.5	13	1498	1848	369.083
2	1	84.5	13			657.31
3	2	54.4	13	1793		527.22
4	1	66.2	13			457.94
5	2	97.9	13	1310		409.98
6	2	70.3	13	1645		730.2
7	3	80.3	13	1968	1726	157.48
8	2	72.1	13	1872		440.02
9	2	95.7	13	1682		683.64
10	2	79.3	13	1575		716.82
11	1	62.6	13			745.73
12	3	73.5	13	1336	1083	739.2
13	2	68.3	13	1562		400.2
14	3	86.7	13	1438	1088	557
15	1	92.6	13			13.7

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	85.1	5			550.223
2	2	64.6	5	1126		427.517
3	1	77.1	5			293.154
4	1	81.5	5			463.271
5	1	77.3	5			111.019
6	2	50.1	5	1000		785.126
7	2	99.8	5	1168		791.303
8	1	74.8	5			662.26
9	2	83.7	5	1490		182.037
10	3	71	5	1738	1587	689.214
11	2	60	5	1057		110.891
12	3	65.1	5	1214	1516	677.229
13	3	65.5	5	1836	1688	653.486
14	3	61.8	5	1500	1253	228.443

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	65.4	6	1054	1744	437.495
2	2	75.5	6	1792		675.177
3	1	75.8	6			700.134
4	1	50.4	6			812.021
5	1	80.7	6			425.069
6	2	75.5	6	1130		345.116
7	1	50.2	6			734.923
8	1	80.9	6			396.67
9	1	88.7	6			653.657
10	1	91.4	6			125.614
11	1	68.2	6			119.181
12	3	76.1	6	1430	1881	20.369
13	3	70.9	6	1519	1436	405.986
14	2	52.6	6	1341		823.343

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	73.8	11	1025		35.558
2	1	84.9	11			323.97
3	1	81.7	11			534.69
4	2	76.6	11	1573		245.1
5	1	56.7	11			340.19
6	2	95.4	11	1436		336.94
7	3	79.5	11	1284	1041	525.49
8	2	97.1	11	1194		29.27
9	3	52.1	11	1162	1341	83.55
10	2	89.3	11	1306		541.55
11	3	58.4	11	1592	1664	176.6
12	2	87.6	11	1033		931.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	68.4	12	1027	1615	225.856
2	1	64	12			799.151
3	1	60	12			822.672
4	2	96.7	12	1210		677.553
5	1	67.8	12			894.694
6	1	97.1	12			365.955
7	2	57.5	12	1570		1069.545
8	1	60.6	12			729.446
9	3	66.3	12	1801	1557	83.297
10	2	70.7	12	1584		225.218
11	3	74.1	12	1427	1510	109.809

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	87.1	17			981.216
2	2	90.9	17	1002		72.05
3	1	80.9	17			411.29
4	2	70.4	17	1907		410.94
5	1	56.9	17			333.04
6	3	78.9	17	1524	1079	604.6
7	2	75.4	17	1096		769.12
8	2	66.5	17	1138		690.18
9	3	64.3	17	1765	1696	422.94
10	2	87.8	17	1978		475.35
11	2	53.1	17	1934		719.7
12	1	77.6	17			350.1

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	81.3	14			532.667
2	1	67.3	14			257.457
3	3	59.1	14	1673	1261	720.194
4	2	60	14	1008		688.801
5	2	61.7	14	1502		304.399
6	3	76.9	14	1749	1224	505.996
7	1	77.6	14			182.993
8	2	88.2	14	1841		464.05
9	2	57.4	14	1768		796.497
10	2	92	14	1082		572.484
11	1	99.6	14			839.051
12	3	57.4	14	1869	1051	720.429
13	3	61.3	14	1313	1343	139.086
14	2	56.2	14	1969		553.943

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	54.5	17			569.892
2	3	75	17	1538	1714	573.89
3	3	81	17	1616	1923	41.62
4	2	83.4	17	1713		218.66
5	1	95.5	17			159.12
6	1	96.5	17			560.53
7	2	74.2	17	1039		304.63
8	3	94.2	17	1268	1674	380.04
9	2	92	17	1721		156.96
10	1	68.8	17			341.05
11	2	99	17	1775		576.85
12	3	64.7	17	1173	1949	258.16
13	3	85.2	17	1546	1502	96.32
14	1	52.2	17			217.68
15	2	73.9	17	1259		108.96
16	1	85.6	17			407.1
17	2	75.9	17	1553		2.17
18	1	62.4	17			462
19	3	63.1	17	1247	1897	306.5
20	2	87.8	17	1438		562

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	61.9	16			390.237
2	3	67.6	16	1952	1845	114.05
3	1	79.2	16			451.194
4	1	62.9	16			35.671
5	2	51	16	1346		376.229
6	3	63.1	16	1471	1029	670.946
7	2	52	16	1830		814.213
8	3	82.6	16	1126	1005	142.86
9	1	76.5	16			154.417
10	2	81	16	1934		149.674
11	1	69.1	16			120.581
12	3	66.6	16	1296	1981	530.219
13	3	75.6	16	1294	1693	423.086
14	1	62.5	16			661.243

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	83.3	19	1687	1105	620.98
2	2	75.9	19	1970		77.281
3	1	76.8	19			676.645
4	2	69	19	1830		120.833
5	2	72.6	19	1731		593.571
6	2	58.2	19	1029		226.458
7	1	82.8	19			308.046
8	3	80.7	19	1244	1389	272.224
9	2	50.2	19	1000		120.241
10	2	57.3	19	1194		642.719
11	3	79.6	19	1042	1247	179.106
12	3	95.9	19	1139	1178	535.544
13	1	77.5	19			278.912
14	3	81.5	19	1606	1483	212.549
15	2	61.3	19	1676		438.547
16	2	50.3	19	1625		387.165
17	3	75.5	19	1300	1290	490.482

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	50.3	20	1246	1601	490.881
2	3	90.4	20	1471	1061	262.148
3	2	54.3	20	1479		178.582
4	3	64.9	20	1877	1375	118.913
5	2	82.2	20	1076		465.034
6	3	81.9	20	1629	1435	446.335
7	2	51.9	20	1607		567.406
8	3	84.9	20	1795	1020	105.257
9	2	81	20	2000		267.748
10	3	63.9	20	1118	1969	500.659
11	2	62.8	20	1317		54.751
12	2	79.2	20	1331		50.602
13	2	80.1	20	1549		29.543
14	1	51.1	20			152.434
15	2	68.9	20	1592		97.295
16	3	95.2	20	1787	1099	1.056
17	2	93	20	1700		415.437
18	2	88.5	20	1401		103.458
19	1	69.5	20			559.479

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	75.8	13	1580		589.668
2	2	60.1	13	1830		276.977
3	1	96.2	13			740.944
4	3	64.6	13	1512	1445	311.711
5	1	63.5	13			488.629
6	1	68	13			375.336
7	2	62.8	13	1218		712.693
8	2	58.8	13	1210		185.08
9	3	57.2	13	1015	1647	486.687
10	1	62.1	13			569.044
11	3	64.1	13	1219	1798	749.211
12	2	88.6	13	1838		669.829
13	1	92.6	13			428.386
14	3	90.4	13	1652	1841	745.943

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	81.8	6	1386		923.141
2	1	60.2	6			342.3
3	2	80.2	6	1337		237.31
4	1	70	6			352.77
5	1	64.3	6			530.38
6	2	88.2	6	1394		358.45
7	3	74.1	6	1044	1006	187.75
8	1	58.6	6			517.1
9	2	73.7	6	1193		259.33
10	1	84	6			395.65
11	1	67.9	6			554.6
12	1	80.2	6			186.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	70.7	15	1413	1271	525.697
2	3	79.4	15	1426	1373	135.113
3	2	91.7	15	1673		192.827
4	2	55.1	15	1767		1.62
5	3	56.9	15	1958	1288	601.643
6	3	78.5	15	1658	1182	630.227
7	3	87.1	15	1166	1936	130.07
8	3	94.6	15	1761	1843	628.683
9	1	87	15			325.467
10	2	93.1	15	1407		362.46
11	3	53.5	15	1351	1202	112.683
12	3	71.1	15	1973	1043	564.817
13	2	85.4	15	1762		631.37
14	2	54.8	15	1828		304.663
15	2	98.7	15	1530		134.727
16	3	100	15	1058	1323	398
17	1	83.3	15			600.433
18	2	86.7	15	1831		241.867

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	58.7	8	1076	1636	684.847
2	2	58.1	8	1219		110.27
3	2	82.6	8	1592		771.11
4	1	82.6	8			760.39
5	2	74.5	8	1938		595.59
6	3	52.1	8	1002	1860	188
7	1	90.5	8			378.92
8	2	95.6	8	1761		204.09
9	2	54.9	8	1248		618.97
10	3	62.4	8	1201	1189	957.62
11	2	50.4	8	1835		377.7
12	2	65.6	8	1236		7.6

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	84.5	7	1556	1691	126.167
2	2	54.9	7	1581		246.01
3	2	83.1	7	1180		154.62
4	2	88.8	7	1845		563.12
5	2	70	7	1179		793.76
6	2	77.7	7	1723		211.9
7	1	87.8	7			517.6
8	2	68.7	7	1695		429.73
9	2	93.2	7	1689		34.51
10	2	74.7	7	1196		250.75
11	1	77.8	7			54.05
12	2	85.6	7	1870		390.22
13	2	98.1	7	1752		662.1
14	2	78.3	7	1531		425.5
15	3	57.2	7	1292	1761	195.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	88.1	6			569.459
2	3	51.1	6	1431	1424	225.65
3	1	65.7	6			734.03
4	2	55.1	6	1644		63.21
5	3	83.4	6	1241	1467	415.16
6	2	55.5	6	1134		550.3
7	2	96.9	6	1044		554.34
8	3	50.7	6	1269	1885	568.97
9	1	75	6			406.13
10	3	91.1	6	1828	1545	316.95
11	3	84.3	6	1445	1929	668.43
12	2	73.3	6	1102		193.85
13	2	96.8	6	1307		408.23
14	1	87.4	6			554.3
15	2	62.5	6	1467		683.3
16	3	76	6	1039	1185	341.4

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.37	40	
2	5.27	5.384	40	
3	5.27	5.362	40	
4	5.27	5.659	40	
5	5.27	5.492	40	
6	5.27	5.281	40	
7	5.27	5.449	40	
8	5.27	5.636	40	
9	5.27	5.438	40	
10	5.27	5.433	40	
11	5.27	5.486	40	
12	5.27	5.284	40	
13	5.27	5.403	40	
14	5.27	5.487	40	
15	5.27	5.699	40	
16	5.27	5.52	40	
17	5.27	5.276	40	
18	5.27	5.592	40	
19	5.27	5.516	40	
20	5.27	5.664	40	
21	5.27	5.446	40	
22	5.27	5.404	40	
23	5.27	5.43	40	
24	5.27	5.55	40	
25	5.27	5.541	40	
26	5.27	5.603	40	
27	5.27	5.337	40	
28	5.27	5.373	40	
29	5.27	5.294	40	
30	5.27	5.27	40	*
31	5.27	5.427	40	
32	5.27	5.36	40	
33	5.27	5.452	40	
34	5.27	5.618	40	
35	5.27	5.701	40	
36	5.27	5.6	40	
37	5.27	5.689	40	
38	5.27	5.355	40	
39	5.27	5.499	40	
40	5.27	5.385	40	
41	5.27	5.631	40	
42	5.27	5.275	40	
43	5.27	5.652	40	
44	5.27	5.654	40	
45	5.27	5.66	40	
46	5.27	5.429	40	
47	5.27	5.51	40	

48	5.27	5.432	40	
49	5.27	5.634	40	
50	5.27	5.407	40	
51	5.27	5.271	40	
52	5.27	5.305	40	
53	5.27	5.39	40	
54	5.27	5.644	40	
55	5.27	5.319	40	
56	5.27	5.464	40	
57	5.27	5.29	40	
58	5.27	5.453	40	
59	5.27	5.42	40	
60	5.27	5.692	40	
61	5.27	5.698	40	
62	5.27	5.261	40	*
63	5.27	5.459	40	
64	5.27	5.677	40	
65	5.27	5.402	40	
66	5.27	5.295	40	
67	5.27	5.663	40	
68	5.27	5.623	40	
69	5.27	5.601	40	
70	5.27	5.33	40	
71	5.27	5.398	40	
72	5.27	5.394	40	
73	5.27	5.396	40	
74	5.27	5.297	40	
75	5.27	5.272	40	
76	5.27	5.412	40	
77	5.27	5.377	40	
78	5.27	5.382	40	
79	5.27	5.395	40	
80	5.27	5.49	40	
81	5.27	5.334	40	
82	5.27	5.675	40	
83	5.27	5.656	40	
84	5.27	5.274	40	
85	5.27	5.383	40	
86	5.27	5.482	40	
87	5.27	5.568	40	
88	5.27	5.679	40	
89	5.27	5.633	40	
90	5.27	5.262	40	*
91	5.27	5.609	40	
92	5.27	5.474	40	
93	5.27	5.716	40	
94	5.27	5.363	40	
95	5.27	5.519	40	
96	5.27	5.372	40	
97	5.27	5.332	40	
98	5.27	5.715	40	
99	5.27	5.278	40	
100	5.27	5.624	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.538	40	
2	5.27	5.32	40	
3	5.27	5.51	40	
4	5.27	5.407	40	
5	5.27	5.417	40	
6	5.27	5.668	40	
7	5.27	5.633	40	
8	5.27	5.44	40	
9	5.27	5.507	40	
10	5.27	5.408	40	
11	5.27	5.548	40	
12	5.27	5.426	40	
13	5.27	5.488	40	
14	5.27	5.267	40	*
15	5.27	5.583	40	
16	5.27	5.496	40	
17	5.27	5.322	40	
18	5.27	5.556	40	
19	5.27	5.275	40	
20	5.27	5.59	40	
21	5.27	5.253	40	*
22	5.27	5.506	40	
23	5.27	5.385	40	
24	5.27	5.717	40	
25	5.27	5.399	40	
26	5.27	5.516	40	
27	5.27	5.524	40	
28	5.27	5.367	40	
29	5.27	5.72	40	
30	5.27	5.347	40	
31	5.27	5.465	40	
32	5.27	5.455	40	
33	5.27	5.329	40	
34	5.27	5.645	40	
35	5.27	5.402	40	
36	5.27	5.403	40	
37	5.27	5.699	40	
38	5.27	5.383	40	
39	5.27	5.425	40	
40	5.27	5.345	40	
41	5.27	5.257	40	*
42	5.27	5.68	40	
43	5.27	5.271	40	
44	5.27	5.445	40	
45	5.27	5.715	40	
46	5.27	5.458	40	
47	5.27	5.641	40	

48	5.27	5.571	40	
49	5.27	5.307	40	
50	5.27	5.476	40	
51	5.27	5.5	40	
52	5.27	5.436	40	
53	5.27	5.574	40	
54	5.27	5.613	40	
55	5.27	5.552	40	
56	5.27	5.362	40	
57	5.27	5.504	40	
58	5.27	5.647	40	
59	5.27	5.653	40	
60	5.27	5.518	40	
61	5.27	5.655	40	
62	5.27	5.511	40	
63	5.27	5.487	40	
64	5.27	5.473	40	
65	5.27	5.437	40	
66	5.27	5.355	40	
67	5.27	5.547	40	
68	5.27	5.365	40	
69	5.27	5.441	40	
70	5.27	5.695	40	
71	5.27	5.616	40	
72	5.27	5.422	40	
73	5.27	5.685	40	
74	5.27	5.536	40	
75	5.27	5.577	40	
76	5.27	5.296	40	
77	5.27	5.449	40	
78	5.27	5.515	40	
79	5.27	5.704	40	
80	5.27	5.411	40	
81	5.27	5.532	40	
82	5.27	5.705	40	
83	5.27	5.65	40	
84	5.27	5.494	40	
85	5.27	5.304	40	
86	5.27	5.675	40	
87	5.27	5.412	40	
88	5.27	5.364	40	
89	5.27	5.519	40	
90	5.27	5.596	40	
91	5.27	5.37	40	
92	5.27	5.539	40	
93	5.27	5.331	40	
94	5.27	5.46	40	
95	5.27	5.368	40	
96	5.27	5.598	40	
97	5.27	5.674	40	
98	5.27	5.309	40	
99	5.27	5.692	40	
100	5.27	5.41	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.295	40	
2	5.27	5.567	40	
3	5.27	5.403	40	
4	5.27	5.542	40	
5	5.27	5.385	40	
6	5.27	5.309	40	
7	5.27	5.554	40	
8	5.27	5.29	40	
9	5.27	5.614	40	
10	5.27	5.578	40	
11	5.27	5.568	40	
12	5.27	5.294	40	
13	5.27	5.389	40	
14	5.27	5.586	40	
15	5.27	5.311	40	
16	5.27	5.657	40	
17	5.27	5.575	40	
18	5.27	5.619	40	
19	5.27	5.588	40	
20	5.27	5.432	40	
21	5.27	5.58	40	
22	5.27	5.584	40	
23	5.27	5.478	40	
24	5.27	5.46	40	
25	5.27	5.366	40	
26	5.27	5.289	40	
27	5.27	5.555	40	
28	5.27	5.257	40	*
29	5.27	5.271	40	
30	5.27	5.487	40	
31	5.27	5.644	40	
32	5.27	5.48	40	
33	5.27	5.383	40	
34	5.27	5.441	40	
35	5.27	5.371	40	
36	5.27	5.263	40	*
37	5.27	5.327	40	
38	5.27	5.255	40	*
39	5.27	5.572	40	
40	5.27	5.44	40	
41	5.27	5.591	40	
42	5.27	5.265	40	*
43	5.27	5.346	40	
44	5.27	5.593	40	
45	5.27	5.446	40	
46	5.27	5.407	40	
47	5.27	5.613	40	

48	5.27	5.506	40	
49	5.27	5.4	40	
50	5.27	5.336	40	
51	5.27	5.691	40	
52	5.27	5.592	40	
53	5.27	5.369	40	
54	5.27	5.278	40	
55	5.27	5.494	40	
56	5.27	5.574	40	
57	5.27	5.708	40	
58	5.27	5.373	40	
59	5.27	5.532	40	
60	5.27	5.304	40	
61	5.27	5.281	40	
62	5.27	5.543	40	
63	5.27	5.321	40	
64	5.27	5.325	40	
65	5.27	5.642	40	
66	5.27	5.71	40	
67	5.27	5.452	40	
68	5.27	5.316	40	
69	5.27	5.664	40	
70	5.27	5.397	40	
71	5.27	5.673	40	
72	5.27	5.711	40	
73	5.27	5.523	40	
74	5.27	5.335	40	
75	5.27	5.256	40	*
76	5.27	5.579	40	
77	5.27	5.47	40	
78	5.27	5.275	40	
79	5.27	5.587	40	
80	5.27	5.33	40	
81	5.27	5.672	40	
82	5.27	5.541	40	
83	5.27	5.631	40	
84	5.27	5.525	40	
85	5.27	5.331	40	
86	5.27	5.558	40	
87	5.27	5.332	40	
88	5.27	5.606	40	
89	5.27	5.396	40	
90	5.27	5.5	40	
91	5.27	5.353	40	
92	5.27	5.491	40	
93	5.27	5.499	40	
94	5.27	5.345	40	
95	5.27	5.404	40	
96	5.27	5.34	40	
97	5.27	5.689	40	
98	5.27	5.266	40	*
99	5.27	5.511	40	
100	5.27	5.411	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.263	40	*
2	5.27	5.413	40	
3	5.27	5.415	40	
4	5.27	5.687	40	
5	5.27	5.471	40	
6	5.27	5.33	40	
7	5.27	5.543	40	
8	5.27	5.534	40	
9	5.27	5.375	40	
10	5.27	5.511	40	
11	5.27	5.682	40	
12	5.27	5.648	40	
13	5.27	5.468	40	
14	5.27	5.407	40	
15	5.27	5.261	40	*
16	5.27	5.662	40	
17	5.27	5.426	40	
18	5.27	5.274	40	
19	5.27	5.532	40	
20	5.27	5.342	40	
21	5.27	5.512	40	
22	5.27	5.441	40	
23	5.27	5.681	40	
24	5.27	5.399	40	
25	5.27	5.322	40	
26	5.27	5.599	40	
27	5.27	5.396	40	
28	5.27	5.27	40	*
29	5.27	5.616	40	
30	5.27	5.287	40	
31	5.27	5.582	40	
32	5.27	5.348	40	
33	5.27	5.554	40	
34	5.27	5.513	40	
35	5.27	5.544	40	
36	5.27	5.696	40	
37	5.27	5.258	40	*
38	5.27	5.589	40	
39	5.27	5.521	40	
40	5.27	5.355	40	
41	5.27	5.514	40	
42	5.27	5.707	40	
43	5.27	5.613	40	
44	5.27	5.291	40	
45	5.27	5.297	40	
46	5.27	5.588	40	
47	5.27	5.502	40	

48	5.27	5.483	40	
49	5.27	5.294	40	
50	5.27	5.414	40	
51	5.27	5.325	40	
52	5.27	5.653	40	
53	5.27	5.367	40	
54	5.27	5.598	40	
55	5.27	5.373	40	
56	5.27	5.675	40	
57	5.27	5.321	40	
58	5.27	5.26	40	*
59	5.27	5.293	40	
60	5.27	5.507	40	
61	5.27	5.457	40	
62	5.27	5.695	40	
63	5.27	5.605	40	
64	5.27	5.658	40	
65	5.27	5.551	40	
66	5.27	5.302	40	
67	5.27	5.611	40	
68	5.27	5.667	40	
69	5.27	5.44	40	
70	5.27	5.404	40	
71	5.27	5.58	40	
72	5.27	5.42	40	
73	5.27	5.418	40	
74	5.27	5.642	40	
75	5.27	5.434	40	
76	5.27	5.508	40	
77	5.27	5.693	40	
78	5.27	5.337	40	
79	5.27	5.332	40	
80	5.27	5.259	40	*
81	5.27	5.395	40	
82	5.27	5.353	40	
83	5.27	5.303	40	
84	5.27	5.68	40	
85	5.27	5.288	40	
86	5.27	5.583	40	
87	5.27	5.561	40	
88	5.27	5.4	40	
89	5.27	5.629	40	
90	5.27	5.71	40	
91	5.27	5.363	40	
92	5.27	5.515	40	
93	5.27	5.714	40	
94	5.27	5.576	40	
95	5.27	5.277	40	
96	5.27	5.25	40	*
97	5.27	5.338	40	
98	5.27	5.458	40	
99	5.27	5.422	40	
100	5.27	5.486	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.276	40	
2	5.27	5.26	40	*
3	5.27	5.573	40	
4	5.27	5.515	40	
5	5.27	5.269	40	*
6	5.27	5.699	40	
7	5.27	5.355	40	
8	5.27	5.657	40	
9	5.27	5.448	40	
10	5.27	5.694	40	
11	5.27	5.529	40	
12	5.27	5.519	40	
13	5.27	5.538	40	
14	5.27	5.571	40	
15	5.27	5.473	40	
16	5.27	5.591	40	
17	5.27	5.345	40	
18	5.27	5.271	40	
19	5.27	5.397	40	
20	5.27	5.331	40	
21	5.27	5.548	40	
22	5.27	5.366	40	
23	5.27	5.577	40	
24	5.27	5.606	40	
25	5.27	5.685	40	
26	5.27	5.703	40	
27	5.27	5.534	40	
28	5.27	5.302	40	
29	5.27	5.4	40	
30	5.27	5.653	40	
31	5.27	5.365	40	
32	5.27	5.668	40	
33	5.27	5.674	40	
34	5.27	5.391	40	
35	5.27	5.716	40	
36	5.27	5.554	40	
37	5.27	5.592	40	
38	5.27	5.411	40	
39	5.27	5.384	40	
40	5.27	5.274	40	
41	5.27	5.432	40	
42	5.27	5.401	40	
43	5.27	5.514	40	
44	5.27	5.472	40	
45	5.27	5.46	40	
46	5.27	5.595	40	
47	5.27	5.537	40	

48	5.27	5.513	40	
49	5.27	5.512	40	
50	5.27	5.58	40	
51	5.27	5.33	40	
52	5.27	5.701	40	
53	5.27	5.341	40	
54	5.27	5.583	40	
55	5.27	5.31	40	
56	5.27	5.445	40	
57	5.27	5.258	40	*
58	5.27	5.344	40	
59	5.27	5.463	40	
60	5.27	5.69	40	
61	5.27	5.394	40	
62	5.27	5.446	40	
63	5.27	5.546	40	
64	5.27	5.375	40	
65	5.27	5.637	40	
66	5.27	5.405	40	
67	5.27	5.547	40	
68	5.27	5.693	40	
69	5.27	5.296	40	
70	5.27	5.724	40	
71	5.27	5.37	40	
72	5.27	5.459	40	
73	5.27	5.336	40	
74	5.27	5.723	40	
75	5.27	5.584	40	
76	5.27	5.363	40	
77	5.27	5.569	40	
78	5.27	5.541	40	
79	5.27	5.427	40	
80	5.27	5.416	40	
81	5.27	5.422	40	
82	5.27	5.516	40	
83	5.27	5.671	40	
84	5.27	5.656	40	
85	5.27	5.517	40	
86	5.27	5.57	40	
87	5.27	5.259	40	*
88	5.27	5.358	40	
89	5.27	5.29	40	
90	5.27	5.434	40	
91	5.27	5.287	40	
92	5.27	5.542	40	
93	5.27	5.266	40	*
94	5.27	5.424	40	
95	5.27	5.356	40	
96	5.27	5.454	40	
97	5.27	5.306	40	
98	5.27	5.48	40	
99	5.27	5.608	40	
100	5.27	5.442	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.276	40	
2	5.27	5.481	40	
3	5.27	5.487	40	
4	5.27	5.347	40	
5	5.27	5.326	40	
6	5.27	5.514	40	
7	5.27	5.432	40	
8	5.27	5.445	40	
9	5.27	5.509	40	
10	5.27	5.671	40	
11	5.27	5.646	40	
12	5.27	5.379	40	
13	5.27	5.437	40	
14	5.27	5.359	40	
15	5.27	5.383	40	
16	5.27	5.291	40	
17	5.27	5.532	40	
18	5.27	5.618	40	
19	5.27	5.471	40	
20	5.27	5.628	40	
21	5.27	5.607	40	
22	5.27	5.583	40	
23	5.27	5.292	40	
24	5.27	5.397	40	
25	5.27	5.656	40	
26	5.27	5.704	40	
27	5.27	5.455	40	
28	5.27	5.48	40	
29	5.27	5.341	40	
30	5.27	5.503	40	
31	5.27	5.6	40	
32	5.27	5.477	40	
33	5.27	5.686	40	
34	5.27	5.605	40	
35	5.27	5.451	40	
36	5.27	5.328	40	
37	5.27	5.446	40	
38	5.27	5.411	40	
39	5.27	5.61	40	
40	5.27	5.682	40	
41	5.27	5.556	40	
42	5.27	5.318	40	
43	5.27	5.419	40	
44	5.27	5.593	40	
45	5.27	5.434	40	
46	5.27	5.456	40	
47	5.27	5.558	40	

48	5.27	5.584	40	
49	5.27	5.389	40	
50	5.27	5.663	40	
51	5.27	5.495	40	
52	5.27	5.37	40	
53	5.27	5.71	40	
54	5.27	5.39	40	
55	5.27	5.66	40	
56	5.27	5.621	40	
57	5.27	5.516	40	
58	5.27	5.313	40	
59	5.27	5.602	40	
60	5.27	5.408	40	
61	5.27	5.527	40	
62	5.27	5.349	40	
63	5.27	5.72	40	
64	5.27	5.301	40	
65	5.27	5.559	40	
66	5.27	5.513	40	
67	5.27	5.648	40	
68	5.27	5.298	40	
69	5.27	5.366	40	
70	5.27	5.436	40	
71	5.27	5.363	40	
72	5.27	5.34	40	
73	5.27	5.699	40	
74	5.27	5.431	40	
75	5.27	5.613	40	
76	5.27	5.554	40	
77	5.27	5.396	40	
78	5.27	5.636	40	
79	5.27	5.448	40	
80	5.27	5.571	40	
81	5.27	5.385	40	
82	5.27	5.466	40	
83	5.27	5.453	40	
84	5.27	5.638	40	
85	5.27	5.719	40	
86	5.27	5.536	40	
87	5.27	5.357	40	
88	5.27	5.323	40	
89	5.27	5.286	40	
90	5.27	5.698	40	
91	5.27	5.623	40	
92	5.27	5.692	40	
93	5.27	5.258	40	*
94	5.27	5.633	40	
95	5.27	5.617	40	
96	5.27	5.421	40	
97	5.27	5.637	40	
98	5.27	5.683	40	
99	5.27	5.384	40	
100	5.27	5.475	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.445	40	
2	5.27	5.61	40	
3	5.27	5.717	40	
4	5.27	5.324	40	
5	5.27	5.598	40	
6	5.27	5.514	40	
7	5.27	5.709	40	
8	5.27	5.694	40	
9	5.27	5.269	40	*
10	5.27	5.629	40	
11	5.27	5.524	40	
12	5.27	5.7	40	
13	5.27	5.345	40	
14	5.27	5.421	40	
15	5.27	5.641	40	
16	5.27	5.596	40	
17	5.27	5.441	40	
18	5.27	5.522	40	
19	5.27	5.322	40	
20	5.27	5.568	40	
21	5.27	5.558	40	
22	5.27	5.654	40	
23	5.27	5.34	40	
24	5.27	5.358	40	
25	5.27	5.516	40	
26	5.27	5.569	40	
27	5.27	5.316	40	
28	5.27	5.483	40	
29	5.27	5.355	40	
30	5.27	5.673	40	
31	5.27	5.401	40	
32	5.27	5.59	40	
33	5.27	5.416	40	
34	5.27	5.648	40	
35	5.27	5.278	40	
36	5.27	5.462	40	
37	5.27	5.594	40	
38	5.27	5.642	40	
39	5.27	5.285	40	
40	5.27	5.593	40	
41	5.27	5.454	40	
42	5.27	5.434	40	
43	5.27	5.347	40	
44	5.27	5.272	40	
45	5.27	5.339	40	
46	5.27	5.601	40	
47	5.27	5.407	40	

48	5.27	5.685	40	
49	5.27	5.711	40	
50	5.27	5.254	40	*
51	5.27	5.354	40	
52	5.27	5.626	40	
53	5.27	5.443	40	
54	5.27	5.323	40	
55	5.27	5.695	40	
56	5.27	5.668	40	
57	5.27	5.33	40	
58	5.27	5.637	40	
59	5.27	5.653	40	
60	5.27	5.557	40	
61	5.27	5.647	40	
62	5.27	5.706	40	
63	5.27	5.504	40	
64	5.27	5.713	40	
65	5.27	5.608	40	
66	5.27	5.44	40	
67	5.27	5.43	40	
68	5.27	5.397	40	
69	5.27	5.284	40	
70	5.27	5.373	40	
71	5.27	5.276	40	
72	5.27	5.699	40	
73	5.27	5.72	40	
74	5.27	5.636	40	
75	5.27	5.388	40	
76	5.27	5.435	40	
77	5.27	5.297	40	
78	5.27	5.418	40	
79	5.27	5.414	40	
80	5.27	5.417	40	
81	5.27	5.41	40	
82	5.27	5.365	40	
83	5.27	5.643	40	
84	5.27	5.281	40	
85	5.27	5.655	40	
86	5.27	5.697	40	
87	5.27	5.359	40	
88	5.27	5.342	40	
89	5.27	5.614	40	
90	5.27	5.63	40	
91	5.27	5.406	40	
92	5.27	5.292	40	
93	5.27	5.663	40	
94	5.27	5.49	40	
95	5.27	5.449	40	
96	5.27	5.466	40	
97	5.27	5.517	40	
98	5.27	5.275	40	
99	5.27	5.563	40	
100	5.27	5.375	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.672	40	
2	5.27	5.661	40	
3	5.27	5.399	40	
4	5.27	5.445	40	
5	5.27	5.533	40	
6	5.27	5.7	40	
7	5.27	5.571	40	
8	5.27	5.3	40	
9	5.27	5.379	40	
10	5.27	5.524	40	
11	5.27	5.512	40	
12	5.27	5.307	40	
13	5.27	5.371	40	
14	5.27	5.716	40	
15	5.27	5.338	40	
16	5.27	5.286	40	
17	5.27	5.676	40	
18	5.27	5.556	40	
19	5.27	5.53	40	
20	5.27	5.702	40	
21	5.27	5.293	40	
22	5.27	5.382	40	
23	5.27	5.496	40	
24	5.27	5.721	40	
25	5.27	5.319	40	
26	5.27	5.689	40	
27	5.27	5.503	40	
28	5.27	5.261	40	*
29	5.27	5.432	40	
30	5.27	5.365	40	
31	5.27	5.298	40	
32	5.27	5.695	40	
33	5.27	5.568	40	
34	5.27	5.463	40	
35	5.27	5.433	40	
36	5.27	5.415	40	
37	5.27	5.28	40	
38	5.27	5.288	40	
39	5.27	5.698	40	
40	5.27	5.505	40	
41	5.27	5.465	40	
42	5.27	5.444	40	
43	5.27	5.434	40	
44	5.27	5.395	40	
45	5.27	5.64	40	
46	5.27	5.259	40	*
47	5.27	5.304	40	

48	5.27	5.306	40	
49	5.27	5.428	40	
50	5.27	5.336	40	
51	5.27	5.493	40	
52	5.27	5.31	40	
53	5.27	5.576	40	
54	5.27	5.577	40	
55	5.27	5.479	40	
56	5.27	5.317	40	
57	5.27	5.339	40	
58	5.27	5.694	40	
59	5.27	5.598	40	
60	5.27	5.275	40	
61	5.27	5.656	40	
62	5.27	5.697	40	
63	5.27	5.325	40	
64	5.27	5.617	40	
65	5.27	5.649	40	
66	5.27	5.383	40	
67	5.27	5.351	40	
68	5.27	5.715	40	
69	5.27	5.563	40	
70	5.27	5.62	40	
71	5.27	5.389	40	
72	5.27	5.302	40	
73	5.27	5.607	40	
74	5.27	5.436	40	
75	5.27	5.557	40	
76	5.27	5.667	40	
77	5.27	5.301	40	
78	5.27	5.678	40	
79	5.27	5.684	40	
80	5.27	5.565	40	
81	5.27	5.412	40	
82	5.27	5.342	40	
83	5.27	5.507	40	
84	5.27	5.451	40	
85	5.27	5.72	40	
86	5.27	5.347	40	
87	5.27	5.635	40	
88	5.27	5.486	40	
89	5.27	5.581	40	
90	5.27	5.462	40	
91	5.27	5.446	40	
92	5.27	5.421	40	
93	5.27	5.558	40	
94	5.27	5.346	40	
95	5.27	5.687	40	
96	5.27	5.545	40	
97	5.27	5.517	40	
98	5.27	5.419	40	
99	5.27	5.66	40	
100	5.27	5.349	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.411	40	
2	5.27	5.719	40	
3	5.27	5.467	40	
4	5.27	5.666	40	
5	5.27	5.269	40	*
6	5.27	5.699	40	
7	5.27	5.413	40	
8	5.27	5.498	40	
9	5.27	5.548	40	
10	5.27	5.592	40	
11	5.27	5.568	40	
12	5.27	5.501	40	
13	5.27	5.458	40	
14	5.27	5.675	40	
15	5.27	5.256	40	*
16	5.27	5.252	40	*
17	5.27	5.29	40	
18	5.27	5.686	40	
19	5.27	5.481	40	
20	5.27	5.32	40	
21	5.27	5.316	40	
22	5.27	5.283	40	
23	5.27	5.285	40	
24	5.27	5.497	40	
25	5.27	5.426	40	
26	5.27	5.688	40	
27	5.27	5.267	40	*
28	5.27	5.602	40	
29	5.27	5.444	40	
30	5.27	5.398	40	
31	5.27	5.292	40	
32	5.27	5.343	40	
33	5.27	5.351	40	
34	5.27	5.693	40	
35	5.27	5.499	40	
36	5.27	5.441	40	
37	5.27	5.561	40	
38	5.27	5.674	40	
39	5.27	5.385	40	
40	5.27	5.37	40	
41	5.27	5.565	40	
42	5.27	5.642	40	
43	5.27	5.549	40	
44	5.27	5.35	40	
45	5.27	5.656	40	
46	5.27	5.721	40	
47	5.27	5.567	40	

48	5.27	5.659	40	
49	5.27	5.396	40	
50	5.27	5.272	40	
51	5.27	5.383	40	
52	5.27	5.329	40	
53	5.27	5.632	40	
54	5.27	5.475	40	
55	5.27	5.617	40	
56	5.27	5.62	40	
57	5.27	5.416	40	
58	5.27	5.362	40	
59	5.27	5.34	40	
60	5.27	5.305	40	
61	5.27	5.711	40	
62	5.27	5.636	40	
63	5.27	5.715	40	
64	5.27	5.55	40	
65	5.27	5.286	40	
66	5.27	5.355	40	
67	5.27	5.6	40	
68	5.27	5.56	40	
69	5.27	5.722	40	
70	5.27	5.322	40	
71	5.27	5.374	40	
72	5.27	5.608	40	
73	5.27	5.546	40	
74	5.27	5.537	40	
75	5.27	5.377	40	
76	5.27	5.648	40	
77	5.27	5.341	40	
78	5.27	5.449	40	
79	5.27	5.702	40	
80	5.27	5.478	40	
81	5.27	5.527	40	
82	5.27	5.348	40	
83	5.27	5.261	40	*
84	5.27	5.334	40	
85	5.27	5.653	40	
86	5.27	5.621	40	
87	5.27	5.463	40	
88	5.27	5.455	40	
89	5.27	5.405	40	
90	5.27	5.303	40	
91	5.27	5.375	40	
92	5.27	5.438	40	
93	5.27	5.429	40	
94	5.27	5.558	40	
95	5.27	5.434	40	
96	5.27	5.457	40	
97	5.27	5.31	40	
98	5.27	5.423	40	
99	5.27	5.654	40	
100	5.27	5.259	40	*

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.382	40	
2	5.27	5.55	40	
3	5.27	5.535	40	
4	5.27	5.621	40	
5	5.27	5.533	40	
6	5.27	5.296	40	
7	5.27	5.48	40	
8	5.27	5.601	40	
9	5.27	5.668	40	
10	5.27	5.415	40	
11	5.27	5.458	40	
12	5.27	5.614	40	
13	5.27	5.318	40	
14	5.27	5.693	40	
15	5.27	5.251	40	*
16	5.27	5.36	40	
17	5.27	5.418	40	
18	5.27	5.566	40	
19	5.27	5.329	40	
20	5.27	5.335	40	
21	5.27	5.679	40	
22	5.27	5.491	40	
23	5.27	5.691	40	
24	5.27	5.391	40	
25	5.27	5.34	40	
26	5.27	5.516	40	
27	5.27	5.657	40	
28	5.27	5.504	40	
29	5.27	5.592	40	
30	5.27	5.672	40	
31	5.27	5.323	40	
32	5.27	5.681	40	
33	5.27	5.347	40	
34	5.27	5.456	40	
35	5.27	5.426	40	
36	5.27	5.612	40	
37	5.27	5.596	40	
38	5.27	5.284	40	
39	5.27	5.565	40	
40	5.27	5.441	40	
41	5.27	5.451	40	
42	5.27	5.634	40	
43	5.27	5.567	40	
44	5.27	5.357	40	
45	5.27	5.542	40	
46	5.27	5.646	40	
47	5.27	5.586	40	

48	5.27	5.298	40	
49	5.27	5.524	40	
50	5.27	5.361	40	
51	5.27	5.534	40	
52	5.27	5.483	40	
53	5.27	5.332	40	
54	5.27	5.43	40	
55	5.27	5.485	40	
56	5.27	5.5	40	
57	5.27	5.543	40	
58	5.27	5.385	40	
59	5.27	5.372	40	
60	5.27	5.517	40	
61	5.27	5.654	40	
62	5.27	5.661	40	
63	5.27	5.718	40	
64	5.27	5.64	40	
65	5.27	5.635	40	
66	5.27	5.44	40	
67	5.27	5.476	40	
68	5.27	5.292	40	
69	5.27	5.58	40	
70	5.27	5.571	40	
71	5.27	5.597	40	
72	5.27	5.72	40	
73	5.27	5.447	40	
74	5.27	5.4	40	
75	5.27	5.392	40	
76	5.27	5.63	40	
77	5.27	5.442	40	
78	5.27	5.548	40	
79	5.27	5.468	40	
80	5.27	5.403	40	
81	5.27	5.356	40	
82	5.27	5.619	40	
83	5.27	5.692	40	
84	5.27	5.362	40	
85	5.27	5.471	40	
86	5.27	5.334	40	
87	5.27	5.644	40	
88	5.27	5.252	40	*
89	5.27	5.627	40	
90	5.27	5.552	40	
91	5.27	5.326	40	
92	5.27	5.496	40	
93	5.27	5.477	40	
94	5.27	5.642	40	
95	5.27	5.351	40	
96	5.27	5.269	40	*
97	5.27	5.568	40	
98	5.27	5.474	40	
99	5.27	5.436	40	
100	5.27	5.444	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.437	40	
2	5.27	5.544	40	
3	5.27	5.379	40	
4	5.27	5.679	40	
5	5.27	5.614	40	
6	5.27	5.602	40	
7	5.27	5.324	40	
8	5.27	5.273	40	
9	5.27	5.483	40	
10	5.27	5.6	40	
11	5.27	5.531	40	
12	5.27	5.251	40	*
13	5.27	5.495	40	
14	5.27	5.36	40	
15	5.27	5.684	40	
16	5.27	5.397	40	
17	5.27	5.476	40	
18	5.27	5.413	40	
19	5.27	5.541	40	
20	5.27	5.296	40	
21	5.27	5.481	40	
22	5.27	5.406	40	
23	5.27	5.441	40	
24	5.27	5.561	40	
25	5.27	5.299	40	
26	5.27	5.597	40	
27	5.27	5.683	40	
28	5.27	5.48	40	
29	5.27	5.262	40	*
30	5.27	5.438	40	
31	5.27	5.388	40	
32	5.27	5.542	40	
33	5.27	5.52	40	
34	5.27	5.445	40	
35	5.27	5.365	40	
36	5.27	5.307	40	
37	5.27	5.676	40	
38	5.27	5.7	40	
39	5.27	5.489	40	
40	5.27	5.263	40	*
41	5.27	5.697	40	
42	5.27	5.717	40	
43	5.27	5.71	40	
44	5.27	5.682	40	
45	5.27	5.575	40	
46	5.27	5.612	40	
47	5.27	5.691	40	

48	5.27	5.29	40	
49	5.27	5.462	40	
50	5.27	5.586	40	
51	5.27	5.665	40	
52	5.27	5.264	40	*
53	5.27	5.599	40	
54	5.27	5.372	40	
55	5.27	5.446	40	
56	5.27	5.362	40	
57	5.27	5.352	40	
58	5.27	5.651	40	
59	5.27	5.518	40	
60	5.27	5.588	40	
61	5.27	5.526	40	
62	5.27	5.354	40	
63	5.27	5.334	40	
64	5.27	5.609	40	
65	5.27	5.539	40	
66	5.27	5.291	40	
67	5.27	5.255	40	*
68	5.27	5.326	40	
69	5.27	5.341	40	
70	5.27	5.72	40	
71	5.27	5.285	40	
72	5.27	5.666	40	
73	5.27	5.582	40	
74	5.27	5.475	40	
75	5.27	5.33	40	
76	5.27	5.533	40	
77	5.27	5.323	40	
78	5.27	5.618	40	
79	5.27	5.442	40	
80	5.27	5.657	40	
81	5.27	5.499	40	
82	5.27	5.265	40	*
83	5.27	5.625	40	
84	5.27	5.516	40	
85	5.27	5.621	40	
86	5.27	5.583	40	
87	5.27	5.409	40	
88	5.27	5.423	40	
89	5.27	5.416	40	
90	5.27	5.562	40	
91	5.27	5.396	40	
92	5.27	5.38	40	
93	5.27	5.681	40	
94	5.27	5.373	40	
95	5.27	5.28	40	
96	5.27	5.704	40	
97	5.27	5.5	40	
98	5.27	5.317	40	
99	5.27	5.384	40	
100	5.27	5.407	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.27	40	*
2	5.27	5.441	40	
3	5.27	5.583	40	
4	5.27	5.596	40	
5	5.27	5.718	40	
6	5.27	5.399	40	
7	5.27	5.313	40	
8	5.27	5.609	40	
9	5.27	5.417	40	
10	5.27	5.651	40	
11	5.27	5.386	40	
12	5.27	5.461	40	
13	5.27	5.624	40	
14	5.27	5.522	40	
15	5.27	5.365	40	
16	5.27	5.287	40	
17	5.27	5.409	40	
18	5.27	5.585	40	
19	5.27	5.375	40	
20	5.27	5.258	40	*
21	5.27	5.348	40	
22	5.27	5.31	40	
23	5.27	5.533	40	
24	5.27	5.534	40	
25	5.27	5.537	40	
26	5.27	5.506	40	
27	5.27	5.665	40	
28	5.27	5.594	40	
29	5.27	5.605	40	
30	5.27	5.338	40	
31	5.27	5.71	40	
32	5.27	5.649	40	
33	5.27	5.646	40	
34	5.27	5.28	40	
35	5.27	5.45	40	
36	5.27	5.296	40	
37	5.27	5.355	40	
38	5.27	5.642	40	
39	5.27	5.645	40	
40	5.27	5.578	40	
41	5.27	5.551	40	
42	5.27	5.496	40	
43	5.27	5.44	40	
44	5.27	5.643	40	
45	5.27	5.581	40	
46	5.27	5.38	40	
47	5.27	5.659	40	

48	5.27	5.367	40	
49	5.27	5.303	40	
50	5.27	5.385	40	
51	5.27	5.404	40	
52	5.27	5.548	40	
53	5.27	5.653	40	
54	5.27	5.633	40	
55	5.27	5.439	40	
56	5.27	5.463	40	
57	5.27	5.471	40	
58	5.27	5.477	40	
59	5.27	5.336	40	
60	5.27	5.438	40	
61	5.27	5.679	40	
62	5.27	5.604	40	
63	5.27	5.34	40	
64	5.27	5.705	40	
65	5.27	5.41	40	
66	5.27	5.337	40	
67	5.27	5.347	40	
68	5.27	5.699	40	
69	5.27	5.508	40	
70	5.27	5.618	40	
71	5.27	5.316	40	
72	5.27	5.647	40	
73	5.27	5.395	40	
74	5.27	5.401	40	
75	5.27	5.342	40	
76	5.27	5.429	40	
77	5.27	5.466	40	
78	5.27	5.489	40	
79	5.27	5.607	40	
80	5.27	5.415	40	
81	5.27	5.695	40	
82	5.27	5.394	40	
83	5.27	5.669	40	
84	5.27	5.442	40	
85	5.27	5.54	40	
86	5.27	5.511	40	
87	5.27	5.43	40	
88	5.27	5.676	40	
89	5.27	5.482	40	
90	5.27	5.457	40	
91	5.27	5.308	40	
92	5.27	5.366	40	
93	5.27	5.393	40	
94	5.27	5.447	40	
95	5.27	5.606	40	
96	5.27	5.388	40	
97	5.27	5.315	40	
98	5.27	5.289	40	
99	5.27	5.459	40	
100	5.27	5.523	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.264	40	*
2	5.27	5.64	40	
3	5.27	5.408	40	
4	5.27	5.273	40	
5	5.27	5.693	40	
6	5.27	5.55	40	
7	5.27	5.286	40	
8	5.27	5.626	40	
9	5.27	5.647	40	
10	5.27	5.546	40	
11	5.27	5.628	40	
12	5.27	5.517	40	
13	5.27	5.379	40	
14	5.27	5.499	40	
15	5.27	5.272	40	
16	5.27	5.293	40	
17	5.27	5.376	40	
18	5.27	5.72	40	
19	5.27	5.575	40	
20	5.27	5.356	40	
21	5.27	5.268	40	*
22	5.27	5.49	40	
23	5.27	5.568	40	
24	5.27	5.66	40	
25	5.27	5.673	40	
26	5.27	5.429	40	
27	5.27	5.585	40	
28	5.27	5.612	40	
29	5.27	5.494	40	
30	5.27	5.504	40	
31	5.27	5.416	40	
32	5.27	5.447	40	
33	5.27	5.607	40	
34	5.27	5.423	40	
35	5.27	5.353	40	
36	5.27	5.674	40	
37	5.27	5.339	40	
38	5.27	5.373	40	
39	5.27	5.515	40	
40	5.27	5.572	40	
41	5.27	5.715	40	
42	5.27	5.314	40	
43	5.27	5.276	40	
44	5.27	5.41	40	
45	5.27	5.719	40	
46	5.27	5.393	40	
47	5.27	5.457	40	

48	5.27	5.518	40	
49	5.27	5.658	40	
50	5.27	5.558	40	
51	5.27	5.682	40	
52	5.27	5.263	40	*
53	5.27	5.346	40	
54	5.27	5.681	40	
55	5.27	5.289	40	
56	5.27	5.624	40	
57	5.27	5.323	40	
58	5.27	5.627	40	
59	5.27	5.669	40	
60	5.27	5.561	40	
61	5.27	5.599	40	
62	5.27	5.325	40	
63	5.27	5.489	40	
64	5.27	5.689	40	
65	5.27	5.35	40	
66	5.27	5.342	40	
67	5.27	5.528	40	
68	5.27	5.663	40	
69	5.27	5.691	40	
70	5.27	5.547	40	
71	5.27	5.398	40	
72	5.27	5.372	40	
73	5.27	5.422	40	
74	5.27	5.602	40	
75	5.27	5.601	40	
76	5.27	5.603	40	
77	5.27	5.545	40	
78	5.27	5.598	40	
79	5.27	5.509	40	
80	5.27	5.687	40	
81	5.27	5.692	40	
82	5.27	5.278	40	
83	5.27	5.405	40	
84	5.27	5.442	40	
85	5.27	5.7	40	
86	5.27	5.543	40	
87	5.27	5.703	40	
88	5.27	5.36	40	
89	5.27	5.274	40	
90	5.27	5.676	40	
91	5.27	5.266	40	*
92	5.27	5.449	40	
93	5.27	5.708	40	
94	5.27	5.579	40	
95	5.27	5.639	40	
96	5.27	5.629	40	
97	5.27	5.632	40	
98	5.27	5.606	40	
99	5.27	5.493	40	
100	5.27	5.411	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.329	40	
2	5.27	5.338	40	
3	5.27	5.652	40	
4	5.27	5.271	40	
5	5.27	5.658	40	
6	5.27	5.704	40	
7	5.27	5.378	40	
8	5.27	5.486	40	
9	5.27	5.289	40	
10	5.27	5.413	40	
11	5.27	5.334	40	
12	5.27	5.653	40	
13	5.27	5.633	40	
14	5.27	5.545	40	
15	5.27	5.568	40	
16	5.27	5.399	40	
17	5.27	5.466	40	
18	5.27	5.269	40	*
19	5.27	5.533	40	
20	5.27	5.487	40	
21	5.27	5.715	40	
22	5.27	5.311	40	
23	5.27	5.561	40	
24	5.27	5.689	40	
25	5.27	5.574	40	
26	5.27	5.529	40	
27	5.27	5.556	40	
28	5.27	5.455	40	
29	5.27	5.463	40	
30	5.27	5.557	40	
31	5.27	5.538	40	
32	5.27	5.507	40	
33	5.27	5.36	40	
34	5.27	5.359	40	
35	5.27	5.288	40	
36	5.27	5.644	40	
37	5.27	5.327	40	
38	5.27	5.673	40	
39	5.27	5.544	40	
40	5.27	5.44	40	
41	5.27	5.511	40	
42	5.27	5.546	40	
43	5.27	5.425	40	
44	5.27	5.685	40	
45	5.27	5.295	40	
46	5.27	5.604	40	
47	5.27	5.49	40	

48	5.27	5.619	40	
49	5.27	5.553	40	
50	5.27	5.361	40	
51	5.27	5.599	40	
52	5.27	5.572	40	
53	5.27	5.66	40	
54	5.27	5.719	40	
55	5.27	5.554	40	
56	5.27	5.532	40	
57	5.27	5.382	40	
58	5.27	5.587	40	
59	5.27	5.611	40	
60	5.27	5.525	40	
61	5.27	5.259	40	*
62	5.27	5.471	40	
63	5.27	5.254	40	*
64	5.27	5.679	40	
65	5.27	5.374	40	
66	5.27	5.485	40	
67	5.27	5.519	40	
68	5.27	5.293	40	
69	5.27	5.279	40	
70	5.27	5.274	40	
71	5.27	5.439	40	
72	5.27	5.55	40	
73	5.27	5.314	40	
74	5.27	5.462	40	
75	5.27	5.711	40	
76	5.27	5.672	40	
77	5.27	5.418	40	
78	5.27	5.258	40	*
79	5.27	5.291	40	
80	5.27	5.696	40	
81	5.27	5.292	40	
82	5.27	5.255	40	*
83	5.27	5.671	40	
84	5.27	5.708	40	
85	5.27	5.531	40	
86	5.27	5.613	40	
87	5.27	5.313	40	
88	5.27	5.524	40	
89	5.27	5.542	40	
90	5.27	5.585	40	
91	5.27	5.256	40	*
92	5.27	5.687	40	
93	5.27	5.341	40	
94	5.27	5.4	40	
95	5.27	5.272	40	
96	5.27	5.444	40	
97	5.27	5.72	40	
98	5.27	5.721	40	
99	5.27	5.52	40	
100	5.27	5.688	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.54	40	
2	5.27	5.493	40	
3	5.27	5.491	40	
4	5.27	5.548	40	
5	5.27	5.685	40	
6	5.27	5.72	40	
7	5.27	5.255	40	*
8	5.27	5.397	40	
9	5.27	5.529	40	
10	5.27	5.273	40	
11	5.27	5.716	40	
12	5.27	5.452	40	
13	5.27	5.401	40	
14	5.27	5.38	40	
15	5.27	5.329	40	
16	5.27	5.486	40	
17	5.27	5.587	40	
18	5.27	5.552	40	
19	5.27	5.252	40	*
20	5.27	5.668	40	
21	5.27	5.489	40	
22	5.27	5.468	40	
23	5.27	5.705	40	
24	5.27	5.697	40	
25	5.27	5.388	40	
26	5.27	5.276	40	
27	5.27	5.284	40	
28	5.27	5.278	40	
29	5.27	5.562	40	
30	5.27	5.372	40	
31	5.27	5.673	40	
32	5.27	5.322	40	
33	5.27	5.487	40	
34	5.27	5.662	40	
35	5.27	5.433	40	
36	5.27	5.628	40	
37	5.27	5.4	40	
38	5.27	5.446	40	
39	5.27	5.521	40	
40	5.27	5.708	40	
41	5.27	5.56	40	
42	5.27	5.443	40	
43	5.27	5.645	40	
44	5.27	5.682	40	
45	5.27	5.393	40	
46	5.27	5.414	40	
47	5.27	5.321	40	

48	5.27	5.608	40	
49	5.27	5.633	40	
50	5.27	5.332	40	
51	5.27	5.641	40	
52	5.27	5.659	40	
53	5.27	5.555	40	
54	5.27	5.547	40	
55	5.27	5.33	40	
56	5.27	5.354	40	
57	5.27	5.301	40	
58	5.27	5.366	40	
59	5.27	5.422	40	
60	5.27	5.269	40	*
61	5.27	5.683	40	
62	5.27	5.495	40	
63	5.27	5.602	40	
64	5.27	5.518	40	
65	5.27	5.619	40	
66	5.27	5.484	40	
67	5.27	5.259	40	*
68	5.27	5.717	40	
69	5.27	5.582	40	
70	5.27	5.413	40	
71	5.27	5.419	40	
72	5.27	5.323	40	
73	5.27	5.282	40	
74	5.27	5.316	40	
75	5.27	5.503	40	
76	5.27	5.441	40	
77	5.27	5.305	40	
78	5.27	5.461	40	
79	5.27	5.699	40	
80	5.27	5.264	40	*
81	5.27	5.544	40	
82	5.27	5.339	40	
83	5.27	5.672	40	
84	5.27	5.449	40	
85	5.27	5.382	40	
86	5.27	5.53	40	
87	5.27	5.409	40	
88	5.27	5.345	40	
89	5.27	5.343	40	
90	5.27	5.379	40	
91	5.27	5.64	40	
92	5.27	5.266	40	*
93	5.27	5.469	40	
94	5.27	5.328	40	
95	5.27	5.358	40	
96	5.27	5.293	40	
97	5.27	5.492	40	
98	5.27	5.456	40	
99	5.27	5.428	40	
100	5.27	5.263	40	*

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.664	40	
2	5.27	5.299	40	
3	5.27	5.644	40	
4	5.27	5.66	40	
5	5.27	5.429	40	
6	5.27	5.423	40	
7	5.27	5.548	40	
8	5.27	5.606	40	
9	5.27	5.537	40	
10	5.27	5.344	40	
11	5.27	5.669	40	
12	5.27	5.292	40	
13	5.27	5.641	40	
14	5.27	5.372	40	
15	5.27	5.534	40	
16	5.27	5.656	40	
17	5.27	5.479	40	
18	5.27	5.37	40	
19	5.27	5.723	40	
20	5.27	5.716	40	
21	5.27	5.491	40	
22	5.27	5.462	40	
23	5.27	5.433	40	
24	5.27	5.521	40	
25	5.27	5.717	40	
26	5.27	5.345	40	
27	5.27	5.585	40	
28	5.27	5.434	40	
29	5.27	5.724	40	
30	5.27	5.712	40	
31	5.27	5.435	40	
32	5.27	5.627	40	
33	5.27	5.464	40	
34	5.27	5.343	40	
35	5.27	5.371	40	
36	5.27	5.335	40	
37	5.27	5.404	40	
38	5.27	5.32	40	
39	5.27	5.622	40	
40	5.27	5.652	40	
41	5.27	5.63	40	
42	5.27	5.38	40	
43	5.27	5.29	40	
44	5.27	5.485	40	
45	5.27	5.702	40	
46	5.27	5.551	40	
47	5.27	5.277	40	

48	5.27	5.681	40	
49	5.27	5.582	40	
50	5.27	5.673	40	
51	5.27	5.658	40	
52	5.27	5.573	40	
53	5.27	5.581	40	
54	5.27	5.518	40	
55	5.27	5.663	40	
56	5.27	5.488	40	
57	5.27	5.522	40	
58	5.27	5.401	40	
59	5.27	5.707	40	
60	5.27	5.452	40	
61	5.27	5.511	40	
62	5.27	5.646	40	
63	5.27	5.561	40	
64	5.27	5.297	40	
65	5.27	5.461	40	
66	5.27	5.426	40	
67	5.27	5.317	40	
68	5.27	5.36	40	
69	5.27	5.395	40	
70	5.27	5.588	40	
71	5.27	5.6	40	
72	5.27	5.508	40	
73	5.27	5.432	40	
74	5.27	5.321	40	
75	5.27	5.553	40	
76	5.27	5.456	40	
77	5.27	5.61	40	
78	5.27	5.268	40	*
79	5.27	5.266	40	*
80	5.27	5.528	40	
81	5.27	5.647	40	
82	5.27	5.278	40	
83	5.27	5.471	40	
84	5.27	5.486	40	
85	5.27	5.633	40	
86	5.27	5.597	40	
87	5.27	5.495	40	
88	5.27	5.718	40	
89	5.27	5.685	40	
90	5.27	5.524	40	
91	5.27	5.569	40	
92	5.27	5.255	40	*
93	5.27	5.682	40	
94	5.27	5.421	40	
95	5.27	5.497	40	
96	5.27	5.341	40	
97	5.27	5.408	40	
98	5.27	5.319	40	
99	5.27	5.442	40	
100	5.27	5.271	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.638	40	
2	5.27	5.343	40	
3	5.27	5.353	40	
4	5.27	5.329	40	
5	5.27	5.326	40	
6	5.27	5.419	40	
7	5.27	5.45	40	
8	5.27	5.532	40	
9	5.27	5.459	40	
10	5.27	5.306	40	
11	5.27	5.691	40	
12	5.27	5.515	40	
13	5.27	5.509	40	
14	5.27	5.462	40	
15	5.27	5.611	40	
16	5.27	5.562	40	
17	5.27	5.458	40	
18	5.27	5.538	40	
19	5.27	5.44	40	
20	5.27	5.383	40	
21	5.27	5.682	40	
22	5.27	5.646	40	
23	5.27	5.423	40	
24	5.27	5.398	40	
25	5.27	5.409	40	
26	5.27	5.608	40	
27	5.27	5.665	40	
28	5.27	5.375	40	
29	5.27	5.635	40	
30	5.27	5.58	40	
31	5.27	5.668	40	
32	5.27	5.271	40	
33	5.27	5.62	40	
34	5.27	5.334	40	
35	5.27	5.456	40	
36	5.27	5.591	40	
37	5.27	5.472	40	
38	5.27	5.478	40	
39	5.27	5.624	40	
40	5.27	5.46	40	
41	5.27	5.278	40	
42	5.27	5.622	40	
43	5.27	5.585	40	
44	5.27	5.634	40	
45	5.27	5.626	40	
46	5.27	5.486	40	
47	5.27	5.282	40	

48	5.27	5.347	40	
49	5.27	5.65	40	
50	5.27	5.696	40	
51	5.27	5.285	40	
52	5.27	5.381	40	
53	5.27	5.631	40	
54	5.27	5.692	40	
55	5.27	5.609	40	
56	5.27	5.653	40	
57	5.27	5.501	40	
58	5.27	5.616	40	
59	5.27	5.485	40	
60	5.27	5.389	40	
61	5.27	5.283	40	
62	5.27	5.658	40	
63	5.27	5.709	40	
64	5.27	5.405	40	
65	5.27	5.346	40	
66	5.27	5.359	40	
67	5.27	5.335	40	
68	5.27	5.642	40	
69	5.27	5.312	40	
70	5.27	5.417	40	
71	5.27	5.68	40	
72	5.27	5.518	40	
73	5.27	5.72	40	
74	5.27	5.345	40	
75	5.27	5.264	40	*
76	5.27	5.291	40	
77	5.27	5.427	40	
78	5.27	5.637	40	
79	5.27	5.391	40	
80	5.27	5.357	40	
81	5.27	5.578	40	
82	5.27	5.315	40	
83	5.27	5.338	40	
84	5.27	5.388	40	
85	5.27	5.584	40	
86	5.27	5.446	40	
87	5.27	5.493	40	
88	5.27	5.451	40	
89	5.27	5.406	40	
90	5.27	5.513	40	
91	5.27	5.316	40	
92	5.27	5.314	40	
93	5.27	5.331	40	
94	5.27	5.323	40	
95	5.27	5.356	40	
96	5.27	5.527	40	
97	5.27	5.507	40	
98	5.27	5.566	40	
99	5.27	5.354	40	
100	5.27	5.469	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.439	40	
2	5.27	5.477	40	
3	5.27	5.566	40	
4	5.27	5.318	40	
5	5.27	5.679	40	
6	5.27	5.499	40	
7	5.27	5.642	40	
8	5.27	5.434	40	
9	5.27	5.583	40	
10	5.27	5.519	40	
11	5.27	5.312	40	
12	5.27	5.333	40	
13	5.27	5.336	40	
14	5.27	5.485	40	
15	5.27	5.436	40	
16	5.27	5.534	40	
17	5.27	5.407	40	
18	5.27	5.41	40	
19	5.27	5.423	40	
20	5.27	5.489	40	
21	5.27	5.698	40	
22	5.27	5.393	40	
23	5.27	5.514	40	
24	5.27	5.416	40	
25	5.27	5.33	40	
26	5.27	5.431	40	
27	5.27	5.721	40	
28	5.27	5.659	40	
29	5.27	5.552	40	
30	5.27	5.557	40	
31	5.27	5.693	40	
32	5.27	5.518	40	
33	5.27	5.424	40	
34	5.27	5.684	40	
35	5.27	5.494	40	
36	5.27	5.665	40	
37	5.27	5.492	40	
38	5.27	5.714	40	
39	5.27	5.599	40	
40	5.27	5.36	40	
41	5.27	5.709	40	
42	5.27	5.522	40	
43	5.27	5.501	40	
44	5.27	5.536	40	
45	5.27	5.508	40	
46	5.27	5.576	40	
47	5.27	5.297	40	

48	5.27	5.359	40	
49	5.27	5.403	40	
50	5.27	5.631	40	
51	5.27	5.288	40	
52	5.27	5.483	40	
53	5.27	5.363	40	
54	5.27	5.611	40	
55	5.27	5.51	40	
56	5.27	5.327	40	
57	5.27	5.668	40	
58	5.27	5.702	40	
59	5.27	5.487	40	
60	5.27	5.582	40	
61	5.27	5.545	40	
62	5.27	5.311	40	
63	5.27	5.304	40	
64	5.27	5.369	40	
65	5.27	5.701	40	
66	5.27	5.31	40	
67	5.27	5.686	40	
68	5.27	5.357	40	
69	5.27	5.592	40	
70	5.27	5.664	40	
71	5.27	5.331	40	
72	5.27	5.554	40	
73	5.27	5.251	40	*
74	5.27	5.252	40	*
75	5.27	5.632	40	
76	5.27	5.505	40	
77	5.27	5.467	40	
78	5.27	5.379	40	
79	5.27	5.688	40	
80	5.27	5.273	40	
81	5.27	5.295	40	
82	5.27	5.325	40	
83	5.27	5.264	40	*
84	5.27	5.373	40	
85	5.27	5.42	40	
86	5.27	5.46	40	
87	5.27	5.646	40	
88	5.27	5.516	40	
89	5.27	5.719	40	
90	5.27	5.715	40	
91	5.27	5.409	40	
92	5.27	5.37	40	
93	5.27	5.269	40	*
94	5.27	5.555	40	
95	5.27	5.398	40	
96	5.27	5.67	40	
97	5.27	5.506	40	
98	5.27	5.372	40	
99	5.27	5.306	40	
100	5.27	5.272	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.569	40	
2	5.27	5.412	40	
3	5.27	5.277	40	
4	5.27	5.369	40	
5	5.27	5.42	40	
6	5.27	5.355	40	
7	5.27	5.254	40	*
8	5.27	5.542	40	
9	5.27	5.429	40	
10	5.27	5.593	40	
11	5.27	5.476	40	
12	5.27	5.426	40	
13	5.27	5.595	40	
14	5.27	5.627	40	
15	5.27	5.653	40	
16	5.27	5.289	40	
17	5.27	5.465	40	
18	5.27	5.46	40	
19	5.27	5.398	40	
20	5.27	5.724	40	
21	5.27	5.555	40	
22	5.27	5.41	40	
23	5.27	5.7	40	
24	5.27	5.686	40	
25	5.27	5.63	40	
26	5.27	5.687	40	
27	5.27	5.567	40	
28	5.27	5.563	40	
29	5.27	5.25	40	*
30	5.27	5.298	40	
31	5.27	5.638	40	
32	5.27	5.383	40	
33	5.27	5.513	40	
34	5.27	5.559	40	
35	5.27	5.616	40	
36	5.27	5.536	40	
37	5.27	5.529	40	
38	5.27	5.364	40	
39	5.27	5.459	40	
40	5.27	5.647	40	
41	5.27	5.368	40	
42	5.27	5.285	40	
43	5.27	5.327	40	
44	5.27	5.389	40	
45	5.27	5.256	40	*
46	5.27	5.494	40	
47	5.27	5.349	40	

48	5.27	5.471	40	
49	5.27	5.463	40	
50	5.27	5.508	40	
51	5.27	5.701	40	
52	5.27	5.518	40	
53	5.27	5.304	40	
54	5.27	5.506	40	
55	5.27	5.39	40	
56	5.27	5.359	40	
57	5.27	5.522	40	
58	5.27	5.581	40	
59	5.27	5.617	40	
60	5.27	5.715	40	
61	5.27	5.698	40	
62	5.27	5.534	40	
63	5.27	5.695	40	
64	5.27	5.588	40	
65	5.27	5.305	40	
66	5.27	5.535	40	
67	5.27	5.669	40	
68	5.27	5.309	40	
69	5.27	5.338	40	
70	5.27	5.516	40	
71	5.27	5.614	40	
72	5.27	5.352	40	
73	5.27	5.554	40	
74	5.27	5.354	40	
75	5.27	5.525	40	
76	5.27	5.497	40	
77	5.27	5.371	40	
78	5.27	5.32	40	
79	5.27	5.612	40	
80	5.27	5.266	40	*
81	5.27	5.694	40	
82	5.27	5.372	40	
83	5.27	5.552	40	
84	5.27	5.457	40	
85	5.27	5.666	40	
86	5.27	5.47	40	
87	5.27	5.69	40	
88	5.27	5.3	40	
89	5.27	5.587	40	
90	5.27	5.292	40	
91	5.27	5.689	40	
92	5.27	5.31	40	
93	5.27	5.317	40	
94	5.27	5.467	40	
95	5.27	5.711	40	
96	5.27	5.645	40	
97	5.27	5.578	40	
98	5.27	5.607	40	
99	5.27	5.67	40	
100	5.27	5.544	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.557	40	
2	5.27	5.697	40	
3	5.27	5.319	40	
4	5.27	5.442	40	
5	5.27	5.64	40	
6	5.27	5.478	40	
7	5.27	5.498	40	
8	5.27	5.35	40	
9	5.27	5.297	40	
10	5.27	5.49	40	
11	5.27	5.716	40	
12	5.27	5.672	40	
13	5.27	5.566	40	
14	5.27	5.683	40	
15	5.27	5.317	40	
16	5.27	5.385	40	
17	5.27	5.531	40	
18	5.27	5.504	40	
19	5.27	5.663	40	
20	5.27	5.285	40	
21	5.27	5.371	40	
22	5.27	5.579	40	
23	5.27	5.576	40	
24	5.27	5.553	40	
25	5.27	5.637	40	
26	5.27	5.643	40	
27	5.27	5.451	40	
28	5.27	5.513	40	
29	5.27	5.283	40	
30	5.27	5.281	40	
31	5.27	5.36	40	
32	5.27	5.342	40	
33	5.27	5.477	40	
34	5.27	5.298	40	
35	5.27	5.392	40	
36	5.27	5.713	40	
37	5.27	5.301	40	
38	5.27	5.677	40	
39	5.27	5.691	40	
40	5.27	5.52	40	
41	5.27	5.26	40	*
42	5.27	5.629	40	
43	5.27	5.627	40	
44	5.27	5.539	40	
45	5.27	5.499	40	
46	5.27	5.589	40	
47	5.27	5.665	40	

48	5.27	5.71	40	
49	5.27	5.303	40	
50	5.27	5.293	40	
51	5.27	5.506	40	
52	5.27	5.332	40	
53	5.27	5.552	40	
54	5.27	5.318	40	
55	5.27	5.42	40	
56	5.27	5.646	40	
57	5.27	5.593	40	
58	5.27	5.408	40	
59	5.27	5.388	40	
60	5.27	5.602	40	
61	5.27	5.655	40	
62	5.27	5.56	40	
63	5.27	5.355	40	
64	5.27	5.455	40	
65	5.27	5.568	40	
66	5.27	5.38	40	
67	5.27	5.359	40	
68	5.27	5.543	40	
69	5.27	5.366	40	
70	5.27	5.708	40	
71	5.27	5.468	40	
72	5.27	5.503	40	
73	5.27	5.509	40	
74	5.27	5.485	40	
75	5.27	5.454	40	
76	5.27	5.488	40	
77	5.27	5.421	40	
78	5.27	5.261	40	*
79	5.27	5.532	40	
80	5.27	5.659	40	
81	5.27	5.6	40	
82	5.27	5.54	40	
83	5.27	5.286	40	
84	5.27	5.662	40	
85	5.27	5.558	40	
86	5.27	5.47	40	
87	5.27	5.675	40	
88	5.27	5.357	40	
89	5.27	5.678	40	
90	5.27	5.548	40	
91	5.27	5.684	40	
92	5.27	5.412	40	
93	5.27	5.511	40	
94	5.27	5.419	40	
95	5.27	5.5	40	
96	5.27	5.534	40	
97	5.27	5.268	40	*
98	5.27	5.61	40	
99	5.27	5.444	40	
100	5.27	5.425	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.647	40	
2	5.27	5.536	40	
3	5.27	5.368	40	
4	5.27	5.538	40	
5	5.27	5.258	40	*
6	5.27	5.458	40	
7	5.27	5.4	40	
8	5.27	5.612	40	
9	5.27	5.651	40	
10	5.27	5.283	40	
11	5.27	5.281	40	
12	5.27	5.641	40	
13	5.27	5.546	40	
14	5.27	5.602	40	
15	5.27	5.402	40	
16	5.27	5.513	40	
17	5.27	5.496	40	
18	5.27	5.514	40	
19	5.27	5.712	40	
20	5.27	5.684	40	
21	5.27	5.448	40	
22	5.27	5.414	40	
23	5.27	5.652	40	
24	5.27	5.573	40	
25	5.27	5.404	40	
26	5.27	5.686	40	
27	5.27	5.683	40	
28	5.27	5.609	40	
29	5.27	5.707	40	
30	5.27	5.596	40	
31	5.27	5.627	40	
32	5.27	5.485	40	
33	5.27	5.58	40	
34	5.27	5.358	40	
35	5.27	5.411	40	
36	5.27	5.375	40	
37	5.27	5.415	40	
38	5.27	5.308	40	
39	5.27	5.7	40	
40	5.27	5.36	40	
41	5.27	5.488	40	
42	5.27	5.474	40	
43	5.27	5.476	40	
44	5.27	5.563	40	
45	5.27	5.554	40	
46	5.27	5.275	40	
47	5.27	5.521	40	

48	5.27	5.383	40	
49	5.27	5.656	40	
50	5.27	5.541	40	
51	5.27	5.502	40	
52	5.27	5.601	40	
53	5.27	5.551	40	
54	5.27	5.616	40	
55	5.27	5.412	40	
56	5.27	5.384	40	
57	5.27	5.639	40	
58	5.27	5.337	40	
59	5.27	5.256	40	*
60	5.27	5.434	40	
61	5.27	5.504	40	
62	5.27	5.408	40	
63	5.27	5.492	40	
64	5.27	5.613	40	
65	5.27	5.27	40	*
66	5.27	5.343	40	
67	5.27	5.396	40	
68	5.27	5.676	40	
69	5.27	5.489	40	
70	5.27	5.604	40	
71	5.27	5.443	40	
72	5.27	5.304	40	
73	5.27	5.481	40	
74	5.27	5.666	40	
75	5.27	5.717	40	
76	5.27	5.252	40	*
77	5.27	5.388	40	
78	5.27	5.595	40	
79	5.27	5.346	40	
80	5.27	5.37	40	
81	5.27	5.524	40	
82	5.27	5.42	40	
83	5.27	5.672	40	
84	5.27	5.353	40	
85	5.27	5.682	40	
86	5.27	5.523	40	
87	5.27	5.336	40	
88	5.27	5.671	40	
89	5.27	5.267	40	*
90	5.27	5.702	40	
91	5.27	5.427	40	
92	5.27	5.653	40	
93	5.27	5.597	40	
94	5.27	5.25	40	*
95	5.27	5.621	40	
96	5.27	5.576	40	
97	5.27	5.486	40	
98	5.27	5.708	40	
99	5.27	5.527	40	
100	5.27	5.679	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.603	40	
2	5.27	5.723	40	
3	5.27	5.268	40	*
4	5.27	5.633	40	
5	5.27	5.451	40	
6	5.27	5.284	40	
7	5.27	5.265	40	*
8	5.27	5.698	40	
9	5.27	5.413	40	
10	5.27	5.684	40	
11	5.27	5.516	40	
12	5.27	5.659	40	
13	5.27	5.581	40	
14	5.27	5.576	40	
15	5.27	5.689	40	
16	5.27	5.254	40	*
17	5.27	5.645	40	
18	5.27	5.313	40	
19	5.27	5.403	40	
20	5.27	5.486	40	
21	5.27	5.531	40	
22	5.27	5.414	40	
23	5.27	5.604	40	
24	5.27	5.658	40	
25	5.27	5.286	40	
26	5.27	5.611	40	
27	5.27	5.473	40	
28	5.27	5.338	40	
29	5.27	5.256	40	*
30	5.27	5.539	40	
31	5.27	5.462	40	
32	5.27	5.307	40	
33	5.27	5.392	40	
34	5.27	5.649	40	
35	5.27	5.402	40	
36	5.27	5.439	40	
37	5.27	5.369	40	
38	5.27	5.316	40	
39	5.27	5.673	40	
40	5.27	5.485	40	
41	5.27	5.341	40	
42	5.27	5.705	40	
43	5.27	5.395	40	
44	5.27	5.605	40	
45	5.27	5.566	40	
46	5.27	5.36	40	
47	5.27	5.38	40	

48	5.27	5.593	40	
49	5.27	5.497	40	
50	5.27	5.407	40	
51	5.27	5.447	40	
52	5.27	5.625	40	
53	5.27	5.724	40	
54	5.27	5.417	40	
55	5.27	5.337	40	
56	5.27	5.624	40	
57	5.27	5.44	40	
58	5.27	5.631	40	
59	5.27	5.32	40	
60	5.27	5.61	40	
61	5.27	5.664	40	
62	5.27	5.267	40	*
63	5.27	5.423	40	
64	5.27	5.468	40	
65	5.27	5.399	40	
66	5.27	5.609	40	
67	5.27	5.529	40	
68	5.27	5.356	40	
69	5.27	5.416	40	
70	5.27	5.62	40	
71	5.27	5.49	40	
72	5.27	5.551	40	
73	5.27	5.55	40	
74	5.27	5.674	40	
75	5.27	5.528	40	
76	5.27	5.31	40	
77	5.27	5.629	40	
78	5.27	5.479	40	
79	5.27	5.502	40	
80	5.27	5.465	40	
81	5.27	5.394	40	
82	5.27	5.259	40	*
83	5.27	5.297	40	
84	5.27	5.308	40	
85	5.27	5.33	40	
86	5.27	5.388	40	
87	5.27	5.491	40	
88	5.27	5.534	40	
89	5.27	5.68	40	
90	5.27	5.475	40	
91	5.27	5.377	40	
92	5.27	5.273	40	
93	5.27	5.37	40	
94	5.27	5.523	40	
95	5.27	5.362	40	
96	5.27	5.363	40	
97	5.27	5.351	40	
98	5.27	5.454	40	
99	5.27	5.455	40	
100	5.27	5.374	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.661	40	
2	5.27	5.562	40	
3	5.27	5.667	40	
4	5.27	5.637	40	
5	5.27	5.29	40	
6	5.27	5.432	40	
7	5.27	5.668	40	
8	5.27	5.256	40	*
9	5.27	5.486	40	
10	5.27	5.367	40	
11	5.27	5.337	40	
12	5.27	5.716	40	
13	5.27	5.664	40	
14	5.27	5.551	40	
15	5.27	5.34	40	
16	5.27	5.338	40	
17	5.27	5.303	40	
18	5.27	5.296	40	
19	5.27	5.683	40	
20	5.27	5.417	40	
21	5.27	5.414	40	
22	5.27	5.305	40	
23	5.27	5.638	40	
24	5.27	5.268	40	*
25	5.27	5.578	40	
26	5.27	5.43	40	
27	5.27	5.39	40	
28	5.27	5.442	40	
29	5.27	5.567	40	
30	5.27	5.699	40	
31	5.27	5.334	40	
32	5.27	5.515	40	
33	5.27	5.366	40	
34	5.27	5.37	40	
35	5.27	5.352	40	
36	5.27	5.614	40	
37	5.27	5.416	40	
38	5.27	5.44	40	
39	5.27	5.663	40	
40	5.27	5.535	40	
41	5.27	5.672	40	
42	5.27	5.701	40	
43	5.27	5.665	40	
44	5.27	5.312	40	
45	5.27	5.381	40	
46	5.27	5.475	40	
47	5.27	5.657	40	

48	5.27	5.353	40	
49	5.27	5.356	40	
50	5.27	5.485	40	
51	5.27	5.575	40	
52	5.27	5.645	40	
53	5.27	5.544	40	
54	5.27	5.656	40	
55	5.27	5.437	40	
56	5.27	5.705	40	
57	5.27	5.392	40	
58	5.27	5.642	40	
59	5.27	5.558	40	
60	5.27	5.286	40	
61	5.27	5.445	40	
62	5.27	5.576	40	
63	5.27	5.282	40	
64	5.27	5.455	40	
65	5.27	5.503	40	
66	5.27	5.681	40	
67	5.27	5.385	40	
68	5.27	5.605	40	
69	5.27	5.408	40	
70	5.27	5.377	40	
71	5.27	5.57	40	
72	5.27	5.438	40	
73	5.27	5.512	40	
74	5.27	5.444	40	
75	5.27	5.265	40	*
76	5.27	5.583	40	
77	5.27	5.35	40	
78	5.27	5.522	40	
79	5.27	5.514	40	
80	5.27	5.31	40	
81	5.27	5.569	40	
82	5.27	5.253	40	*
83	5.27	5.276	40	
84	5.27	5.415	40	
85	5.27	5.526	40	
86	5.27	5.251	40	*
87	5.27	5.361	40	
88	5.27	5.666	40	
89	5.27	5.594	40	
90	5.27	5.288	40	
91	5.27	5.541	40	
92	5.27	5.537	40	
93	5.27	5.617	40	
94	5.27	5.682	40	
95	5.27	5.483	40	
96	5.27	5.718	40	
97	5.27	5.561	40	
98	5.27	5.693	40	
99	5.27	5.262	40	*
100	5.27	5.322	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.596	40	
2	5.27	5.706	40	
3	5.27	5.709	40	
4	5.27	5.54	40	
5	5.27	5.462	40	
6	5.27	5.424	40	
7	5.27	5.382	40	
8	5.27	5.554	40	
9	5.27	5.387	40	
10	5.27	5.252	40	*
11	5.27	5.697	40	
12	5.27	5.251	40	*
13	5.27	5.451	40	
14	5.27	5.358	40	
15	5.27	5.652	40	
16	5.27	5.425	40	
17	5.27	5.557	40	
18	5.27	5.35	40	
19	5.27	5.547	40	
20	5.27	5.253	40	*
21	5.27	5.534	40	
22	5.27	5.388	40	
23	5.27	5.304	40	
24	5.27	5.282	40	
25	5.27	5.297	40	
26	5.27	5.553	40	
27	5.27	5.489	40	
28	5.27	5.509	40	
29	5.27	5.317	40	
30	5.27	5.655	40	
31	5.27	5.403	40	
32	5.27	5.31	40	
33	5.27	5.618	40	
34	5.27	5.279	40	
35	5.27	5.65	40	
36	5.27	5.371	40	
37	5.27	5.374	40	
38	5.27	5.551	40	
39	5.27	5.458	40	
40	5.27	5.294	40	
41	5.27	5.405	40	
42	5.27	5.296	40	
43	5.27	5.542	40	
44	5.27	5.344	40	
45	5.27	5.478	40	
46	5.27	5.365	40	
47	5.27	5.321	40	

48	5.27	5.274	40	
49	5.27	5.599	40	
50	5.27	5.578	40	
51	5.27	5.575	40	
52	5.27	5.295	40	
53	5.27	5.665	40	
54	5.27	5.327	40	
55	5.27	5.281	40	
56	5.27	5.361	40	
57	5.27	5.646	40	
58	5.27	5.631	40	
59	5.27	5.414	40	
60	5.27	5.302	40	
61	5.27	5.603	40	
62	5.27	5.306	40	
63	5.27	5.601	40	
64	5.27	5.368	40	
65	5.27	5.398	40	
66	5.27	5.369	40	
67	5.27	5.501	40	
68	5.27	5.629	40	
69	5.27	5.255	40	*
70	5.27	5.701	40	
71	5.27	5.684	40	
72	5.27	5.63	40	
73	5.27	5.543	40	
74	5.27	5.264	40	*
75	5.27	5.583	40	
76	5.27	5.64	40	
77	5.27	5.332	40	
78	5.27	5.685	40	
79	5.27	5.546	40	
80	5.27	5.698	40	
81	5.27	5.454	40	
82	5.27	5.695	40	
83	5.27	5.705	40	
84	5.27	5.426	40	
85	5.27	5.449	40	
86	5.27	5.293	40	
87	5.27	5.549	40	
88	5.27	5.28	40	
89	5.27	5.661	40	
90	5.27	5.311	40	
91	5.27	5.482	40	
92	5.27	5.643	40	
93	5.27	5.668	40	
94	5.27	5.718	40	
95	5.27	5.473	40	
96	5.27	5.4	40	
97	5.27	5.71	40	
98	5.27	5.427	40	
99	5.27	5.258	40	*
100	5.27	5.472	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.644	40	
2	5.27	5.711	40	
3	5.27	5.522	40	
4	5.27	5.666	40	
5	5.27	5.607	40	
6	5.27	5.419	40	
7	5.27	5.312	40	
8	5.27	5.564	40	
9	5.27	5.42	40	
10	5.27	5.31	40	
11	5.27	5.436	40	
12	5.27	5.35	40	
13	5.27	5.297	40	
14	5.27	5.372	40	
15	5.27	5.389	40	
16	5.27	5.636	40	
17	5.27	5.4	40	
18	5.27	5.558	40	
19	5.27	5.618	40	
20	5.27	5.462	40	
21	5.27	5.495	40	
22	5.27	5.691	40	
23	5.27	5.48	40	
24	5.27	5.376	40	
25	5.27	5.353	40	
26	5.27	5.433	40	
27	5.27	5.688	40	
28	5.27	5.635	40	
29	5.27	5.713	40	
30	5.27	5.57	40	
31	5.27	5.619	40	
32	5.27	5.263	40	*
33	5.27	5.684	40	
34	5.27	5.269	40	*
35	5.27	5.595	40	
36	5.27	5.578	40	
37	5.27	5.288	40	
38	5.27	5.357	40	
39	5.27	5.298	40	
40	5.27	5.458	40	
41	5.27	5.256	40	*
42	5.27	5.463	40	
43	5.27	5.336	40	
44	5.27	5.633	40	
45	5.27	5.377	40	
46	5.27	5.339	40	
47	5.27	5.561	40	

48	5.27	5.323	40	
49	5.27	5.36	40	
50	5.27	5.665	40	
51	5.27	5.579	40	
52	5.27	5.432	40	
53	5.27	5.443	40	
54	5.27	5.44	40	
55	5.27	5.513	40	
56	5.27	5.5	40	
57	5.27	5.309	40	
58	5.27	5.315	40	
59	5.27	5.515	40	
60	5.27	5.411	40	
61	5.27	5.714	40	
62	5.27	5.609	40	
63	5.27	5.573	40	
64	5.27	5.576	40	
65	5.27	5.401	40	
66	5.27	5.308	40	
67	5.27	5.271	40	
68	5.27	5.364	40	
69	5.27	5.393	40	
70	5.27	5.325	40	
71	5.27	5.654	40	
72	5.27	5.675	40	
73	5.27	5.281	40	
74	5.27	5.554	40	
75	5.27	5.342	40	
76	5.27	5.697	40	
77	5.27	5.551	40	
78	5.27	5.426	40	
79	5.27	5.507	40	
80	5.27	5.62	40	
81	5.27	5.523	40	
82	5.27	5.557	40	
83	5.27	5.723	40	
84	5.27	5.715	40	
85	5.27	5.642	40	
86	5.27	5.349	40	
87	5.27	5.706	40	
88	5.27	5.409	40	
89	5.27	5.273	40	
90	5.27	5.341	40	
91	5.27	5.311	40	
92	5.27	5.43	40	
93	5.27	5.268	40	*
94	5.27	5.712	40	
95	5.27	5.664	40	
96	5.27	5.322	40	
97	5.27	5.529	40	
98	5.27	5.548	40	
99	5.27	5.276	40	
100	5.27	5.499	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.341	40	
2	5.27	5.369	40	
3	5.27	5.342	40	
4	5.27	5.53	40	
5	5.27	5.289	40	
6	5.27	5.303	40	
7	5.27	5.348	40	
8	5.27	5.624	40	
9	5.27	5.71	40	
10	5.27	5.706	40	
11	5.27	5.261	40	*
12	5.27	5.551	40	
13	5.27	5.589	40	
14	5.27	5.528	40	
15	5.27	5.586	40	
16	5.27	5.277	40	
17	5.27	5.296	40	
18	5.27	5.666	40	
19	5.27	5.599	40	
20	5.27	5.652	40	
21	5.27	5.437	40	
22	5.27	5.502	40	
23	5.27	5.526	40	
24	5.27	5.654	40	
25	5.27	5.683	40	
26	5.27	5.362	40	
27	5.27	5.525	40	
28	5.27	5.609	40	
29	5.27	5.684	40	
30	5.27	5.305	40	
31	5.27	5.601	40	
32	5.27	5.443	40	
33	5.27	5.354	40	
34	5.27	5.366	40	
35	5.27	5.339	40	
36	5.27	5.476	40	
37	5.27	5.423	40	
38	5.27	5.57	40	
39	5.27	5.465	40	
40	5.27	5.542	40	
41	5.27	5.54	40	
42	5.27	5.626	40	
43	5.27	5.47	40	
44	5.27	5.345	40	
45	5.27	5.622	40	
46	5.27	5.665	40	
47	5.27	5.514	40	

48	5.27	5.659	40	
49	5.27	5.647	40	
50	5.27	5.454	40	
51	5.27	5.446	40	
52	5.27	5.417	40	
53	5.27	5.295	40	
54	5.27	5.688	40	
55	5.27	5.587	40	
56	5.27	5.451	40	
57	5.27	5.363	40	
58	5.27	5.571	40	
59	5.27	5.442	40	
60	5.27	5.667	40	
61	5.27	5.545	40	
62	5.27	5.274	40	
63	5.27	5.314	40	
64	5.27	5.466	40	
65	5.27	5.334	40	
66	5.27	5.681	40	
67	5.27	5.509	40	
68	5.27	5.284	40	
69	5.27	5.317	40	
70	5.27	5.315	40	
71	5.27	5.541	40	
72	5.27	5.629	40	
73	5.27	5.357	40	
74	5.27	5.703	40	
75	5.27	5.642	40	
76	5.27	5.439	40	
77	5.27	5.674	40	
78	5.27	5.569	40	
79	5.27	5.559	40	
80	5.27	5.61	40	
81	5.27	5.26	40	*
82	5.27	5.429	40	
83	5.27	5.421	40	
84	5.27	5.517	40	
85	5.27	5.472	40	
86	5.27	5.32	40	
87	5.27	5.661	40	
88	5.27	5.594	40	
89	5.27	5.546	40	
90	5.27	5.378	40	
91	5.27	5.327	40	
92	5.27	5.623	40	
93	5.27	5.7	40	
94	5.27	5.329	40	
95	5.27	5.639	40	
96	5.27	5.488	40	
97	5.27	5.405	40	
98	5.27	5.383	40	
99	5.27	5.576	40	
100	5.27	5.635	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.371	40	
2	5.27	5.621	40	
3	5.27	5.385	40	
4	5.27	5.289	40	
5	5.27	5.326	40	
6	5.27	5.354	40	
7	5.27	5.654	40	
8	5.27	5.563	40	
9	5.27	5.263	40	*
10	5.27	5.591	40	
11	5.27	5.361	40	
12	5.27	5.667	40	
13	5.27	5.397	40	
14	5.27	5.277	40	
15	5.27	5.281	40	
16	5.27	5.704	40	
17	5.27	5.315	40	
18	5.27	5.403	40	
19	5.27	5.674	40	
20	5.27	5.35	40	
21	5.27	5.547	40	
22	5.27	5.657	40	
23	5.27	5.412	40	
24	5.27	5.472	40	
25	5.27	5.406	40	
26	5.27	5.52	40	
27	5.27	5.511	40	
28	5.27	5.625	40	
29	5.27	5.664	40	
30	5.27	5.369	40	
31	5.27	5.307	40	
32	5.27	5.656	40	
33	5.27	5.51	40	
34	5.27	5.329	40	
35	5.27	5.56	40	
36	5.27	5.519	40	
37	5.27	5.606	40	
38	5.27	5.478	40	
39	5.27	5.641	40	
40	5.27	5.392	40	
41	5.27	5.651	40	
42	5.27	5.607	40	
43	5.27	5.283	40	
44	5.27	5.509	40	
45	5.27	5.467	40	
46	5.27	5.552	40	
47	5.27	5.427	40	

48	5.27	5.408	40	
49	5.27	5.461	40	
50	5.27	5.542	40	
51	5.27	5.402	40	
52	5.27	5.311	40	
53	5.27	5.465	40	
54	5.27	5.702	40	
55	5.27	5.331	40	
56	5.27	5.493	40	
57	5.27	5.287	40	
58	5.27	5.452	40	
59	5.27	5.54	40	
60	5.27	5.638	40	
61	5.27	5.265	40	*
62	5.27	5.593	40	
63	5.27	5.345	40	
64	5.27	5.482	40	
65	5.27	5.411	40	
66	5.27	5.317	40	
67	5.27	5.719	40	
68	5.27	5.721	40	
69	5.27	5.655	40	
70	5.27	5.701	40	
71	5.27	5.39	40	
72	5.27	5.698	40	
73	5.27	5.539	40	
74	5.27	5.404	40	
75	5.27	5.596	40	
76	5.27	5.723	40	
77	5.27	5.618	40	
78	5.27	5.305	40	
79	5.27	5.502	40	
80	5.27	5.494	40	
81	5.27	5.332	40	
82	5.27	5.469	40	
83	5.27	5.505	40	
84	5.27	5.71	40	
85	5.27	5.528	40	
86	5.27	5.712	40	
87	5.27	5.538	40	
88	5.27	5.604	40	
89	5.27	5.441	40	
90	5.27	5.637	40	
91	5.27	5.396	40	
92	5.27	5.256	40	*
93	5.27	5.274	40	
94	5.27	5.687	40	
95	5.27	5.55	40	
96	5.27	5.42	40	
97	5.27	5.504	40	
98	5.27	5.576	40	
99	5.27	5.339	40	
100	5.27	5.424	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.697	40	
2	5.27	5.267	40	*
3	5.27	5.293	40	
4	5.27	5.421	40	
5	5.27	5.599	40	
6	5.27	5.556	40	
7	5.27	5.382	40	
8	5.27	5.476	40	
9	5.27	5.42	40	
10	5.27	5.399	40	
11	5.27	5.404	40	
12	5.27	5.286	40	
13	5.27	5.569	40	
14	5.27	5.586	40	
15	5.27	5.511	40	
16	5.27	5.718	40	
17	5.27	5.665	40	
18	5.27	5.278	40	
19	5.27	5.254	40	*
20	5.27	5.445	40	
21	5.27	5.394	40	
22	5.27	5.343	40	
23	5.27	5.39	40	
24	5.27	5.688	40	
25	5.27	5.494	40	
26	5.27	5.454	40	
27	5.27	5.523	40	
28	5.27	5.282	40	
29	5.27	5.368	40	
30	5.27	5.473	40	
31	5.27	5.258	40	*
32	5.27	5.457	40	
33	5.27	5.493	40	
34	5.27	5.633	40	
35	5.27	5.505	40	
36	5.27	5.49	40	
37	5.27	5.381	40	
38	5.27	5.313	40	
39	5.27	5.617	40	
40	5.27	5.425	40	
41	5.27	5.45	40	
42	5.27	5.446	40	
43	5.27	5.608	40	
44	5.27	5.332	40	
45	5.27	5.634	40	
46	5.27	5.377	40	
47	5.27	5.71	40	

48	5.27	5.67	40	
49	5.27	5.554	40	
50	5.27	5.274	40	
51	5.27	5.53	40	
52	5.27	5.262	40	*
53	5.27	5.345	40	
54	5.27	5.288	40	
55	5.27	5.305	40	
56	5.27	5.529	40	
57	5.27	5.583	40	
58	5.27	5.693	40	
59	5.27	5.561	40	
60	5.27	5.537	40	
61	5.27	5.443	40	
62	5.27	5.276	40	
63	5.27	5.275	40	
64	5.27	5.461	40	
65	5.27	5.672	40	
66	5.27	5.517	40	
67	5.27	5.643	40	
68	5.27	5.687	40	
69	5.27	5.497	40	
70	5.27	5.326	40	
71	5.27	5.263	40	*
72	5.27	5.373	40	
73	5.27	5.3	40	
74	5.27	5.518	40	
75	5.27	5.406	40	
76	5.27	5.552	40	
77	5.27	5.683	40	
78	5.27	5.498	40	
79	5.27	5.25	40	*
80	5.27	5.479	40	
81	5.27	5.455	40	
82	5.27	5.591	40	
83	5.27	5.302	40	
84	5.27	5.432	40	
85	5.27	5.55	40	
86	5.27	5.548	40	
87	5.27	5.47	40	
88	5.27	5.374	40	
89	5.27	5.304	40	
90	5.27	5.442	40	
91	5.27	5.487	40	
92	5.27	5.353	40	
93	5.27	5.594	40	
94	5.27	5.273	40	
95	5.27	5.336	40	
96	5.27	5.32	40	
97	5.27	5.572	40	
98	5.27	5.467	40	
99	5.27	5.587	40	
100	5.27	5.673	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.313	40	
2	5.27	5.582	40	
3	5.27	5.498	40	
4	5.27	5.33	40	
5	5.27	5.711	40	
6	5.27	5.354	40	
7	5.27	5.405	40	
8	5.27	5.596	40	
9	5.27	5.314	40	
10	5.27	5.362	40	
11	5.27	5.266	40	*
12	5.27	5.31	40	
13	5.27	5.7	40	
14	5.27	5.697	40	
15	5.27	5.704	40	
16	5.27	5.601	40	
17	5.27	5.691	40	
18	5.27	5.441	40	
19	5.27	5.658	40	
20	5.27	5.661	40	
21	5.27	5.279	40	
22	5.27	5.372	40	
23	5.27	5.434	40	
24	5.27	5.484	40	
25	5.27	5.374	40	
26	5.27	5.585	40	
27	5.27	5.694	40	
28	5.27	5.52	40	
29	5.27	5.709	40	
30	5.27	5.366	40	
31	5.27	5.55	40	
32	5.27	5.534	40	
33	5.27	5.505	40	
34	5.27	5.675	40	
35	5.27	5.584	40	
36	5.27	5.385	40	
37	5.27	5.331	40	
38	5.27	5.68	40	
39	5.27	5.42	40	
40	5.27	5.602	40	
41	5.27	5.633	40	
42	5.27	5.335	40	
43	5.27	5.624	40	
44	5.27	5.686	40	
45	5.27	5.334	40	
46	5.27	5.515	40	
47	5.27	5.693	40	

48	5.27	5.707	40	
49	5.27	5.48	40	
50	5.27	5.548	40	
51	5.27	5.409	40	
52	5.27	5.408	40	
53	5.27	5.383	40	
54	5.27	5.373	40	
55	5.27	5.572	40	
56	5.27	5.356	40	
57	5.27	5.623	40	
58	5.27	5.413	40	
59	5.27	5.69	40	
60	5.27	5.592	40	
61	5.27	5.32	40	
62	5.27	5.403	40	
63	5.27	5.635	40	
64	5.27	5.491	40	
65	5.27	5.616	40	
66	5.27	5.343	40	
67	5.27	5.304	40	
68	5.27	5.485	40	
69	5.27	5.25	40	*
70	5.27	5.423	40	
71	5.27	5.438	40	
72	5.27	5.552	40	
73	5.27	5.339	40	
74	5.27	5.701	40	
75	5.27	5.328	40	
76	5.27	5.614	40	
77	5.27	5.586	40	
78	5.27	5.447	40	
79	5.27	5.382	40	
80	5.27	5.252	40	*
81	5.27	5.272	40	
82	5.27	5.308	40	
83	5.27	5.61	40	
84	5.27	5.432	40	
85	5.27	5.712	40	
86	5.27	5.439	40	
87	5.27	5.696	40	
88	5.27	5.316	40	
89	5.27	5.284	40	
90	5.27	5.448	40	
91	5.27	5.627	40	
92	5.27	5.506	40	
93	5.27	5.45	40	
94	5.27	5.571	40	
95	5.27	5.336	40	
96	5.27	5.297	40	
97	5.27	5.425	40	
98	5.27	5.545	40	
99	5.27	5.64	40	
100	5.27	5.376	40	

--

802.11ax(HE40) - 5270MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.603	40	
2	5.27	5.621	40	
3	5.27	5.423	40	
4	5.27	5.713	40	
5	5.27	5.366	40	
6	5.27	5.666	40	
7	5.27	5.646	40	
8	5.27	5.501	40	
9	5.27	5.329	40	
10	5.27	5.343	40	
11	5.27	5.276	40	
12	5.27	5.345	40	
13	5.27	5.265	40	*
14	5.27	5.506	40	
15	5.27	5.623	40	
16	5.27	5.559	40	
17	5.27	5.488	40	
18	5.27	5.325	40	
19	5.27	5.483	40	
20	5.27	5.308	40	
21	5.27	5.709	40	
22	5.27	5.683	40	
23	5.27	5.718	40	
24	5.27	5.496	40	
25	5.27	5.451	40	
26	5.27	5.448	40	
27	5.27	5.337	40	
28	5.27	5.615	40	
29	5.27	5.567	40	
30	5.27	5.677	40	
31	5.27	5.678	40	
32	5.27	5.536	40	
33	5.27	5.377	40	
34	5.27	5.619	40	
35	5.27	5.357	40	
36	5.27	5.644	40	
37	5.27	5.279	40	
38	5.27	5.61	40	
39	5.27	5.583	40	
40	5.27	5.446	40	
41	5.27	5.443	40	
42	5.27	5.555	40	
43	5.27	5.714	40	
44	5.27	5.455	40	
45	5.27	5.548	40	
46	5.27	5.724	40	
47	5.27	5.453	40	

48	5.27	5.512	40	
49	5.27	5.705	40	
50	5.27	5.665	40	
51	5.27	5.468	40	
52	5.27	5.433	40	
53	5.27	5.594	40	
54	5.27	5.721	40	
55	5.27	5.463	40	
56	5.27	5.359	40	
57	5.27	5.413	40	
58	5.27	5.333	40	
59	5.27	5.275	40	
60	5.27	5.515	40	
61	5.27	5.436	40	
62	5.27	5.595	40	
63	5.27	5.557	40	
64	5.27	5.404	40	
65	5.27	5.647	40	
66	5.27	5.398	40	
67	5.27	5.637	40	
68	5.27	5.643	40	
69	5.27	5.546	40	
70	5.27	5.303	40	
71	5.27	5.706	40	
72	5.27	5.259	40	*
73	5.27	5.271	40	
74	5.27	5.704	40	
75	5.27	5.484	40	
76	5.27	5.524	40	
77	5.27	5.298	40	
78	5.27	5.505	40	
79	5.27	5.328	40	
80	5.27	5.37	40	
81	5.27	5.344	40	
82	5.27	5.717	40	
83	5.27	5.654	40	
84	5.27	5.391	40	
85	5.27	5.49	40	
86	5.27	5.403	40	
87	5.27	5.295	40	
88	5.27	5.253	40	*
89	5.27	5.47	40	
90	5.27	5.384	40	
91	5.27	5.498	40	
92	5.27	5.283	40	
93	5.27	5.258	40	*
94	5.27	5.516	40	
95	5.27	5.365	40	
96	5.27	5.306	40	
97	5.27	5.439	40	
98	5.27	5.659	40	
99	5.27	5.358	40	
100	5.27	5.296	40	

--

802.11ax(HE80) - 5290MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	58	1	918
2	65	1	818
3	57	1	938
4	83	1	638
5	78	1	678
6	59	1	898
7	92	1	578
8	57	1	938
9	65	1	818
10	59	1	898
11	78	1	678
12	70	1	758
13	98	1	538
14	83	1	638
15	89	1	598
16	68	1	778
17	72	1	738
18	68	1	778
19	61	1	878
20	76	1	698
21	68	1	778
22	72	1	738
23	58	1	918
24	58	1	918
25	78	1	678
26	89	1	598
27	72	1	738
28	70	1	758
29	89	1	598
30	92	1	578

802.11ax(HE80) - 5290MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	25	2.9	204
2	24	3.6	171
3	24	4.8	219
4	26	1.2	213
5	27	3.4	180
6	27	3.4	162
7	26	3.9	184
8	29	4.6	212
9	27	4	185
10	25	2.8	165
11	24	3.8	153
12	24	1.3	185
13	23	1.9	153
14	29	5	226
15	27	4.9	212
16	24	3.2	151
17	28	1.1	227
18	26	2.2	217
19	25	1.9	199
20	24	4	178
21	29	1.2	203
22	26	3.1	213
23	26	4	203
24	25	2.1	177
25	28	3.2	150
26	29	2.2	225
27	25	2.5	159
28	29	1	191
29	26	3.3	213
30	23	2.4	189

802.11ax(HE80) - 5290MHz

RADAR TYPE 3

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	9	217
2	16	6.3	466
3	17	9.6	330
4	17	9.3	461
5	18	9.9	284
6	18	9.5	383
7	18	9.4	293
8	17	9.2	455
9	17	8.6	374
10	17	10	345
11	16	6.7	471
12	17	9.2	377
13	17	8.8	411
14	17	9.3	401
15	16	6.2	396
16	17	7.4	305
17	18	8.3	497
18	17	9.3	422
19	17	7.8	428
20	17	7.8	296
21	16	8.3	339
22	18	6.7	221
23	17	9.7	482
24	18	8.1	264
25	17	7.4	384
26	16	7.7	426
27	16	8.4	205
28	16	6.3	437
29	18	9.1	224
30	17	8.8	221

802.11ax(HE80) - 5290MHz

RADAR TYPE 4

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	12	11.6	252
2	13	11.7	349
3	14	18.3	434
4	15	18.3	269
5	13	12.2	270
6	13	16.6	476
7	12	13.9	497
8	16	18.2	345
9	12	16.8	416
10	16	20	479
11	16	11.4	262
12	14	14	419
13	12	15.4	334
14	13	12.3	200
15	13	17.5	401
16	13	11	235
17	13	19.1	343
18	15	13	351
19	14	17.5	291
20	14	16.9	421
21	15	13.9	416
22	14	16.8	410
23	12	15.5	241
24	16	13.1	398
25	13	19.5	386
26	15	13.4	359
27	15	18.1	328
28	14	15	219
29	15	19	240
30	15	15.5	488

802.11ax(HE80) - 5290MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	17	1	5290
2	18	1	5290
3	13	1	5290
4	16	1	5290
5	7	1	5290
6	13	1	5290
7	7	1	5290
8	7	1	5290
9	14	1	5290
10	11	1	5290
11	8	2	5254.2
12	11	2	5255.4
13	6	2	5253.4
14	6	2	5253.4
15	20	2	5259
16	7	2	5253.8
17	6	2	5253.4
18	15	2	5257
19	8	2	5254.2
20	7	2	5253.8
21	14	3	5323.4
22	19	3	5321.4
23	6	3	5326.6
24	18	3	5321.8
25	16	3	5322.6
26	6	3	5326.6
27	19	3	5321.4
28	15	3	5323
29	6	3	5326.6
30	12	3	5324.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	79.8	17	1042		690.045
2	3	58.9	17	1559	1947	705.603
3	3	86.7	17	1844	1958	194.086
4	2	57.6	17	1818		555.639
5	1	74.5	17			840.692
6	2	71.9	17	1540		126.445
7	3	85.2	17	1544	1528	151.108
8	2	62.8	17	1735		171.592
9	2	88.7	17	1578		173.405
10	1	58.7	17			624.378
11	2	96.2	17	1451		854.231
12	3	74.2	17	1994	1907	435.254
13	2	91	17	1309		224.177

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	93.1	18	1154		555.324
2	2	60.5	18	1784		281.495
3	1	99.1	18			235.255
4	2	64.2	18	1320		116.783
5	1	52.9	18			608.921
6	3	74.4	18	1336	1561	632.538
7	3	68	18	1310	1729	458.616
8	3	53.2	18	1658	1314	136.974
9	1	72	18			10.761
10	1	83.8	18			463.589
11	2	92.9	18	1670		640.976
12	3	69.8	18	1206	1158	551.824
13	1	75.6	18			269.682
14	2	67.5	18	1524		596.349
15	1	88.3	18			305.147
16	2	88.5	18	1006		105.365
17	2	51.6	18	1408		312.682

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	81.1	13			590.766
2	1	84.9	13			224.787
3	1	79	13			313.914
4	3	57.8	13	1662	1007	86.561
5	2	50.3	13	1263		106.479
6	1	61.9	13			771.416
7	3	64.5	13	1915	1444	522.393
8	2	88.6	13	1822		770.27
9	1	69.5	13			743.947
10	2	83	13	1322		346.574
11	3	74.1	13	1975	1745	539.761
12	1	69	13			31.579
13	3	79.4	13	1974	1042	714.386
14	2	74.5	13	1538		304.043

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	64.8	16	1329		10.492
2	2	52.6	16	1405		254.103
3	3	91	16	1618	1520	286.842
4	2	53.3	16	1119		118.853
5	1	70.4	16			483.494
6	2	71	16	1356		477.775
7	2	93.8	16	1494		176.026
8	2	59.8	16	1294		396.557
9	1	65.7	16			258.298
10	3	64.2	16	1624	1980	384.979
11	2	79.1	16	1468		378.351
12	2	51.4	16	1349		170.212
13	3	93.3	16	1157	1889	151.323
14	2	50.1	16	1482		134.924
15	3	68.4	16	1030	1368	471.805
16	1	69.3	16			264.076
17	2	94	16	1073		602.537
18	2	86.4	16	1845		263.358
19	2	57.8	16	1973		382.579

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	68	7			497.611
2	1	51.8	7			346.143
3	2	89.2	7	1727		137.727
4	2	87.2	7	1057		197.25
5	2	76.6	7	1310		639.673
6	2	64.1	7	1159		415.307
7	1	60.6	7			243.23
8	3	99.3	7	1789	1626	15.013
9	2	72	7	1289		565.627
10	2	67.4	7	1970		518.6
11	1	58	7			463.163
12	1	55.5	7			78.437
13	2	76.8	7	1817		438.49
14	2	53.1	7	1463		273.703
15	2	92.9	7	1361		649.697
16	1	63.7	7			547.5
17	2	54.9	7	1391		591.733
18	2	60.3	7	1283		92.067

--

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 10

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	61.7	7	1237		767.412
2	2	99.2	7	1893		331.923
3	2	53.8	7	1143		4.496
4	3	74.5	7	1941	1652	778.249
5	2	60	7	1707		58.212
6	2	61.7	7	1994		200.655
7	2	60.5	7	1928		274.148
8	3	53.8	7	1514	1127	640.372
9	3	96	7	1671	1231	103.885
10	3	94.1	7	1936	1355	707.738
11	1	57.4	7			726.461
12	1	58.7	7			690.154
13	2	80.3	7	1198		115.277

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	65.3	7			366.387
2	2	81.5	7	1957		676.313
3	1	76.4	7			378.746
4	1	92.9	7			411.459
5	1	91.5	7			467.172
6	3	94.8	7	1148	1773	558.975
7	1	57.1	7			486.138
8	2	70.6	7	1070		24.762
9	2	58.9	7	1928		308.465
10	2	86.9	7	1756		528.128
11	2	99.1	7	1196		21.881
12	1	82.2	7			742.454
13	2	90.7	7	1275		453.077

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	63.6	14	1043		598.6
2	1	79.5	14			132.34
3	3	88.4	14	1200	1772	549.85
4	3	80.8	14	1245	1182	462.23
5	3	62.8	14	1368	1823	256.66
6	1	62.4	14			472.67
7	1	59.6	14			723.25
8	1	58.5	14			670.13
9	2	94.3	14	1274		642.5
10	2	87.7	14	1790		693.7
11	1	79.5	14			318.9
12	2	90.1	14	1625		387.95
13	2	94.5	14	1639		208.08
14	3	51.1	14	1421	1645	323.5
15	1	62.7	14			370.2
16	2	99.8	14	1929		516.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	84.9	11	1710		653.885
2	2	80.9	11	1702		735.46
3	3	79.3	11	1411	1375	172.38
4	2	74.9	11	1338		601.61
5	2	63.3	11	1570		140.23
6	2	77.9	11	1422		27.39
7	1	56.7	11			99.55
8	3	82.5	11	1862	1628	338.26
9	2	96	11	1038		609.63
10	2	54.4	11	1555		137.13
11	2	91.4	11	1194		685.69
12	2	78	11	1544		437.46
13	2	87.8	11	1022		117.46
14	3	69.1	11	1480	1072	397.9
15	2	92.8	11	1875		728.3
16	1	60.4	11			672

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	71.2	8	1919		454.318
2	1	51	8			413.808
3	2	62.6	8	1247		171.215
4	2	94.5	8	1588		533.193
5	2	66.8	8	1508		207.011
6	2	67.3	8	1675		653.568
7	2	61.7	8	1072		207.536
8	2	65.9	8	1237		178.384
9	1	57.4	8			512.351
10	3	83.1	8	1221	1955	118.009
11	1	75.3	8			557.646
12	3	92.3	8	1993	1840	393.244
13	2	97.1	8	1572		215.102
14	2	96.8	8	1169		186.859
15	1	72.5	8			622.647
16	3	81.3	8	1536	1945	280.965
17	3	86.8	8	1769	1746	268.982

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	53.8	11	1219		59.498
2	3	80.7	11	1581	1745	459.991
3	2	88.6	11	1343		162.262
4	2	88.4	11	1344		193.503
5	2	81.5	11	1059		132.024
6	1	92.6	11			2.615
7	1	59.2	11			357.606
8	1	89.2	11			464.017
9	3	81.5	11	1894	1636	208.448
10	3	83.2	11	1640	1311	553.709
11	2	89.9	11	1844		533.211
12	1	74.3	11			271.742
13	2	87.9	11	1523		268.173
14	2	56	11	1124		622.454
15	1	93.1	11			506.065
16	1	72.7	11			216.326
17	2	68.5	11	1484		502.637
18	2	85.7	11	1147		20.958
19	2	90.9	11	1160		531.979

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	59.4	6	1981	1890	560.282
2	1	51.3	6			594.26
3	2	98.6	6	1205		735.92
4	1	96.2	6			361.75
5	2	69.2	6	1653		244.62
6	2	91.3	6	1183		306.54
7	2	99	6	1131		785.3
8	1	86.4	6			690.05
9	2	63.3	6	1358		506.98
10	2	79.7	6	1975		15.28
11	3	78.8	6	1689	1152	488.08
12	2	56.7	6	1333		725.86
13	3	89.2	6	1386	1193	380.47
14	2	54	6	1940		582.9
15	3	72.7	6	1418	1174	746.8

--

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	61.7	20			165.042
2	2	72.1	20	1936		291.141
3	2	83.9	20	1926		1049.372
4	1	98.1	20			446.093
5	1	56.7	20			1052.664
6	1	94.3	20			548.685
7	1	89.3	20			594.895
8	1	63	20			28.036
9	3	65.7	20	1135	1606	629.877
10	2	86.7	20	1521		547.218
11	1	72.4	20			423.809

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	65.9	7	1872		575.025
2	1	91.5	7			456.57
3	1	83.4	7			206.35
4	3	79.2	7	1858	1288	213.61
5	2	77.5	7	1166		359.88
6	2	74.7	7	1317		558.98
7	3	67.4	7	1787	1189	149.23
8	2	80.9	7	1979		443.79
9	3	60	7	1867	1864	195.16
10	3	83.4	7	1861	1963	584.99
11	1	99.7	7			109.24
12	2	91	7	1129		541.22
13	3	74.3	7	1790	1345	543.15
14	2	80	7	1134		67.12
15	2	92.1	7	1254		257.72
16	3	89.3	7	1852	1836	238.95
17	3	81.3	7	1548	1196	259.47
18	2	52.1	7	1270		125.8
19	1	80.8	7			58.9
20	2	51.7	7	1406		166.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	95	6	1428	1885	142.51
2	2	75.4	6	1003		82.41
3	3	97.8	6	1588	1065	666.69
4	2	52.9	6	1947		164.9
5	2	57	6	1336		353.03
6	1	65	6			15.13
7	2	51.4	6	1077		353.5
8	3	50.3	6	1435	1037	24.11
9	1	83.2	6			131.06
10	1	79.6	6			46.5
11	2	95.4	6	1545		699.53
12	3	67.5	6	1635	1176	163.88
13	2	78.1	6	1600		46.02
14	2	80.8	6	1310		98.26
15	1	81.4	6			493.3
16	2	71.7	6	1591		146.4

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	64.2	8	1263		146.13
2	1	76.8	8			629.118
3	1	95.4	8			333.065
4	3	59.7	8	1545	1192	605.513
5	1	71.2	8			479.091
6	2	64.6	8	1583		601.208
7	2	90.1	8	1548		587.536
8	2	56.6	8	1177		110.474
9	1	74.3	8			151.041
10	2	52.8	8	1399		679.479
11	2	55.1	8	1255		409.676
12	2	96.3	8	1750		269.884
13	2	72.2	8	1197		564.522
14	2	70.1	8	1352		522.379
15	1	83.2	8			672.247
16	3	52.4	8	1550	1799	693.065
17	2	71.3	8	1360		190.782

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	54.9	7			652.69
2	2	79.2	7	1590		546.558
3	2	69.4	7	1313		615.395
4	1	91	7			103.793
5	2	76.1	7	1403		142.391
6	3	76.1	7	1761	1831	411.318
7	1	79.9	7			36.716
8	3	63.4	7	1461	1286	683.314
9	1	89.6	7			152.751
10	1	52.6	7			496.579
11	1	71.2	7			695.036
12	1	60.2	7			451.024
13	2	67.4	7	1869		451.672
14	2	82.9	7	1847		425.539
15	2	93.1	7	1943		198.147
16	2	76.1	7	1435		277.665
17	2	82	7	1859		434.282

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	55.9	14	1373		325.765
2	1	88.5	14			863.573
3	2	70.6	14	1289		251.826
4	2	77.1	14	1166		539.879
5	2	62.5	14	2000		864.822
6	2	50	14	1585		168.315
7	1	84.5	14			299.268
8	2	57.7	14	1499		536.882
9	3	87.5	14	1176	1387	448.235
10	1	78.4	14			903.958
11	2	53.2	14	1919		238.321
12	1	95.4	14			443.454
13	2	99	14	1546		697.877

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	61.9	19	1348		551.165
2	2	98.5	19	1028		795.55
3	1	71.9	19			806.81
4	1	65.9	19			710.63
5	1	92.2	19			957.75
6	2	51.1	19	1290		754.86
7	1	70.2	19			829.39
8	1	89.7	19			707.77
9	1	85.6	19			42.51
10	2	92.2	19	1165		865.05
11	2	89.5	19	1223		449.2
12	3	69.6	19	1462	1755	346.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	58.1	6	1057	1787	658.297
2	1	85.8	6			404.97
3	3	82.8	6	1802	1912	563.67
4	1	78.8	6			656.59
5	2	57.7	6	1876		387.71
6	1	97	6			272.35
7	1	78.3	6			59.38
8	2	93.9	6	1031		47.61
9	1	71.9	6			719.42
10	2	75.6	6	1026		388.62
11	1	97.9	6			683.41
12	1	77.9	6			309.08
13	1	88.8	6			340.33
14	1	96.4	6			315.4
15	1	79	6			140.2
16	2	57.3	6	1649		101

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	59.5	18	1252		59.028
2	2	77.4	18	1900		289.404
3	1	83	18			178.847
4	2	91.6	18	1327		399.65
5	2	96.1	18	1763		317.843
6	3	91.3	18	1857	1738	49.387
7	2	76.5	18	1831		603.53
8	1	61.4	18			126.413
9	2	85.8	18	1040		241.147
10	3	69.4	18	1906	1926	493.65
11	2	88.1	18	1166		258.433
12	3	63.2	18	1786	1374	426.727
13	3	90.4	18	1110	1246	646.58
14	2	97.5	18	1628		452.173
15	3	66.1	18	1781	1754	190.427
16	2	53.6	18	1852		40.3
17	2	99.2	18	1335		173.133
18	2	65.6	18	1191		102.267

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	91.1	16			103.06
2	1	89.6	16			873.13
3	2	83.4	16	1927		7.62
4	3	97.9	16	1486	1094	382.42
5	1	56.5	16			843.02
6	2	76.8	16	1706		207.3
7	3	76.4	16	1023	1534	537.07
8	3	89.9	16	1038	1031	395.2
9	1	83.6	16			387.04
10	2	55.7	16	1742		504.59
11	2	66.4	16	1079		889.5
12	3	73.5	16	1169	1364	274.5

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	81.1	19	1984		94.376
2	1	71.2	19			430.623
3	3	99.1	19	1684	1835	285.306
4	2	73.3	19	1457		1.689
5	1	69.9	19			548.492
6	2	79.8	19	1552		392.525
7	1	67.4	19			240.808
8	2	62.1	19	1852		438.012
9	2	57	19	1151		804.295
10	2	60.5	19	1106		557.898
11	2	77.9	19	1687		571.511
12	1	68.1	19			577.954
13	3	50.9	19	1604	1879	287.477

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 10

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	67.2	6	1552		351.949
2	3	78.8	6	1014	1735	755.523
3	2	67.4	6	1739		907.586
4	1	74.6	6			317.499
5	1	94.9	6			641.342
6	2	68.7	6	1407		571.435
7	1	91.5	6			401.128
8	2	93.4	6	1130		79.182
9	2	64.4	6	1128		604.775
10	1	60.6	6			415.598
11	2	74.6	6	1609		468.531
12	2	55.3	6	1486		204.254
13	3	99	6	1193	1323	9.077

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	72.3	12	1226	1289	168.893
2	2	98.1	12	1918		189.144
3	2	69.2	12	1783		386.377
4	3	82.2	12	1955	1433	156.17
5	2	87.7	12	1986		233.613
6	2	79.3	12	1275		216.927
7	2	95.3	12	1940		10.41
8	2	60.2	12	1114		269.963
9	2	73.8	12	1801		159.307
10	3	69.2	12	1591	1462	252.15
11	3	63.8	12	1472	1050	618.063
12	2	59.2	12	1026		520.267
13	3	52	12	1578	1433	207.75
14	2	98.7	12	1926		146.143
15	2	69	12	1275		245.307
16	1	74.9	12			84.1
17	1	91	12			643.933
18	2	57.7	12	1459		60.967

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.429	80	
2	5.29	5.52	80	
3	5.29	5.501	80	
4	5.29	5.528	80	
5	5.29	5.295	80	*
6	5.29	5.29	80	*
7	5.29	5.65	80	
8	5.29	5.471	80	
9	5.29	5.627	80	
10	5.29	5.647	80	
11	5.29	5.596	80	
12	5.29	5.552	80	
13	5.29	5.582	80	
14	5.29	5.616	80	
15	5.29	5.256	80	
16	5.29	5.391	80	
17	5.29	5.335	80	
18	5.29	5.364	80	
19	5.29	5.479	80	
20	5.29	5.484	80	
21	5.29	5.545	80	
22	5.29	5.424	80	
23	5.29	5.419	80	
24	5.29	5.387	80	
25	5.29	5.459	80	
26	5.29	5.33	80	
27	5.29	5.716	80	
28	5.29	5.489	80	
29	5.29	5.411	80	
30	5.29	5.546	80	
31	5.29	5.251	80	
32	5.29	5.658	80	
33	5.29	5.503	80	
34	5.29	5.321	80	
35	5.29	5.259	80	
36	5.29	5.543	80	
37	5.29	5.371	80	
38	5.29	5.529	80	
39	5.29	5.271	80	
40	5.29	5.549	80	
41	5.29	5.435	80	
42	5.29	5.652	80	
43	5.29	5.386	80	
44	5.29	5.624	80	
45	5.29	5.355	80	
46	5.29	5.685	80	
47	5.29	5.448	80	

48	5.29	5.294	80	*
49	5.29	5.653	80	
50	5.29	5.318	80	
51	5.29	5.499	80	
52	5.29	5.281	80	*
53	5.29	5.7	80	
54	5.29	5.34	80	
55	5.29	5.383	80	
56	5.29	5.67	80	
57	5.29	5.508	80	
58	5.29	5.602	80	
59	5.29	5.6	80	
60	5.29	5.663	80	
61	5.29	5.717	80	
62	5.29	5.572	80	
63	5.29	5.416	80	
64	5.29	5.542	80	
65	5.29	5.278	80	
66	5.29	5.656	80	
67	5.29	5.692	80	
68	5.29	5.583	80	
69	5.29	5.713	80	
70	5.29	5.599	80	
71	5.29	5.521	80	
72	5.29	5.322	80	
73	5.29	5.585	80	
74	5.29	5.571	80	
75	5.29	5.361	80	
76	5.29	5.482	80	
77	5.29	5.293	80	*
78	5.29	5.539	80	
79	5.29	5.467	80	
80	5.29	5.298	80	*
81	5.29	5.506	80	
82	5.29	5.688	80	
83	5.29	5.57	80	
84	5.29	5.306	80	
85	5.29	5.609	80	
86	5.29	5.702	80	
87	5.29	5.532	80	
88	5.29	5.381	80	
89	5.29	5.415	80	
90	5.29	5.687	80	
91	5.29	5.481	80	
92	5.29	5.636	80	
93	5.29	5.622	80	
94	5.29	5.37	80	
95	5.29	5.703	80	
96	5.29	5.607	80	
97	5.29	5.324	80	
98	5.29	5.3	80	*
99	5.29	5.292	80	*
100	5.29	5.722	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.337	80	
2	5.29	5.712	80	
3	5.29	5.495	80	
4	5.29	5.477	80	
5	5.29	5.331	80	
6	5.29	5.344	80	
7	5.29	5.601	80	
8	5.29	5.372	80	
9	5.29	5.424	80	
10	5.29	5.398	80	
11	5.29	5.567	80	
12	5.29	5.589	80	
13	5.29	5.448	80	
14	5.29	5.349	80	
15	5.29	5.645	80	
16	5.29	5.594	80	
17	5.29	5.646	80	
18	5.29	5.547	80	
19	5.29	5.627	80	
20	5.29	5.612	80	
21	5.29	5.539	80	
22	5.29	5.306	80	
23	5.29	5.434	80	
24	5.29	5.706	80	
25	5.29	5.529	80	
26	5.29	5.707	80	
27	5.29	5.429	80	
28	5.29	5.324	80	
29	5.29	5.578	80	
30	5.29	5.36	80	
31	5.29	5.44	80	
32	5.29	5.31	80	
33	5.29	5.366	80	
34	5.29	5.304	80	
35	5.29	5.658	80	
36	5.29	5.493	80	
37	5.29	5.411	80	
38	5.29	5.653	80	
39	5.29	5.488	80	
40	5.29	5.55	80	
41	5.29	5.406	80	
42	5.29	5.631	80	
43	5.29	5.711	80	
44	5.29	5.433	80	
45	5.29	5.496	80	
46	5.29	5.471	80	
47	5.29	5.453	80	

48	5.29	5.545	80	
49	5.29	5.563	80	
50	5.29	5.421	80	
51	5.29	5.492	80	
52	5.29	5.657	80	
53	5.29	5.717	80	
54	5.29	5.259	80	
55	5.29	5.266	80	
56	5.29	5.475	80	
57	5.29	5.27	80	
58	5.29	5.505	80	
59	5.29	5.295	80	*
60	5.29	5.3	80	*
61	5.29	5.378	80	
62	5.29	5.577	80	
63	5.29	5.709	80	
64	5.29	5.313	80	
65	5.29	5.674	80	
66	5.29	5.404	80	
67	5.29	5.599	80	
68	5.29	5.605	80	
69	5.29	5.402	80	
70	5.29	5.445	80	
71	5.29	5.273	80	
72	5.29	5.498	80	
73	5.29	5.265	80	
74	5.29	5.575	80	
75	5.29	5.399	80	
76	5.29	5.422	80	
77	5.29	5.261	80	
78	5.29	5.541	80	
79	5.29	5.457	80	
80	5.29	5.624	80	
81	5.29	5.649	80	
82	5.29	5.48	80	
83	5.29	5.533	80	
84	5.29	5.656	80	
85	5.29	5.668	80	
86	5.29	5.264	80	
87	5.29	5.61	80	
88	5.29	5.538	80	
89	5.29	5.364	80	
90	5.29	5.552	80	
91	5.29	5.352	80	
92	5.29	5.461	80	
93	5.29	5.629	80	
94	5.29	5.689	80	
95	5.29	5.319	80	
96	5.29	5.327	80	
97	5.29	5.454	80	
98	5.29	5.439	80	
99	5.29	5.428	80	
100	5.29	5.317	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.339	80	
2	5.29	5.539	80	
3	5.29	5.556	80	
4	5.29	5.446	80	
5	5.29	5.311	80	
6	5.29	5.529	80	
7	5.29	5.291	80	*
8	5.29	5.649	80	
9	5.29	5.288	80	*
10	5.29	5.565	80	
11	5.29	5.474	80	
12	5.29	5.436	80	
13	5.29	5.289	80	*
14	5.29	5.313	80	
15	5.29	5.456	80	
16	5.29	5.694	80	
17	5.29	5.329	80	
18	5.29	5.678	80	
19	5.29	5.518	80	
20	5.29	5.264	80	
21	5.29	5.679	80	
22	5.29	5.452	80	
23	5.29	5.593	80	
24	5.29	5.626	80	
25	5.29	5.455	80	
26	5.29	5.388	80	
27	5.29	5.46	80	
28	5.29	5.601	80	
29	5.29	5.383	80	
30	5.29	5.443	80	
31	5.29	5.281	80	*
32	5.29	5.499	80	
33	5.29	5.285	80	*
34	5.29	5.315	80	
35	5.29	5.486	80	
36	5.29	5.7	80	
37	5.29	5.647	80	
38	5.29	5.391	80	
39	5.29	5.613	80	
40	5.29	5.619	80	
41	5.29	5.654	80	
42	5.29	5.636	80	
43	5.29	5.622	80	
44	5.29	5.702	80	
45	5.29	5.673	80	
46	5.29	5.478	80	
47	5.29	5.287	80	*

48	5.29	5.38	80	
49	5.29	5.666	80	
50	5.29	5.602	80	
51	5.29	5.597	80	
52	5.29	5.332	80	
53	5.29	5.348	80	
54	5.29	5.682	80	
55	5.29	5.272	80	
56	5.29	5.633	80	
57	5.29	5.278	80	
58	5.29	5.588	80	
59	5.29	5.618	80	
60	5.29	5.55	80	
61	5.29	5.479	80	
62	5.29	5.646	80	
63	5.29	5.608	80	
64	5.29	5.579	80	
65	5.29	5.42	80	
66	5.29	5.283	80	*
67	5.29	5.578	80	
68	5.29	5.361	80	
69	5.29	5.564	80	
70	5.29	5.442	80	
71	5.29	5.295	80	*
72	5.29	5.364	80	
73	5.29	5.515	80	
74	5.29	5.532	80	
75	5.29	5.554	80	
76	5.29	5.334	80	
77	5.29	5.482	80	
78	5.29	5.487	80	
79	5.29	5.36	80	
80	5.29	5.262	80	
81	5.29	5.71	80	
82	5.29	5.318	80	
83	5.29	5.41	80	
84	5.29	5.714	80	
85	5.29	5.563	80	
86	5.29	5.365	80	
87	5.29	5.372	80	
88	5.29	5.684	80	
89	5.29	5.535	80	
90	5.29	5.64	80	
91	5.29	5.513	80	
92	5.29	5.422	80	
93	5.29	5.655	80	
94	5.29	5.304	80	
95	5.29	5.675	80	
96	5.29	5.509	80	
97	5.29	5.346	80	
98	5.29	5.454	80	
99	5.29	5.542	80	
100	5.29	5.592	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.395	80	
2	5.29	5.452	80	
3	5.29	5.409	80	
4	5.29	5.359	80	
5	5.29	5.456	80	
6	5.29	5.256	80	
7	5.29	5.583	80	
8	5.29	5.54	80	
9	5.29	5.253	80	
10	5.29	5.347	80	
11	5.29	5.604	80	
12	5.29	5.607	80	
13	5.29	5.574	80	
14	5.29	5.464	80	
15	5.29	5.67	80	
16	5.29	5.648	80	
17	5.29	5.445	80	
18	5.29	5.593	80	
19	5.29	5.367	80	
20	5.29	5.469	80	
21	5.29	5.506	80	
22	5.29	5.718	80	
23	5.29	5.435	80	
24	5.29	5.406	80	
25	5.29	5.494	80	
26	5.29	5.27	80	
27	5.29	5.368	80	
28	5.29	5.423	80	
29	5.29	5.547	80	
30	5.29	5.687	80	
31	5.29	5.584	80	
32	5.29	5.362	80	
33	5.29	5.463	80	
34	5.29	5.514	80	
35	5.29	5.444	80	
36	5.29	5.281	80	*
37	5.29	5.345	80	
38	5.29	5.528	80	
39	5.29	5.442	80	
40	5.29	5.682	80	
41	5.29	5.619	80	
42	5.29	5.297	80	*
43	5.29	5.492	80	
44	5.29	5.303	80	
45	5.29	5.268	80	
46	5.29	5.325	80	
47	5.29	5.353	80	

48	5.29	5.623	80	
49	5.29	5.714	80	
50	5.29	5.511	80	
51	5.29	5.32	80	
52	5.29	5.335	80	
53	5.29	5.707	80	
54	5.29	5.517	80	
55	5.29	5.285	80	*
56	5.29	5.375	80	
57	5.29	5.566	80	
58	5.29	5.403	80	
59	5.29	5.417	80	
60	5.29	5.384	80	
61	5.29	5.28	80	*
62	5.29	5.254	80	
63	5.29	5.323	80	
64	5.29	5.65	80	
65	5.29	5.486	80	
66	5.29	5.56	80	
67	5.29	5.573	80	
68	5.29	5.466	80	
69	5.29	5.592	80	
70	5.29	5.716	80	
71	5.29	5.636	80	
72	5.29	5.338	80	
73	5.29	5.527	80	
74	5.29	5.446	80	
75	5.29	5.697	80	
76	5.29	5.651	80	
77	5.29	5.33	80	
78	5.29	5.437	80	
79	5.29	5.585	80	
80	5.29	5.675	80	
81	5.29	5.641	80	
82	5.29	5.723	80	
83	5.29	5.477	80	
84	5.29	5.265	80	
85	5.29	5.426	80	
86	5.29	5.498	80	
87	5.29	5.453	80	
88	5.29	5.296	80	*
89	5.29	5.273	80	
90	5.29	5.433	80	
91	5.29	5.614	80	
92	5.29	5.479	80	
93	5.29	5.656	80	
94	5.29	5.721	80	
95	5.29	5.489	80	
96	5.29	5.287	80	*
97	5.29	5.262	80	
98	5.29	5.598	80	
99	5.29	5.45	80	
100	5.29	5.557	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.405	80	
2	5.29	5.674	80	
3	5.29	5.644	80	
4	5.29	5.64	80	
5	5.29	5.6	80	
6	5.29	5.72	80	
7	5.29	5.584	80	
8	5.29	5.558	80	
9	5.29	5.483	80	
10	5.29	5.648	80	
11	5.29	5.455	80	
12	5.29	5.591	80	
13	5.29	5.593	80	
14	5.29	5.595	80	
15	5.29	5.329	80	
16	5.29	5.348	80	
17	5.29	5.621	80	
18	5.29	5.605	80	
19	5.29	5.253	80	
20	5.29	5.28	80	*
21	5.29	5.643	80	
22	5.29	5.562	80	
23	5.29	5.686	80	
24	5.29	5.666	80	
25	5.29	5.702	80	
26	5.29	5.717	80	
27	5.29	5.511	80	
28	5.29	5.678	80	
29	5.29	5.565	80	
30	5.29	5.456	80	
31	5.29	5.433	80	
32	5.29	5.322	80	
33	5.29	5.39	80	
34	5.29	5.426	80	
35	5.29	5.617	80	
36	5.29	5.531	80	
37	5.29	5.361	80	
38	5.29	5.438	80	
39	5.29	5.434	80	
40	5.29	5.345	80	
41	5.29	5.498	80	
42	5.29	5.705	80	
43	5.29	5.271	80	
44	5.29	5.571	80	
45	5.29	5.555	80	
46	5.29	5.721	80	
47	5.29	5.292	80	*

48	5.29	5.493	80	
49	5.29	5.494	80	
50	5.29	5.417	80	
51	5.29	5.295	80	*
52	5.29	5.712	80	
53	5.29	5.724	80	
54	5.29	5.309	80	
55	5.29	5.412	80	
56	5.29	5.684	80	
57	5.29	5.665	80	
58	5.29	5.463	80	
59	5.29	5.567	80	
60	5.29	5.317	80	
61	5.29	5.616	80	
62	5.29	5.354	80	
63	5.29	5.689	80	
64	5.29	5.663	80	
65	5.29	5.661	80	
66	5.29	5.418	80	
67	5.29	5.454	80	
68	5.29	5.281	80	*
69	5.29	5.653	80	
70	5.29	5.429	80	
71	5.29	5.556	80	
72	5.29	5.553	80	
73	5.29	5.526	80	
74	5.29	5.486	80	
75	5.29	5.425	80	
76	5.29	5.509	80	
77	5.29	5.642	80	
78	5.29	5.525	80	
79	5.29	5.554	80	
80	5.29	5.578	80	
81	5.29	5.27	80	
82	5.29	5.51	80	
83	5.29	5.315	80	
84	5.29	5.284	80	*
85	5.29	5.46	80	
86	5.29	5.467	80	
87	5.29	5.352	80	
88	5.29	5.569	80	
89	5.29	5.261	80	
90	5.29	5.313	80	
91	5.29	5.723	80	
92	5.29	5.652	80	
93	5.29	5.276	80	
94	5.29	5.25	80	
95	5.29	5.379	80	
96	5.29	5.323	80	
97	5.29	5.399	80	
98	5.29	5.308	80	
99	5.29	5.264	80	
100	5.29	5.714	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.637	80	
2	5.29	5.265	80	
3	5.29	5.687	80	
4	5.29	5.717	80	
5	5.29	5.587	80	
6	5.29	5.31	80	
7	5.29	5.646	80	
8	5.29	5.545	80	
9	5.29	5.608	80	
10	5.29	5.502	80	
11	5.29	5.303	80	
12	5.29	5.613	80	
13	5.29	5.481	80	
14	5.29	5.372	80	
15	5.29	5.513	80	
16	5.29	5.318	80	
17	5.29	5.287	80	*
18	5.29	5.315	80	
19	5.29	5.684	80	
20	5.29	5.614	80	
21	5.29	5.313	80	
22	5.29	5.3	80	*
23	5.29	5.367	80	
24	5.29	5.496	80	
25	5.29	5.306	80	
26	5.29	5.269	80	
27	5.29	5.359	80	
28	5.29	5.404	80	
29	5.29	5.705	80	
30	5.29	5.271	80	
31	5.29	5.665	80	
32	5.29	5.293	80	*
33	5.29	5.711	80	
34	5.29	5.671	80	
35	5.29	5.597	80	
36	5.29	5.427	80	
37	5.29	5.366	80	
38	5.29	5.353	80	
39	5.29	5.658	80	
40	5.29	5.509	80	
41	5.29	5.369	80	
42	5.29	5.579	80	
43	5.29	5.639	80	
44	5.29	5.449	80	
45	5.29	5.444	80	
46	5.29	5.286	80	*
47	5.29	5.524	80	

48	5.29	5.452	80	
49	5.29	5.472	80	
50	5.29	5.498	80	
51	5.29	5.651	80	
52	5.29	5.454	80	
53	5.29	5.424	80	
54	5.29	5.316	80	
55	5.29	5.399	80	
56	5.29	5.461	80	
57	5.29	5.397	80	
58	5.29	5.499	80	
59	5.29	5.323	80	
60	5.29	5.518	80	
61	5.29	5.633	80	
62	5.29	5.618	80	
63	5.29	5.362	80	
64	5.29	5.27	80	
65	5.29	5.581	80	
66	5.29	5.556	80	
67	5.29	5.295	80	*
68	5.29	5.535	80	
69	5.29	5.591	80	
70	5.29	5.605	80	
71	5.29	5.416	80	
72	5.29	5.678	80	
73	5.29	5.35	80	
74	5.29	5.583	80	
75	5.29	5.383	80	
76	5.29	5.512	80	
77	5.29	5.548	80	
78	5.29	5.659	80	
79	5.29	5.572	80	
80	5.29	5.39	80	
81	5.29	5.361	80	
82	5.29	5.596	80	
83	5.29	5.451	80	
84	5.29	5.686	80	
85	5.29	5.54	80	
86	5.29	5.522	80	
87	5.29	5.5	80	
88	5.29	5.268	80	
89	5.29	5.385	80	
90	5.29	5.41	80	
91	5.29	5.588	80	
92	5.29	5.546	80	
93	5.29	5.531	80	
94	5.29	5.377	80	
95	5.29	5.479	80	
96	5.29	5.669	80	
97	5.29	5.252	80	
98	5.29	5.288	80	*
99	5.29	5.662	80	
100	5.29	5.691	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.717	80	
2	5.29	5.512	80	
3	5.29	5.337	80	
4	5.29	5.441	80	
5	5.29	5.289	80	*
6	5.29	5.255	80	
7	5.29	5.377	80	
8	5.29	5.347	80	
9	5.29	5.678	80	
10	5.29	5.472	80	
11	5.29	5.636	80	
12	5.29	5.374	80	
13	5.29	5.351	80	
14	5.29	5.67	80	
15	5.29	5.618	80	
16	5.29	5.346	80	
17	5.29	5.652	80	
18	5.29	5.537	80	
19	5.29	5.301	80	
20	5.29	5.348	80	
21	5.29	5.394	80	
22	5.29	5.684	80	
23	5.29	5.383	80	
24	5.29	5.628	80	
25	5.29	5.349	80	
26	5.29	5.336	80	
27	5.29	5.426	80	
28	5.29	5.565	80	
29	5.29	5.389	80	
30	5.29	5.614	80	
31	5.29	5.606	80	
32	5.29	5.567	80	
33	5.29	5.365	80	
34	5.29	5.299	80	*
35	5.29	5.428	80	
36	5.29	5.466	80	
37	5.29	5.324	80	
38	5.29	5.256	80	
39	5.29	5.506	80	
40	5.29	5.521	80	
41	5.29	5.645	80	
42	5.29	5.252	80	
43	5.29	5.592	80	
44	5.29	5.497	80	
45	5.29	5.359	80	
46	5.29	5.714	80	
47	5.29	5.341	80	

48	5.29	5.507	80	
49	5.29	5.338	80	
50	5.29	5.671	80	
51	5.29	5.295	80	*
52	5.29	5.529	80	
53	5.29	5.484	80	
54	5.29	5.588	80	
55	5.29	5.277	80	
56	5.29	5.403	80	
57	5.29	5.623	80	
58	5.29	5.677	80	
59	5.29	5.436	80	
60	5.29	5.261	80	
61	5.29	5.665	80	
62	5.29	5.437	80	
63	5.29	5.629	80	
64	5.29	5.627	80	
65	5.29	5.501	80	
66	5.29	5.416	80	
67	5.29	5.452	80	
68	5.29	5.692	80	
69	5.29	5.335	80	
70	5.29	5.528	80	
71	5.29	5.413	80	
72	5.29	5.568	80	
73	5.29	5.33	80	
74	5.29	5.564	80	
75	5.29	5.46	80	
76	5.29	5.384	80	
77	5.29	5.666	80	
78	5.29	5.657	80	
79	5.29	5.498	80	
80	5.29	5.5	80	
81	5.29	5.474	80	
82	5.29	5.558	80	
83	5.29	5.434	80	
84	5.29	5.307	80	
85	5.29	5.536	80	
86	5.29	5.522	80	
87	5.29	5.396	80	
88	5.29	5.561	80	
89	5.29	5.672	80	
90	5.29	5.712	80	
91	5.29	5.486	80	
92	5.29	5.48	80	
93	5.29	5.26	80	
94	5.29	5.303	80	
95	5.29	5.271	80	
96	5.29	5.719	80	
97	5.29	5.478	80	
98	5.29	5.456	80	
99	5.29	5.408	80	
100	5.29	5.451	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.469	80	
2	5.29	5.312	80	
3	5.29	5.44	80	
4	5.29	5.608	80	
5	5.29	5.566	80	
6	5.29	5.703	80	
7	5.29	5.279	80	
8	5.29	5.299	80	*
9	5.29	5.72	80	
10	5.29	5.485	80	
11	5.29	5.343	80	
12	5.29	5.411	80	
13	5.29	5.319	80	
14	5.29	5.294	80	*
15	5.29	5.65	80	
16	5.29	5.559	80	
17	5.29	5.583	80	
18	5.29	5.691	80	
19	5.29	5.423	80	
20	5.29	5.58	80	
21	5.29	5.595	80	
22	5.29	5.617	80	
23	5.29	5.484	80	
24	5.29	5.468	80	
25	5.29	5.323	80	
26	5.29	5.615	80	
27	5.29	5.581	80	
28	5.29	5.305	80	
29	5.29	5.492	80	
30	5.29	5.405	80	
31	5.29	5.697	80	
32	5.29	5.487	80	
33	5.29	5.604	80	
34	5.29	5.4	80	
35	5.29	5.283	80	*
36	5.29	5.251	80	
37	5.29	5.382	80	
38	5.29	5.303	80	
39	5.29	5.66	80	
40	5.29	5.5	80	
41	5.29	5.571	80	
42	5.29	5.352	80	
43	5.29	5.448	80	
44	5.29	5.633	80	
45	5.29	5.358	80	
46	5.29	5.702	80	
47	5.29	5.285	80	*

48	5.29	5.293	80	*
49	5.29	5.522	80	
50	5.29	5.642	80	
51	5.29	5.554	80	
52	5.29	5.506	80	
53	5.29	5.67	80	
54	5.29	5.491	80	
55	5.29	5.304	80	
56	5.29	5.648	80	
57	5.29	5.662	80	
58	5.29	5.431	80	
59	5.29	5.545	80	
60	5.29	5.574	80	
61	5.29	5.624	80	
62	5.29	5.606	80	
63	5.29	5.442	80	
64	5.29	5.32	80	
65	5.29	5.463	80	
66	5.29	5.687	80	
67	5.29	5.381	80	
68	5.29	5.268	80	
69	5.29	5.265	80	
70	5.29	5.657	80	
71	5.29	5.627	80	
72	5.29	5.254	80	
73	5.29	5.558	80	
74	5.29	5.253	80	
75	5.29	5.418	80	
76	5.29	5.689	80	
77	5.29	5.459	80	
78	5.29	5.504	80	
79	5.29	5.263	80	
80	5.29	5.38	80	
81	5.29	5.291	80	*
82	5.29	5.255	80	
83	5.29	5.591	80	
84	5.29	5.49	80	
85	5.29	5.359	80	
86	5.29	5.682	80	
87	5.29	5.461	80	
88	5.29	5.637	80	
89	5.29	5.384	80	
90	5.29	5.351	80	
91	5.29	5.658	80	
92	5.29	5.408	80	
93	5.29	5.672	80	
94	5.29	5.277	80	
95	5.29	5.317	80	
96	5.29	5.287	80	*
97	5.29	5.688	80	
98	5.29	5.424	80	
99	5.29	5.328	80	
100	5.29	5.651	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.67	80	
2	5.29	5.512	80	
3	5.29	5.575	80	
4	5.29	5.6	80	
5	5.29	5.601	80	
6	5.29	5.642	80	
7	5.29	5.65	80	
8	5.29	5.717	80	
9	5.29	5.271	80	
10	5.29	5.449	80	
11	5.29	5.361	80	
12	5.29	5.258	80	
13	5.29	5.705	80	
14	5.29	5.444	80	
15	5.29	5.467	80	
16	5.29	5.622	80	
17	5.29	5.326	80	
18	5.29	5.471	80	
19	5.29	5.554	80	
20	5.29	5.461	80	
21	5.29	5.25	80	
22	5.29	5.407	80	
23	5.29	5.662	80	
24	5.29	5.711	80	
25	5.29	5.283	80	*
26	5.29	5.657	80	
27	5.29	5.332	80	
28	5.29	5.353	80	
29	5.29	5.585	80	
30	5.29	5.609	80	
31	5.29	5.59	80	
32	5.29	5.516	80	
33	5.29	5.637	80	
34	5.29	5.391	80	
35	5.29	5.53	80	
36	5.29	5.343	80	
37	5.29	5.684	80	
38	5.29	5.474	80	
39	5.29	5.495	80	
40	5.29	5.584	80	
41	5.29	5.473	80	
42	5.29	5.682	80	
43	5.29	5.259	80	
44	5.29	5.346	80	
45	5.29	5.272	80	
46	5.29	5.384	80	
47	5.29	5.507	80	

48	5.29	5.294	80	*
49	5.29	5.604	80	
50	5.29	5.673	80	
51	5.29	5.698	80	
52	5.29	5.436	80	
53	5.29	5.385	80	
54	5.29	5.383	80	
55	5.29	5.667	80	
56	5.29	5.319	80	
57	5.29	5.381	80	
58	5.29	5.541	80	
59	5.29	5.396	80	
60	5.29	5.605	80	
61	5.29	5.719	80	
62	5.29	5.648	80	
63	5.29	5.655	80	
64	5.29	5.26	80	
65	5.29	5.579	80	
66	5.29	5.386	80	
67	5.29	5.586	80	
68	5.29	5.348	80	
69	5.29	5.489	80	
70	5.29	5.31	80	
71	5.29	5.264	80	
72	5.29	5.403	80	
73	5.29	5.447	80	
74	5.29	5.321	80	
75	5.29	5.625	80	
76	5.29	5.596	80	
77	5.29	5.668	80	
78	5.29	5.412	80	
79	5.29	5.337	80	
80	5.29	5.493	80	
81	5.29	5.456	80	
82	5.29	5.552	80	
83	5.29	5.364	80	
84	5.29	5.298	80	*
85	5.29	5.301	80	
86	5.29	5.442	80	
87	5.29	5.647	80	
88	5.29	5.27	80	
89	5.29	5.478	80	
90	5.29	5.641	80	
91	5.29	5.696	80	
92	5.29	5.315	80	
93	5.29	5.566	80	
94	5.29	5.266	80	
95	5.29	5.674	80	
96	5.29	5.653	80	
97	5.29	5.612	80	
98	5.29	5.328	80	
99	5.29	5.458	80	
100	5.29	5.379	80	

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.318	80	
2	5.29	5.476	80	
3	5.29	5.357	80	
4	5.29	5.352	80	
5	5.29	5.674	80	
6	5.29	5.546	80	
7	5.29	5.351	80	
8	5.29	5.55	80	
9	5.29	5.499	80	
10	5.29	5.363	80	
11	5.29	5.335	80	
12	5.29	5.684	80	
13	5.29	5.51	80	
14	5.29	5.685	80	
15	5.29	5.373	80	
16	5.29	5.581	80	
17	5.29	5.308	80	
18	5.29	5.681	80	
19	5.29	5.292	80	*
20	5.29	5.664	80	
21	5.29	5.529	80	
22	5.29	5.488	80	
23	5.29	5.493	80	
24	5.29	5.68	80	
25	5.29	5.262	80	
26	5.29	5.471	80	
27	5.29	5.371	80	
28	5.29	5.506	80	
29	5.29	5.322	80	
30	5.29	5.455	80	
31	5.29	5.437	80	
32	5.29	5.484	80	
33	5.29	5.253	80	
34	5.29	5.663	80	
35	5.29	5.411	80	
36	5.29	5.645	80	
37	5.29	5.54	80	
38	5.29	5.715	80	
39	5.29	5.362	80	
40	5.29	5.458	80	
41	5.29	5.441	80	
42	5.29	5.571	80	
43	5.29	5.345	80	
44	5.29	5.562	80	
45	5.29	5.364	80	
46	5.29	5.669	80	
47	5.29	5.63	80	

48	5.29	5.695	80	
49	5.29	5.435	80	
50	5.29	5.598	80	
51	5.29	5.561	80	
52	5.29	5.454	80	
53	5.29	5.545	80	
54	5.29	5.383	80	
55	5.29	5.704	80	
56	5.29	5.409	80	
57	5.29	5.507	80	
58	5.29	5.342	80	
59	5.29	5.573	80	
60	5.29	5.556	80	
61	5.29	5.58	80	
62	5.29	5.668	80	
63	5.29	5.271	80	
64	5.29	5.328	80	
65	5.29	5.311	80	
66	5.29	5.652	80	
67	5.29	5.464	80	
68	5.29	5.708	80	
69	5.29	5.257	80	
70	5.29	5.498	80	
71	5.29	5.52	80	
72	5.29	5.607	80	
73	5.29	5.367	80	
74	5.29	5.467	80	
75	5.29	5.662	80	
76	5.29	5.577	80	
77	5.29	5.666	80	
78	5.29	5.283	80	*
79	5.29	5.568	80	
80	5.29	5.549	80	
81	5.29	5.416	80	
82	5.29	5.553	80	
83	5.29	5.658	80	
84	5.29	5.263	80	
85	5.29	5.602	80	
86	5.29	5.659	80	
87	5.29	5.632	80	
88	5.29	5.305	80	
89	5.29	5.348	80	
90	5.29	5.4	80	
91	5.29	5.265	80	
92	5.29	5.654	80	
93	5.29	5.672	80	
94	5.29	5.596	80	
95	5.29	5.491	80	
96	5.29	5.677	80	
97	5.29	5.483	80	
98	5.29	5.31	80	
99	5.29	5.315	80	
100	5.29	5.427	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.646	80	
2	5.29	5.596	80	
3	5.29	5.492	80	
4	5.29	5.529	80	
5	5.29	5.652	80	
6	5.29	5.631	80	
7	5.29	5.288	80	*
8	5.29	5.553	80	
9	5.29	5.495	80	
10	5.29	5.383	80	
11	5.29	5.557	80	
12	5.29	5.546	80	
13	5.29	5.296	80	*
14	5.29	5.473	80	
15	5.29	5.472	80	
16	5.29	5.461	80	
17	5.29	5.502	80	
18	5.29	5.318	80	
19	5.29	5.281	80	*
20	5.29	5.627	80	
21	5.29	5.602	80	
22	5.29	5.683	80	
23	5.29	5.266	80	
24	5.29	5.255	80	
25	5.29	5.436	80	
26	5.29	5.606	80	
27	5.29	5.402	80	
28	5.29	5.411	80	
29	5.29	5.27	80	
30	5.29	5.469	80	
31	5.29	5.449	80	
32	5.29	5.328	80	
33	5.29	5.486	80	
34	5.29	5.276	80	
35	5.29	5.337	80	
36	5.29	5.723	80	
37	5.29	5.682	80	
38	5.29	5.358	80	
39	5.29	5.714	80	
40	5.29	5.561	80	
41	5.29	5.643	80	
42	5.29	5.283	80	*
43	5.29	5.366	80	
44	5.29	5.458	80	
45	5.29	5.422	80	
46	5.29	5.41	80	
47	5.29	5.526	80	

48	5.29	5.494	80	
49	5.29	5.624	80	
50	5.29	5.625	80	
51	5.29	5.313	80	
52	5.29	5.679	80	
53	5.29	5.344	80	
54	5.29	5.71	80	
55	5.29	5.55	80	
56	5.29	5.412	80	
57	5.29	5.719	80	
58	5.29	5.354	80	
59	5.29	5.654	80	
60	5.29	5.623	80	
61	5.29	5.25	80	
62	5.29	5.677	80	
63	5.29	5.278	80	
64	5.29	5.343	80	
65	5.29	5.396	80	
66	5.29	5.453	80	
67	5.29	5.437	80	
68	5.29	5.548	80	
69	5.29	5.697	80	
70	5.29	5.653	80	
71	5.29	5.51	80	
72	5.29	5.532	80	
73	5.29	5.361	80	
74	5.29	5.708	80	
75	5.29	5.563	80	
76	5.29	5.452	80	
77	5.29	5.28	80	*
78	5.29	5.435	80	
79	5.29	5.4	80	
80	5.29	5.5	80	
81	5.29	5.56	80	
82	5.29	5.582	80	
83	5.29	5.32	80	
84	5.29	5.295	80	*
85	5.29	5.681	80	
86	5.29	5.307	80	
87	5.29	5.443	80	
88	5.29	5.362	80	
89	5.29	5.525	80	
90	5.29	5.707	80	
91	5.29	5.488	80	
92	5.29	5.353	80	
93	5.29	5.341	80	
94	5.29	5.603	80	
95	5.29	5.441	80	
96	5.29	5.597	80	
97	5.29	5.273	80	
98	5.29	5.644	80	
99	5.29	5.593	80	
100	5.29	5.403	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.265	80	
2	5.29	5.696	80	
3	5.29	5.707	80	
4	5.29	5.278	80	
5	5.29	5.472	80	
6	5.29	5.4	80	
7	5.29	5.476	80	
8	5.29	5.405	80	
9	5.29	5.613	80	
10	5.29	5.503	80	
11	5.29	5.282	80	*
12	5.29	5.31	80	
13	5.29	5.691	80	
14	5.29	5.367	80	
15	5.29	5.315	80	
16	5.29	5.451	80	
17	5.29	5.686	80	
18	5.29	5.617	80	
19	5.29	5.495	80	
20	5.29	5.484	80	
21	5.29	5.403	80	
22	5.29	5.462	80	
23	5.29	5.645	80	
24	5.29	5.445	80	
25	5.29	5.328	80	
26	5.29	5.597	80	
27	5.29	5.349	80	
28	5.29	5.565	80	
29	5.29	5.313	80	
30	5.29	5.253	80	
31	5.29	5.633	80	
32	5.29	5.409	80	
33	5.29	5.298	80	*
34	5.29	5.498	80	
35	5.29	5.327	80	
36	5.29	5.603	80	
37	5.29	5.303	80	
38	5.29	5.355	80	
39	5.29	5.554	80	
40	5.29	5.416	80	
41	5.29	5.46	80	
42	5.29	5.682	80	
43	5.29	5.33	80	
44	5.29	5.724	80	
45	5.29	5.679	80	
46	5.29	5.585	80	
47	5.29	5.659	80	

48	5.29	5.377	80	
49	5.29	5.347	80	
50	5.29	5.519	80	
51	5.29	5.507	80	
52	5.29	5.252	80	
53	5.29	5.639	80	
54	5.29	5.463	80	
55	5.29	5.683	80	
56	5.29	5.586	80	
57	5.29	5.51	80	
58	5.29	5.637	80	
59	5.29	5.701	80	
60	5.29	5.514	80	
61	5.29	5.337	80	
62	5.29	5.38	80	
63	5.29	5.35	80	
64	5.29	5.516	80	
65	5.29	5.612	80	
66	5.29	5.542	80	
67	5.29	5.575	80	
68	5.29	5.461	80	
69	5.29	5.515	80	
70	5.29	5.276	80	
71	5.29	5.411	80	
72	5.29	5.656	80	
73	5.29	5.502	80	
74	5.29	5.573	80	
75	5.29	5.441	80	
76	5.29	5.71	80	
77	5.29	5.482	80	
78	5.29	5.643	80	
79	5.29	5.424	80	
80	5.29	5.576	80	
81	5.29	5.348	80	
82	5.29	5.709	80	
83	5.29	5.67	80	
84	5.29	5.339	80	
85	5.29	5.415	80	
86	5.29	5.421	80	
87	5.29	5.444	80	
88	5.29	5.578	80	
89	5.29	5.604	80	
90	5.29	5.602	80	
91	5.29	5.697	80	
92	5.29	5.648	80	
93	5.29	5.374	80	
94	5.29	5.317	80	
95	5.29	5.652	80	
96	5.29	5.654	80	
97	5.29	5.545	80	
98	5.29	5.616	80	
99	5.29	5.535	80	
100	5.29	5.721	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.496	80	
2	5.29	5.549	80	
3	5.29	5.349	80	
4	5.29	5.516	80	
5	5.29	5.261	80	
6	5.29	5.692	80	
7	5.29	5.287	80	*
8	5.29	5.639	80	
9	5.29	5.458	80	
10	5.29	5.566	80	
11	5.29	5.565	80	
12	5.29	5.299	80	*
13	5.29	5.453	80	
14	5.29	5.714	80	
15	5.29	5.503	80	
16	5.29	5.428	80	
17	5.29	5.25	80	
18	5.29	5.48	80	
19	5.29	5.702	80	
20	5.29	5.342	80	
21	5.29	5.605	80	
22	5.29	5.584	80	
23	5.29	5.264	80	
24	5.29	5.632	80	
25	5.29	5.712	80	
26	5.29	5.384	80	
27	5.29	5.358	80	
28	5.29	5.486	80	
29	5.29	5.56	80	
30	5.29	5.363	80	
31	5.29	5.608	80	
32	5.29	5.444	80	
33	5.29	5.606	80	
34	5.29	5.61	80	
35	5.29	5.481	80	
36	5.29	5.404	80	
37	5.29	5.647	80	
38	5.29	5.69	80	
39	5.29	5.293	80	*
40	5.29	5.579	80	
41	5.29	5.678	80	
42	5.29	5.616	80	
43	5.29	5.265	80	
44	5.29	5.601	80	
45	5.29	5.53	80	
46	5.29	5.442	80	
47	5.29	5.615	80	

48	5.29	5.488	80	
49	5.29	5.259	80	
50	5.29	5.475	80	
51	5.29	5.316	80	
52	5.29	5.314	80	
53	5.29	5.613	80	
54	5.29	5.672	80	
55	5.29	5.391	80	
56	5.29	5.641	80	
57	5.29	5.306	80	
58	5.29	5.343	80	
59	5.29	5.478	80	
60	5.29	5.353	80	
61	5.29	5.626	80	
62	5.29	5.556	80	
63	5.29	5.704	80	
64	5.29	5.39	80	
65	5.29	5.476	80	
66	5.29	5.673	80	
67	5.29	5.257	80	
68	5.29	5.707	80	
69	5.29	5.5	80	
70	5.29	5.296	80	*
71	5.29	5.675	80	
72	5.29	5.459	80	
73	5.29	5.327	80	
74	5.29	5.65	80	
75	5.29	5.4	80	
76	5.29	5.263	80	
77	5.29	5.644	80	
78	5.29	5.666	80	
79	5.29	5.539	80	
80	5.29	5.309	80	
81	5.29	5.473	80	
82	5.29	5.671	80	
83	5.29	5.423	80	
84	5.29	5.71	80	
85	5.29	5.374	80	
86	5.29	5.467	80	
87	5.29	5.359	80	
88	5.29	5.696	80	
89	5.29	5.456	80	
90	5.29	5.638	80	
91	5.29	5.594	80	
92	5.29	5.432	80	
93	5.29	5.27	80	
94	5.29	5.462	80	
95	5.29	5.457	80	
96	5.29	5.715	80	
97	5.29	5.54	80	
98	5.29	5.479	80	
99	5.29	5.387	80	
100	5.29	5.701	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.339	80	
2	5.29	5.344	80	
3	5.29	5.676	80	
4	5.29	5.52	80	
5	5.29	5.637	80	
6	5.29	5.404	80	
7	5.29	5.31	80	
8	5.29	5.381	80	
9	5.29	5.463	80	
10	5.29	5.5	80	
11	5.29	5.699	80	
12	5.29	5.309	80	
13	5.29	5.626	80	
14	5.29	5.495	80	
15	5.29	5.457	80	
16	5.29	5.433	80	
17	5.29	5.441	80	
18	5.29	5.601	80	
19	5.29	5.62	80	
20	5.29	5.539	80	
21	5.29	5.64	80	
22	5.29	5.299	80	*
23	5.29	5.636	80	
24	5.29	5.362	80	
25	5.29	5.274	80	
26	5.29	5.456	80	
27	5.29	5.712	80	
28	5.29	5.351	80	
29	5.29	5.682	80	
30	5.29	5.406	80	
31	5.29	5.269	80	
32	5.29	5.721	80	
33	5.29	5.384	80	
34	5.29	5.328	80	
35	5.29	5.507	80	
36	5.29	5.56	80	
37	5.29	5.484	80	
38	5.29	5.724	80	
39	5.29	5.313	80	
40	5.29	5.723	80	
41	5.29	5.278	80	
42	5.29	5.709	80	
43	5.29	5.474	80	
44	5.29	5.325	80	
45	5.29	5.681	80	
46	5.29	5.43	80	
47	5.29	5.545	80	

48	5.29	5.478	80	
49	5.29	5.338	80	
50	5.29	5.293	80	*
51	5.29	5.599	80	
52	5.29	5.563	80	
53	5.29	5.609	80	
54	5.29	5.696	80	
55	5.29	5.317	80	
56	5.29	5.364	80	
57	5.29	5.672	80	
58	5.29	5.498	80	
59	5.29	5.483	80	
60	5.29	5.619	80	
61	5.29	5.705	80	
62	5.29	5.439	80	
63	5.29	5.624	80	
64	5.29	5.509	80	
65	5.29	5.528	80	
66	5.29	5.365	80	
67	5.29	5.263	80	
68	5.29	5.277	80	
69	5.29	5.499	80	
70	5.29	5.714	80	
71	5.29	5.473	80	
72	5.29	5.489	80	
73	5.29	5.405	80	
74	5.29	5.414	80	
75	5.29	5.543	80	
76	5.29	5.487	80	
77	5.29	5.307	80	
78	5.29	5.442	80	
79	5.29	5.554	80	
80	5.29	5.44	80	
81	5.29	5.424	80	
82	5.29	5.399	80	
83	5.29	5.716	80	
84	5.29	5.617	80	
85	5.29	5.514	80	
86	5.29	5.286	80	*
87	5.29	5.591	80	
88	5.29	5.465	80	
89	5.29	5.687	80	
90	5.29	5.575	80	
91	5.29	5.605	80	
92	5.29	5.679	80	
93	5.29	5.475	80	
94	5.29	5.68	80	
95	5.29	5.445	80	
96	5.29	5.265	80	
97	5.29	5.359	80	
98	5.29	5.295	80	*
99	5.29	5.496	80	
100	5.29	5.494	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.277	80	
2	5.29	5.59	80	
3	5.29	5.616	80	
4	5.29	5.509	80	
5	5.29	5.694	80	
6	5.29	5.378	80	
7	5.29	5.318	80	
8	5.29	5.384	80	
9	5.29	5.499	80	
10	5.29	5.506	80	
11	5.29	5.441	80	
12	5.29	5.665	80	
13	5.29	5.62	80	
14	5.29	5.508	80	
15	5.29	5.415	80	
16	5.29	5.614	80	
17	5.29	5.66	80	
18	5.29	5.351	80	
19	5.29	5.424	80	
20	5.29	5.546	80	
21	5.29	5.371	80	
22	5.29	5.395	80	
23	5.29	5.559	80	
24	5.29	5.711	80	
25	5.29	5.507	80	
26	5.29	5.625	80	
27	5.29	5.406	80	
28	5.29	5.6	80	
29	5.29	5.722	80	
30	5.29	5.662	80	
31	5.29	5.639	80	
32	5.29	5.533	80	
33	5.29	5.583	80	
34	5.29	5.363	80	
35	5.29	5.389	80	
36	5.29	5.629	80	
37	5.29	5.534	80	
38	5.29	5.645	80	
39	5.29	5.556	80	
40	5.29	5.599	80	
41	5.29	5.525	80	
42	5.29	5.563	80	
43	5.29	5.493	80	
44	5.29	5.554	80	
45	5.29	5.265	80	
46	5.29	5.682	80	
47	5.29	5.421	80	

48	5.29	5.278	80	
49	5.29	5.324	80	
50	5.29	5.392	80	
51	5.29	5.401	80	
52	5.29	5.708	80	
53	5.29	5.518	80	
54	5.29	5.359	80	
55	5.29	5.342	80	
56	5.29	5.496	80	
57	5.29	5.379	80	
58	5.29	5.362	80	
59	5.29	5.619	80	
60	5.29	5.571	80	
61	5.29	5.435	80	
62	5.29	5.678	80	
63	5.29	5.422	80	
64	5.29	5.622	80	
65	5.29	5.513	80	
66	5.29	5.578	80	
67	5.29	5.568	80	
68	5.29	5.462	80	
69	5.29	5.54	80	
70	5.29	5.61	80	
71	5.29	5.69	80	
72	5.29	5.315	80	
73	5.29	5.334	80	
74	5.29	5.591	80	
75	5.29	5.494	80	
76	5.29	5.712	80	
77	5.29	5.28	80	*
78	5.29	5.426	80	
79	5.29	5.628	80	
80	5.29	5.598	80	
81	5.29	5.428	80	
82	5.29	5.283	80	*
83	5.29	5.601	80	
84	5.29	5.543	80	
85	5.29	5.32	80	
86	5.29	5.284	80	*
87	5.29	5.43	80	
88	5.29	5.605	80	
89	5.29	5.459	80	
90	5.29	5.658	80	
91	5.29	5.626	80	
92	5.29	5.478	80	
93	5.29	5.369	80	
94	5.29	5.323	80	
95	5.29	5.479	80	
96	5.29	5.364	80	
97	5.29	5.385	80	
98	5.29	5.46	80	
99	5.29	5.555	80	
100	5.29	5.575	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.711	80	
2	5.29	5.429	80	
3	5.29	5.677	80	
4	5.29	5.723	80	
5	5.29	5.692	80	
6	5.29	5.304	80	
7	5.29	5.612	80	
8	5.29	5.251	80	
9	5.29	5.649	80	
10	5.29	5.333	80	
11	5.29	5.694	80	
12	5.29	5.504	80	
13	5.29	5.313	80	
14	5.29	5.28	80	*
15	5.29	5.7	80	
16	5.29	5.717	80	
17	5.29	5.43	80	
18	5.29	5.34	80	
19	5.29	5.518	80	
20	5.29	5.449	80	
21	5.29	5.462	80	
22	5.29	5.319	80	
23	5.29	5.373	80	
24	5.29	5.443	80	
25	5.29	5.625	80	
26	5.29	5.457	80	
27	5.29	5.369	80	
28	5.29	5.271	80	
29	5.29	5.573	80	
30	5.29	5.283	80	*
31	5.29	5.707	80	
32	5.29	5.559	80	
33	5.29	5.483	80	
34	5.29	5.275	80	
35	5.29	5.455	80	
36	5.29	5.421	80	
37	5.29	5.664	80	
38	5.29	5.608	80	
39	5.29	5.656	80	
40	5.29	5.655	80	
41	5.29	5.496	80	
42	5.29	5.395	80	
43	5.29	5.37	80	
44	5.29	5.555	80	
45	5.29	5.683	80	
46	5.29	5.648	80	
47	5.29	5.478	80	

48	5.29	5.622	80	
49	5.29	5.507	80	
50	5.29	5.347	80	
51	5.29	5.719	80	
52	5.29	5.418	80	
53	5.29	5.584	80	
54	5.29	5.715	80	
55	5.29	5.635	80	
56	5.29	5.378	80	
57	5.29	5.505	80	
58	5.29	5.301	80	
59	5.29	5.529	80	
60	5.29	5.687	80	
61	5.29	5.288	80	*
62	5.29	5.454	80	
63	5.29	5.273	80	
64	5.29	5.607	80	
65	5.29	5.365	80	
66	5.29	5.354	80	
67	5.29	5.425	80	
68	5.29	5.355	80	
69	5.29	5.441	80	
70	5.29	5.451	80	
71	5.29	5.353	80	
72	5.29	5.263	80	
73	5.29	5.402	80	
74	5.29	5.33	80	
75	5.29	5.501	80	
76	5.29	5.277	80	
77	5.29	5.627	80	
78	5.29	5.564	80	
79	5.29	5.708	80	
80	5.29	5.332	80	
81	5.29	5.397	80	
82	5.29	5.55	80	
83	5.29	5.348	80	
84	5.29	5.375	80	
85	5.29	5.465	80	
86	5.29	5.286	80	*
87	5.29	5.364	80	
88	5.29	5.682	80	
89	5.29	5.479	80	
90	5.29	5.527	80	
91	5.29	5.72	80	
92	5.29	5.407	80	
93	5.29	5.638	80	
94	5.29	5.636	80	
95	5.29	5.415	80	
96	5.29	5.554	80	
97	5.29	5.424	80	
98	5.29	5.464	80	
99	5.29	5.432	80	
100	5.29	5.562	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.29	80	*
2	5.29	5.47	80	
3	5.29	5.692	80	
4	5.29	5.253	80	
5	5.29	5.526	80	
6	5.29	5.685	80	
7	5.29	5.648	80	
8	5.29	5.478	80	
9	5.29	5.305	80	
10	5.29	5.35	80	
11	5.29	5.504	80	
12	5.29	5.567	80	
13	5.29	5.575	80	
14	5.29	5.634	80	
15	5.29	5.496	80	
16	5.29	5.655	80	
17	5.29	5.612	80	
18	5.29	5.297	80	*
19	5.29	5.705	80	
20	5.29	5.714	80	
21	5.29	5.455	80	
22	5.29	5.554	80	
23	5.29	5.269	80	
24	5.29	5.411	80	
25	5.29	5.594	80	
26	5.29	5.585	80	
27	5.29	5.59	80	
28	5.29	5.382	80	
29	5.29	5.303	80	
30	5.29	5.483	80	
31	5.29	5.42	80	
32	5.29	5.444	80	
33	5.29	5.327	80	
34	5.29	5.718	80	
35	5.29	5.582	80	
36	5.29	5.387	80	
37	5.29	5.665	80	
38	5.29	5.418	80	
39	5.29	5.301	80	
40	5.29	5.631	80	
41	5.29	5.454	80	
42	5.29	5.304	80	
43	5.29	5.338	80	
44	5.29	5.591	80	
45	5.29	5.494	80	
46	5.29	5.679	80	
47	5.29	5.49	80	

48	5.29	5.559	80	
49	5.29	5.44	80	
50	5.29	5.709	80	
51	5.29	5.637	80	
52	5.29	5.541	80	
53	5.29	5.514	80	
54	5.29	5.389	80	
55	5.29	5.547	80	
56	5.29	5.493	80	
57	5.29	5.645	80	
58	5.29	5.573	80	
59	5.29	5.437	80	
60	5.29	5.447	80	
61	5.29	5.684	80	
62	5.29	5.499	80	
63	5.29	5.661	80	
64	5.29	5.517	80	
65	5.29	5.346	80	
66	5.29	5.406	80	
67	5.29	5.486	80	
68	5.29	5.507	80	
69	5.29	5.489	80	
70	5.29	5.624	80	
71	5.29	5.662	80	
72	5.29	5.618	80	
73	5.29	5.642	80	
74	5.29	5.32	80	
75	5.29	5.689	80	
76	5.29	5.549	80	
77	5.29	5.53	80	
78	5.29	5.273	80	
79	5.29	5.607	80	
80	5.29	5.462	80	
81	5.29	5.695	80	
82	5.29	5.355	80	
83	5.29	5.31	80	
84	5.29	5.531	80	
85	5.29	5.572	80	
86	5.29	5.506	80	
87	5.29	5.25	80	
88	5.29	5.538	80	
89	5.29	5.408	80	
90	5.29	5.551	80	
91	5.29	5.593	80	
92	5.29	5.643	80	
93	5.29	5.502	80	
94	5.29	5.621	80	
95	5.29	5.606	80	
96	5.29	5.578	80	
97	5.29	5.345	80	
98	5.29	5.473	80	
99	5.29	5.658	80	
100	5.29	5.443	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.322	80	
2	5.29	5.698	80	
3	5.29	5.663	80	
4	5.29	5.53	80	
5	5.29	5.289	80	*
6	5.29	5.713	80	
7	5.29	5.352	80	
8	5.29	5.55	80	
9	5.29	5.376	80	
10	5.29	5.547	80	
11	5.29	5.324	80	
12	5.29	5.38	80	
13	5.29	5.339	80	
14	5.29	5.544	80	
15	5.29	5.677	80	
16	5.29	5.717	80	
17	5.29	5.265	80	
18	5.29	5.486	80	
19	5.29	5.427	80	
20	5.29	5.644	80	
21	5.29	5.592	80	
22	5.29	5.371	80	
23	5.29	5.712	80	
24	5.29	5.33	80	
25	5.29	5.365	80	
26	5.29	5.5	80	
27	5.29	5.27	80	
28	5.29	5.375	80	
29	5.29	5.674	80	
30	5.29	5.523	80	
31	5.29	5.314	80	
32	5.29	5.283	80	*
33	5.29	5.418	80	
34	5.29	5.517	80	
35	5.29	5.308	80	
36	5.29	5.622	80	
37	5.29	5.34	80	
38	5.29	5.675	80	
39	5.29	5.625	80	
40	5.29	5.296	80	*
41	5.29	5.477	80	
42	5.29	5.469	80	
43	5.29	5.381	80	
44	5.29	5.583	80	
45	5.29	5.382	80	
46	5.29	5.254	80	
47	5.29	5.609	80	

48	5.29	5.437	80	
49	5.29	5.691	80	
50	5.29	5.271	80	
51	5.29	5.442	80	
52	5.29	5.722	80	
53	5.29	5.402	80	
54	5.29	5.631	80	
55	5.29	5.557	80	
56	5.29	5.709	80	
57	5.29	5.466	80	
58	5.29	5.701	80	
59	5.29	5.28	80	*
60	5.29	5.595	80	
61	5.29	5.407	80	
62	5.29	5.305	80	
63	5.29	5.648	80	
64	5.29	5.518	80	
65	5.29	5.575	80	
66	5.29	5.396	80	
67	5.29	5.696	80	
68	5.29	5.616	80	
69	5.29	5.684	80	
70	5.29	5.652	80	
71	5.29	5.431	80	
72	5.29	5.681	80	
73	5.29	5.565	80	
74	5.29	5.252	80	
75	5.29	5.624	80	
76	5.29	5.285	80	*
77	5.29	5.566	80	
78	5.29	5.478	80	
79	5.29	5.597	80	
80	5.29	5.303	80	
81	5.29	5.693	80	
82	5.29	5.393	80	
83	5.29	5.389	80	
84	5.29	5.618	80	
85	5.29	5.464	80	
86	5.29	5.448	80	
87	5.29	5.258	80	
88	5.29	5.702	80	
89	5.29	5.665	80	
90	5.29	5.532	80	
91	5.29	5.421	80	
92	5.29	5.537	80	
93	5.29	5.458	80	
94	5.29	5.342	80	
95	5.29	5.587	80	
96	5.29	5.278	80	
97	5.29	5.359	80	
98	5.29	5.387	80	
99	5.29	5.655	80	
100	5.29	5.403	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.424	80	
2	5.29	5.503	80	
3	5.29	5.546	80	
4	5.29	5.38	80	
5	5.29	5.448	80	
6	5.29	5.618	80	
7	5.29	5.578	80	
8	5.29	5.606	80	
9	5.29	5.308	80	
10	5.29	5.656	80	
11	5.29	5.452	80	
12	5.29	5.595	80	
13	5.29	5.33	80	
14	5.29	5.481	80	
15	5.29	5.617	80	
16	5.29	5.429	80	
17	5.29	5.378	80	
18	5.29	5.408	80	
19	5.29	5.372	80	
20	5.29	5.671	80	
21	5.29	5.583	80	
22	5.29	5.478	80	
23	5.29	5.655	80	
24	5.29	5.53	80	
25	5.29	5.62	80	
26	5.29	5.657	80	
27	5.29	5.42	80	
28	5.29	5.52	80	
29	5.29	5.491	80	
30	5.29	5.61	80	
31	5.29	5.371	80	
32	5.29	5.252	80	
33	5.29	5.441	80	
34	5.29	5.285	80	*
35	5.29	5.711	80	
36	5.29	5.684	80	
37	5.29	5.255	80	
38	5.29	5.502	80	
39	5.29	5.682	80	
40	5.29	5.577	80	
41	5.29	5.477	80	
42	5.29	5.588	80	
43	5.29	5.259	80	
44	5.29	5.258	80	
45	5.29	5.398	80	
46	5.29	5.633	80	
47	5.29	5.318	80	

48	5.29	5.4	80	
49	5.29	5.369	80	
50	5.29	5.637	80	
51	5.29	5.44	80	
52	5.29	5.683	80	
53	5.29	5.283	80	*
54	5.29	5.622	80	
55	5.29	5.492	80	
56	5.29	5.504	80	
57	5.29	5.722	80	
58	5.29	5.353	80	
59	5.29	5.444	80	
60	5.29	5.365	80	
61	5.29	5.463	80	
62	5.29	5.488	80	
63	5.29	5.325	80	
64	5.29	5.434	80	
65	5.29	5.347	80	
66	5.29	5.339	80	
67	5.29	5.627	80	
68	5.29	5.652	80	
69	5.29	5.284	80	*
70	5.29	5.314	80	
71	5.29	5.338	80	
72	5.29	5.266	80	
73	5.29	5.263	80	
74	5.29	5.296	80	*
75	5.29	5.359	80	
76	5.29	5.381	80	
77	5.29	5.438	80	
78	5.29	5.345	80	
79	5.29	5.273	80	
80	5.29	5.357	80	
81	5.29	5.515	80	
82	5.29	5.576	80	
83	5.29	5.374	80	
84	5.29	5.675	80	
85	5.29	5.293	80	*
86	5.29	5.29	80	*
87	5.29	5.544	80	
88	5.29	5.409	80	
89	5.29	5.447	80	
90	5.29	5.35	80	
91	5.29	5.295	80	*
92	5.29	5.397	80	
93	5.29	5.65	80	
94	5.29	5.559	80	
95	5.29	5.674	80	
96	5.29	5.549	80	
97	5.29	5.709	80	
98	5.29	5.389	80	
99	5.29	5.373	80	
100	5.29	5.63	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.337	80	
2	5.29	5.574	80	
3	5.29	5.53	80	
4	5.29	5.309	80	
5	5.29	5.656	80	
6	5.29	5.322	80	
7	5.29	5.493	80	
8	5.29	5.543	80	
9	5.29	5.477	80	
10	5.29	5.618	80	
11	5.29	5.463	80	
12	5.29	5.695	80	
13	5.29	5.389	80	
14	5.29	5.692	80	
15	5.29	5.327	80	
16	5.29	5.699	80	
17	5.29	5.494	80	
18	5.29	5.589	80	
19	5.29	5.541	80	
20	5.29	5.411	80	
21	5.29	5.408	80	
22	5.29	5.524	80	
23	5.29	5.28	80	*
24	5.29	5.568	80	
25	5.29	5.401	80	
26	5.29	5.605	80	
27	5.29	5.6	80	
28	5.29	5.703	80	
29	5.29	5.457	80	
30	5.29	5.258	80	
31	5.29	5.475	80	
32	5.29	5.453	80	
33	5.29	5.448	80	
34	5.29	5.365	80	
35	5.29	5.652	80	
36	5.29	5.668	80	
37	5.29	5.65	80	
38	5.29	5.356	80	
39	5.29	5.629	80	
40	5.29	5.303	80	
41	5.29	5.36	80	
42	5.29	5.546	80	
43	5.29	5.376	80	
44	5.29	5.612	80	
45	5.29	5.377	80	
46	5.29	5.496	80	
47	5.29	5.41	80	

48	5.29	5.426	80	
49	5.29	5.682	80	
50	5.29	5.325	80	
51	5.29	5.275	80	
52	5.29	5.295	80	*
53	5.29	5.422	80	
54	5.29	5.698	80	
55	5.29	5.498	80	
56	5.29	5.583	80	
57	5.29	5.592	80	
58	5.29	5.681	80	
59	5.29	5.384	80	
60	5.29	5.707	80	
61	5.29	5.395	80	
62	5.29	5.558	80	
63	5.29	5.368	80	
64	5.29	5.579	80	
65	5.29	5.387	80	
66	5.29	5.561	80	
67	5.29	5.563	80	
68	5.29	5.347	80	
69	5.29	5.255	80	
70	5.29	5.391	80	
71	5.29	5.252	80	
72	5.29	5.485	80	
73	5.29	5.25	80	
74	5.29	5.713	80	
75	5.29	5.622	80	
76	5.29	5.635	80	
77	5.29	5.371	80	
78	5.29	5.277	80	
79	5.29	5.649	80	
80	5.29	5.476	80	
81	5.29	5.655	80	
82	5.29	5.687	80	
83	5.29	5.314	80	
84	5.29	5.515	80	
85	5.29	5.267	80	
86	5.29	5.292	80	*
87	5.29	5.298	80	*
88	5.29	5.264	80	
89	5.29	5.386	80	
90	5.29	5.569	80	
91	5.29	5.324	80	
92	5.29	5.396	80	
93	5.29	5.282	80	*
94	5.29	5.582	80	
95	5.29	5.58	80	
96	5.29	5.534	80	
97	5.29	5.514	80	
98	5.29	5.587	80	
99	5.29	5.424	80	
100	5.29	5.636	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.393	80	
2	5.29	5.477	80	
3	5.29	5.449	80	
4	5.29	5.267	80	
5	5.29	5.562	80	
6	5.29	5.437	80	
7	5.29	5.548	80	
8	5.29	5.603	80	
9	5.29	5.279	80	
10	5.29	5.304	80	
11	5.29	5.573	80	
12	5.29	5.625	80	
13	5.29	5.357	80	
14	5.29	5.611	80	
15	5.29	5.421	80	
16	5.29	5.659	80	
17	5.29	5.381	80	
18	5.29	5.281	80	*
19	5.29	5.567	80	
20	5.29	5.597	80	
21	5.29	5.688	80	
22	5.29	5.291	80	*
23	5.29	5.632	80	
24	5.29	5.49	80	
25	5.29	5.387	80	
26	5.29	5.329	80	
27	5.29	5.312	80	
28	5.29	5.353	80	
29	5.29	5.66	80	
30	5.29	5.445	80	
31	5.29	5.599	80	
32	5.29	5.539	80	
33	5.29	5.658	80	
34	5.29	5.577	80	
35	5.29	5.335	80	
36	5.29	5.358	80	
37	5.29	5.29	80	*
38	5.29	5.587	80	
39	5.29	5.302	80	
40	5.29	5.646	80	
41	5.29	5.502	80	
42	5.29	5.4	80	
43	5.29	5.555	80	
44	5.29	5.348	80	
45	5.29	5.379	80	
46	5.29	5.418	80	
47	5.29	5.288	80	*

48	5.29	5.409	80	
49	5.29	5.559	80	
50	5.29	5.434	80	
51	5.29	5.702	80	
52	5.29	5.682	80	
53	5.29	5.672	80	
54	5.29	5.55	80	
55	5.29	5.319	80	
56	5.29	5.3	80	*
57	5.29	5.655	80	
58	5.29	5.494	80	
59	5.29	5.501	80	
60	5.29	5.296	80	*
61	5.29	5.622	80	
62	5.29	5.57	80	
63	5.29	5.536	80	
64	5.29	5.475	80	
65	5.29	5.411	80	
66	5.29	5.473	80	
67	5.29	5.656	80	
68	5.29	5.7	80	
69	5.29	5.507	80	
70	5.29	5.624	80	
71	5.29	5.623	80	
72	5.29	5.612	80	
73	5.29	5.316	80	
74	5.29	5.309	80	
75	5.29	5.615	80	
76	5.29	5.591	80	
77	5.29	5.668	80	
78	5.29	5.614	80	
79	5.29	5.423	80	
80	5.29	5.71	80	
81	5.29	5.378	80	
82	5.29	5.264	80	
83	5.29	5.627	80	
84	5.29	5.367	80	
85	5.29	5.491	80	
86	5.29	5.427	80	
87	5.29	5.299	80	*
88	5.29	5.526	80	
89	5.29	5.506	80	
90	5.29	5.274	80	
91	5.29	5.349	80	
92	5.29	5.59	80	
93	5.29	5.271	80	
94	5.29	5.44	80	
95	5.29	5.253	80	
96	5.29	5.471	80	
97	5.29	5.462	80	
98	5.29	5.262	80	
99	5.29	5.331	80	
100	5.29	5.604	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.705	80	
2	5.29	5.621	80	
3	5.29	5.538	80	
4	5.29	5.29	80	*
5	5.29	5.578	80	
6	5.29	5.288	80	*
7	5.29	5.498	80	
8	5.29	5.703	80	
9	5.29	5.616	80	
10	5.29	5.6	80	
11	5.29	5.583	80	
12	5.29	5.548	80	
13	5.29	5.441	80	
14	5.29	5.659	80	
15	5.29	5.343	80	
16	5.29	5.454	80	
17	5.29	5.426	80	
18	5.29	5.717	80	
19	5.29	5.378	80	
20	5.29	5.658	80	
21	5.29	5.471	80	
22	5.29	5.458	80	
23	5.29	5.693	80	
24	5.29	5.707	80	
25	5.29	5.394	80	
26	5.29	5.694	80	
27	5.29	5.478	80	
28	5.29	5.383	80	
29	5.29	5.4	80	
30	5.29	5.255	80	
31	5.29	5.572	80	
32	5.29	5.525	80	
33	5.29	5.348	80	
34	5.29	5.405	80	
35	5.29	5.258	80	
36	5.29	5.626	80	
37	5.29	5.503	80	
38	5.29	5.374	80	
39	5.29	5.676	80	
40	5.29	5.549	80	
41	5.29	5.656	80	
42	5.29	5.554	80	
43	5.29	5.273	80	
44	5.29	5.585	80	
45	5.29	5.455	80	
46	5.29	5.69	80	
47	5.29	5.646	80	

48	5.29	5.557	80	
49	5.29	5.25	80	
50	5.29	5.435	80	
51	5.29	5.68	80	
52	5.29	5.302	80	
53	5.29	5.64	80	
54	5.29	5.316	80	
55	5.29	5.561	80	
56	5.29	5.409	80	
57	5.29	5.332	80	
58	5.29	5.605	80	
59	5.29	5.296	80	*
60	5.29	5.663	80	
61	5.29	5.673	80	
62	5.29	5.599	80	
63	5.29	5.684	80	
64	5.29	5.433	80	
65	5.29	5.593	80	
66	5.29	5.291	80	*
67	5.29	5.614	80	
68	5.29	5.666	80	
69	5.29	5.651	80	
70	5.29	5.41	80	
71	5.29	5.489	80	
72	5.29	5.285	80	*
73	5.29	5.345	80	
74	5.29	5.539	80	
75	5.29	5.556	80	
76	5.29	5.313	80	
77	5.29	5.607	80	
78	5.29	5.259	80	
79	5.29	5.336	80	
80	5.29	5.608	80	
81	5.29	5.331	80	
82	5.29	5.497	80	
83	5.29	5.588	80	
84	5.29	5.619	80	
85	5.29	5.708	80	
86	5.29	5.47	80	
87	5.29	5.671	80	
88	5.29	5.457	80	
89	5.29	5.541	80	
90	5.29	5.527	80	
91	5.29	5.579	80	
92	5.29	5.687	80	
93	5.29	5.392	80	
94	5.29	5.566	80	
95	5.29	5.634	80	
96	5.29	5.654	80	
97	5.29	5.251	80	
98	5.29	5.419	80	
99	5.29	5.364	80	
100	5.29	5.589	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.71	80	
2	5.29	5.337	80	
3	5.29	5.473	80	
4	5.29	5.282	80	*
5	5.29	5.607	80	
6	5.29	5.426	80	
7	5.29	5.575	80	
8	5.29	5.51	80	
9	5.29	5.271	80	
10	5.29	5.297	80	*
11	5.29	5.494	80	
12	5.29	5.549	80	
13	5.29	5.439	80	
14	5.29	5.298	80	*
15	5.29	5.409	80	
16	5.29	5.406	80	
17	5.29	5.396	80	
18	5.29	5.517	80	
19	5.29	5.562	80	
20	5.29	5.703	80	
21	5.29	5.597	80	
22	5.29	5.707	80	
23	5.29	5.432	80	
24	5.29	5.63	80	
25	5.29	5.629	80	
26	5.29	5.519	80	
27	5.29	5.687	80	
28	5.29	5.388	80	
29	5.29	5.329	80	
30	5.29	5.593	80	
31	5.29	5.654	80	
32	5.29	5.368	80	
33	5.29	5.421	80	
34	5.29	5.424	80	
35	5.29	5.444	80	
36	5.29	5.627	80	
37	5.29	5.507	80	
38	5.29	5.272	80	
39	5.29	5.586	80	
40	5.29	5.566	80	
41	5.29	5.525	80	
42	5.29	5.623	80	
43	5.29	5.331	80	
44	5.29	5.595	80	
45	5.29	5.522	80	
46	5.29	5.364	80	
47	5.29	5.252	80	

48	5.29	5.531	80	
49	5.29	5.639	80	
50	5.29	5.316	80	
51	5.29	5.394	80	
52	5.29	5.538	80	
53	5.29	5.253	80	
54	5.29	5.625	80	
55	5.29	5.676	80	
56	5.29	5.287	80	*
57	5.29	5.46	80	
58	5.29	5.556	80	
59	5.29	5.506	80	
60	5.29	5.405	80	
61	5.29	5.536	80	
62	5.29	5.284	80	*
63	5.29	5.412	80	
64	5.29	5.5	80	
65	5.29	5.615	80	
66	5.29	5.269	80	
67	5.29	5.594	80	
68	5.29	5.345	80	
69	5.29	5.434	80	
70	5.29	5.258	80	
71	5.29	5.578	80	
72	5.29	5.652	80	
73	5.29	5.336	80	
74	5.29	5.678	80	
75	5.29	5.706	80	
76	5.29	5.454	80	
77	5.29	5.281	80	*
78	5.29	5.438	80	
79	5.29	5.296	80	*
80	5.29	5.463	80	
81	5.29	5.505	80	
82	5.29	5.408	80	
83	5.29	5.401	80	
84	5.29	5.626	80	
85	5.29	5.414	80	
86	5.29	5.321	80	
87	5.29	5.295	80	*
88	5.29	5.559	80	
89	5.29	5.353	80	
90	5.29	5.352	80	
91	5.29	5.643	80	
92	5.29	5.467	80	
93	5.29	5.659	80	
94	5.29	5.462	80	
95	5.29	5.304	80	
96	5.29	5.481	80	
97	5.29	5.683	80	
98	5.29	5.723	80	
99	5.29	5.486	80	
100	5.29	5.449	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.449	80	
2	5.29	5.301	80	
3	5.29	5.269	80	
4	5.29	5.354	80	
5	5.29	5.581	80	
6	5.29	5.397	80	
7	5.29	5.312	80	
8	5.29	5.536	80	
9	5.29	5.586	80	
10	5.29	5.271	80	
11	5.29	5.263	80	
12	5.29	5.562	80	
13	5.29	5.679	80	
14	5.29	5.413	80	
15	5.29	5.714	80	
16	5.29	5.259	80	
17	5.29	5.667	80	
18	5.29	5.267	80	
19	5.29	5.358	80	
20	5.29	5.351	80	
21	5.29	5.641	80	
22	5.29	5.347	80	
23	5.29	5.368	80	
24	5.29	5.326	80	
25	5.29	5.722	80	
26	5.29	5.715	80	
27	5.29	5.576	80	
28	5.29	5.663	80	
29	5.29	5.277	80	
30	5.29	5.369	80	
31	5.29	5.27	80	
32	5.29	5.448	80	
33	5.29	5.691	80	
34	5.29	5.455	80	
35	5.29	5.501	80	
36	5.29	5.637	80	
37	5.29	5.72	80	
38	5.29	5.268	80	
39	5.29	5.523	80	
40	5.29	5.578	80	
41	5.29	5.496	80	
42	5.29	5.473	80	
43	5.29	5.405	80	
44	5.29	5.686	80	
45	5.29	5.303	80	
46	5.29	5.419	80	
47	5.29	5.651	80	

48	5.29	5.475	80	
49	5.29	5.535	80	
50	5.29	5.384	80	
51	5.29	5.611	80	
52	5.29	5.534	80	
53	5.29	5.668	80	
54	5.29	5.459	80	
55	5.29	5.704	80	
56	5.29	5.499	80	
57	5.29	5.453	80	
58	5.29	5.469	80	
59	5.29	5.343	80	
60	5.29	5.425	80	
61	5.29	5.593	80	
62	5.29	5.447	80	
63	5.29	5.503	80	
64	5.29	5.288	80	*
65	5.29	5.59	80	
66	5.29	5.257	80	
67	5.29	5.502	80	
68	5.29	5.294	80	*
69	5.29	5.566	80	
70	5.29	5.599	80	
71	5.29	5.365	80	
72	5.29	5.296	80	*
73	5.29	5.604	80	
74	5.29	5.317	80	
75	5.29	5.427	80	
76	5.29	5.363	80	
77	5.29	5.261	80	
78	5.29	5.582	80	
79	5.29	5.615	80	
80	5.29	5.279	80	
81	5.29	5.62	80	
82	5.29	5.538	80	
83	5.29	5.378	80	
84	5.29	5.432	80	
85	5.29	5.665	80	
86	5.29	5.516	80	
87	5.29	5.334	80	
88	5.29	5.716	80	
89	5.29	5.276	80	
90	5.29	5.377	80	
91	5.29	5.64	80	
92	5.29	5.423	80	
93	5.29	5.493	80	
94	5.29	5.273	80	
95	5.29	5.634	80	
96	5.29	5.359	80	
97	5.29	5.688	80	
98	5.29	5.633	80	
99	5.29	5.699	80	
100	5.29	5.708	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.498	80	
2	5.29	5.553	80	
3	5.29	5.69	80	
4	5.29	5.53	80	
5	5.29	5.259	80	
6	5.29	5.299	80	*
7	5.29	5.543	80	
8	5.29	5.669	80	
9	5.29	5.333	80	
10	5.29	5.536	80	
11	5.29	5.464	80	
12	5.29	5.469	80	
13	5.29	5.5	80	
14	5.29	5.701	80	
15	5.29	5.277	80	
16	5.29	5.396	80	
17	5.29	5.492	80	
18	5.29	5.439	80	
19	5.29	5.709	80	
20	5.29	5.467	80	
21	5.29	5.64	80	
22	5.29	5.696	80	
23	5.29	5.471	80	
24	5.29	5.345	80	
25	5.29	5.328	80	
26	5.29	5.274	80	
27	5.29	5.378	80	
28	5.29	5.454	80	
29	5.29	5.621	80	
30	5.29	5.572	80	
31	5.29	5.437	80	
32	5.29	5.447	80	
33	5.29	5.494	80	
34	5.29	5.34	80	
35	5.29	5.625	80	
36	5.29	5.264	80	
37	5.29	5.634	80	
38	5.29	5.601	80	
39	5.29	5.671	80	
40	5.29	5.287	80	*
41	5.29	5.49	80	
42	5.29	5.631	80	
43	5.29	5.296	80	*
44	5.29	5.532	80	
45	5.29	5.681	80	
46	5.29	5.674	80	
47	5.29	5.289	80	*

48	5.29	5.275	80	
49	5.29	5.688	80	
50	5.29	5.377	80	
51	5.29	5.412	80	
52	5.29	5.359	80	
53	5.29	5.623	80	
54	5.29	5.698	80	
55	5.29	5.628	80	
56	5.29	5.346	80	
57	5.29	5.525	80	
58	5.29	5.284	80	*
59	5.29	5.578	80	
60	5.29	5.351	80	
61	5.29	5.251	80	
62	5.29	5.36	80	
63	5.29	5.434	80	
64	5.29	5.288	80	*
65	5.29	5.656	80	
66	5.29	5.325	80	
67	5.29	5.421	80	
68	5.29	5.453	80	
69	5.29	5.357	80	
70	5.29	5.263	80	
71	5.29	5.693	80	
72	5.29	5.473	80	
73	5.29	5.436	80	
74	5.29	5.443	80	
75	5.29	5.365	80	
76	5.29	5.478	80	
77	5.29	5.344	80	
78	5.29	5.667	80	
79	5.29	5.465	80	
80	5.29	5.708	80	
81	5.29	5.597	80	
82	5.29	5.587	80	
83	5.29	5.257	80	
84	5.29	5.418	80	
85	5.29	5.252	80	
86	5.29	5.415	80	
87	5.29	5.314	80	
88	5.29	5.495	80	
89	5.29	5.348	80	
90	5.29	5.583	80	
91	5.29	5.425	80	
92	5.29	5.424	80	
93	5.29	5.711	80	
94	5.29	5.373	80	
95	5.29	5.376	80	
96	5.29	5.62	80	
97	5.29	5.258	80	
98	5.29	5.6	80	
99	5.29	5.374	80	
100	5.29	5.281	80	*

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.518	80	
2	5.29	5.321	80	
3	5.29	5.376	80	
4	5.29	5.659	80	
5	5.29	5.349	80	
6	5.29	5.442	80	
7	5.29	5.361	80	
8	5.29	5.515	80	
9	5.29	5.403	80	
10	5.29	5.646	80	
11	5.29	5.601	80	
12	5.29	5.498	80	
13	5.29	5.705	80	
14	5.29	5.647	80	
15	5.29	5.38	80	
16	5.29	5.396	80	
17	5.29	5.666	80	
18	5.29	5.542	80	
19	5.29	5.388	80	
20	5.29	5.508	80	
21	5.29	5.609	80	
22	5.29	5.58	80	
23	5.29	5.418	80	
24	5.29	5.69	80	
25	5.29	5.475	80	
26	5.29	5.544	80	
27	5.29	5.455	80	
28	5.29	5.535	80	
29	5.29	5.374	80	
30	5.29	5.433	80	
31	5.29	5.484	80	
32	5.29	5.551	80	
33	5.29	5.27	80	
34	5.29	5.549	80	
35	5.29	5.269	80	
36	5.29	5.443	80	
37	5.29	5.452	80	
38	5.29	5.555	80	
39	5.29	5.678	80	
40	5.29	5.638	80	
41	5.29	5.532	80	
42	5.29	5.483	80	
43	5.29	5.371	80	
44	5.29	5.618	80	
45	5.29	5.382	80	
46	5.29	5.369	80	
47	5.29	5.281	80	*

48	5.29	5.712	80	
49	5.29	5.526	80	
50	5.29	5.565	80	
51	5.29	5.381	80	
52	5.29	5.368	80	
53	5.29	5.454	80	
54	5.29	5.51	80	
55	5.29	5.293	80	*
56	5.29	5.651	80	
57	5.29	5.632	80	
58	5.29	5.645	80	
59	5.29	5.392	80	
60	5.29	5.626	80	
61	5.29	5.337	80	
62	5.29	5.61	80	
63	5.29	5.416	80	
64	5.29	5.3	80	*
65	5.29	5.503	80	
66	5.29	5.435	80	
67	5.29	5.505	80	
68	5.29	5.614	80	
69	5.29	5.378	80	
70	5.29	5.272	80	
71	5.29	5.606	80	
72	5.29	5.283	80	*
73	5.29	5.438	80	
74	5.29	5.355	80	
75	5.29	5.634	80	
76	5.29	5.717	80	
77	5.29	5.404	80	
78	5.29	5.671	80	
79	5.29	5.385	80	
80	5.29	5.285	80	*
81	5.29	5.592	80	
82	5.29	5.563	80	
83	5.29	5.328	80	
84	5.29	5.412	80	
85	5.29	5.625	80	
86	5.29	5.39	80	
87	5.29	5.704	80	
88	5.29	5.496	80	
89	5.29	5.715	80	
90	5.29	5.341	80	
91	5.29	5.274	80	
92	5.29	5.491	80	
93	5.29	5.545	80	
94	5.29	5.31	80	
95	5.29	5.652	80	
96	5.29	5.633	80	
97	5.29	5.261	80	
98	5.29	5.687	80	
99	5.29	5.434	80	
100	5.29	5.504	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.483	80	
2	5.29	5.611	80	
3	5.29	5.51	80	
4	5.29	5.439	80	
5	5.29	5.254	80	
6	5.29	5.284	80	*
7	5.29	5.481	80	
8	5.29	5.429	80	
9	5.29	5.505	80	
10	5.29	5.541	80	
11	5.29	5.336	80	
12	5.29	5.402	80	
13	5.29	5.323	80	
14	5.29	5.622	80	
15	5.29	5.708	80	
16	5.29	5.353	80	
17	5.29	5.452	80	
18	5.29	5.403	80	
19	5.29	5.603	80	
20	5.29	5.682	80	
21	5.29	5.557	80	
22	5.29	5.351	80	
23	5.29	5.671	80	
24	5.29	5.554	80	
25	5.29	5.427	80	
26	5.29	5.602	80	
27	5.29	5.258	80	
28	5.29	5.408	80	
29	5.29	5.264	80	
30	5.29	5.459	80	
31	5.29	5.273	80	
32	5.29	5.576	80	
33	5.29	5.528	80	
34	5.29	5.533	80	
35	5.29	5.436	80	
36	5.29	5.374	80	
37	5.29	5.547	80	
38	5.29	5.404	80	
39	5.29	5.656	80	
40	5.29	5.296	80	*
41	5.29	5.322	80	
42	5.29	5.586	80	
43	5.29	5.703	80	
44	5.29	5.501	80	
45	5.29	5.582	80	
46	5.29	5.604	80	
47	5.29	5.714	80	

48	5.29	5.493	80	
49	5.29	5.361	80	
50	5.29	5.422	80	
51	5.29	5.619	80	
52	5.29	5.555	80	
53	5.29	5.715	80	
54	5.29	5.295	80	*
55	5.29	5.43	80	
56	5.29	5.55	80	
57	5.29	5.435	80	
58	5.29	5.679	80	
59	5.29	5.342	80	
60	5.29	5.384	80	
61	5.29	5.259	80	
62	5.29	5.62	80	
63	5.29	5.42	80	
64	5.29	5.524	80	
65	5.29	5.297	80	*
66	5.29	5.368	80	
67	5.29	5.392	80	
68	5.29	5.414	80	
69	5.29	5.371	80	
70	5.29	5.457	80	
71	5.29	5.346	80	
72	5.29	5.352	80	
73	5.29	5.473	80	
74	5.29	5.516	80	
75	5.29	5.26	80	
76	5.29	5.469	80	
77	5.29	5.57	80	
78	5.29	5.588	80	
79	5.29	5.7	80	
80	5.29	5.419	80	
81	5.29	5.344	80	
82	5.29	5.515	80	
83	5.29	5.58	80	
84	5.29	5.718	80	
85	5.29	5.488	80	
86	5.29	5.282	80	*
87	5.29	5.605	80	
88	5.29	5.268	80	
89	5.29	5.376	80	
90	5.29	5.644	80	
91	5.29	5.335	80	
92	5.29	5.406	80	
93	5.29	5.289	80	*
94	5.29	5.542	80	
95	5.29	5.626	80	
96	5.29	5.616	80	
97	5.29	5.692	80	
98	5.29	5.307	80	
99	5.29	5.659	80	
100	5.29	5.499	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.37	80	
2	5.29	5.276	80	
3	5.29	5.296	80	*
4	5.29	5.487	80	
5	5.29	5.604	80	
6	5.29	5.404	80	
7	5.29	5.395	80	
8	5.29	5.497	80	
9	5.29	5.49	80	
10	5.29	5.719	80	
11	5.29	5.457	80	
12	5.29	5.57	80	
13	5.29	5.467	80	
14	5.29	5.348	80	
15	5.29	5.267	80	
16	5.29	5.593	80	
17	5.29	5.538	80	
18	5.29	5.573	80	
19	5.29	5.709	80	
20	5.29	5.624	80	
21	5.29	5.427	80	
22	5.29	5.512	80	
23	5.29	5.428	80	
24	5.29	5.514	80	
25	5.29	5.452	80	
26	5.29	5.547	80	
27	5.29	5.385	80	
28	5.29	5.48	80	
29	5.29	5.279	80	
30	5.29	5.358	80	
31	5.29	5.338	80	
32	5.29	5.704	80	
33	5.29	5.272	80	
34	5.29	5.654	80	
35	5.29	5.712	80	
36	5.29	5.499	80	
37	5.29	5.319	80	
38	5.29	5.284	80	*
39	5.29	5.678	80	
40	5.29	5.483	80	
41	5.29	5.406	80	
42	5.29	5.425	80	
43	5.29	5.449	80	
44	5.29	5.574	80	
45	5.29	5.54	80	
46	5.29	5.38	80	
47	5.29	5.349	80	

48	5.29	5.413	80	
49	5.29	5.28	80	*
50	5.29	5.456	80	
51	5.29	5.424	80	
52	5.29	5.552	80	
53	5.29	5.506	80	
54	5.29	5.453	80	
55	5.29	5.417	80	
56	5.29	5.35	80	
57	5.29	5.327	80	
58	5.29	5.374	80	
59	5.29	5.337	80	
60	5.29	5.256	80	
61	5.29	5.438	80	
62	5.29	5.622	80	
63	5.29	5.647	80	
64	5.29	5.579	80	
65	5.29	5.298	80	*
66	5.29	5.357	80	
67	5.29	5.724	80	
68	5.29	5.384	80	
69	5.29	5.4	80	
70	5.29	5.636	80	
71	5.29	5.313	80	
72	5.29	5.605	80	
73	5.29	5.315	80	
74	5.29	5.455	80	
75	5.29	5.391	80	
76	5.29	5.553	80	
77	5.29	5.359	80	
78	5.29	5.516	80	
79	5.29	5.271	80	
80	5.29	5.613	80	
81	5.29	5.527	80	
82	5.29	5.309	80	
83	5.29	5.634	80	
84	5.29	5.668	80	
85	5.29	5.381	80	
86	5.29	5.723	80	
87	5.29	5.618	80	
88	5.29	5.675	80	
89	5.29	5.601	80	
90	5.29	5.295	80	*
91	5.29	5.58	80	
92	5.29	5.314	80	
93	5.29	5.642	80	
94	5.29	5.627	80	
95	5.29	5.539	80	
96	5.29	5.619	80	
97	5.29	5.461	80	
98	5.29	5.556	80	
99	5.29	5.433	80	
100	5.29	5.714	80	

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.633	80	
2	5.29	5.541	80	
3	5.29	5.532	80	
4	5.29	5.686	80	
5	5.29	5.579	80	
6	5.29	5.546	80	
7	5.29	5.354	80	
8	5.29	5.599	80	
9	5.29	5.621	80	
10	5.29	5.439	80	
11	5.29	5.492	80	
12	5.29	5.553	80	
13	5.29	5.414	80	
14	5.29	5.268	80	
15	5.29	5.555	80	
16	5.29	5.388	80	
17	5.29	5.291	80	*
18	5.29	5.499	80	
19	5.29	5.578	80	
20	5.29	5.624	80	
21	5.29	5.614	80	
22	5.29	5.38	80	
23	5.29	5.404	80	
24	5.29	5.447	80	
25	5.29	5.674	80	
26	5.29	5.591	80	
27	5.29	5.323	80	
28	5.29	5.468	80	
29	5.29	5.552	80	
30	5.29	5.64	80	
31	5.29	5.355	80	
32	5.29	5.558	80	
33	5.29	5.533	80	
34	5.29	5.659	80	
35	5.29	5.666	80	
36	5.29	5.454	80	
37	5.29	5.673	80	
38	5.29	5.517	80	
39	5.29	5.313	80	
40	5.29	5.521	80	
41	5.29	5.476	80	
42	5.29	5.293	80	*
43	5.29	5.511	80	
44	5.29	5.372	80	
45	5.29	5.331	80	
46	5.29	5.374	80	
47	5.29	5.698	80	

48	5.29	5.636	80	
49	5.29	5.639	80	
50	5.29	5.615	80	
51	5.29	5.494	80	
52	5.29	5.681	80	
53	5.29	5.254	80	
54	5.29	5.622	80	
55	5.29	5.51	80	
56	5.29	5.502	80	
57	5.29	5.58	80	
58	5.29	5.258	80	
59	5.29	5.444	80	
60	5.29	5.589	80	
61	5.29	5.569	80	
62	5.29	5.462	80	
63	5.29	5.425	80	
64	5.29	5.416	80	
65	5.29	5.632	80	
66	5.29	5.42	80	
67	5.29	5.582	80	
68	5.29	5.724	80	
69	5.29	5.619	80	
70	5.29	5.31	80	
71	5.29	5.273	80	
72	5.29	5.723	80	
73	5.29	5.316	80	
74	5.29	5.603	80	
75	5.29	5.583	80	
76	5.29	5.566	80	
77	5.29	5.393	80	
78	5.29	5.419	80	
79	5.29	5.357	80	
80	5.29	5.26	80	
81	5.29	5.634	80	
82	5.29	5.47	80	
83	5.29	5.325	80	
84	5.29	5.721	80	
85	5.29	5.402	80	
86	5.29	5.581	80	
87	5.29	5.362	80	
88	5.29	5.676	80	
89	5.29	5.528	80	
90	5.29	5.352	80	
91	5.29	5.27	80	
92	5.29	5.398	80	
93	5.29	5.691	80	
94	5.29	5.714	80	
95	5.29	5.445	80	
96	5.29	5.36	80	
97	5.29	5.43	80	
98	5.29	5.651	80	
99	5.29	5.366	80	
100	5.29	5.292	80	*

--

802.11ax(HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.42	80	
2	5.29	5.514	80	
3	5.29	5.253	80	
4	5.29	5.636	80	
5	5.29	5.663	80	
6	5.29	5.684	80	
7	5.29	5.498	80	
8	5.29	5.693	80	
9	5.29	5.56	80	
10	5.29	5.425	80	
11	5.29	5.627	80	
12	5.29	5.706	80	
13	5.29	5.448	80	
14	5.29	5.46	80	
15	5.29	5.403	80	
16	5.29	5.466	80	
17	5.29	5.7	80	
18	5.29	5.484	80	
19	5.29	5.492	80	
20	5.29	5.619	80	
21	5.29	5.699	80	
22	5.29	5.322	80	
23	5.29	5.275	80	
24	5.29	5.358	80	
25	5.29	5.349	80	
26	5.29	5.324	80	
27	5.29	5.521	80	
28	5.29	5.489	80	
29	5.29	5.449	80	
30	5.29	5.302	80	
31	5.29	5.487	80	
32	5.29	5.642	80	
33	5.29	5.383	80	
34	5.29	5.549	80	
35	5.29	5.545	80	
36	5.29	5.326	80	
37	5.29	5.544	80	
38	5.29	5.255	80	
39	5.29	5.631	80	
40	5.29	5.395	80	
41	5.29	5.682	80	
42	5.29	5.462	80	
43	5.29	5.338	80	
44	5.29	5.601	80	
45	5.29	5.678	80	
46	5.29	5.296	80	*
47	5.29	5.32	80	

48	5.29	5.331	80	
49	5.29	5.698	80	
50	5.29	5.695	80	
51	5.29	5.592	80	
52	5.29	5.533	80	
53	5.29	5.305	80	
54	5.29	5.575	80	
55	5.29	5.599	80	
56	5.29	5.347	80	
57	5.29	5.269	80	
58	5.29	5.407	80	
59	5.29	5.277	80	
60	5.29	5.375	80	
61	5.29	5.538	80	
62	5.29	5.558	80	
63	5.29	5.626	80	
64	5.29	5.529	80	
65	5.29	5.497	80	
66	5.29	5.657	80	
67	5.29	5.623	80	
68	5.29	5.283	80	*
69	5.29	5.638	80	
70	5.29	5.613	80	
71	5.29	5.412	80	
72	5.29	5.282	80	*
73	5.29	5.516	80	
74	5.29	5.437	80	
75	5.29	5.508	80	
76	5.29	5.478	80	
77	5.29	5.713	80	
78	5.29	5.367	80	
79	5.29	5.295	80	*
80	5.29	5.344	80	
81	5.29	5.303	80	
82	5.29	5.387	80	
83	5.29	5.31	80	
84	5.29	5.457	80	
85	5.29	5.446	80	
86	5.29	5.328	80	
87	5.29	5.365	80	
88	5.29	5.366	80	
89	5.29	5.417	80	
90	5.29	5.294	80	*
91	5.29	5.428	80	
92	5.29	5.666	80	
93	5.29	5.468	80	
94	5.29	5.377	80	
95	5.29	5.621	80	
96	5.29	5.315	80	
97	5.29	5.561	80	
98	5.29	5.341	80	
99	5.29	5.323	80	
100	5.29	5.64	80	

--

802.11ax(HE20) - 5500MHz

RADAR TYPE 1

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	67	1	798
2	65	1	818
3	89	1	598
4	92	1	578
5	57	1	938
6	76	1	698
7	78	1	678
8	59	1	898
9	83	1	638
10	68	1	778
11	70	1	758
12	81	1	658
13	68	1	778
14	61	1	878
15	58	1	918
16	81	1	658
17	92	1	578
18	76	1	698
19	98	1	538
20	95	1	558
21	78	1	678
22	98	1	538
23	58	1	918
24	68	1	778
25	86	1	618
26	68	1	778
27	70	1	758
28	63	1	838
29	78	1	678
30	62	1	858

802.11ax(HE20) - 5500MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	24	2.5	163
2	26	4.2	195
3	26	3.1	194
4	28	3.1	223
5	25	2.7	200
6	23	1.6	170
7	26	3	217
8	25	2.2	187
9	23	1.3	177
10	23	3.7	174
11	23	2.6	171
12	25	3.8	156
13	24	3.9	215
14	24	2.4	209
15	23	1.6	204
16	27	1.1	196
17	23	3.3	168
18	26	4	219
19	24	4.9	230
20	26	1.7	222
21	25	3.3	173
22	23	2.6	187
23	25	1.6	208
24	27	2	190
25	27	1.7	153
26	28	4.3	197
27	28	5	204
28	23	2.2	200
29	25	4.6	197
30	29	4.3	199

802.11ax(HE20) - 5500MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	6.9	402
2	16	9.7	483
3	18	7.9	231
4	17	9.5	475
5	18	6.2	248
6	17	9.1	377
7	17	6.6	420
8	18	7.7	299
9	17	9.3	320
10	16	6.6	310
11	18	8	455
12	16	9.2	210
13	17	8.2	474
14	18	7.5	364
15	18	6.3	236
16	18	6.5	406
17	17	7	273
18	18	6.4	426
19	17	9.8	293
20	16	6.5	211
21	16	8.7	377
22	17	8.1	279
23	17	9.4	335
24	17	6	317
25	16	8.1	391
26	17	8.7	234
27	17	7.5	352
28	16	8.8	208
29	17	6.6	243
30	17	9.6	225

802.11ax(HE20) - 5500MHz

RADAR TYPE 4

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	12	17.2	352
2	15	12	281
3	15	12.4	432
4	16	12.6	239
5	12	15	357
6	12	19.3	256
7	12	14.9	363
8	14	17.2	210
9	16	11.7	247
10	15	12.3	498
11	16	16.7	342
12	13	16.8	344
13	15	19	331
14	15	19.7	460
15	15	15.9	484
16	14	14.8	214
17	13	18.9	210
18	13	17.1	301
19	15	16.6	284
20	14	14.4	344
21	14	11.4	406
22	12	16.3	294
23	14	14.3	328
24	15	16.5	332
25	14	17.2	206
26	12	18.4	417
27	14	14.4	275
28	14	15.7	349
29	14	11.3	466
30	15	16.1	221

802.11ax(HE20) - 5500MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	11	1	5500
2	12	1	5500
3	10	1	5500
4	10	1	5500
5	16	1	5500
6	19	1	5500
7	5	1	5500
8	5	1	5500
9	17	1	5500
10	8	1	5500
11	8	2	5494.2
12	19	2	5498.6
13	17	2	5497.8
14	18	2	5498.2
15	16	2	5497.4
16	20	2	5499
17	12	2	5495.8
18	11	2	5495.4
19	6	2	5493.4
20	12	2	5495.8
21	7	3	5506.2
22	12	3	5504.2
23	5	3	5507
24	16	3	5502.6
25	5	3	5507
26	16	3	5502.6
27	18	3	5501.8
28	7	3	5506.2
29	15	3	5503
30	16	3	5502.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	66.8	11			356.72
2	2	90.7	11	1870		140.739
3	2	92.4	11	1096		594.2
4	1	94.3	11			17
5	2	73.8	11	1038		524.84
6	2	69.5	11	1805		229.96
7	3	81.2	11	1028	1362	418.09
8	2	67.9	11	1656		36.2
9	3	98.4	11	1401	1156	548.48
10	3	61.7	11	1291	1344	734.82
11	2	87.2	11	1774		429.16
12	2	93.1	11	1536		437.43
13	1	80	11			662.9
14	1	71	11			116.4
15	3	80.5	11	1513	1526	153.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	99.7	12			889.584
2	2	76.9	12	1157		324.153
3	2	79.8	12	1616		91.366
4	3	55.8	12	1859	1223	622.889
5	1	99	12			237.892
6	2	58.8	12	1841		746.325
7	2	53	12	1311		676.638
8	2	74.2	12	1575		489.042
9	2	62.8	12	1707		494.515
10	1	75.1	12			433.918
11	1	94.3	12			119.521
12	1	91.3	12			902.654
13	2	71.1	12	1987		276.577

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	61	10	1472		456.598
2	2	99.2	10	1978		307.9
3	3	65.1	10	1690	1911	506.75
4	2	70.9	10	1570		916.42
5	3	83	10	1207	1905	798.8
6	1	97.8	10			255.17
7	3	52.5	10	1364	1112	53.71
8	3	83.8	10	1867	1664	336.26
9	2	80.8	10	1112		741.6
10	2	80.9	10	1791		876

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	75.5	16			397.672
2	2	72.9	16	1702		261.867
3	3	80.9	16	1246	1201	513.534
4	2	55.2	16	1908		349.161
5	3	72.7	16	1512	1465	585.119
6	1	80.9	16			12.476
7	2	79.8	16	1534		358.433
8	2	60.7	16	1960		58.29
9	2	70.5	16	1091		301.227
10	3	55.3	16	1422	1620	544.814
11	2	62.5	16	1144		615.521
12	1	88.5	16			584.029
13	3	79.8	16	1784	1093	795.586
14	2	81.8	16	1848		160.943

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	75.9	19	1604	1719	380.957
2	2	90.7	19	1912		256.401
3	2	68.9	19	1226		223.362
4	2	90.6	19	1116		329.923
5	2	71.5	19	1166		313.444
6	2	70.7	19	1740		592.385
7	3	81.3	19	1952	1581	336.306
8	3	81.1	19	1034	1458	430.207
9	1	57.8	19			135.558
10	1	52	19			183.029
11	1	91.9	19			5.171
12	2	75.2	19	1381		131.352
13	1	64.8	19			141.183
14	2	58.5	19	1367		156.634
15	3	61.6	19	1568	1634	420.655
16	2	65	19	1430		484.626
17	2	85.2	19	1106		305.537
18	2	79.2	19	1468		460.658
19	2	65.9	19	1810		247.279

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	91.8	5			1025.21
2	2	74.1	5	1232		380.081
3	1	70	5			1051.982
4	1	91.6	5			911.503
5	2	93.9	5	1984		80.944
6	2	60.8	5	1273		436.905
7	2	76.7	5	1124		741.745
8	2	52.8	5	1300		706.626
9	3	59.4	5	1088	1600	137.217
10	2	65.6	5	1021		266.518
11	2	61.1	5	1550		124.109

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	96.4	5	1368	1975	2.728
2	3	92.5	5	1364	1379	43.137
3	2	73.4	5	1253		580.737
4	1	67.9	5			654.15
5	1	96.2	5			499.883
6	2	87.4	5	1022		228.337
7	2	53.1	5	1378		658.79
8	2	51.2	5	1228		21.023
9	2	80	5	1729		464.997
10	3	56.3	5	1722	1798	84.32
11	3	51.8	5	1604	1807	249.873
12	1	93.5	5			12.087
13	1	77.7	5			150.72
14	2	73.5	5	1471		490.433
15	2	63.4	5	1073		359.437
16	1	92.7	5			234.3
17	1	93	5			189.633
18	2	67.3	5	1011		382.167

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	59.7	17			486.191
2	1	50.2	17			852.493
3	1	71.3	17			118.316
4	2	67.3	17	1205		94.709
5	3	65.4	17	1290	1482	171.172
6	1	59.2	17			604.915
7	2	92.3	17	1462		162.558
8	3	52.8	17	1650	1642	873.772
9	2	83.4	17	1932		70.145
10	2	87.7	17	1367		2.108
11	2	66.5	17	1073		815.231
12	2	74.8	17	1983		614.154
13	2	76.5	17	1891		456.177

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	76.8	8			18.67
2	1	80.6	8			43.351
3	1	75.7	8			667.26
4	3	85.9	8	1281	1693	648.06
5	1	69.9	8			645.76
6	2	92.1	8	1835		616.26
7	2	62.4	8	1739		627.43
8	2	82.5	8	1093		189.9
9	1	87.4	8			708.73
10	1	68.5	8			70.32
11	2	56.3	8	1008		323.59
12	1	82.6	8			96.86
13	1	58.7	8			281.49
14	1	83.5	8			679.1
15	3	56.5	8	1715	1361	27.2
16	2	61.4	8	1340		667

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	55.3	8			366.281
2	3	77.1	8	1547	1472	393.166
3	2	82.2	8	1849		561.73
4	2	99.2	8	1606		182.17
5	3	85.9	8	1694	1900	124.88
6	2	54.2	8	1655		183.71
7	3	57.9	8	1452	1326	81.12
8	2	68.4	8	1097		379.17
9	2	82.1	8	1876		253.28
10	2	63.4	8	1825		264.26
11	1	94.4	8			322.98
12	1	80.8	8			468.79
13	2	66.9	8	1667		491.79
14	2	78.7	8	1406		515.59
15	3	87.4	8	1878	1350	311.77
16	2	57.6	8	1031		0.79
17	2	59.7	8	1909		393.8
18	2	82.1	8	1418		287.7
19	2	59.8	8	1425		506.8
20	2	82.1	8	1612		327

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	54.6	19	1961		171.364
2	2	58.5	19	1527		561.2
3	2	86.2	19	1026		119.86
4	2	60.2	19	1776		679.06
5	3	77.7	19	1435	1436	669.23
6	3	58.7	19	1347	1509	753.62
7	3	95.7	19	1645	1408	476.71
8	2	88.9	19	1117		731.35
9	3	95.4	19	1391	1797	335.94
10	2	67.2	19	1928		239.25
11	2	90.7	19	1668		228.43
12	1	96.5	19			333.65
13	2	70.6	19	1188		479.6
14	1	71.6	19			266
15	2	66	19	1636		393

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	67.4	17	1265	1513	579.344
2	2	78.7	17	1519		521.5
3	2	63.3	17	1672		199.71
4	1	58.6	17			239.08
5	2	99.2	17	1561		209.67
6	2	71	17	1703		396.14
7	2	69.4	17	1793		476.69
8	2	55	17	1255		328.48
9	1	87.5	17			271.58
10	1	89.7	17			75.36
11	2	53.1	17	1936		502.53
12	2	96.4	17	1233		136.7
13	3	62.6	17	1138	1986	21.24
14	2	52.3	17	1347		180.64
15	2	55.9	17	1498		475.6
16	1	52.2	17			417.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	51.7	18			485.981
2	3	91.1	18	1623	1904	902.293
3	2	79.8	18	1103		576.856
4	3	97.7	18	1870	1773	626.159
5	3	86.4	18	1312	1779	12.282
6	1	69.1	18			314.765
7	3	62.7	18	1919	1549	155.828
8	2	96.9	18	1845		525.852
9	2	58.7	18	1837		758.575
10	1	79.3	18			609.618
11	1	70.1	18			582.811
12	2	74.9	18	1463		538.554
13	2	69	18	1045		544.277

--

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 10

--

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	66.4	12	1725	1763	635.316
2	2	85.8	12	1430		899.153
3	2	99.9	12	1177		392.106
4	3	92	12	1112	1163	313.059
5	1	77.9	12			608.562
6	1	72.3	12			737.875
7	2	54.5	12	1041		842.098
8	3	57.7	12	1822	1355	174.262
9	2	51.3	12	1799		510.315
10	2	87.2	12	1370		383.098
11	2	61.1	12	1691		267.591
12	2	88.1	12	1556		472.354
13	2	71.2	12	1904		519.477

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	75.3	11			359.114
2	2	72.9	11	1588		344.59
3	1	85.5	11			507.41
4	2	96.7	11	1765		314.78
5	3	57.6	11	1572	1485	592.21
6	2	54.8	11	1992		27.56
7	3	76.6	11	1725	1986	54.67
8	2	84.6	11	1725		340.88
9	3	72.5	11	1806	1727	277.8
10	2	86.7	11	1713		8.86
11	2	74.2	11	1443		59.41
12	2	83.5	11	1758		51.52
13	2	82.2	11	1454		115.03
14	1	78.9	11			393
15	2	92.2	11	1069		42
16	2	74	11	1204		715.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	96.1	6	1489	1884	578.845
2	2	95.9	6	1962		174.466
3	2	80.6	6	1240		362.72
4	3	80.2	6	1463	1594	73.36
5	2	81.7	6	1983		234.11
6	2	85.2	6	1092		97.24
7	2	66.6	6	1248		319.81
8	1	54.6	6			317.66
9	2	50.2	6	1448		217.69
10	1	64.3	6			299.32
11	3	85.8	6	1916	1226	18.74
12	2	83.6	6	1804		24.1
13	2	97.6	6	1917		382.7
14	3	92.5	6	1691	1438	143.27
15	2	67.1	6	1589		335.1
16	2	90.7	6	1005		460.2
17	2	51.3	6	1301		388.43
18	2	51.5	6	1676		71.2
19	2	87.9	6	1191		204
20	2	56.1	6	1876		398

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	88.7	12	1983		542.13
2	2	50.1	12	1049		734.233
3	2	82.9	12	1132		631.846
4	3	82.7	12	1212	1929	339.229
5	3	71.1	12	1240	1407	662.882
6	2	77	12	1479		17.345
7	3	94.4	12	1262	1274	447.078
8	3	65.2	12	1617	1604	636.492
9	2	65.6	12	1377		602.765
10	2	63.4	12	1805		351.118
11	2	81.1	12	1548		299.181
12	2	92.9	12	1756		759.754
13	1	56.1	12			519.577

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	94.8	7			75.385
2	3	53.7	7	1670	1102	392.33
3	3	51.8	7	1179	1557	647.35
4	2	63.6	7	1221		418.1
5	3	84.5	7	1556	1644	544.73
6	2	66.3	7	1640		618.97
7	3	69	7	1479	1160	680.48
8	2	59.1	7	1960		511.06
9	2	91.3	7	1146		743.83
10	1	57	7			510.08
11	2	99.4	7	1332		577.72
12	3	76	7	1891	1940	446.99
13	3	80.5	7	1026	1985	267.54
14	2	76.5	7	1965		230.89
15	2	79.2	7	1480		477.9
16	2	92.6	7	1466		46.4

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	99	16	1166		642.315
2	2	87.8	16	1445		409.667
3	3	63.9	16	1018	1859	617.764
4	1	92.2	16			165.341
5	3	79.2	16	1641	1673	622.939
6	2	67.4	16	1869		322.036
7	2	74.6	16	1474		384.753
8	3	66.7	16	1334	1142	574.17
9	2	57.3	16	1021		184.857
10	2	82.1	16	1588		585.674
11	2	57	16	1645		8.551
12	2	96.9	16	1674		202.429
13	2	84	16	1742		183.586
14	3	63.3	16	1022	1714	144.543

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	91.9	5	1019		224.489
2	3	56.6	5	1420	1256	35.92
3	2	67.2	5	1364		835.12
4	3	61	5	1648	1022	463.14
5	2	63.1	5	1489		224.59
6	2	98.6	5	1877		442.05
7	2	68.8	5	1010		1020.55
8	2	84	5	1419		661.37
9	1	72.7	5			58.86
10	1	59.5	5			593.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	90.4	16			111.874
2	2	69.1	16	1426		343.563
3	3	87	16	1073	1447	537.837
4	2	67.1	16	1228		136.06
5	2	52.6	16	1989		258.803
6	1	69.9	16			266.867
7	2	67.8	16	1664		370.92
8	2	71	16	1914		177.183
9	3	73.5	16	1533	1348	440.227
10	1	61.4	16			427
11	2	59.9	16	1483		77.133
12	2	80.2	16	1414		248.657
13	2	94.5	16	1165		582.74
14	2	67.5	16	1224		54.133
15	1	75.8	16			57.187
16	2	51.2	16	1281		613.6
17	2	73.2	16	1817		468.533
18	3	85.1	16	1965	1729	486.467

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	57.2	18	1030	1754	95.768
2	2	97	18	1832		519.61
3	2	65.6	18	1489		504.18
4	3	90.9	18	1614	1033	277.57
5	2	51.3	18	1170		521.12
6	3	63.4	18	1824	1965	187.58
7	2	83.8	18	1861		44.74
8	1	86.3	18			538.91
9	2	62	18	1483		31.4
10	2	68.4	18	1444		739.08
11	3	99.3	18	1409	1414	10.98
12	3	67.3	18	1278	1554	58.94
13	2	90.2	18	1387		723.28
14	2	83.4	18	1125		84.67
15	1	63.3	18			305.7
16	3	61.6	18	1266	1484	449.3

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	55.8	7	1951		297.621
2	2	66.4	7	1457		359.038
3	1	80.5	7			73.745
4	1	79.9	7			547.683
5	3	59	7	1678	1418	298.371
6	1	70.4	7			319.988
7	1	91.9	7			435.226
8	1	68	7			162.584
9	2	86.8	7	1580		395.181
10	3	92.2	7	1512	1661	466.769
11	1	90	7			341.586
12	1	57.9	7			509.654
13	2	91	7	1198		354.482
14	2	100	7	1473		152.699
15	3	92.8	7	1211	1186	449.847
16	3	99.1	7	1898	1125	412.265
17	2	75.2	7	1352		352.082

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

--

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 11

[illegible]

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.26	20	
2	5.5	5.371	20	
3	5.5	5.454	20	
4	5.5	5.324	20	
5	5.5	5.68	20	
6	5.5	5.705	20	
7	5.5	5.659	20	
8	5.5	5.51	20	*
9	5.5	5.548	20	
10	5.5	5.477	20	
11	5.5	5.49	20	
12	5.5	5.5	20	*
13	5.5	5.316	20	
14	5.5	5.518	20	*
15	5.5	5.433	20	
16	5.5	5.517	20	*
17	5.5	5.269	20	
18	5.5	5.544	20	
19	5.5	5.72	20	
20	5.5	5.583	20	
21	5.5	5.605	20	
22	5.5	5.608	20	
23	5.5	5.565	20	
24	5.5	5.395	20	
25	5.5	5.282	20	
26	5.5	5.461	20	
27	5.5	5.585	20	
28	5.5	5.683	20	
29	5.5	5.546	20	
30	5.5	5.573	20	
31	5.5	5.638	20	
32	5.5	5.453	20	
33	5.5	5.48	20	
34	5.5	5.28	20	
35	5.5	5.273	20	
36	5.5	5.674	20	
37	5.5	5.307	20	
38	5.5	5.561	20	
39	5.5	5.358	20	
40	5.5	5.306	20	
41	5.5	5.382	20	
42	5.5	5.372	20	
43	5.5	5.485	20	
44	5.5	5.665	20	
45	5.5	5.257	20	
46	5.5	5.54	20	
47	5.5	5.367	20	

48	5.5	5.604	20	
49	5.5	5.695	20	
50	5.5	5.298	20	
51	5.5	5.617	20	
52	5.5	5.438	20	
53	5.5	5.706	20	
54	5.5	5.601	20	
55	5.5	5.525	20	
56	5.5	5.441	20	
57	5.5	5.301	20	
58	5.5	5.289	20	
59	5.5	5.421	20	
60	5.5	5.677	20	
61	5.5	5.393	20	
62	5.5	5.381	20	
63	5.5	5.495	20	
64	5.5	5.537	20	
65	5.5	5.403	20	
66	5.5	5.618	20	
67	5.5	5.327	20	
68	5.5	5.262	20	
69	5.5	5.724	20	
70	5.5	5.31	20	
71	5.5	5.686	20	
72	5.5	5.682	20	
73	5.5	5.331	20	
74	5.5	5.504	20	*
75	5.5	5.676	20	
76	5.5	5.494	20	
77	5.5	5.486	20	
78	5.5	5.69	20	
79	5.5	5.666	20	
80	5.5	5.527	20	
81	5.5	5.61	20	
82	5.5	5.534	20	
83	5.5	5.425	20	
84	5.5	5.523	20	
85	5.5	5.265	20	
86	5.5	5.643	20	
87	5.5	5.539	20	
88	5.5	5.294	20	
89	5.5	5.625	20	
90	5.5	5.594	20	
91	5.5	5.293	20	
92	5.5	5.349	20	
93	5.5	5.653	20	
94	5.5	5.623	20	
95	5.5	5.398	20	
96	5.5	5.644	20	
97	5.5	5.635	20	
98	5.5	5.714	20	
99	5.5	5.414	20	
100	5.5	5.578	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.547	20	
2	5.5	5.368	20	
3	5.5	5.443	20	
4	5.5	5.529	20	
5	5.5	5.417	20	
6	5.5	5.602	20	
7	5.5	5.714	20	
8	5.5	5.694	20	
9	5.5	5.269	20	
10	5.5	5.414	20	
11	5.5	5.381	20	
12	5.5	5.483	20	
13	5.5	5.679	20	
14	5.5	5.649	20	
15	5.5	5.378	20	
16	5.5	5.333	20	
17	5.5	5.254	20	
18	5.5	5.549	20	
19	5.5	5.251	20	
20	5.5	5.697	20	
21	5.5	5.497	20	
22	5.5	5.633	20	
23	5.5	5.634	20	
24	5.5	5.596	20	
25	5.5	5.285	20	
26	5.5	5.674	20	
27	5.5	5.583	20	
28	5.5	5.277	20	
29	5.5	5.266	20	
30	5.5	5.493	20	
31	5.5	5.563	20	
32	5.5	5.592	20	
33	5.5	5.487	20	
34	5.5	5.411	20	
35	5.5	5.698	20	
36	5.5	5.457	20	
37	5.5	5.468	20	
38	5.5	5.643	20	
39	5.5	5.603	20	
40	5.5	5.401	20	
41	5.5	5.575	20	
42	5.5	5.328	20	
43	5.5	5.412	20	
44	5.5	5.464	20	
45	5.5	5.351	20	
46	5.5	5.671	20	
47	5.5	5.62	20	

48	5.5	5.379	20	
49	5.5	5.319	20	
50	5.5	5.644	20	
51	5.5	5.376	20	
52	5.5	5.506	20	*
53	5.5	5.463	20	
54	5.5	5.37	20	
55	5.5	5.58	20	
56	5.5	5.306	20	
57	5.5	5.297	20	
58	5.5	5.581	20	
59	5.5	5.556	20	
60	5.5	5.528	20	
61	5.5	5.49	20	
62	5.5	5.465	20	
63	5.5	5.362	20	
64	5.5	5.488	20	
65	5.5	5.446	20	
66	5.5	5.526	20	
67	5.5	5.511	20	*
68	5.5	5.289	20	
69	5.5	5.322	20	
70	5.5	5.572	20	
71	5.5	5.72	20	
72	5.5	5.291	20	
73	5.5	5.722	20	
74	5.5	5.327	20	
75	5.5	5.489	20	
76	5.5	5.566	20	
77	5.5	5.253	20	
78	5.5	5.309	20	
79	5.5	5.399	20	
80	5.5	5.38	20	
81	5.5	5.601	20	
82	5.5	5.636	20	
83	5.5	5.682	20	
84	5.5	5.389	20	
85	5.5	5.313	20	
86	5.5	5.574	20	
87	5.5	5.654	20	
88	5.5	5.658	20	
89	5.5	5.621	20	
90	5.5	5.667	20	
91	5.5	5.44	20	
92	5.5	5.346	20	
93	5.5	5.587	20	
94	5.5	5.458	20	
95	5.5	5.555	20	
96	5.5	5.288	20	
97	5.5	5.569	20	
98	5.5	5.546	20	
99	5.5	5.298	20	
100	5.5	5.397	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.267	20	
2	5.5	5.705	20	
3	5.5	5.5	20	*
4	5.5	5.648	20	
5	5.5	5.388	20	
6	5.5	5.31	20	
7	5.5	5.353	20	
8	5.5	5.478	20	
9	5.5	5.284	20	
10	5.5	5.362	20	
11	5.5	5.688	20	
12	5.5	5.517	20	*
13	5.5	5.309	20	
14	5.5	5.531	20	
15	5.5	5.585	20	
16	5.5	5.597	20	
17	5.5	5.673	20	
18	5.5	5.468	20	
19	5.5	5.516	20	*
20	5.5	5.454	20	
21	5.5	5.251	20	
22	5.5	5.562	20	
23	5.5	5.601	20	
24	5.5	5.306	20	
25	5.5	5.677	20	
26	5.5	5.266	20	
27	5.5	5.253	20	
28	5.5	5.529	20	
29	5.5	5.58	20	
30	5.5	5.378	20	
31	5.5	5.486	20	
32	5.5	5.564	20	
33	5.5	5.523	20	
34	5.5	5.651	20	
35	5.5	5.592	20	
36	5.5	5.255	20	
37	5.5	5.66	20	
38	5.5	5.49	20	
39	5.5	5.547	20	
40	5.5	5.437	20	
41	5.5	5.544	20	
42	5.5	5.496	20	
43	5.5	5.279	20	
44	5.5	5.56	20	
45	5.5	5.611	20	
46	5.5	5.291	20	
47	5.5	5.724	20	

48	5.5	5.394	20	
49	5.5	5.421	20	
50	5.5	5.441	20	
51	5.5	5.326	20	
52	5.5	5.575	20	
53	5.5	5.426	20	
54	5.5	5.653	20	
55	5.5	5.571	20	
56	5.5	5.373	20	
57	5.5	5.301	20	
58	5.5	5.467	20	
59	5.5	5.374	20	
60	5.5	5.596	20	
61	5.5	5.297	20	
62	5.5	5.584	20	
63	5.5	5.626	20	
64	5.5	5.679	20	
65	5.5	5.419	20	
66	5.5	5.276	20	
67	5.5	5.342	20	
68	5.5	5.661	20	
69	5.5	5.287	20	
70	5.5	5.545	20	
71	5.5	5.323	20	
72	5.5	5.416	20	
73	5.5	5.691	20	
74	5.5	5.372	20	
75	5.5	5.591	20	
76	5.5	5.366	20	
77	5.5	5.427	20	
78	5.5	5.313	20	
79	5.5	5.298	20	
80	5.5	5.718	20	
81	5.5	5.576	20	
82	5.5	5.533	20	
83	5.5	5.39	20	
84	5.5	5.606	20	
85	5.5	5.294	20	
86	5.5	5.403	20	
87	5.5	5.345	20	
88	5.5	5.68	20	
89	5.5	5.587	20	
90	5.5	5.521	20	
91	5.5	5.577	20	
92	5.5	5.723	20	
93	5.5	5.701	20	
94	5.5	5.483	20	
95	5.5	5.639	20	
96	5.5	5.447	20	
97	5.5	5.462	20	
98	5.5	5.277	20	
99	5.5	5.638	20	
100	5.5	5.509	20	*

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.416	20	
2	5.5	5.506	20	*
3	5.5	5.297	20	
4	5.5	5.377	20	
5	5.5	5.695	20	
6	5.5	5.592	20	
7	5.5	5.456	20	
8	5.5	5.366	20	
9	5.5	5.697	20	
10	5.5	5.253	20	
11	5.5	5.272	20	
12	5.5	5.464	20	
13	5.5	5.463	20	
14	5.5	5.389	20	
15	5.5	5.624	20	
16	5.5	5.399	20	
17	5.5	5.563	20	
18	5.5	5.517	20	*
19	5.5	5.719	20	
20	5.5	5.364	20	
21	5.5	5.526	20	
22	5.5	5.676	20	
23	5.5	5.503	20	*
24	5.5	5.685	20	
25	5.5	5.514	20	*
26	5.5	5.639	20	
27	5.5	5.49	20	
28	5.5	5.335	20	
29	5.5	5.724	20	
30	5.5	5.68	20	
31	5.5	5.383	20	
32	5.5	5.513	20	*
33	5.5	5.681	20	
34	5.5	5.316	20	
35	5.5	5.65	20	
36	5.5	5.528	20	
37	5.5	5.656	20	
38	5.5	5.593	20	
39	5.5	5.323	20	
40	5.5	5.598	20	
41	5.5	5.604	20	
42	5.5	5.444	20	
43	5.5	5.299	20	
44	5.5	5.342	20	
45	5.5	5.668	20	
46	5.5	5.671	20	
47	5.5	5.61	20	

48	5.5	5.261	20	
49	5.5	5.646	20	
50	5.5	5.271	20	
51	5.5	5.497	20	
52	5.5	5.591	20	
53	5.5	5.391	20	
54	5.5	5.372	20	
55	5.5	5.319	20	
56	5.5	5.425	20	
57	5.5	5.467	20	
58	5.5	5.381	20	
59	5.5	5.373	20	
60	5.5	5.295	20	
61	5.5	5.347	20	
62	5.5	5.477	20	
63	5.5	5.554	20	
64	5.5	5.583	20	
65	5.5	5.358	20	
66	5.5	5.34	20	
67	5.5	5.325	20	
68	5.5	5.576	20	
69	5.5	5.652	20	
70	5.5	5.638	20	
71	5.5	5.452	20	
72	5.5	5.502	20	*
73	5.5	5.654	20	
74	5.5	5.361	20	
75	5.5	5.709	20	
76	5.5	5.375	20	
77	5.5	5.622	20	
78	5.5	5.487	20	
79	5.5	5.603	20	
80	5.5	5.304	20	
81	5.5	5.286	20	
82	5.5	5.344	20	
83	5.5	5.284	20	
84	5.5	5.252	20	
85	5.5	5.634	20	
86	5.5	5.699	20	
87	5.5	5.499	20	
88	5.5	5.669	20	
89	5.5	5.616	20	
90	5.5	5.346	20	
91	5.5	5.562	20	
92	5.5	5.438	20	
93	5.5	5.693	20	
94	5.5	5.449	20	
95	5.5	5.55	20	
96	5.5	5.473	20	
97	5.5	5.72	20	
98	5.5	5.435	20	
99	5.5	5.363	20	
100	5.5	5.578	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.445	20	
2	5.5	5.392	20	
3	5.5	5.64	20	
4	5.5	5.351	20	
5	5.5	5.433	20	
6	5.5	5.42	20	
7	5.5	5.634	20	
8	5.5	5.523	20	
9	5.5	5.715	20	
10	5.5	5.598	20	
11	5.5	5.66	20	
12	5.5	5.317	20	
13	5.5	5.3	20	
14	5.5	5.701	20	
15	5.5	5.277	20	
16	5.5	5.347	20	
17	5.5	5.39	20	
18	5.5	5.361	20	
19	5.5	5.644	20	
20	5.5	5.685	20	
21	5.5	5.575	20	
22	5.5	5.443	20	
23	5.5	5.273	20	
24	5.5	5.585	20	
25	5.5	5.652	20	
26	5.5	5.412	20	
27	5.5	5.377	20	
28	5.5	5.516	20	*
29	5.5	5.316	20	
30	5.5	5.56	20	
31	5.5	5.306	20	
32	5.5	5.567	20	
33	5.5	5.716	20	
34	5.5	5.455	20	
35	5.5	5.687	20	
36	5.5	5.49	20	
37	5.5	5.263	20	
38	5.5	5.571	20	
39	5.5	5.278	20	
40	5.5	5.333	20	
41	5.5	5.257	20	
42	5.5	5.662	20	
43	5.5	5.365	20	
44	5.5	5.258	20	
45	5.5	5.394	20	
46	5.5	5.537	20	
47	5.5	5.324	20	

48	5.5	5.329	20	
49	5.5	5.447	20	
50	5.5	5.311	20	
51	5.5	5.449	20	
52	5.5	5.646	20	
53	5.5	5.332	20	
54	5.5	5.323	20	
55	5.5	5.44	20	
56	5.5	5.414	20	
57	5.5	5.694	20	
58	5.5	5.375	20	
59	5.5	5.309	20	
60	5.5	5.556	20	
61	5.5	5.373	20	
62	5.5	5.568	20	
63	5.5	5.501	20	*
64	5.5	5.397	20	
65	5.5	5.429	20	
66	5.5	5.622	20	
67	5.5	5.388	20	
68	5.5	5.423	20	
69	5.5	5.551	20	
70	5.5	5.61	20	
71	5.5	5.463	20	
72	5.5	5.291	20	
73	5.5	5.481	20	
74	5.5	5.357	20	
75	5.5	5.506	20	*
76	5.5	5.507	20	*
77	5.5	5.593	20	
78	5.5	5.289	20	
79	5.5	5.564	20	
80	5.5	5.647	20	
81	5.5	5.381	20	
82	5.5	5.621	20	
83	5.5	5.626	20	
84	5.5	5.675	20	
85	5.5	5.477	20	
86	5.5	5.313	20	
87	5.5	5.327	20	
88	5.5	5.72	20	
89	5.5	5.712	20	
90	5.5	5.402	20	
91	5.5	5.422	20	
92	5.5	5.41	20	
93	5.5	5.639	20	
94	5.5	5.668	20	
95	5.5	5.451	20	
96	5.5	5.682	20	
97	5.5	5.512	20	*
98	5.5	5.459	20	
99	5.5	5.552	20	
100	5.5	5.547	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.41	20	
2	5.5	5.673	20	
3	5.5	5.681	20	
4	5.5	5.588	20	
5	5.5	5.464	20	
6	5.5	5.62	20	
7	5.5	5.472	20	
8	5.5	5.617	20	
9	5.5	5.71	20	
10	5.5	5.311	20	
11	5.5	5.435	20	
12	5.5	5.638	20	
13	5.5	5.417	20	
14	5.5	5.549	20	
15	5.5	5.564	20	
16	5.5	5.333	20	
17	5.5	5.398	20	
18	5.5	5.338	20	
19	5.5	5.536	20	
20	5.5	5.437	20	
21	5.5	5.443	20	
22	5.5	5.405	20	
23	5.5	5.366	20	
24	5.5	5.431	20	
25	5.5	5.499	20	
26	5.5	5.444	20	
27	5.5	5.706	20	
28	5.5	5.454	20	
29	5.5	5.257	20	
30	5.5	5.307	20	
31	5.5	5.394	20	
32	5.5	5.367	20	
33	5.5	5.289	20	
34	5.5	5.51	20	*
35	5.5	5.507	20	*
36	5.5	5.275	20	
37	5.5	5.644	20	
38	5.5	5.702	20	
39	5.5	5.677	20	
40	5.5	5.696	20	
41	5.5	5.601	20	
42	5.5	5.259	20	
43	5.5	5.382	20	
44	5.5	5.653	20	
45	5.5	5.669	20	
46	5.5	5.452	20	
47	5.5	5.503	20	*

48	5.5	5.279	20	
49	5.5	5.388	20	
50	5.5	5.34	20	
51	5.5	5.516	20	*
52	5.5	5.363	20	
53	5.5	5.332	20	
54	5.5	5.667	20	
55	5.5	5.436	20	
56	5.5	5.573	20	
57	5.5	5.609	20	
58	5.5	5.474	20	
59	5.5	5.277	20	
60	5.5	5.56	20	
61	5.5	5.646	20	
62	5.5	5.515	20	*
63	5.5	5.632	20	
64	5.5	5.537	20	
65	5.5	5.483	20	
66	5.5	5.63	20	
67	5.5	5.468	20	
68	5.5	5.389	20	
69	5.5	5.559	20	
70	5.5	5.391	20	
71	5.5	5.369	20	
72	5.5	5.651	20	
73	5.5	5.3	20	
74	5.5	5.68	20	
75	5.5	5.306	20	
76	5.5	5.506	20	*
77	5.5	5.305	20	
78	5.5	5.641	20	
79	5.5	5.461	20	
80	5.5	5.521	20	
81	5.5	5.25	20	
82	5.5	5.687	20	
83	5.5	5.261	20	
84	5.5	5.517	20	*
85	5.5	5.262	20	
86	5.5	5.395	20	
87	5.5	5.645	20	
88	5.5	5.633	20	
89	5.5	5.491	20	
90	5.5	5.527	20	
91	5.5	5.488	20	
92	5.5	5.377	20	
93	5.5	5.613	20	
94	5.5	5.565	20	
95	5.5	5.719	20	
96	5.5	5.685	20	
97	5.5	5.455	20	
98	5.5	5.308	20	
99	5.5	5.272	20	
100	5.5	5.409	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.445	20	
2	5.5	5.598	20	
3	5.5	5.58	20	
4	5.5	5.502	20	*
5	5.5	5.309	20	
6	5.5	5.512	20	*
7	5.5	5.395	20	
8	5.5	5.542	20	
9	5.5	5.67	20	
10	5.5	5.665	20	
11	5.5	5.275	20	
12	5.5	5.719	20	
13	5.5	5.582	20	
14	5.5	5.317	20	
15	5.5	5.587	20	
16	5.5	5.292	20	
17	5.5	5.47	20	
18	5.5	5.301	20	
19	5.5	5.706	20	
20	5.5	5.685	20	
21	5.5	5.366	20	
22	5.5	5.696	20	
23	5.5	5.671	20	
24	5.5	5.699	20	
25	5.5	5.369	20	
26	5.5	5.494	20	
27	5.5	5.595	20	
28	5.5	5.36	20	
29	5.5	5.538	20	
30	5.5	5.476	20	
31	5.5	5.386	20	
32	5.5	5.256	20	
33	5.5	5.62	20	
34	5.5	5.525	20	
35	5.5	5.635	20	
36	5.5	5.561	20	
37	5.5	5.539	20	
38	5.5	5.627	20	
39	5.5	5.537	20	
40	5.5	5.503	20	*
41	5.5	5.528	20	
42	5.5	5.711	20	
43	5.5	5.274	20	
44	5.5	5.625	20	
45	5.5	5.456	20	
46	5.5	5.54	20	
47	5.5	5.436	20	

48	5.5	5.348	20	
49	5.5	5.509	20	*
50	5.5	5.458	20	
51	5.5	5.453	20	
52	5.5	5.543	20	
53	5.5	5.313	20	
54	5.5	5.578	20	
55	5.5	5.613	20	
56	5.5	5.661	20	
57	5.5	5.684	20	
58	5.5	5.597	20	
59	5.5	5.51	20	*
60	5.5	5.498	20	
61	5.5	5.65	20	
62	5.5	5.691	20	
63	5.5	5.284	20	
64	5.5	5.334	20	
65	5.5	5.371	20	
66	5.5	5.329	20	
67	5.5	5.344	20	
68	5.5	5.387	20	
69	5.5	5.285	20	
70	5.5	5.363	20	
71	5.5	5.64	20	
72	5.5	5.432	20	
73	5.5	5.388	20	
74	5.5	5.569	20	
75	5.5	5.526	20	
76	5.5	5.319	20	
77	5.5	5.605	20	
78	5.5	5.487	20	
79	5.5	5.325	20	
80	5.5	5.251	20	
81	5.5	5.372	20	
82	5.5	5.646	20	
83	5.5	5.669	20	
84	5.5	5.586	20	
85	5.5	5.417	20	
86	5.5	5.408	20	
87	5.5	5.401	20	
88	5.5	5.571	20	
89	5.5	5.61	20	
90	5.5	5.322	20	
91	5.5	5.418	20	
92	5.5	5.481	20	
93	5.5	5.689	20	
94	5.5	5.583	20	
95	5.5	5.532	20	
96	5.5	5.299	20	
97	5.5	5.562	20	
98	5.5	5.466	20	
99	5.5	5.624	20	
100	5.5	5.347	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.57	20	
2	5.5	5.675	20	
3	5.5	5.594	20	
4	5.5	5.633	20	
5	5.5	5.266	20	
6	5.5	5.361	20	
7	5.5	5.556	20	
8	5.5	5.599	20	
9	5.5	5.367	20	
10	5.5	5.719	20	
11	5.5	5.329	20	
12	5.5	5.701	20	
13	5.5	5.394	20	
14	5.5	5.7	20	
15	5.5	5.55	20	
16	5.5	5.462	20	
17	5.5	5.58	20	
18	5.5	5.402	20	
19	5.5	5.424	20	
20	5.5	5.294	20	
21	5.5	5.491	20	
22	5.5	5.565	20	
23	5.5	5.295	20	
24	5.5	5.608	20	
25	5.5	5.274	20	
26	5.5	5.706	20	
27	5.5	5.636	20	
28	5.5	5.349	20	
29	5.5	5.574	20	
30	5.5	5.587	20	
31	5.5	5.555	20	
32	5.5	5.278	20	
33	5.5	5.494	20	
34	5.5	5.698	20	
35	5.5	5.537	20	
36	5.5	5.271	20	
37	5.5	5.4	20	
38	5.5	5.344	20	
39	5.5	5.666	20	
40	5.5	5.619	20	
41	5.5	5.643	20	
42	5.5	5.509	20	*
43	5.5	5.27	20	
44	5.5	5.678	20	
45	5.5	5.467	20	
46	5.5	5.646	20	
47	5.5	5.257	20	

48	5.5	5.687	20	
49	5.5	5.392	20	
50	5.5	5.495	20	
51	5.5	5.37	20	
52	5.5	5.316	20	
53	5.5	5.259	20	
54	5.5	5.315	20	
55	5.5	5.389	20	
56	5.5	5.383	20	
57	5.5	5.255	20	
58	5.5	5.415	20	
59	5.5	5.606	20	
60	5.5	5.318	20	
61	5.5	5.297	20	
62	5.5	5.308	20	
63	5.5	5.631	20	
64	5.5	5.262	20	
65	5.5	5.466	20	
66	5.5	5.588	20	
67	5.5	5.627	20	
68	5.5	5.377	20	
69	5.5	5.683	20	
70	5.5	5.536	20	
71	5.5	5.335	20	
72	5.5	5.446	20	
73	5.5	5.722	20	
74	5.5	5.471	20	
75	5.5	5.545	20	
76	5.5	5.543	20	
77	5.5	5.579	20	
78	5.5	5.62	20	
79	5.5	5.671	20	
80	5.5	5.378	20	
81	5.5	5.711	20	
82	5.5	5.272	20	
83	5.5	5.645	20	
84	5.5	5.312	20	
85	5.5	5.281	20	
86	5.5	5.453	20	
87	5.5	5.597	20	
88	5.5	5.456	20	
89	5.5	5.503	20	*
90	5.5	5.409	20	
91	5.5	5.56	20	
92	5.5	5.72	20	
93	5.5	5.391	20	
94	5.5	5.538	20	
95	5.5	5.5	20	*
96	5.5	5.577	20	
97	5.5	5.708	20	
98	5.5	5.482	20	
99	5.5	5.595	20	
100	5.5	5.484	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.367	20	
2	5.5	5.502	20	*
3	5.5	5.407	20	
4	5.5	5.536	20	
5	5.5	5.668	20	
6	5.5	5.554	20	
7	5.5	5.467	20	
8	5.5	5.435	20	
9	5.5	5.288	20	
10	5.5	5.337	20	
11	5.5	5.513	20	*
12	5.5	5.41	20	
13	5.5	5.476	20	
14	5.5	5.325	20	
15	5.5	5.56	20	
16	5.5	5.677	20	
17	5.5	5.461	20	
18	5.5	5.697	20	
19	5.5	5.368	20	
20	5.5	5.319	20	
21	5.5	5.284	20	
22	5.5	5.398	20	
23	5.5	5.621	20	
24	5.5	5.489	20	
25	5.5	5.637	20	
26	5.5	5.561	20	
27	5.5	5.709	20	
28	5.5	5.651	20	
29	5.5	5.516	20	*
30	5.5	5.598	20	
31	5.5	5.655	20	
32	5.5	5.32	20	
33	5.5	5.445	20	
34	5.5	5.374	20	
35	5.5	5.713	20	
36	5.5	5.654	20	
37	5.5	5.29	20	
38	5.5	5.551	20	
39	5.5	5.394	20	
40	5.5	5.595	20	
41	5.5	5.409	20	
42	5.5	5.464	20	
43	5.5	5.694	20	
44	5.5	5.289	20	
45	5.5	5.681	20	
46	5.5	5.531	20	
47	5.5	5.255	20	

48	5.5	5.302	20	
49	5.5	5.44	20	
50	5.5	5.397	20	
51	5.5	5.682	20	
52	5.5	5.356	20	
53	5.5	5.301	20	
54	5.5	5.33	20	
55	5.5	5.309	20	
56	5.5	5.264	20	
57	5.5	5.707	20	
58	5.5	5.678	20	
59	5.5	5.314	20	
60	5.5	5.265	20	
61	5.5	5.275	20	
62	5.5	5.466	20	
63	5.5	5.413	20	
64	5.5	5.298	20	
65	5.5	5.487	20	
66	5.5	5.614	20	
67	5.5	5.346	20	
68	5.5	5.344	20	
69	5.5	5.534	20	
70	5.5	5.442	20	
71	5.5	5.399	20	
72	5.5	5.672	20	
73	5.5	5.439	20	
74	5.5	5.335	20	
75	5.5	5.395	20	
76	5.5	5.432	20	
77	5.5	5.51	20	*
78	5.5	5.556	20	
79	5.5	5.267	20	
80	5.5	5.316	20	
81	5.5	5.268	20	
82	5.5	5.525	20	
83	5.5	5.334	20	
84	5.5	5.524	20	
85	5.5	5.593	20	
86	5.5	5.475	20	
87	5.5	5.27	20	
88	5.5	5.517	20	*
89	5.5	5.702	20	
90	5.5	5.286	20	
91	5.5	5.522	20	
92	5.5	5.686	20	
93	5.5	5.574	20	
94	5.5	5.438	20	
95	5.5	5.583	20	
96	5.5	5.611	20	
97	5.5	5.318	20	
98	5.5	5.656	20	
99	5.5	5.649	20	
100	5.5	5.696	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.61	20	
2	5.5	5.383	20	
3	5.5	5.537	20	
4	5.5	5.32	20	
5	5.5	5.339	20	
6	5.5	5.547	20	
7	5.5	5.456	20	
8	5.5	5.345	20	
9	5.5	5.269	20	
10	5.5	5.672	20	
11	5.5	5.549	20	
12	5.5	5.379	20	
13	5.5	5.705	20	
14	5.5	5.507	20	*
15	5.5	5.26	20	
16	5.5	5.523	20	
17	5.5	5.603	20	
18	5.5	5.683	20	
19	5.5	5.586	20	
20	5.5	5.578	20	
21	5.5	5.592	20	
22	5.5	5.316	20	
23	5.5	5.461	20	
24	5.5	5.366	20	
25	5.5	5.453	20	
26	5.5	5.684	20	
27	5.5	5.408	20	
28	5.5	5.403	20	
29	5.5	5.474	20	
30	5.5	5.309	20	
31	5.5	5.399	20	
32	5.5	5.274	20	
33	5.5	5.538	20	
34	5.5	5.39	20	
35	5.5	5.317	20	
36	5.5	5.466	20	
37	5.5	5.357	20	
38	5.5	5.536	20	
39	5.5	5.644	20	
40	5.5	5.668	20	
41	5.5	5.681	20	
42	5.5	5.27	20	
43	5.5	5.362	20	
44	5.5	5.352	20	
45	5.5	5.601	20	
46	5.5	5.386	20	
47	5.5	5.591	20	

48	5.5	5.664	20	
49	5.5	5.398	20	
50	5.5	5.65	20	
51	5.5	5.619	20	
52	5.5	5.612	20	
53	5.5	5.521	20	
54	5.5	5.405	20	
55	5.5	5.706	20	
56	5.5	5.654	20	
57	5.5	5.643	20	
58	5.5	5.495	20	
59	5.5	5.628	20	
60	5.5	5.554	20	
61	5.5	5.489	20	
62	5.5	5.599	20	
63	5.5	5.667	20	
64	5.5	5.298	20	
65	5.5	5.576	20	
66	5.5	5.326	20	
67	5.5	5.642	20	
68	5.5	5.38	20	
69	5.5	5.467	20	
70	5.5	5.55	20	
71	5.5	5.539	20	
72	5.5	5.566	20	
73	5.5	5.252	20	
74	5.5	5.483	20	
75	5.5	5.417	20	
76	5.5	5.384	20	
77	5.5	5.341	20	
78	5.5	5.308	20	
79	5.5	5.28	20	
80	5.5	5.669	20	
81	5.5	5.342	20	
82	5.5	5.275	20	
83	5.5	5.333	20	
84	5.5	5.625	20	
85	5.5	5.272	20	
86	5.5	5.7	20	
87	5.5	5.499	20	
88	5.5	5.459	20	
89	5.5	5.413	20	
90	5.5	5.265	20	
91	5.5	5.273	20	
92	5.5	5.254	20	
93	5.5	5.258	20	
94	5.5	5.564	20	
95	5.5	5.445	20	
96	5.5	5.661	20	
97	5.5	5.569	20	
98	5.5	5.295	20	
99	5.5	5.511	20	*
100	5.5	5.388	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.364	20	
2	5.5	5.455	20	
3	5.5	5.331	20	
4	5.5	5.407	20	
5	5.5	5.265	20	
6	5.5	5.718	20	
7	5.5	5.297	20	
8	5.5	5.668	20	
9	5.5	5.34	20	
10	5.5	5.434	20	
11	5.5	5.66	20	
12	5.5	5.678	20	
13	5.5	5.351	20	
14	5.5	5.315	20	
15	5.5	5.64	20	
16	5.5	5.329	20	
17	5.5	5.633	20	
18	5.5	5.688	20	
19	5.5	5.251	20	
20	5.5	5.667	20	
21	5.5	5.591	20	
22	5.5	5.415	20	
23	5.5	5.44	20	
24	5.5	5.349	20	
25	5.5	5.651	20	
26	5.5	5.58	20	
27	5.5	5.433	20	
28	5.5	5.677	20	
29	5.5	5.432	20	
30	5.5	5.639	20	
31	5.5	5.69	20	
32	5.5	5.616	20	
33	5.5	5.424	20	
34	5.5	5.296	20	
35	5.5	5.393	20	
36	5.5	5.484	20	
37	5.5	5.388	20	
38	5.5	5.467	20	
39	5.5	5.371	20	
40	5.5	5.277	20	
41	5.5	5.398	20	
42	5.5	5.42	20	
43	5.5	5.586	20	
44	5.5	5.382	20	
45	5.5	5.527	20	
46	5.5	5.361	20	
47	5.5	5.283	20	

48	5.5	5.553	20	
49	5.5	5.383	20	
50	5.5	5.355	20	
51	5.5	5.322	20	
52	5.5	5.323	20	
53	5.5	5.261	20	
54	5.5	5.67	20	
55	5.5	5.487	20	
56	5.5	5.414	20	
57	5.5	5.631	20	
58	5.5	5.298	20	
59	5.5	5.391	20	
60	5.5	5.662	20	
61	5.5	5.649	20	
62	5.5	5.705	20	
63	5.5	5.396	20	
64	5.5	5.328	20	
65	5.5	5.493	20	
66	5.5	5.635	20	
67	5.5	5.599	20	
68	5.5	5.525	20	
69	5.5	5.504	20	*
70	5.5	5.413	20	
71	5.5	5.478	20	
72	5.5	5.409	20	
73	5.5	5.613	20	
74	5.5	5.362	20	
75	5.5	5.661	20	
76	5.5	5.686	20	
77	5.5	5.27	20	
78	5.5	5.421	20	
79	5.5	5.495	20	
80	5.5	5.676	20	
81	5.5	5.474	20	
82	5.5	5.339	20	
83	5.5	5.285	20	
84	5.5	5.293	20	
85	5.5	5.422	20	
86	5.5	5.337	20	
87	5.5	5.379	20	
88	5.5	5.515	20	*
89	5.5	5.456	20	
90	5.5	5.497	20	
91	5.5	5.56	20	
92	5.5	5.332	20	
93	5.5	5.41	20	
94	5.5	5.275	20	
95	5.5	5.659	20	
96	5.5	5.363	20	
97	5.5	5.601	20	
98	5.5	5.374	20	
99	5.5	5.406	20	
100	5.5	5.698	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.359	20	
2	5.5	5.689	20	
3	5.5	5.582	20	
4	5.5	5.306	20	
5	5.5	5.257	20	
6	5.5	5.461	20	
7	5.5	5.464	20	
8	5.5	5.636	20	
9	5.5	5.713	20	
10	5.5	5.543	20	
11	5.5	5.416	20	
12	5.5	5.293	20	
13	5.5	5.469	20	
14	5.5	5.476	20	
15	5.5	5.704	20	
16	5.5	5.591	20	
17	5.5	5.356	20	
18	5.5	5.406	20	
19	5.5	5.503	20	*
20	5.5	5.617	20	
21	5.5	5.584	20	
22	5.5	5.392	20	
23	5.5	5.285	20	
24	5.5	5.395	20	
25	5.5	5.444	20	
26	5.5	5.411	20	
27	5.5	5.386	20	
28	5.5	5.419	20	
29	5.5	5.524	20	
30	5.5	5.675	20	
31	5.5	5.698	20	
32	5.5	5.455	20	
33	5.5	5.673	20	
34	5.5	5.717	20	
35	5.5	5.449	20	
36	5.5	5.424	20	
37	5.5	5.577	20	
38	5.5	5.714	20	
39	5.5	5.277	20	
40	5.5	5.351	20	
41	5.5	5.549	20	
42	5.5	5.451	20	
43	5.5	5.711	20	
44	5.5	5.251	20	
45	5.5	5.647	20	
46	5.5	5.396	20	
47	5.5	5.307	20	

48	5.5	5.294	20	
49	5.5	5.72	20	
50	5.5	5.666	20	
51	5.5	5.305	20	
52	5.5	5.535	20	
53	5.5	5.574	20	
54	5.5	5.327	20	
55	5.5	5.498	20	
56	5.5	5.493	20	
57	5.5	5.31	20	
58	5.5	5.267	20	
59	5.5	5.568	20	
60	5.5	5.517	20	*
61	5.5	5.376	20	
62	5.5	5.657	20	
63	5.5	5.332	20	
64	5.5	5.377	20	
65	5.5	5.355	20	
66	5.5	5.598	20	
67	5.5	5.368	20	
68	5.5	5.592	20	
69	5.5	5.559	20	
70	5.5	5.341	20	
71	5.5	5.681	20	
72	5.5	5.695	20	
73	5.5	5.391	20	
74	5.5	5.596	20	
75	5.5	5.473	20	
76	5.5	5.465	20	
77	5.5	5.437	20	
78	5.5	5.315	20	
79	5.5	5.27	20	
80	5.5	5.506	20	*
81	5.5	5.546	20	
82	5.5	5.623	20	
83	5.5	5.271	20	
84	5.5	5.653	20	
85	5.5	5.645	20	
86	5.5	5.329	20	
87	5.5	5.281	20	
88	5.5	5.324	20	
89	5.5	5.709	20	
90	5.5	5.594	20	
91	5.5	5.328	20	
92	5.5	5.325	20	
93	5.5	5.604	20	
94	5.5	5.45	20	
95	5.5	5.619	20	
96	5.5	5.438	20	
97	5.5	5.441	20	
98	5.5	5.53	20	
99	5.5	5.649	20	
100	5.5	5.342	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.37	20	
2	5.5	5.317	20	
3	5.5	5.561	20	
4	5.5	5.577	20	
5	5.5	5.574	20	
6	5.5	5.366	20	
7	5.5	5.619	20	
8	5.5	5.265	20	
9	5.5	5.523	20	
10	5.5	5.382	20	
11	5.5	5.569	20	
12	5.5	5.633	20	
13	5.5	5.449	20	
14	5.5	5.519	20	*
15	5.5	5.336	20	
16	5.5	5.432	20	
17	5.5	5.663	20	
18	5.5	5.678	20	
19	5.5	5.568	20	
20	5.5	5.658	20	
21	5.5	5.495	20	
22	5.5	5.261	20	
23	5.5	5.673	20	
24	5.5	5.588	20	
25	5.5	5.558	20	
26	5.5	5.55	20	
27	5.5	5.447	20	
28	5.5	5.362	20	
29	5.5	5.456	20	
30	5.5	5.438	20	
31	5.5	5.367	20	
32	5.5	5.612	20	
33	5.5	5.27	20	
34	5.5	5.471	20	
35	5.5	5.26	20	
36	5.5	5.391	20	
37	5.5	5.453	20	
38	5.5	5.5	20	*
39	5.5	5.529	20	
40	5.5	5.404	20	
41	5.5	5.499	20	
42	5.5	5.586	20	
43	5.5	5.715	20	
44	5.5	5.524	20	
45	5.5	5.281	20	
46	5.5	5.521	20	
47	5.5	5.427	20	

48	5.5	5.31	20	
49	5.5	5.509	20	*
50	5.5	5.36	20	
51	5.5	5.614	20	
52	5.5	5.591	20	
53	5.5	5.455	20	
54	5.5	5.705	20	
55	5.5	5.652	20	
56	5.5	5.313	20	
57	5.5	5.565	20	
58	5.5	5.516	20	*
59	5.5	5.687	20	
60	5.5	5.318	20	
61	5.5	5.686	20	
62	5.5	5.376	20	
63	5.5	5.626	20	
64	5.5	5.275	20	
65	5.5	5.665	20	
66	5.5	5.508	20	*
67	5.5	5.546	20	
68	5.5	5.279	20	
69	5.5	5.645	20	
70	5.5	5.41	20	
71	5.5	5.419	20	
72	5.5	5.564	20	
73	5.5	5.475	20	
74	5.5	5.543	20	
75	5.5	5.371	20	
76	5.5	5.364	20	
77	5.5	5.496	20	
78	5.5	5.487	20	
79	5.5	5.63	20	
80	5.5	5.708	20	
81	5.5	5.322	20	
82	5.5	5.704	20	
83	5.5	5.291	20	
84	5.5	5.656	20	
85	5.5	5.421	20	
86	5.5	5.353	20	
87	5.5	5.311	20	
88	5.5	5.562	20	
89	5.5	5.491	20	
90	5.5	5.64	20	
91	5.5	5.699	20	
92	5.5	5.716	20	
93	5.5	5.684	20	
94	5.5	5.359	20	
95	5.5	5.693	20	
96	5.5	5.472	20	
97	5.5	5.683	20	
98	5.5	5.446	20	
99	5.5	5.648	20	
100	5.5	5.256	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.637	20	
2	5.5	5.532	20	
3	5.5	5.548	20	
4	5.5	5.348	20	
5	5.5	5.287	20	
6	5.5	5.342	20	
7	5.5	5.259	20	
8	5.5	5.522	20	
9	5.5	5.373	20	
10	5.5	5.698	20	
11	5.5	5.468	20	
12	5.5	5.584	20	
13	5.5	5.315	20	
14	5.5	5.37	20	
15	5.5	5.376	20	
16	5.5	5.61	20	
17	5.5	5.674	20	
18	5.5	5.452	20	
19	5.5	5.569	20	
20	5.5	5.268	20	
21	5.5	5.504	20	*
22	5.5	5.511	20	*
23	5.5	5.546	20	
24	5.5	5.678	20	
25	5.5	5.441	20	
26	5.5	5.71	20	
27	5.5	5.613	20	
28	5.5	5.264	20	
29	5.5	5.339	20	
30	5.5	5.464	20	
31	5.5	5.587	20	
32	5.5	5.682	20	
33	5.5	5.265	20	
34	5.5	5.411	20	
35	5.5	5.51	20	*
36	5.5	5.596	20	
37	5.5	5.72	20	
38	5.5	5.631	20	
39	5.5	5.541	20	
40	5.5	5.351	20	
41	5.5	5.454	20	
42	5.5	5.36	20	
43	5.5	5.474	20	
44	5.5	5.402	20	
45	5.5	5.526	20	
46	5.5	5.365	20	
47	5.5	5.574	20	

48	5.5	5.607	20	
49	5.5	5.333	20	
50	5.5	5.671	20	
51	5.5	5.625	20	
52	5.5	5.478	20	
53	5.5	5.585	20	
54	5.5	5.415	20	
55	5.5	5.439	20	
56	5.5	5.689	20	
57	5.5	5.394	20	
58	5.5	5.262	20	
59	5.5	5.572	20	
60	5.5	5.537	20	
61	5.5	5.507	20	*
62	5.5	5.299	20	
63	5.5	5.361	20	
64	5.5	5.309	20	
65	5.5	5.722	20	
66	5.5	5.616	20	
67	5.5	5.392	20	
68	5.5	5.665	20	
69	5.5	5.276	20	
70	5.5	5.463	20	
71	5.5	5.565	20	
72	5.5	5.685	20	
73	5.5	5.419	20	
74	5.5	5.302	20	
75	5.5	5.66	20	
76	5.5	5.629	20	
77	5.5	5.549	20	
78	5.5	5.591	20	
79	5.5	5.33	20	
80	5.5	5.648	20	
81	5.5	5.49	20	
82	5.5	5.595	20	
83	5.5	5.483	20	
84	5.5	5.724	20	
85	5.5	5.619	20	
86	5.5	5.621	20	
87	5.5	5.403	20	
88	5.5	5.718	20	
89	5.5	5.65	20	
90	5.5	5.326	20	
91	5.5	5.405	20	
92	5.5	5.719	20	
93	5.5	5.641	20	
94	5.5	5.293	20	
95	5.5	5.489	20	
96	5.5	5.4	20	
97	5.5	5.668	20	
98	5.5	5.691	20	
99	5.5	5.673	20	
100	5.5	5.388	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.381	20	
2	5.5	5.412	20	
3	5.5	5.612	20	
4	5.5	5.3	20	
5	5.5	5.575	20	
6	5.5	5.446	20	
7	5.5	5.512	20	*
8	5.5	5.316	20	
9	5.5	5.256	20	
10	5.5	5.623	20	
11	5.5	5.266	20	
12	5.5	5.294	20	
13	5.5	5.351	20	
14	5.5	5.622	20	
15	5.5	5.435	20	
16	5.5	5.464	20	
17	5.5	5.717	20	
18	5.5	5.594	20	
19	5.5	5.45	20	
20	5.5	5.699	20	
21	5.5	5.494	20	
22	5.5	5.281	20	
23	5.5	5.344	20	
24	5.5	5.399	20	
25	5.5	5.723	20	
26	5.5	5.29	20	
27	5.5	5.508	20	*
28	5.5	5.523	20	
29	5.5	5.415	20	
30	5.5	5.631	20	
31	5.5	5.524	20	
32	5.5	5.64	20	
33	5.5	5.488	20	
34	5.5	5.263	20	
35	5.5	5.561	20	
36	5.5	5.443	20	
37	5.5	5.259	20	
38	5.5	5.458	20	
39	5.5	5.406	20	
40	5.5	5.457	20	
41	5.5	5.295	20	
42	5.5	5.683	20	
43	5.5	5.669	20	
44	5.5	5.33	20	
45	5.5	5.277	20	
46	5.5	5.497	20	
47	5.5	5.724	20	

48	5.5	5.624	20	
49	5.5	5.47	20	
50	5.5	5.493	20	
51	5.5	5.456	20	
52	5.5	5.515	20	*
53	5.5	5.71	20	
54	5.5	5.366	20	
55	5.5	5.557	20	
56	5.5	5.413	20	
57	5.5	5.421	20	
58	5.5	5.373	20	
59	5.5	5.333	20	
60	5.5	5.72	20	
61	5.5	5.702	20	
62	5.5	5.684	20	
63	5.5	5.416	20	
64	5.5	5.562	20	
65	5.5	5.437	20	
66	5.5	5.681	20	
67	5.5	5.679	20	
68	5.5	5.548	20	
69	5.5	5.426	20	
70	5.5	5.283	20	
71	5.5	5.386	20	
72	5.5	5.466	20	
73	5.5	5.559	20	
74	5.5	5.274	20	
75	5.5	5.447	20	
76	5.5	5.513	20	*
77	5.5	5.438	20	
78	5.5	5.478	20	
79	5.5	5.615	20	
80	5.5	5.721	20	
81	5.5	5.255	20	
82	5.5	5.719	20	
83	5.5	5.604	20	
84	5.5	5.704	20	
85	5.5	5.578	20	
86	5.5	5.44	20	
87	5.5	5.387	20	
88	5.5	5.38	20	
89	5.5	5.499	20	
90	5.5	5.396	20	
91	5.5	5.319	20	
92	5.5	5.315	20	
93	5.5	5.549	20	
94	5.5	5.442	20	
95	5.5	5.692	20	
96	5.5	5.356	20	
97	5.5	5.629	20	
98	5.5	5.448	20	
99	5.5	5.346	20	
100	5.5	5.714	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.465	20	
2	5.5	5.417	20	
3	5.5	5.38	20	
4	5.5	5.392	20	
5	5.5	5.681	20	
6	5.5	5.357	20	
7	5.5	5.459	20	
8	5.5	5.531	20	
9	5.5	5.284	20	
10	5.5	5.719	20	
11	5.5	5.458	20	
12	5.5	5.666	20	
13	5.5	5.708	20	
14	5.5	5.586	20	
15	5.5	5.629	20	
16	5.5	5.415	20	
17	5.5	5.352	20	
18	5.5	5.374	20	
19	5.5	5.425	20	
20	5.5	5.266	20	
21	5.5	5.675	20	
22	5.5	5.325	20	
23	5.5	5.698	20	
24	5.5	5.311	20	
25	5.5	5.723	20	
26	5.5	5.272	20	
27	5.5	5.385	20	
28	5.5	5.508	20	*
29	5.5	5.382	20	
30	5.5	5.334	20	
31	5.5	5.3	20	
32	5.5	5.722	20	
33	5.5	5.336	20	
34	5.5	5.573	20	
35	5.5	5.312	20	
36	5.5	5.559	20	
37	5.5	5.537	20	
38	5.5	5.254	20	
39	5.5	5.552	20	
40	5.5	5.513	20	*
41	5.5	5.644	20	
42	5.5	5.451	20	
43	5.5	5.455	20	
44	5.5	5.475	20	
45	5.5	5.434	20	
46	5.5	5.539	20	
47	5.5	5.504	20	*

48	5.5	5.497	20	
49	5.5	5.394	20	
50	5.5	5.605	20	
51	5.5	5.307	20	
52	5.5	5.519	20	*
53	5.5	5.252	20	
54	5.5	5.583	20	
55	5.5	5.341	20	
56	5.5	5.672	20	
57	5.5	5.304	20	
58	5.5	5.343	20	
59	5.5	5.577	20	
60	5.5	5.637	20	
61	5.5	5.547	20	
62	5.5	5.397	20	
63	5.5	5.52	20	*
64	5.5	5.63	20	
65	5.5	5.302	20	
66	5.5	5.317	20	
67	5.5	5.48	20	
68	5.5	5.596	20	
69	5.5	5.482	20	
70	5.5	5.687	20	
71	5.5	5.611	20	
72	5.5	5.645	20	
73	5.5	5.554	20	
74	5.5	5.31	20	
75	5.5	5.623	20	
76	5.5	5.468	20	
77	5.5	5.628	20	
78	5.5	5.6	20	
79	5.5	5.416	20	
80	5.5	5.452	20	
81	5.5	5.663	20	
82	5.5	5.406	20	
83	5.5	5.691	20	
84	5.5	5.43	20	
85	5.5	5.588	20	
86	5.5	5.678	20	
87	5.5	5.67	20	
88	5.5	5.517	20	*
89	5.5	5.503	20	*
90	5.5	5.64	20	
91	5.5	5.322	20	
92	5.5	5.557	20	
93	5.5	5.326	20	
94	5.5	5.4	20	
95	5.5	5.724	20	
96	5.5	5.426	20	
97	5.5	5.42	20	
98	5.5	5.566	20	
99	5.5	5.634	20	
100	5.5	5.627	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.606	20	
2	5.5	5.629	20	
3	5.5	5.62	20	
4	5.5	5.458	20	
5	5.5	5.621	20	
6	5.5	5.48	20	
7	5.5	5.292	20	
8	5.5	5.251	20	
9	5.5	5.707	20	
10	5.5	5.514	20	*
11	5.5	5.57	20	
12	5.5	5.38	20	
13	5.5	5.401	20	
14	5.5	5.256	20	
15	5.5	5.562	20	
16	5.5	5.282	20	
17	5.5	5.297	20	
18	5.5	5.339	20	
19	5.5	5.613	20	
20	5.5	5.466	20	
21	5.5	5.347	20	
22	5.5	5.388	20	
23	5.5	5.694	20	
24	5.5	5.319	20	
25	5.5	5.645	20	
26	5.5	5.427	20	
27	5.5	5.544	20	
28	5.5	5.555	20	
29	5.5	5.495	20	
30	5.5	5.454	20	
31	5.5	5.36	20	
32	5.5	5.673	20	
33	5.5	5.628	20	
34	5.5	5.528	20	
35	5.5	5.716	20	
36	5.5	5.633	20	
37	5.5	5.407	20	
38	5.5	5.578	20	
39	5.5	5.313	20	
40	5.5	5.549	20	
41	5.5	5.552	20	
42	5.5	5.451	20	
43	5.5	5.45	20	
44	5.5	5.408	20	
45	5.5	5.415	20	
46	5.5	5.43	20	
47	5.5	5.445	20	

48	5.5	5.67	20	
49	5.5	5.512	20	*
50	5.5	5.482	20	
51	5.5	5.431	20	
52	5.5	5.675	20	
53	5.5	5.623	20	
54	5.5	5.506	20	*
55	5.5	5.631	20	
56	5.5	5.461	20	
57	5.5	5.341	20	
58	5.5	5.39	20	
59	5.5	5.703	20	
60	5.5	5.446	20	
61	5.5	5.387	20	
62	5.5	5.519	20	*
63	5.5	5.654	20	
64	5.5	5.68	20	
65	5.5	5.686	20	
66	5.5	5.669	20	
67	5.5	5.611	20	
68	5.5	5.416	20	
69	5.5	5.585	20	
70	5.5	5.477	20	
71	5.5	5.724	20	
72	5.5	5.369	20	
73	5.5	5.696	20	
74	5.5	5.644	20	
75	5.5	5.491	20	
76	5.5	5.279	20	
77	5.5	5.542	20	
78	5.5	5.357	20	
79	5.5	5.318	20	
80	5.5	5.471	20	
81	5.5	5.349	20	
82	5.5	5.682	20	
83	5.5	5.29	20	
84	5.5	5.582	20	
85	5.5	5.295	20	
86	5.5	5.488	20	
87	5.5	5.589	20	
88	5.5	5.551	20	
89	5.5	5.296	20	
90	5.5	5.365	20	
91	5.5	5.632	20	
92	5.5	5.262	20	
93	5.5	5.314	20	
94	5.5	5.371	20	
95	5.5	5.25	20	
96	5.5	5.366	20	
97	5.5	5.301	20	
98	5.5	5.372	20	
99	5.5	5.422	20	
100	5.5	5.413	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.707	20	
2	5.5	5.626	20	
3	5.5	5.71	20	
4	5.5	5.654	20	
5	5.5	5.476	20	
6	5.5	5.491	20	
7	5.5	5.474	20	
8	5.5	5.696	20	
9	5.5	5.456	20	
10	5.5	5.686	20	
11	5.5	5.306	20	
12	5.5	5.492	20	
13	5.5	5.616	20	
14	5.5	5.57	20	
15	5.5	5.589	20	
16	5.5	5.601	20	
17	5.5	5.697	20	
18	5.5	5.377	20	
19	5.5	5.327	20	
20	5.5	5.521	20	
21	5.5	5.406	20	
22	5.5	5.393	20	
23	5.5	5.311	20	
24	5.5	5.653	20	
25	5.5	5.631	20	
26	5.5	5.275	20	
27	5.5	5.48	20	
28	5.5	5.34	20	
29	5.5	5.259	20	
30	5.5	5.56	20	
31	5.5	5.499	20	
32	5.5	5.54	20	
33	5.5	5.44	20	
34	5.5	5.324	20	
35	5.5	5.269	20	
36	5.5	5.296	20	
37	5.5	5.563	20	
38	5.5	5.359	20	
39	5.5	5.431	20	
40	5.5	5.369	20	
41	5.5	5.484	20	
42	5.5	5.466	20	
43	5.5	5.347	20	
44	5.5	5.621	20	
45	5.5	5.523	20	
46	5.5	5.335	20	
47	5.5	5.298	20	

48	5.5	5.576	20	
49	5.5	5.422	20	
50	5.5	5.42	20	
51	5.5	5.364	20	
52	5.5	5.537	20	
53	5.5	5.336	20	
54	5.5	5.708	20	
55	5.5	5.385	20	
56	5.5	5.615	20	
57	5.5	5.712	20	
58	5.5	5.647	20	
59	5.5	5.63	20	
60	5.5	5.433	20	
61	5.5	5.332	20	
62	5.5	5.361	20	
63	5.5	5.604	20	
64	5.5	5.277	20	
65	5.5	5.387	20	
66	5.5	5.274	20	
67	5.5	5.396	20	
68	5.5	5.577	20	
69	5.5	5.267	20	
70	5.5	5.354	20	
71	5.5	5.342	20	
72	5.5	5.662	20	
73	5.5	5.3	20	
74	5.5	5.494	20	
75	5.5	5.551	20	
76	5.5	5.49	20	
77	5.5	5.723	20	
78	5.5	5.623	20	
79	5.5	5.544	20	
80	5.5	5.452	20	
81	5.5	5.29	20	
82	5.5	5.555	20	
83	5.5	5.258	20	
84	5.5	5.502	20	*
85	5.5	5.565	20	
86	5.5	5.531	20	
87	5.5	5.643	20	
88	5.5	5.588	20	
89	5.5	5.65	20	
90	5.5	5.671	20	
91	5.5	5.548	20	
92	5.5	5.527	20	
93	5.5	5.415	20	
94	5.5	5.635	20	
95	5.5	5.516	20	*
96	5.5	5.525	20	
97	5.5	5.316	20	
98	5.5	5.624	20	
99	5.5	5.451	20	
100	5.5	5.448	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.639	20	
2	5.5	5.419	20	
3	5.5	5.64	20	
4	5.5	5.39	20	
5	5.5	5.304	20	
6	5.5	5.607	20	
7	5.5	5.661	20	
8	5.5	5.365	20	
9	5.5	5.264	20	
10	5.5	5.377	20	
11	5.5	5.614	20	
12	5.5	5.588	20	
13	5.5	5.703	20	
14	5.5	5.382	20	
15	5.5	5.686	20	
16	5.5	5.683	20	
17	5.5	5.401	20	
18	5.5	5.43	20	
19	5.5	5.309	20	
20	5.5	5.367	20	
21	5.5	5.378	20	
22	5.5	5.442	20	
23	5.5	5.482	20	
24	5.5	5.285	20	
25	5.5	5.684	20	
26	5.5	5.403	20	
27	5.5	5.352	20	
28	5.5	5.566	20	
29	5.5	5.638	20	
30	5.5	5.451	20	
31	5.5	5.633	20	
32	5.5	5.42	20	
33	5.5	5.629	20	
34	5.5	5.391	20	
35	5.5	5.605	20	
36	5.5	5.645	20	
37	5.5	5.294	20	
38	5.5	5.426	20	
39	5.5	5.307	20	
40	5.5	5.332	20	
41	5.5	5.323	20	
42	5.5	5.715	20	
43	5.5	5.316	20	
44	5.5	5.27	20	
45	5.5	5.667	20	
46	5.5	5.722	20	
47	5.5	5.597	20	

48	5.5	5.379	20	
49	5.5	5.266	20	
50	5.5	5.38	20	
51	5.5	5.69	20	
52	5.5	5.593	20	
53	5.5	5.305	20	
54	5.5	5.271	20	
55	5.5	5.58	20	
56	5.5	5.52	20	*
57	5.5	5.549	20	
58	5.5	5.374	20	
59	5.5	5.521	20	
60	5.5	5.57	20	
61	5.5	5.349	20	
62	5.5	5.262	20	
63	5.5	5.406	20	
64	5.5	5.368	20	
65	5.5	5.649	20	
66	5.5	5.475	20	
67	5.5	5.592	20	
68	5.5	5.504	20	*
69	5.5	5.277	20	
70	5.5	5.438	20	
71	5.5	5.573	20	
72	5.5	5.299	20	
73	5.5	5.654	20	
74	5.5	5.618	20	
75	5.5	5.536	20	
76	5.5	5.279	20	
77	5.5	5.342	20	
78	5.5	5.361	20	
79	5.5	5.253	20	
80	5.5	5.523	20	
81	5.5	5.535	20	
82	5.5	5.596	20	
83	5.5	5.501	20	*
84	5.5	5.678	20	
85	5.5	5.281	20	
86	5.5	5.407	20	
87	5.5	5.336	20	
88	5.5	5.421	20	
89	5.5	5.292	20	
90	5.5	5.29	20	
91	5.5	5.517	20	*
92	5.5	5.472	20	
93	5.5	5.479	20	
94	5.5	5.321	20	
95	5.5	5.327	20	
96	5.5	5.425	20	
97	5.5	5.397	20	
98	5.5	5.418	20	
99	5.5	5.7	20	
100	5.5	5.455	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.491	20	
2	5.5	5.28	20	
3	5.5	5.336	20	
4	5.5	5.688	20	
5	5.5	5.611	20	
6	5.5	5.615	20	
7	5.5	5.477	20	
8	5.5	5.437	20	
9	5.5	5.651	20	
10	5.5	5.32	20	
11	5.5	5.649	20	
12	5.5	5.468	20	
13	5.5	5.347	20	
14	5.5	5.353	20	
15	5.5	5.279	20	
16	5.5	5.646	20	
17	5.5	5.305	20	
18	5.5	5.525	20	
19	5.5	5.709	20	
20	5.5	5.669	20	
21	5.5	5.712	20	
22	5.5	5.548	20	
23	5.5	5.45	20	
24	5.5	5.454	20	
25	5.5	5.387	20	
26	5.5	5.657	20	
27	5.5	5.492	20	
28	5.5	5.628	20	
29	5.5	5.567	20	
30	5.5	5.288	20	
31	5.5	5.39	20	
32	5.5	5.708	20	
33	5.5	5.614	20	
34	5.5	5.681	20	
35	5.5	5.675	20	
36	5.5	5.401	20	
37	5.5	5.559	20	
38	5.5	5.529	20	
39	5.5	5.479	20	
40	5.5	5.594	20	
41	5.5	5.474	20	
42	5.5	5.462	20	
43	5.5	5.435	20	
44	5.5	5.674	20	
45	5.5	5.486	20	
46	5.5	5.677	20	
47	5.5	5.595	20	

48	5.5	5.419	20	
49	5.5	5.298	20	
50	5.5	5.596	20	
51	5.5	5.394	20	
52	5.5	5.357	20	
53	5.5	5.584	20	
54	5.5	5.259	20	
55	5.5	5.625	20	
56	5.5	5.588	20	
57	5.5	5.488	20	
58	5.5	5.49	20	
59	5.5	5.644	20	
60	5.5	5.58	20	
61	5.5	5.467	20	
62	5.5	5.579	20	
63	5.5	5.33	20	
64	5.5	5.304	20	
65	5.5	5.405	20	
66	5.5	5.691	20	
67	5.5	5.546	20	
68	5.5	5.494	20	
69	5.5	5.514	20	*
70	5.5	5.694	20	
71	5.5	5.373	20	
72	5.5	5.254	20	
73	5.5	5.627	20	
74	5.5	5.53	20	
75	5.5	5.434	20	
76	5.5	5.466	20	
77	5.5	5.31	20	
78	5.5	5.37	20	
79	5.5	5.258	20	
80	5.5	5.655	20	
81	5.5	5.268	20	
82	5.5	5.282	20	
83	5.5	5.438	20	
84	5.5	5.35	20	
85	5.5	5.331	20	
86	5.5	5.252	20	
87	5.5	5.496	20	
88	5.5	5.715	20	
89	5.5	5.41	20	
90	5.5	5.706	20	
91	5.5	5.648	20	
92	5.5	5.293	20	
93	5.5	5.513	20	*
94	5.5	5.283	20	
95	5.5	5.328	20	
96	5.5	5.29	20	
97	5.5	5.557	20	
98	5.5	5.587	20	
99	5.5	5.383	20	
100	5.5	5.46	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.545	20	
2	5.5	5.656	20	
3	5.5	5.699	20	
4	5.5	5.674	20	
5	5.5	5.447	20	
6	5.5	5.401	20	
7	5.5	5.377	20	
8	5.5	5.591	20	
9	5.5	5.63	20	
10	5.5	5.314	20	
11	5.5	5.423	20	
12	5.5	5.383	20	
13	5.5	5.45	20	
14	5.5	5.564	20	
15	5.5	5.572	20	
16	5.5	5.406	20	
17	5.5	5.281	20	
18	5.5	5.481	20	
19	5.5	5.487	20	
20	5.5	5.661	20	
21	5.5	5.602	20	
22	5.5	5.525	20	
23	5.5	5.438	20	
24	5.5	5.722	20	
25	5.5	5.513	20	*
26	5.5	5.37	20	
27	5.5	5.501	20	*
28	5.5	5.676	20	
29	5.5	5.618	20	
30	5.5	5.555	20	
31	5.5	5.539	20	
32	5.5	5.495	20	
33	5.5	5.333	20	
34	5.5	5.321	20	
35	5.5	5.479	20	
36	5.5	5.285	20	
37	5.5	5.407	20	
38	5.5	5.404	20	
39	5.5	5.351	20	
40	5.5	5.299	20	
41	5.5	5.478	20	
42	5.5	5.408	20	
43	5.5	5.315	20	
44	5.5	5.302	20	
45	5.5	5.48	20	
46	5.5	5.494	20	
47	5.5	5.337	20	

48	5.5	5.671	20	
49	5.5	5.653	20	
50	5.5	5.686	20	
51	5.5	5.368	20	
52	5.5	5.359	20	
53	5.5	5.536	20	
54	5.5	5.427	20	
55	5.5	5.51	20	*
56	5.5	5.463	20	
57	5.5	5.638	20	
58	5.5	5.318	20	
59	5.5	5.273	20	
60	5.5	5.449	20	
61	5.5	5.484	20	
62	5.5	5.614	20	
63	5.5	5.296	20	
64	5.5	5.288	20	
65	5.5	5.446	20	
66	5.5	5.704	20	
67	5.5	5.319	20	
68	5.5	5.274	20	
69	5.5	5.512	20	*
70	5.5	5.504	20	*
71	5.5	5.505	20	*
72	5.5	5.571	20	
73	5.5	5.379	20	
74	5.5	5.365	20	
75	5.5	5.643	20	
76	5.5	5.692	20	
77	5.5	5.391	20	
78	5.5	5.554	20	
79	5.5	5.524	20	
80	5.5	5.682	20	
81	5.5	5.652	20	
82	5.5	5.672	20	
83	5.5	5.497	20	
84	5.5	5.7	20	
85	5.5	5.434	20	
86	5.5	5.272	20	
87	5.5	5.615	20	
88	5.5	5.309	20	
89	5.5	5.419	20	
90	5.5	5.535	20	
91	5.5	5.358	20	
92	5.5	5.283	20	
93	5.5	5.4	20	
94	5.5	5.711	20	
95	5.5	5.483	20	
96	5.5	5.323	20	
97	5.5	5.468	20	
98	5.5	5.626	20	
99	5.5	5.338	20	
100	5.5	5.718	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.661	20	
2	5.5	5.251	20	
3	5.5	5.444	20	
4	5.5	5.519	20	*
5	5.5	5.677	20	
6	5.5	5.554	20	
7	5.5	5.531	20	
8	5.5	5.433	20	
9	5.5	5.548	20	
10	5.5	5.692	20	
11	5.5	5.332	20	
12	5.5	5.306	20	
13	5.5	5.283	20	
14	5.5	5.402	20	
15	5.5	5.582	20	
16	5.5	5.265	20	
17	5.5	5.286	20	
18	5.5	5.606	20	
19	5.5	5.484	20	
20	5.5	5.435	20	
21	5.5	5.474	20	
22	5.5	5.649	20	
23	5.5	5.323	20	
24	5.5	5.513	20	*
25	5.5	5.426	20	
26	5.5	5.322	20	
27	5.5	5.568	20	
28	5.5	5.616	20	
29	5.5	5.401	20	
30	5.5	5.422	20	
31	5.5	5.466	20	
32	5.5	5.627	20	
33	5.5	5.476	20	
34	5.5	5.618	20	
35	5.5	5.475	20	
36	5.5	5.658	20	
37	5.5	5.657	20	
38	5.5	5.711	20	
39	5.5	5.505	20	*
40	5.5	5.277	20	
41	5.5	5.544	20	
42	5.5	5.57	20	
43	5.5	5.432	20	
44	5.5	5.602	20	
45	5.5	5.567	20	
46	5.5	5.421	20	
47	5.5	5.598	20	

48	5.5	5.712	20	
49	5.5	5.535	20	
50	5.5	5.282	20	
51	5.5	5.493	20	
52	5.5	5.502	20	*
53	5.5	5.696	20	
54	5.5	5.709	20	
55	5.5	5.673	20	
56	5.5	5.708	20	
57	5.5	5.305	20	
58	5.5	5.695	20	
59	5.5	5.386	20	
60	5.5	5.459	20	
61	5.5	5.614	20	
62	5.5	5.628	20	
63	5.5	5.6	20	
64	5.5	5.256	20	
65	5.5	5.485	20	
66	5.5	5.717	20	
67	5.5	5.465	20	
68	5.5	5.577	20	
69	5.5	5.498	20	
70	5.5	5.464	20	
71	5.5	5.648	20	
72	5.5	5.532	20	
73	5.5	5.497	20	
74	5.5	5.624	20	
75	5.5	5.371	20	
76	5.5	5.621	20	
77	5.5	5.595	20	
78	5.5	5.706	20	
79	5.5	5.368	20	
80	5.5	5.63	20	
81	5.5	5.671	20	
82	5.5	5.667	20	
83	5.5	5.333	20	
84	5.5	5.4	20	
85	5.5	5.517	20	*
86	5.5	5.68	20	
87	5.5	5.659	20	
88	5.5	5.339	20	
89	5.5	5.25	20	
90	5.5	5.297	20	
91	5.5	5.542	20	
92	5.5	5.635	20	
93	5.5	5.715	20	
94	5.5	5.445	20	
95	5.5	5.378	20	
96	5.5	5.507	20	*
97	5.5	5.611	20	
98	5.5	5.719	20	
99	5.5	5.562	20	
100	5.5	5.518	20	*

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.25	20	
2	5.5	5.702	20	
3	5.5	5.644	20	
4	5.5	5.724	20	
5	5.5	5.476	20	
6	5.5	5.591	20	
7	5.5	5.392	20	
8	5.5	5.693	20	
9	5.5	5.296	20	
10	5.5	5.588	20	
11	5.5	5.601	20	
12	5.5	5.473	20	
13	5.5	5.608	20	
14	5.5	5.433	20	
15	5.5	5.571	20	
16	5.5	5.542	20	
17	5.5	5.395	20	
18	5.5	5.356	20	
19	5.5	5.546	20	
20	5.5	5.34	20	
21	5.5	5.551	20	
22	5.5	5.61	20	
23	5.5	5.692	20	
24	5.5	5.291	20	
25	5.5	5.373	20	
26	5.5	5.6	20	
27	5.5	5.258	20	
28	5.5	5.487	20	
29	5.5	5.264	20	
30	5.5	5.654	20	
31	5.5	5.436	20	
32	5.5	5.696	20	
33	5.5	5.338	20	
34	5.5	5.307	20	
35	5.5	5.541	20	
36	5.5	5.719	20	
37	5.5	5.499	20	
38	5.5	5.43	20	
39	5.5	5.671	20	
40	5.5	5.421	20	
41	5.5	5.597	20	
42	5.5	5.435	20	
43	5.5	5.593	20	
44	5.5	5.321	20	
45	5.5	5.523	20	
46	5.5	5.288	20	
47	5.5	5.653	20	

48	5.5	5.286	20	
49	5.5	5.663	20	
50	5.5	5.275	20	
51	5.5	5.46	20	
52	5.5	5.562	20	
53	5.5	5.703	20	
54	5.5	5.657	20	
55	5.5	5.303	20	
56	5.5	5.72	20	
57	5.5	5.441	20	
58	5.5	5.281	20	
59	5.5	5.371	20	
60	5.5	5.459	20	
61	5.5	5.622	20	
62	5.5	5.691	20	
63	5.5	5.53	20	
64	5.5	5.547	20	
65	5.5	5.531	20	
66	5.5	5.376	20	
67	5.5	5.405	20	
68	5.5	5.645	20	
69	5.5	5.449	20	
70	5.5	5.422	20	
71	5.5	5.629	20	
72	5.5	5.7	20	
73	5.5	5.434	20	
74	5.5	5.283	20	
75	5.5	5.461	20	
76	5.5	5.384	20	
77	5.5	5.325	20	
78	5.5	5.513	20	*
79	5.5	5.556	20	
80	5.5	5.491	20	
81	5.5	5.276	20	
82	5.5	5.495	20	
83	5.5	5.518	20	*
84	5.5	5.297	20	
85	5.5	5.558	20	
86	5.5	5.301	20	
87	5.5	5.524	20	
88	5.5	5.595	20	
89	5.5	5.705	20	
90	5.5	5.378	20	
91	5.5	5.633	20	
92	5.5	5.305	20	
93	5.5	5.686	20	
94	5.5	5.323	20	
95	5.5	5.273	20	
96	5.5	5.631	20	
97	5.5	5.335	20	
98	5.5	5.599	20	
99	5.5	5.269	20	
100	5.5	5.259	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.657	20	
2	5.5	5.717	20	
3	5.5	5.375	20	
4	5.5	5.353	20	
5	5.5	5.564	20	
6	5.5	5.27	20	
7	5.5	5.516	20	*
8	5.5	5.303	20	
9	5.5	5.46	20	
10	5.5	5.415	20	
11	5.5	5.441	20	
12	5.5	5.713	20	
13	5.5	5.277	20	
14	5.5	5.331	20	
15	5.5	5.528	20	
16	5.5	5.408	20	
17	5.5	5.369	20	
18	5.5	5.372	20	
19	5.5	5.443	20	
20	5.5	5.621	20	
21	5.5	5.566	20	
22	5.5	5.549	20	
23	5.5	5.548	20	
24	5.5	5.26	20	
25	5.5	5.335	20	
26	5.5	5.715	20	
27	5.5	5.711	20	
28	5.5	5.622	20	
29	5.5	5.659	20	
30	5.5	5.669	20	
31	5.5	5.584	20	
32	5.5	5.464	20	
33	5.5	5.473	20	
34	5.5	5.503	20	*
35	5.5	5.574	20	
36	5.5	5.25	20	
37	5.5	5.299	20	
38	5.5	5.312	20	
39	5.5	5.7	20	
40	5.5	5.328	20	
41	5.5	5.696	20	
42	5.5	5.555	20	
43	5.5	5.68	20	
44	5.5	5.718	20	
45	5.5	5.508	20	*
46	5.5	5.483	20	
47	5.5	5.596	20	

48	5.5	5.475	20	
49	5.5	5.393	20	
50	5.5	5.603	20	
51	5.5	5.468	20	
52	5.5	5.695	20	
53	5.5	5.687	20	
54	5.5	5.404	20	
55	5.5	5.3	20	
56	5.5	5.504	20	*
57	5.5	5.453	20	
58	5.5	5.611	20	
59	5.5	5.495	20	
60	5.5	5.691	20	
61	5.5	5.631	20	
62	5.5	5.418	20	
63	5.5	5.434	20	
64	5.5	5.577	20	
65	5.5	5.419	20	
66	5.5	5.463	20	
67	5.5	5.358	20	
68	5.5	5.4	20	
69	5.5	5.274	20	
70	5.5	5.43	20	
71	5.5	5.644	20	
72	5.5	5.398	20	
73	5.5	5.298	20	
74	5.5	5.647	20	
75	5.5	5.448	20	
76	5.5	5.361	20	
77	5.5	5.547	20	
78	5.5	5.293	20	
79	5.5	5.445	20	
80	5.5	5.617	20	
81	5.5	5.614	20	
82	5.5	5.501	20	*
83	5.5	5.285	20	
84	5.5	5.426	20	
85	5.5	5.461	20	
86	5.5	5.552	20	
87	5.5	5.586	20	
88	5.5	5.677	20	
89	5.5	5.722	20	
90	5.5	5.658	20	
91	5.5	5.505	20	*
92	5.5	5.65	20	
93	5.5	5.286	20	
94	5.5	5.272	20	
95	5.5	5.48	20	
96	5.5	5.42	20	
97	5.5	5.634	20	
98	5.5	5.56	20	
99	5.5	5.509	20	*
100	5.5	5.34	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.431	20	
2	5.5	5.267	20	
3	5.5	5.691	20	
4	5.5	5.661	20	
5	5.5	5.385	20	
6	5.5	5.381	20	
7	5.5	5.285	20	
8	5.5	5.395	20	
9	5.5	5.361	20	
10	5.5	5.271	20	
11	5.5	5.295	20	
12	5.5	5.34	20	
13	5.5	5.679	20	
14	5.5	5.314	20	
15	5.5	5.603	20	
16	5.5	5.708	20	
17	5.5	5.44	20	
18	5.5	5.447	20	
19	5.5	5.611	20	
20	5.5	5.35	20	
21	5.5	5.334	20	
22	5.5	5.291	20	
23	5.5	5.528	20	
24	5.5	5.694	20	
25	5.5	5.612	20	
26	5.5	5.549	20	
27	5.5	5.252	20	
28	5.5	5.367	20	
29	5.5	5.442	20	
30	5.5	5.648	20	
31	5.5	5.411	20	
32	5.5	5.413	20	
33	5.5	5.623	20	
34	5.5	5.501	20	*
35	5.5	5.556	20	
36	5.5	5.307	20	
37	5.5	5.717	20	
38	5.5	5.569	20	
39	5.5	5.639	20	
40	5.5	5.269	20	
41	5.5	5.581	20	
42	5.5	5.676	20	
43	5.5	5.547	20	
44	5.5	5.631	20	
45	5.5	5.403	20	
46	5.5	5.48	20	
47	5.5	5.544	20	

48	5.5	5.62	20	
49	5.5	5.568	20	
50	5.5	5.327	20	
51	5.5	5.577	20	
52	5.5	5.536	20	
53	5.5	5.502	20	*
54	5.5	5.698	20	
55	5.5	5.718	20	
56	5.5	5.618	20	
57	5.5	5.709	20	
58	5.5	5.574	20	
59	5.5	5.375	20	
60	5.5	5.311	20	
61	5.5	5.686	20	
62	5.5	5.586	20	
63	5.5	5.595	20	
64	5.5	5.535	20	
65	5.5	5.351	20	
66	5.5	5.512	20	*
67	5.5	5.47	20	
68	5.5	5.432	20	
69	5.5	5.456	20	
70	5.5	5.637	20	
71	5.5	5.448	20	
72	5.5	5.565	20	
73	5.5	5.558	20	
74	5.5	5.483	20	
75	5.5	5.566	20	
76	5.5	5.712	20	
77	5.5	5.36	20	
78	5.5	5.552	20	
79	5.5	5.583	20	
80	5.5	5.723	20	
81	5.5	5.681	20	
82	5.5	5.564	20	
83	5.5	5.54	20	
84	5.5	5.393	20	
85	5.5	5.427	20	
86	5.5	5.51	20	*
87	5.5	5.616	20	
88	5.5	5.317	20	
89	5.5	5.322	20	
90	5.5	5.538	20	
91	5.5	5.45	20	
92	5.5	5.292	20	
93	5.5	5.554	20	
94	5.5	5.684	20	
95	5.5	5.582	20	
96	5.5	5.517	20	*
97	5.5	5.663	20	
98	5.5	5.53	20	
99	5.5	5.487	20	
100	5.5	5.455	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.362	20	
2	5.5	5.335	20	
3	5.5	5.721	20	
4	5.5	5.289	20	
5	5.5	5.272	20	
6	5.5	5.687	20	
7	5.5	5.559	20	
8	5.5	5.582	20	
9	5.5	5.45	20	
10	5.5	5.302	20	
11	5.5	5.462	20	
12	5.5	5.455	20	
13	5.5	5.443	20	
14	5.5	5.538	20	
15	5.5	5.55	20	
16	5.5	5.656	20	
17	5.5	5.503	20	*
18	5.5	5.607	20	
19	5.5	5.376	20	
20	5.5	5.592	20	
21	5.5	5.615	20	
22	5.5	5.416	20	
23	5.5	5.308	20	
24	5.5	5.314	20	
25	5.5	5.501	20	*
26	5.5	5.521	20	
27	5.5	5.467	20	
28	5.5	5.621	20	
29	5.5	5.528	20	
30	5.5	5.608	20	
31	5.5	5.557	20	
32	5.5	5.57	20	
33	5.5	5.328	20	
34	5.5	5.496	20	
35	5.5	5.6	20	
36	5.5	5.64	20	
37	5.5	5.361	20	
38	5.5	5.558	20	
39	5.5	5.454	20	
40	5.5	5.512	20	*
41	5.5	5.282	20	
42	5.5	5.53	20	
43	5.5	5.535	20	
44	5.5	5.545	20	
45	5.5	5.315	20	
46	5.5	5.325	20	
47	5.5	5.457	20	

48	5.5	5.536	20	
49	5.5	5.602	20	
50	5.5	5.701	20	
51	5.5	5.649	20	
52	5.5	5.428	20	
53	5.5	5.494	20	
54	5.5	5.542	20	
55	5.5	5.551	20	
56	5.5	5.334	20	
57	5.5	5.293	20	
58	5.5	5.679	20	
59	5.5	5.434	20	
60	5.5	5.522	20	
61	5.5	5.259	20	
62	5.5	5.583	20	
63	5.5	5.508	20	*
64	5.5	5.275	20	
65	5.5	5.688	20	
66	5.5	5.364	20	
67	5.5	5.715	20	
68	5.5	5.404	20	
69	5.5	5.373	20	
70	5.5	5.641	20	
71	5.5	5.643	20	
72	5.5	5.38	20	
73	5.5	5.252	20	
74	5.5	5.28	20	
75	5.5	5.396	20	
76	5.5	5.472	20	
77	5.5	5.566	20	
78	5.5	5.422	20	
79	5.5	5.352	20	
80	5.5	5.673	20	
81	5.5	5.417	20	
82	5.5	5.716	20	
83	5.5	5.488	20	
84	5.5	5.668	20	
85	5.5	5.597	20	
86	5.5	5.273	20	
87	5.5	5.303	20	
88	5.5	5.638	20	
89	5.5	5.507	20	*
90	5.5	5.619	20	
91	5.5	5.348	20	
92	5.5	5.264	20	
93	5.5	5.331	20	
94	5.5	5.644	20	
95	5.5	5.692	20	
96	5.5	5.573	20	
97	5.5	5.265	20	
98	5.5	5.578	20	
99	5.5	5.35	20	
100	5.5	5.349	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.467	20	
2	5.5	5.608	20	
3	5.5	5.359	20	
4	5.5	5.622	20	
5	5.5	5.407	20	
6	5.5	5.4	20	
7	5.5	5.564	20	
8	5.5	5.632	20	
9	5.5	5.717	20	
10	5.5	5.494	20	
11	5.5	5.723	20	
12	5.5	5.268	20	
13	5.5	5.49	20	
14	5.5	5.528	20	
15	5.5	5.428	20	
16	5.5	5.306	20	
17	5.5	5.266	20	
18	5.5	5.687	20	
19	5.5	5.411	20	
20	5.5	5.462	20	
21	5.5	5.642	20	
22	5.5	5.54	20	
23	5.5	5.304	20	
24	5.5	5.276	20	
25	5.5	5.592	20	
26	5.5	5.603	20	
27	5.5	5.329	20	
28	5.5	5.345	20	
29	5.5	5.287	20	
30	5.5	5.373	20	
31	5.5	5.669	20	
32	5.5	5.332	20	
33	5.5	5.3	20	
34	5.5	5.67	20	
35	5.5	5.637	20	
36	5.5	5.48	20	
37	5.5	5.403	20	
38	5.5	5.515	20	*
39	5.5	5.418	20	
40	5.5	5.521	20	
41	5.5	5.612	20	
42	5.5	5.343	20	
43	5.5	5.609	20	
44	5.5	5.65	20	
45	5.5	5.661	20	
46	5.5	5.653	20	
47	5.5	5.293	20	

48	5.5	5.426	20	
49	5.5	5.693	20	
50	5.5	5.484	20	
51	5.5	5.313	20	
52	5.5	5.576	20	
53	5.5	5.606	20	
54	5.5	5.51	20	*
55	5.5	5.374	20	
56	5.5	5.419	20	
57	5.5	5.72	20	
58	5.5	5.425	20	
59	5.5	5.285	20	
60	5.5	5.353	20	
61	5.5	5.556	20	
62	5.5	5.421	20	
63	5.5	5.297	20	
64	5.5	5.624	20	
65	5.5	5.393	20	
66	5.5	5.349	20	
67	5.5	5.36	20	
68	5.5	5.261	20	
69	5.5	5.476	20	
70	5.5	5.573	20	
71	5.5	5.291	20	
72	5.5	5.32	20	
73	5.5	5.712	20	
74	5.5	5.434	20	
75	5.5	5.581	20	
76	5.5	5.367	20	
77	5.5	5.338	20	
78	5.5	5.715	20	
79	5.5	5.271	20	
80	5.5	5.301	20	
81	5.5	5.487	20	
82	5.5	5.404	20	
83	5.5	5.574	20	
84	5.5	5.596	20	
85	5.5	5.514	20	*
86	5.5	5.52	20	*
87	5.5	5.552	20	
88	5.5	5.357	20	
89	5.5	5.571	20	
90	5.5	5.444	20	
91	5.5	5.589	20	
92	5.5	5.648	20	
93	5.5	5.456	20	
94	5.5	5.485	20	
95	5.5	5.684	20	
96	5.5	5.616	20	
97	5.5	5.417	20	
98	5.5	5.324	20	
99	5.5	5.448	20	
100	5.5	5.455	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.453	20	
2	5.5	5.262	20	
3	5.5	5.604	20	
4	5.5	5.583	20	
5	5.5	5.361	20	
6	5.5	5.602	20	
7	5.5	5.493	20	
8	5.5	5.432	20	
9	5.5	5.552	20	
10	5.5	5.469	20	
11	5.5	5.495	20	
12	5.5	5.368	20	
13	5.5	5.584	20	
14	5.5	5.267	20	
15	5.5	5.526	20	
16	5.5	5.286	20	
17	5.5	5.626	20	
18	5.5	5.329	20	
19	5.5	5.515	20	*
20	5.5	5.384	20	
21	5.5	5.303	20	
22	5.5	5.664	20	
23	5.5	5.383	20	
24	5.5	5.288	20	
25	5.5	5.597	20	
26	5.5	5.304	20	
27	5.5	5.486	20	
28	5.5	5.541	20	
29	5.5	5.605	20	
30	5.5	5.559	20	
31	5.5	5.539	20	
32	5.5	5.484	20	
33	5.5	5.505	20	*
34	5.5	5.587	20	
35	5.5	5.529	20	
36	5.5	5.355	20	
37	5.5	5.683	20	
38	5.5	5.685	20	
39	5.5	5.671	20	
40	5.5	5.461	20	
41	5.5	5.44	20	
42	5.5	5.647	20	
43	5.5	5.592	20	
44	5.5	5.627	20	
45	5.5	5.463	20	
46	5.5	5.679	20	
47	5.5	5.345	20	

48	5.5	5.394	20	
49	5.5	5.681	20	
50	5.5	5.341	20	
51	5.5	5.422	20	
52	5.5	5.501	20	*
53	5.5	5.542	20	
54	5.5	5.553	20	
55	5.5	5.292	20	
56	5.5	5.352	20	
57	5.5	5.279	20	
58	5.5	5.299	20	
59	5.5	5.328	20	
60	5.5	5.326	20	
61	5.5	5.364	20	
62	5.5	5.444	20	
63	5.5	5.447	20	
64	5.5	5.688	20	
65	5.5	5.697	20	
66	5.5	5.294	20	
67	5.5	5.467	20	
68	5.5	5.521	20	
69	5.5	5.475	20	
70	5.5	5.641	20	
71	5.5	5.29	20	
72	5.5	5.298	20	
73	5.5	5.277	20	
74	5.5	5.391	20	
75	5.5	5.488	20	
76	5.5	5.58	20	
77	5.5	5.692	20	
78	5.5	5.408	20	
79	5.5	5.504	20	*
80	5.5	5.722	20	
81	5.5	5.59	20	
82	5.5	5.452	20	
83	5.5	5.497	20	
84	5.5	5.396	20	
85	5.5	5.354	20	
86	5.5	5.385	20	
87	5.5	5.348	20	
88	5.5	5.48	20	
89	5.5	5.558	20	
90	5.5	5.615	20	
91	5.5	5.302	20	
92	5.5	5.571	20	
93	5.5	5.701	20	
94	5.5	5.347	20	
95	5.5	5.332	20	
96	5.5	5.656	20	
97	5.5	5.555	20	
98	5.5	5.498	20	
99	5.5	5.378	20	
100	5.5	5.442	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.553	20	
2	5.5	5.684	20	
3	5.5	5.509	20	*
4	5.5	5.701	20	
5	5.5	5.364	20	
6	5.5	5.679	20	
7	5.5	5.343	20	
8	5.5	5.399	20	
9	5.5	5.677	20	
10	5.5	5.316	20	
11	5.5	5.706	20	
12	5.5	5.638	20	
13	5.5	5.295	20	
14	5.5	5.39	20	
15	5.5	5.476	20	
16	5.5	5.462	20	
17	5.5	5.659	20	
18	5.5	5.538	20	
19	5.5	5.357	20	
20	5.5	5.412	20	
21	5.5	5.662	20	
22	5.5	5.635	20	
23	5.5	5.615	20	
24	5.5	5.346	20	
25	5.5	5.599	20	
26	5.5	5.54	20	
27	5.5	5.598	20	
28	5.5	5.371	20	
29	5.5	5.432	20	
30	5.5	5.306	20	
31	5.5	5.314	20	
32	5.5	5.664	20	
33	5.5	5.458	20	
34	5.5	5.342	20	
35	5.5	5.568	20	
36	5.5	5.322	20	
37	5.5	5.487	20	
38	5.5	5.265	20	
39	5.5	5.457	20	
40	5.5	5.41	20	
41	5.5	5.58	20	
42	5.5	5.493	20	
43	5.5	5.47	20	
44	5.5	5.569	20	
45	5.5	5.656	20	
46	5.5	5.37	20	
47	5.5	5.527	20	

48	5.5	5.565	20	
49	5.5	5.698	20	
50	5.5	5.62	20	
51	5.5	5.43	20	
52	5.5	5.418	20	
53	5.5	5.438	20	
54	5.5	5.336	20	
55	5.5	5.424	20	
56	5.5	5.497	20	
57	5.5	5.258	20	
58	5.5	5.328	20	
59	5.5	5.335	20	
60	5.5	5.431	20	
61	5.5	5.287	20	
62	5.5	5.579	20	
63	5.5	5.257	20	
64	5.5	5.452	20	
65	5.5	5.355	20	
66	5.5	5.478	20	
67	5.5	5.289	20	
68	5.5	5.362	20	
69	5.5	5.64	20	
70	5.5	5.602	20	
71	5.5	5.401	20	
72	5.5	5.468	20	
73	5.5	5.356	20	
74	5.5	5.453	20	
75	5.5	5.612	20	
76	5.5	5.626	20	
77	5.5	5.425	20	
78	5.5	5.65	20	
79	5.5	5.368	20	
80	5.5	5.625	20	
81	5.5	5.695	20	
82	5.5	5.391	20	
83	5.5	5.604	20	
84	5.5	5.566	20	
85	5.5	5.505	20	*
86	5.5	5.613	20	
87	5.5	5.353	20	
88	5.5	5.337	20	
89	5.5	5.661	20	
90	5.5	5.571	20	
91	5.5	5.414	20	
92	5.5	5.622	20	
93	5.5	5.348	20	
94	5.5	5.423	20	
95	5.5	5.27	20	
96	5.5	5.577	20	
97	5.5	5.724	20	
98	5.5	5.536	20	
99	5.5	5.327	20	
100	5.5	5.344	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.674	20	
2	5.5	5.305	20	
3	5.5	5.516	20	*
4	5.5	5.285	20	
5	5.5	5.506	20	*
6	5.5	5.337	20	
7	5.5	5.262	20	
8	5.5	5.407	20	
9	5.5	5.28	20	
10	5.5	5.645	20	
11	5.5	5.376	20	
12	5.5	5.468	20	
13	5.5	5.519	20	*
14	5.5	5.628	20	
15	5.5	5.426	20	
16	5.5	5.529	20	
17	5.5	5.521	20	
18	5.5	5.274	20	
19	5.5	5.471	20	
20	5.5	5.382	20	
21	5.5	5.462	20	
22	5.5	5.315	20	
23	5.5	5.341	20	
24	5.5	5.701	20	
25	5.5	5.313	20	
26	5.5	5.396	20	
27	5.5	5.637	20	
28	5.5	5.557	20	
29	5.5	5.328	20	
30	5.5	5.584	20	
31	5.5	5.377	20	
32	5.5	5.299	20	
33	5.5	5.574	20	
34	5.5	5.447	20	
35	5.5	5.484	20	
36	5.5	5.438	20	
37	5.5	5.41	20	
38	5.5	5.47	20	
39	5.5	5.428	20	
40	5.5	5.346	20	
41	5.5	5.445	20	
42	5.5	5.334	20	
43	5.5	5.457	20	
44	5.5	5.609	20	
45	5.5	5.711	20	
46	5.5	5.599	20	
47	5.5	5.653	20	

48	5.5	5.284	20	
49	5.5	5.319	20	
50	5.5	5.615	20	
51	5.5	5.597	20	
52	5.5	5.371	20	
53	5.5	5.714	20	
54	5.5	5.721	20	
55	5.5	5.36	20	
56	5.5	5.591	20	
57	5.5	5.602	20	
58	5.5	5.408	20	
59	5.5	5.308	20	
60	5.5	5.265	20	
61	5.5	5.667	20	
62	5.5	5.717	20	
63	5.5	5.6	20	
64	5.5	5.48	20	
65	5.5	5.332	20	
66	5.5	5.51	20	*
67	5.5	5.267	20	
68	5.5	5.35	20	
69	5.5	5.416	20	
70	5.5	5.607	20	
71	5.5	5.436	20	
72	5.5	5.605	20	
73	5.5	5.291	20	
74	5.5	5.565	20	
75	5.5	5.589	20	
76	5.5	5.491	20	
77	5.5	5.66	20	
78	5.5	5.583	20	
79	5.5	5.454	20	
80	5.5	5.572	20	
81	5.5	5.402	20	
82	5.5	5.424	20	
83	5.5	5.357	20	
84	5.5	5.297	20	
85	5.5	5.662	20	
86	5.5	5.556	20	
87	5.5	5.342	20	
88	5.5	5.409	20	
89	5.5	5.685	20	
90	5.5	5.555	20	
91	5.5	5.326	20	
92	5.5	5.489	20	
93	5.5	5.585	20	
94	5.5	5.641	20	
95	5.5	5.682	20	
96	5.5	5.566	20	
97	5.5	5.466	20	
98	5.5	5.634	20	
99	5.5	5.518	20	*
100	5.5	5.578	20	

--

802.11ax(HE40) - 5510MHz

RADAR TYPE 1

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	92	1	578
2	70	1	758
3	61	1	878
4	62	1	858
5	98	1	538
6	65	1	818
7	61	1	878
8	81	1	658
9	89	1	598
10	65	1	818
11	81	1	658
12	62	1	858
13	62	1	858
14	63	1	838
15	81	1	658
16	65	1	818
17	18	1	3066
18	89	1	598
19	102	1	518
20	70	1	758
21	86	1	618
22	89	1	598
23	76	1	698
24	76	1	698
25	74	1	718
26	81	1	658
27	74	1	718
28	78	1	678
29	61	1	878
30	57	1	938

802.11ax(HE40) - 5510MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	24	4.8	185
2	29	1.4	192
3	28	1.6	150
4	27	3.1	215
5	25	1.1	186
6	27	4.7	211
7	28	3.7	158
8	26	3.3	181
9	23	4.4	202
10	27	1.4	225
11	27	3.5	204
12	25	3.2	204
13	24	3.6	192
14	25	1.4	157
15	27	2.5	206
16	27	3.1	215
17	25	1.4	198
18	27	1.5	156
19	28	3.3	157
20	28	1.1	220
21	28	2.3	155
22	25	2.1	205
23	24	3.3	180
24	27	5	211
25	26	3.7	203
26	23	2.3	213
27	26	4.5	215
28	27	1.2	177
29	28	2.1	214
30	24	1.4	210

802.11ax(HE40) - 5510MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	18	7.2	438
2	18	6.8	228
3	17	6.4	395
4	18	7	460
5	16	9.8	337
6	17	9.9	448
7	18	8.2	477
8	17	8.5	485
9	16	7	340
10	17	7.3	369
11	18	8.8	261
12	17	7.2	371
13	16	7.4	354
14	16	9.8	226
15	17	8.5	401
16	17	8.6	354
17	18	8.9	377
18	17	10	472
19	18	9.5	437
20	16	7	334
21	16	6.3	499
22	17	9.5	237
23	18	6.1	318
24	16	7.4	471
25	17	8.1	207
26	17	7.9	295
27	17	8.5	329
28	17	9.3	470
29	17	7.9	318
30	17	6.7	252

802.11ax(HE40) - 5510MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	15	11.2	494
2	15	11.3	333
3	12	11.6	496
4	12	18.4	412
5	13	16.5	269
6	15	17	351
7	14	16.7	420
8	12	15.6	402
9	13	11.2	373
10	12	11.5	276
11	16	14.9	392
12	16	13.9	496
13	13	12.7	450
14	12	14.1	470
15	15	12.6	353
16	14	13.3	211
17	14	13.4	475
18	13	11.7	425
19	13	15.4	386
20	13	15.4	478
21	13	17.4	283
22	13	14.4	305
23	15	18.8	272
24	14	18.2	381
25	14	14.9	394
26	15	18.3	325
27	13	14.4	231
28	12	14	227
29	15	12.6	258
30	13	14.4	292

802.11ax(HE40) - 5510MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	18	1	5510
2	10	1	5510
3	6	1	5510
4	5	1	5510
5	8	1	5510
6	14	1	5510
7	5	1	5510
8	15	1	5510
9	6	1	5510
10	16	1	5510
11	20	2	5499
12	14	2	5496.6
13	6	2	5493.4
14	18	2	5498.2
15	15	2	5497
16	12	2	5495.8
17	20	2	5499
18	6	2	5493.4
19	5	2	5493
20	14	2	5496.6
21	15	3	5523
22	6	3	5526.6
23	9	3	5525.4
24	10	3	5525
25	18	3	5521.8
26	17	3	5522.2
27	19	3	5521.4
28	13	3	5523.8
29	11	3	5524.6
30	20	3	5521

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	87.4	18			117.701
2	3	57.7	18	1339	1273	239
3	2	86.5	18	1937		154.41
4	1	56	18			167.21
5	2	70.7	18	1953		11.37
6	2	85	18	1233		316.76
7	3	62.1	18	1266	1686	595.22
8	1	89.8	18			127.18
9	2	61.6	18	1302		157.33
10	2	84.9	18	1677		107.87
11	1	100	18			674.49
12	1	62.5	18			262.36
13	2	92.2	18	1978		542.67
14	2	80.5	18	1991		552.3
15	1	61.2	18			187.7
16	1	95.6	18			100.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	55.1	10	1544		512.874
2	1	93.1	10			566.14
3	3	56.5	10	1471	1336	517.43
4	2	55.3	10	1365		490.81
5	3	81.1	10	1928	1073	401.45
6	1	90	10			346.4
7	1	76.8	10			2.2
8	3	83.5	10	1534	1977	362.11
9	2	97.2	10	1829		572.55
10	3	68.4	10	1256	1688	122.77
11	2	83.8	10	1151		214.99
12	2	89.3	10	1467		314.22
13	2	80.9	10	1963		592.28
14	2	96.4	10	1904		156.64
15	3	61.1	10	1471	1266	349.1
16	2	64.5	10	1306		395.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	65.1	6	1011		660.835
2	1	88.9	6			402.601
3	2	53.5	6	1035		210.712
4	1	53.3	6			3.003
5	2	61	6	1477		273.074
6	1	89.7	6			711.035
7	2	81.7	6	1004		436.415
8	2	77.4	6	1493		785.176
9	2	81.6	6	1500		954.717
10	2	72.3	6	1188		301.518
11	3	57.5	6	1378	1695	167.309

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	77	5	1854		215.676
2	2	64.5	5	1158		120.882
3	2	97.6	5	1015		234.407
4	2	76.2	5	1575		93.38
5	2	92.5	5	1015		209.833
6	3	98.1	5	1670	1127	211.827
7	3	74.8	5	1887	1482	380.08
8	2	68.9	5	1889		334.253
9	2	90.3	5	1447		624.777
10	2	79.2	5	1131		355.83
11	2	55.4	5	1526		19.993
12	2	93.3	5	1674		456.957
13	1	60.9	5			621.95
14	3	65.9	5	1562	1650	474.763
15	2	68.1	5	1777		122.837
16	1	92.8	5			14.7
17	2	88.3	5	1647		340.333
18	1	65.5	5			299.567

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	96.8	8			466.747
2	1	56.2	8			102.02
3	3	86.7	8	1745	1710	204.45
4	1	91.7	8			235.6
5	2	85.7	8	1456		240.19
6	2	66.6	8	1616		441.13
7	2	71.1	8	1587		528.11
8	2	73.5	8	1284		642.16
9	3	64.4	8	1465	1701	23.13
10	1	96.9	8			496.61
11	2	54.1	8	1822		372.54
12	1	61.4	8			793.92
13	2	72.3	8	1513		438.7
14	1	56.5	8			758.1
15	2	61.1	8	1956		213.8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	59	14	1144		774.636
2	2	52.7	14	1976		302.39
3	3	75.5	14	1629	1124	8.9
4	1	86.7	14			416.06
5	1	88.7	14			894.26
6	3	79.7	14	1878	1783	607.76
7	2	85.1	14	1758		241.77
8	2	52.2	14	1425		690.84
9	2	91.2	14	1322		164.78
10	2	74.7	14	1125		929.68
11	2	50	14	1534		457
12	3	81.8	14	1773	1614	776.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	91.9	5	1935		173.391
2	2	76.6	5	1107		256.4
3	2	56.3	5	1892		552.297
4	1	61.9	5			112
5	3	87.9	5	1536	1326	485.483
6	2	82.1	5	1331		19.427
7	1	91.9	5			215.43
8	2	92.7	5	1156		248.243
9	2	91.1	5	1777		246.987
10	2	88.4	5	1337		536.26
11	1	73.9	5			0.733
12	1	71.7	5			297.797
13	1	72.4	5			611.48
14	2	98.8	5	1995		250.433
15	3	68.8	5	1166	1575	336.867
16	1	63.5	5			266
17	2	89.6	5	1171		254.133
18	1	83.4	5			50.567

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	76.4	6	1896	1102	328.004
2	2	88	6	1516		578.701
3	1	86.2	6			597.652
4	3	85.4	6	1706	1413	81.433
5	1	53.6	6			496.044
6	1	66	6			568.345
7	2	72.3	6	1555		428.346
8	2	71.2	6	1025		304.437
9	2	73	6	1728		183.678
10	1	61.7	6			418.829
11	3	87.1	6	1894	1359	317.451
12	2	80.1	6	1081		58.272
13	1	97.8	6			272.963
14	2	92.6	6	1999		375.214
15	2	74.4	6	1321		296.065
16	2	94.4	6	1067		563.416
17	3	58.4	6	1297	1015	522.437
18	2	68.7	6	1647		10.158
19	2	50.1	6	1301		35.679

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	83.3	16			580.705
2	3	52.1	16	1286	1147	21.326
3	2	63.4	16	1274		233.712
4	2	90.2	16	1513		102.433
5	2	92.6	16	1739		450.424
6	2	95.8	16	1050		118.125
7	1	87.9	16			565.106
8	1	96.4	16			358.167
9	3	65.1	16	1081	1418	382.468
10	3	86.8	16	1066	1173	13.509
11	2	74.3	16	1436		410.681
12	2	61.7	16	1368		450.282
13	2	76.2	16	1670		246.303
14	3	85.9	16	1951	1750	212.784
15	3	60.9	16	1264	1424	201.695
16	2	74.9	16	1284		465.436
17	1	97.2	16			419.337
18	2	92.7	16	1381		190.258
19	2	72.1	16	1574		15.179

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	55.3	14	1117		389.758
2	3	76.5	14	1585	1796	343.958
3	2	93.6	14	1642		312.905
4	2	76.8	14	1771		47.403
5	2	69.1	14	1794		273.911
6	2	52	14	1761		274.288
7	2	74.4	14	1517		366.746
8	3	56.2	14	1818	1395	30.944
9	2	99.8	14	1714		648.361
10	2	71.6	14	1893		472.049
11	2	72.1	14	1467		115.266
12	1	97.5	14			642.514
13	2	77	14	1507		318.052
14	2	68.4	14	1154		392.789
15	2	78.4	14	1679		151.847
16	3	79.7	14	1456	1991	428.765
17	2	62.2	14	1527		219.982

TYPE 5 PARAMETER SHEET

Rohde & Schwarz Pulse Sequencer

Trial Number : 13

Bursts in Trial: 10

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	71.7	18	1019	1480	827.378
2	1	85.7	18			161.493
3	1	98.8	18			438.536
4	1	67	18			21.609
5	2	75.8	18	1257		463.752
6	1	77.7	18			447.435
7	2	91.5	18	1910		181.838
8	3	84.1	18	1999	1051	813.732
9	2	55.3	18	1493		235.765
10	3	76.3	18	1407	1719	525.318
11	2	88.4	18	1542		887.731
12	3	91.7	18	1721	1621	546.254
13	2	78.5	18	1070		190.977

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	84.2	15	1038		303.945
2	3	76.4	15	1081	1520	51.25
3	2	71.9	15	1710		290.24
4	3	86.2	15	1122	1870	704.7
5	2	74	15	1820		2.15
6	2	76.8	15	1862		352.52
7	2	96.4	15	1858		483.46
8	1	51.4	15			582.46
9	2	94.4	15	1878		781.66
10	2	75.7	15	1148		332.67
11	3	61.5	15	1240	1225	80.5
12	3	86.6	15	1172	1433	232.5

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	55.9	12			152.169
2	1	58.2	12			753.36
3	2	95.5	12	1802		614.62
4	3	90.8	12	1047	1477	542.17
5	1	67.3	12			631.68
6	2	52.3	12	1786		520.09
7	2	67.7	12	1888		120.42
8	3	55.5	12	1222	1773	180.52
9	3	50.5	12	1173	1938	476.38
10	1	59.6	12			185.08
11	2	55.8	12	1706		58.83
12	1	50.4	12			676.47
13	3	54.7	12	1194	1847	545.5
14	2	90.9	12	1832		425.7
15	2	93.4	12	1877		761.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	96.8	20	1280	1262	493.949
2	3	60.1	20	1937	1845	482.681
3	3	85.9	20	1659	1443	224.142
4	2	68.8	20	1227		236.643
5	3	99.2	20	1904	1584	234.054
6	2	55.2	20	1818		711.035
7	1	66.2	20			6.175
8	2	62.4	20	1981		117.716
9	3	75.2	20	1468	1357	345.627
10	3	78.4	20	1908	1600	237.718
11	1	98.5	20			632.309

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	76.2	6	1382		591.144
2	2	88.2	6	1518		601.681
3	2	95.8	6	1125		157.152
4	2	72.9	6	1809		339.363
5	1	95.5	6			131.114
6	2	85.2	6	1544		144.345
7	1	85	6			203.936
8	2	77.7	6	1174		47.787
9	2	77.5	6	1026		271.038
10	3	98.4	6	1754	1266	395.559
11	2	67.2	6	1339		55.941
12	3	89.5	6	1878	1651	569.832
13	3	75.3	6	1393	1942	351.103
14	2	57.7	6	1573		136.044
15	2	99.5	6	1372		10.105
16	2	61.3	6	1540		9.756
17	2	73.1	6	1483		263.937
18	3	92.6	6	1742	1307	16.058
19	3	85	6	1385	1944	273.879

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	68	5			478.437
2	2	90.9	5	1427		439.7
3	2	51.5	5	1904		600.9
4	2	96.4	5	1023		671.42
5	2	68.2	5	1514		463.07
6	2	54.5	5	1101		477.04
7	2	63.4	5	1115		225.87
8	2	64.6	5	1913		323.37
9	2	88.6	5	1126		438.82
10	3	84.3	5	1546	1176	314.29
11	2	89	5	1039		572.13
12	2	81.6	5	1559		16.44
13	2	72.4	5	1073		184.14
14	1	55.2	5			166.4
15	2	63.1	5	1514		380.1

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	76.7	15	1370		3.037
2	3	84	15	1125	1251	478.541
3	2	76.4	15	1137		446.592
4	1	68.8	15			140.333
5	1	65.6	15			502.874
6	2	87	15	1511		591.705
7	2	82.2	15	1641		0.736
8	3	52.5	15	1124	1796	44.877
9	2	55.2	15	1661		471.758
10	1	90.1	15			240.039
11	2	64.2	15	1604		42.261
12	3	83.3	15	1525	1338	342.492
13	2	57.6	15	1406		54.353
14	2	76.8	15	1417		606.564
15	3	88.3	15	1815	1971	535.815
16	2	62.3	15	1156		47.726
17	3	63.7	15	1369	1309	338.737
18	1	90.1	15			144.358
19	2	52.7	15	1799		220.279

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	88.3	6			699.229
2	2	73.4	6	1403		685.26
3	2	98.5	6	1543		634.37
4	1	75.9	6			674.43
5	2	70.5	6	1630		607.78
6	2	74.8	6	1959		113.42
7	2	59.5	6	1511		743.19
8	3	91.1	6	1290	1539	473.3
9	2	54.9	6	1374		554.18
10	1	65.7	6			773.11
11	2	54.4	6	1527		150.11
12	2	63.5	6	1851		318.78
13	2	90.2	6	1716		779.4
14	2	81.7	6	1407		123.5
15	3	93.9	6	1132	1298	456.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	78.4	9	1666		48.904
2	1	83.1	9			131.292
3	1	88.1	9			453.02
4	2	79.5	9	1120		387.74
5	2	87.1	9	1906		474.08
6	2	51.9	9	1310		532.83
7	1	97.1	9			642.76
8	1	59.2	9			739.07
9	2	62.1	9	1981		11.58
10	3	77.3	9	1709	1060	766.84
11	1	83.6	9			136.77
12	1	75.5	9			731.63
13	2	75.7	9	1113		387.68
14	2	55.1	9	1366		642
15	2	53.6	9	1629		233.1

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 8

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	78.6	18	1191		459.886
2	2	78.7	18	1915		447.691
3	2	55.3	18	1162		552.812
4	1	84.3	18			154.803
5	2	76.5	18	1301		105.844
6	1	58	18			155.895
7	2	96.2	18	1862		25.316
8	1	84.2	18			366.527
9	2	80.6	18	1025		341.798
10	2	88.7	18	1711		452.359
11	2	80.8	18	1546		374.601
12	2	57.7	18	1267		519.502
13	2	88.1	18	1353		392.813
14	3	74.7	18	1239	1398	566.834
15	3	93	18	1009	1193	417.105
16	2	78.2	18	1070		318.776
17	2	89.9	18	1382		244.237
18	1	73.4	18			303.458
19	3	65.4	18	1437	1667	181.979

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	79.1	19			103.284
2	1	98.9	19			573.031
3	1	82.7	19			589.092
4	3	69.9	19	1155	1598	261.163
5	1	80.5	19			447.604
6	3	88.2	19	1222	1569	511.955
7	1	88.2	19			20.816
8	3	94.3	19	1834	1518	152.187
9	1	77.5	19			605.888
10	3	70.9	19	1132	1747	501.589
11	2	85	19	1580		106.991
12	3	90	19	2000	1533	397.342
13	3	56.6	19	1733	1697	431.803
14	2	97.2	19	1351		363.514
15	1	54	19			323.305
16	3	79.9	19	1056	1695	585.616
17	2	57	19	1792		40.637
18	1	51.2	19			324.158
19	1	75.9	19			566.179

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	60.2	13	1101	1603	509.066
2	1	76.9	13			588.103
3	2	99.3	13	1754		373.266
4	2	84.8	13	1506		867.299
5	3	80.8	13	1150	1991	781.552
6	1	57	13			739.355
7	1	92.3	13			5.888
8	3	63.5	13	1186	1121	873.392
9	3	74.6	13	1374	1705	160.815
10	1	55.5	13			316.958
11	3	59	13	1103	1033	279.031
12	3	99.6	13	1079	1782	321.754
13	2	51.5	13	1777		477.577

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	97.7	11	1775		84.906
2	2	91.4	11	1132		6.185
3	3	85.4	11	1207	1424	6.037
4	1	62.6	11			578.3
5	2	77.4	11	1178		323.003
6	1	84	11			347.967
7	1	51.7	11			409.22
8	2	56.6	11	1403		346.803
9	3	64.4	11	1732	1375	251.177
10	2	95.4	11	1406		44.09
11	3	62.7	11	1402	1709	285.493
12	1	91.1	11			490.737
13	2	63.9	11	1837		71.29
14	3	79	11	1231	1790	636.023
15	2	66.7	11	1809		447.007
16	1	95	11			658.8
17	1	91.7	11			566.633
18	1	91.1	11			283.467

--

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.553	40	
2	5.51	5.25	40	
3	5.51	5.27	40	
4	5.51	5.43	40	
5	5.51	5.693	40	
6	5.51	5.397	40	
7	5.51	5.386	40	
8	5.51	5.646	40	
9	5.51	5.377	40	
10	5.51	5.506	40	
11	5.51	5.487	40	
12	5.51	5.585	40	
13	5.51	5.41	40	
14	5.51	5.439	40	
15	5.51	5.38	40	
16	5.51	5.462	40	
17	5.51	5.4	40	
18	5.51	5.441	40	
19	5.51	5.717	40	
20	5.51	5.469	40	
21	5.51	5.494	40	
22	5.51	5.419	40	
23	5.51	5.411	40	
24	5.51	5.619	40	
25	5.51	5.312	40	
26	5.51	5.452	40	
27	5.51	5.388	40	
28	5.51	5.349	40	
29	5.51	5.548	40	
30	5.51	5.485	40	
31	5.51	5.422	40	
32	5.51	5.598	40	
33	5.51	5.563	40	
34	5.51	5.524	40	
35	5.51	5.595	40	
36	5.51	5.572	40	
37	5.51	5.476	40	
38	5.51	5.31	40	*
39	5.51	5.65	40	
40	5.51	5.321	40	
41	5.51	5.287	40	
42	5.51	5.471	40	
43	5.51	5.566	40	
44	5.51	5.329	40	
45	5.51	5.707	40	
46	5.51	5.635	40	
47	5.51	5.708	40	

48	5.51	5.5	40	
49	5.51	5.37	40	
50	5.51	5.57	40	
51	5.51	5.44	40	
52	5.51	5.28	40	
53	5.51	5.486	40	
54	5.51	5.294	40	*
55	5.51	5.363	40	
56	5.51	5.641	40	
57	5.51	5.704	40	
58	5.51	5.652	40	
59	5.51	5.54	40	
60	5.51	5.562	40	
61	5.51	5.499	40	
62	5.51	5.612	40	
63	5.51	5.609	40	
64	5.51	5.579	40	
65	5.51	5.584	40	
66	5.51	5.291	40	*
67	5.51	5.316	40	
68	5.51	5.627	40	
69	5.51	5.508	40	
70	5.51	5.542	40	
71	5.51	5.33	40	
72	5.51	5.39	40	
73	5.51	5.353	40	
74	5.51	5.661	40	
75	5.51	5.496	40	
76	5.51	5.256	40	
77	5.51	5.357	40	
78	5.51	5.334	40	
79	5.51	5.259	40	
80	5.51	5.345	40	
81	5.51	5.324	40	
82	5.51	5.279	40	
83	5.51	5.482	40	
84	5.51	5.438	40	
85	5.51	5.253	40	
86	5.51	5.431	40	
87	5.51	5.521	40	
88	5.51	5.286	40	
89	5.51	5.456	40	
90	5.51	5.382	40	
91	5.51	5.477	40	
92	5.51	5.379	40	
93	5.51	5.534	40	
94	5.51	5.628	40	
95	5.51	5.408	40	
96	5.51	5.46	40	
97	5.51	5.297	40	*
98	5.51	5.325	40	
99	5.51	5.645	40	
100	5.51	5.654	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.514	40	
2	5.51	5.466	40	
3	5.51	5.258	40	
4	5.51	5.356	40	
5	5.51	5.489	40	
6	5.51	5.269	40	
7	5.51	5.509	40	
8	5.51	5.372	40	
9	5.51	5.434	40	
10	5.51	5.567	40	
11	5.51	5.482	40	
12	5.51	5.685	40	
13	5.51	5.692	40	
14	5.51	5.28	40	
15	5.51	5.63	40	
16	5.51	5.454	40	
17	5.51	5.278	40	
18	5.51	5.283	40	
19	5.51	5.476	40	
20	5.51	5.714	40	
21	5.51	5.298	40	*
22	5.51	5.463	40	
23	5.51	5.326	40	
24	5.51	5.647	40	
25	5.51	5.582	40	
26	5.51	5.374	40	
27	5.51	5.519	40	
28	5.51	5.644	40	
29	5.51	5.634	40	
30	5.51	5.67	40	
31	5.51	5.464	40	
32	5.51	5.259	40	
33	5.51	5.512	40	
34	5.51	5.496	40	
35	5.51	5.319	40	
36	5.51	5.409	40	
37	5.51	5.46	40	
38	5.51	5.677	40	
39	5.51	5.589	40	
40	5.51	5.328	40	
41	5.51	5.638	40	
42	5.51	5.568	40	
43	5.51	5.503	40	
44	5.51	5.661	40	
45	5.51	5.29	40	*
46	5.51	5.517	40	
47	5.51	5.662	40	

48	5.51	5.623	40	
49	5.51	5.306	40	*
50	5.51	5.387	40	
51	5.51	5.435	40	
52	5.51	5.686	40	
53	5.51	5.527	40	
54	5.51	5.529	40	
55	5.51	5.394	40	
56	5.51	5.48	40	
57	5.51	5.276	40	
58	5.51	5.53	40	
59	5.51	5.499	40	
60	5.51	5.639	40	
61	5.51	5.7	40	
62	5.51	5.38	40	
63	5.51	5.525	40	
64	5.51	5.658	40	
65	5.51	5.672	40	
66	5.51	5.344	40	
67	5.51	5.675	40	
68	5.51	5.371	40	
69	5.51	5.663	40	
70	5.51	5.397	40	
71	5.51	5.611	40	
72	5.51	5.518	40	
73	5.51	5.619	40	
74	5.51	5.424	40	
75	5.51	5.37	40	
76	5.51	5.442	40	
77	5.51	5.664	40	
78	5.51	5.316	40	
79	5.51	5.671	40	
80	5.51	5.665	40	
81	5.51	5.378	40	
82	5.51	5.436	40	
83	5.51	5.332	40	
84	5.51	5.291	40	*
85	5.51	5.637	40	
86	5.51	5.438	40	
87	5.51	5.375	40	
88	5.51	5.706	40	
89	5.51	5.461	40	
90	5.51	5.668	40	
91	5.51	5.465	40	
92	5.51	5.711	40	
93	5.51	5.402	40	
94	5.51	5.613	40	
95	5.51	5.595	40	
96	5.51	5.713	40	
97	5.51	5.703	40	
98	5.51	5.579	40	
99	5.51	5.549	40	
100	5.51	5.538	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.416	40	
2	5.51	5.652	40	
3	5.51	5.43	40	
4	5.51	5.676	40	
5	5.51	5.507	40	
6	5.51	5.285	40	
7	5.51	5.52	40	
8	5.51	5.55	40	
9	5.51	5.623	40	
10	5.51	5.306	40	*
11	5.51	5.467	40	
12	5.51	5.438	40	
13	5.51	5.689	40	
14	5.51	5.665	40	
15	5.51	5.393	40	
16	5.51	5.643	40	
17	5.51	5.377	40	
18	5.51	5.491	40	
19	5.51	5.271	40	
20	5.51	5.704	40	
21	5.51	5.646	40	
22	5.51	5.706	40	
23	5.51	5.515	40	
24	5.51	5.697	40	
25	5.51	5.46	40	
26	5.51	5.558	40	
27	5.51	5.595	40	
28	5.51	5.457	40	
29	5.51	5.539	40	
30	5.51	5.262	40	
31	5.51	5.696	40	
32	5.51	5.597	40	
33	5.51	5.456	40	
34	5.51	5.436	40	
35	5.51	5.588	40	
36	5.51	5.528	40	
37	5.51	5.398	40	
38	5.51	5.718	40	
39	5.51	5.598	40	
40	5.51	5.552	40	
41	5.51	5.378	40	
42	5.51	5.694	40	
43	5.51	5.301	40	*
44	5.51	5.327	40	
45	5.51	5.561	40	
46	5.51	5.357	40	
47	5.51	5.461	40	

48	5.51	5.44	40	
49	5.51	5.578	40	
50	5.51	5.678	40	
51	5.51	5.315	40	
52	5.51	5.433	40	
53	5.51	5.427	40	
54	5.51	5.344	40	
55	5.51	5.257	40	
56	5.51	5.476	40	
57	5.51	5.42	40	
58	5.51	5.468	40	
59	5.51	5.625	40	
60	5.51	5.651	40	
61	5.51	5.274	40	
62	5.51	5.399	40	
63	5.51	5.441	40	
64	5.51	5.258	40	
65	5.51	5.335	40	
66	5.51	5.498	40	
67	5.51	5.446	40	
68	5.51	5.669	40	
69	5.51	5.543	40	
70	5.51	5.64	40	
71	5.51	5.273	40	
72	5.51	5.618	40	
73	5.51	5.254	40	
74	5.51	5.311	40	
75	5.51	5.554	40	
76	5.51	5.261	40	
77	5.51	5.681	40	
78	5.51	5.336	40	
79	5.51	5.621	40	
80	5.51	5.281	40	
81	5.51	5.691	40	
82	5.51	5.711	40	
83	5.51	5.675	40	
84	5.51	5.389	40	
85	5.51	5.502	40	
86	5.51	5.644	40	
87	5.51	5.488	40	
88	5.51	5.465	40	
89	5.51	5.701	40	
90	5.51	5.61	40	
91	5.51	5.519	40	
92	5.51	5.317	40	
93	5.51	5.583	40	
94	5.51	5.413	40	
95	5.51	5.503	40	
96	5.51	5.634	40	
97	5.51	5.514	40	
98	5.51	5.325	40	
99	5.51	5.522	40	
100	5.51	5.292	40	*

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.657	40	
2	5.51	5.411	40	
3	5.51	5.284	40	
4	5.51	5.449	40	
5	5.51	5.458	40	
6	5.51	5.419	40	
7	5.51	5.604	40	
8	5.51	5.29	40	*
9	5.51	5.276	40	
10	5.51	5.585	40	
11	5.51	5.257	40	
12	5.51	5.323	40	
13	5.51	5.329	40	
14	5.51	5.508	40	
15	5.51	5.6	40	
16	5.51	5.516	40	
17	5.51	5.482	40	
18	5.51	5.35	40	
19	5.51	5.634	40	
20	5.51	5.455	40	
21	5.51	5.473	40	
22	5.51	5.406	40	
23	5.51	5.628	40	
24	5.51	5.707	40	
25	5.51	5.301	40	*
26	5.51	5.429	40	
27	5.51	5.596	40	
28	5.51	5.714	40	
29	5.51	5.465	40	
30	5.51	5.313	40	
31	5.51	5.672	40	
32	5.51	5.51	40	
33	5.51	5.605	40	
34	5.51	5.643	40	
35	5.51	5.303	40	*
36	5.51	5.579	40	
37	5.51	5.396	40	
38	5.51	5.391	40	
39	5.51	5.543	40	
40	5.51	5.501	40	
41	5.51	5.273	40	
42	5.51	5.507	40	
43	5.51	5.254	40	
44	5.51	5.503	40	
45	5.51	5.606	40	
46	5.51	5.638	40	
47	5.51	5.674	40	

48	5.51	5.71	40	
49	5.51	5.42	40	
50	5.51	5.58	40	
51	5.51	5.283	40	
52	5.51	5.63	40	
53	5.51	5.677	40	
54	5.51	5.548	40	
55	5.51	5.721	40	
56	5.51	5.401	40	
57	5.51	5.383	40	
58	5.51	5.5	40	
59	5.51	5.251	40	
60	5.51	5.43	40	
61	5.51	5.484	40	
62	5.51	5.704	40	
63	5.51	5.25	40	
64	5.51	5.562	40	
65	5.51	5.709	40	
66	5.51	5.394	40	
67	5.51	5.539	40	
68	5.51	5.623	40	
69	5.51	5.542	40	
70	5.51	5.439	40	
71	5.51	5.426	40	
72	5.51	5.667	40	
73	5.51	5.428	40	
74	5.51	5.524	40	
75	5.51	5.498	40	
76	5.51	5.362	40	
77	5.51	5.34	40	
78	5.51	5.603	40	
79	5.51	5.563	40	
80	5.51	5.589	40	
81	5.51	5.698	40	
82	5.51	5.514	40	
83	5.51	5.367	40	
84	5.51	5.538	40	
85	5.51	5.451	40	
86	5.51	5.4	40	
87	5.51	5.395	40	
88	5.51	5.651	40	
89	5.51	5.578	40	
90	5.51	5.468	40	
91	5.51	5.349	40	
92	5.51	5.304	40	*
93	5.51	5.397	40	
94	5.51	5.479	40	
95	5.51	5.462	40	
96	5.51	5.333	40	
97	5.51	5.527	40	
98	5.51	5.545	40	
99	5.51	5.661	40	
100	5.51	5.584	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.259	40	
2	5.51	5.317	40	
3	5.51	5.664	40	
4	5.51	5.573	40	
5	5.51	5.661	40	
6	5.51	5.383	40	
7	5.51	5.527	40	
8	5.51	5.327	40	
9	5.51	5.493	40	
10	5.51	5.697	40	
11	5.51	5.447	40	
12	5.51	5.269	40	
13	5.51	5.319	40	
14	5.51	5.384	40	
15	5.51	5.624	40	
16	5.51	5.443	40	
17	5.51	5.547	40	
18	5.51	5.379	40	
19	5.51	5.595	40	
20	5.51	5.508	40	
21	5.51	5.701	40	
22	5.51	5.559	40	
23	5.51	5.446	40	
24	5.51	5.257	40	
25	5.51	5.707	40	
26	5.51	5.326	40	
27	5.51	5.323	40	
28	5.51	5.352	40	
29	5.51	5.484	40	
30	5.51	5.414	40	
31	5.51	5.598	40	
32	5.51	5.656	40	
33	5.51	5.318	40	
34	5.51	5.703	40	
35	5.51	5.4	40	
36	5.51	5.424	40	
37	5.51	5.337	40	
38	5.51	5.474	40	
39	5.51	5.603	40	
40	5.51	5.49	40	
41	5.51	5.626	40	
42	5.51	5.391	40	
43	5.51	5.604	40	
44	5.51	5.545	40	
45	5.51	5.286	40	
46	5.51	5.681	40	
47	5.51	5.558	40	

48	5.51	5.429	40	
49	5.51	5.579	40	
50	5.51	5.506	40	
51	5.51	5.436	40	
52	5.51	5.274	40	
53	5.51	5.462	40	
54	5.51	5.55	40	
55	5.51	5.683	40	
56	5.51	5.56	40	
57	5.51	5.373	40	
58	5.51	5.592	40	
59	5.51	5.524	40	
60	5.51	5.719	40	
61	5.51	5.543	40	
62	5.51	5.389	40	
63	5.51	5.566	40	
64	5.51	5.525	40	
65	5.51	5.528	40	
66	5.51	5.567	40	
67	5.51	5.555	40	
68	5.51	5.575	40	
69	5.51	5.296	40	*
70	5.51	5.541	40	
71	5.51	5.392	40	
72	5.51	5.276	40	
73	5.51	5.696	40	
74	5.51	5.423	40	
75	5.51	5.693	40	
76	5.51	5.396	40	
77	5.51	5.292	40	*
78	5.51	5.551	40	
79	5.51	5.364	40	
80	5.51	5.385	40	
81	5.51	5.629	40	
82	5.51	5.251	40	
83	5.51	5.694	40	
84	5.51	5.489	40	
85	5.51	5.331	40	
86	5.51	5.478	40	
87	5.51	5.608	40	
88	5.51	5.287	40	
89	5.51	5.252	40	
90	5.51	5.452	40	
91	5.51	5.691	40	
92	5.51	5.425	40	
93	5.51	5.358	40	
94	5.51	5.531	40	
95	5.51	5.487	40	
96	5.51	5.387	40	
97	5.51	5.359	40	
98	5.51	5.449	40	
99	5.51	5.256	40	
100	5.51	5.583	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.279	40	
2	5.51	5.508	40	
3	5.51	5.449	40	
4	5.51	5.676	40	
5	5.51	5.484	40	
6	5.51	5.303	40	*
7	5.51	5.567	40	
8	5.51	5.482	40	
9	5.51	5.35	40	
10	5.51	5.329	40	
11	5.51	5.471	40	
12	5.51	5.314	40	
13	5.51	5.648	40	
14	5.51	5.468	40	
15	5.51	5.645	40	
16	5.51	5.475	40	
17	5.51	5.46	40	
18	5.51	5.463	40	
19	5.51	5.603	40	
20	5.51	5.507	40	
21	5.51	5.437	40	
22	5.51	5.525	40	
23	5.51	5.4	40	
24	5.51	5.666	40	
25	5.51	5.434	40	
26	5.51	5.605	40	
27	5.51	5.592	40	
28	5.51	5.43	40	
29	5.51	5.363	40	
30	5.51	5.581	40	
31	5.51	5.424	40	
32	5.51	5.394	40	
33	5.51	5.337	40	
34	5.51	5.601	40	
35	5.51	5.323	40	
36	5.51	5.492	40	
37	5.51	5.298	40	*
38	5.51	5.524	40	
39	5.51	5.535	40	
40	5.51	5.565	40	
41	5.51	5.288	40	
42	5.51	5.372	40	
43	5.51	5.557	40	
44	5.51	5.351	40	
45	5.51	5.705	40	
46	5.51	5.466	40	
47	5.51	5.476	40	

48	5.51	5.289	40	
49	5.51	5.417	40	
50	5.51	5.719	40	
51	5.51	5.307	40	*
52	5.51	5.283	40	
53	5.51	5.399	40	
54	5.51	5.333	40	
55	5.51	5.509	40	
56	5.51	5.353	40	
57	5.51	5.374	40	
58	5.51	5.576	40	
59	5.51	5.587	40	
60	5.51	5.451	40	
61	5.51	5.284	40	
62	5.51	5.717	40	
63	5.51	5.7	40	
64	5.51	5.282	40	
65	5.51	5.653	40	
66	5.51	5.393	40	
67	5.51	5.667	40	
68	5.51	5.546	40	
69	5.51	5.49	40	
70	5.51	5.583	40	
71	5.51	5.709	40	
72	5.51	5.628	40	
73	5.51	5.596	40	
74	5.51	5.433	40	
75	5.51	5.554	40	
76	5.51	5.31	40	*
77	5.51	5.675	40	
78	5.51	5.316	40	
79	5.51	5.415	40	
80	5.51	5.414	40	
81	5.51	5.36	40	
82	5.51	5.678	40	
83	5.51	5.441	40	
84	5.51	5.332	40	
85	5.51	5.389	40	
86	5.51	5.693	40	
87	5.51	5.63	40	
88	5.51	5.691	40	
89	5.51	5.409	40	
90	5.51	5.299	40	*
91	5.51	5.446	40	
92	5.51	5.72	40	
93	5.51	5.578	40	
94	5.51	5.47	40	
95	5.51	5.32	40	
96	5.51	5.519	40	
97	5.51	5.358	40	
98	5.51	5.257	40	
99	5.51	5.423	40	
100	5.51	5.412	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.32	40	
2	5.51	5.401	40	
3	5.51	5.34	40	
4	5.51	5.489	40	
5	5.51	5.637	40	
6	5.51	5.262	40	
7	5.51	5.384	40	
8	5.51	5.279	40	
9	5.51	5.414	40	
10	5.51	5.572	40	
11	5.51	5.398	40	
12	5.51	5.437	40	
13	5.51	5.446	40	
14	5.51	5.598	40	
15	5.51	5.712	40	
16	5.51	5.513	40	
17	5.51	5.416	40	
18	5.51	5.645	40	
19	5.51	5.632	40	
20	5.51	5.342	40	
21	5.51	5.408	40	
22	5.51	5.52	40	
23	5.51	5.583	40	
24	5.51	5.388	40	
25	5.51	5.303	40	*
26	5.51	5.456	40	
27	5.51	5.702	40	
28	5.51	5.608	40	
29	5.51	5.263	40	
30	5.51	5.361	40	
31	5.51	5.405	40	
32	5.51	5.468	40	
33	5.51	5.652	40	
34	5.51	5.669	40	
35	5.51	5.517	40	
36	5.51	5.297	40	*
37	5.51	5.565	40	
38	5.51	5.306	40	*
39	5.51	5.597	40	
40	5.51	5.617	40	
41	5.51	5.422	40	
42	5.51	5.705	40	
43	5.51	5.462	40	
44	5.51	5.371	40	
45	5.51	5.687	40	
46	5.51	5.482	40	
47	5.51	5.282	40	

48	5.51	5.315	40	
49	5.51	5.428	40	
50	5.51	5.269	40	
51	5.51	5.334	40	
52	5.51	5.667	40	
53	5.51	5.338	40	
54	5.51	5.499	40	
55	5.51	5.321	40	
56	5.51	5.256	40	
57	5.51	5.643	40	
58	5.51	5.399	40	
59	5.51	5.28	40	
60	5.51	5.577	40	
61	5.51	5.423	40	
62	5.51	5.25	40	
63	5.51	5.601	40	
64	5.51	5.417	40	
65	5.51	5.546	40	
66	5.51	5.679	40	
67	5.51	5.365	40	
68	5.51	5.379	40	
69	5.51	5.299	40	*
70	5.51	5.62	40	
71	5.51	5.341	40	
72	5.51	5.375	40	
73	5.51	5.283	40	
74	5.51	5.366	40	
75	5.51	5.473	40	
76	5.51	5.655	40	
77	5.51	5.64	40	
78	5.51	5.581	40	
79	5.51	5.293	40	*
80	5.51	5.569	40	
81	5.51	5.381	40	
82	5.51	5.418	40	
83	5.51	5.599	40	
84	5.51	5.529	40	
85	5.51	5.625	40	
86	5.51	5.644	40	
87	5.51	5.536	40	
88	5.51	5.557	40	
89	5.51	5.658	40	
90	5.51	5.635	40	
91	5.51	5.353	40	
92	5.51	5.453	40	
93	5.51	5.717	40	
94	5.51	5.373	40	
95	5.51	5.502	40	
96	5.51	5.288	40	
97	5.51	5.404	40	
98	5.51	5.429	40	
99	5.51	5.66	40	
100	5.51	5.51	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.261	40	
2	5.51	5.669	40	
3	5.51	5.524	40	
4	5.51	5.605	40	
5	5.51	5.528	40	
6	5.51	5.703	40	
7	5.51	5.564	40	
8	5.51	5.575	40	
9	5.51	5.311	40	
10	5.51	5.357	40	
11	5.51	5.468	40	
12	5.51	5.329	40	
13	5.51	5.407	40	
14	5.51	5.705	40	
15	5.51	5.661	40	
16	5.51	5.574	40	
17	5.51	5.555	40	
18	5.51	5.302	40	*
19	5.51	5.572	40	
20	5.51	5.492	40	
21	5.51	5.251	40	
22	5.51	5.71	40	
23	5.51	5.53	40	
24	5.51	5.72	40	
25	5.51	5.439	40	
26	5.51	5.364	40	
27	5.51	5.263	40	
28	5.51	5.503	40	
29	5.51	5.384	40	
30	5.51	5.617	40	
31	5.51	5.324	40	
32	5.51	5.464	40	
33	5.51	5.637	40	
34	5.51	5.488	40	
35	5.51	5.469	40	
36	5.51	5.426	40	
37	5.51	5.481	40	
38	5.51	5.533	40	
39	5.51	5.65	40	
40	5.51	5.688	40	
41	5.51	5.697	40	
42	5.51	5.38	40	
43	5.51	5.33	40	
44	5.51	5.498	40	
45	5.51	5.298	40	*
46	5.51	5.271	40	
47	5.51	5.685	40	

48	5.51	5.656	40	
49	5.51	5.46	40	
50	5.51	5.698	40	
51	5.51	5.431	40	
52	5.51	5.408	40	
53	5.51	5.389	40	
54	5.51	5.619	40	
55	5.51	5.499	40	
56	5.51	5.716	40	
57	5.51	5.54	40	
58	5.51	5.304	40	*
59	5.51	5.351	40	
60	5.51	5.591	40	
61	5.51	5.649	40	
62	5.51	5.399	40	
63	5.51	5.639	40	
64	5.51	5.613	40	
65	5.51	5.663	40	
66	5.51	5.28	40	
67	5.51	5.607	40	
68	5.51	5.521	40	
69	5.51	5.684	40	
70	5.51	5.565	40	
71	5.51	5.679	40	
72	5.51	5.257	40	
73	5.51	5.344	40	
74	5.51	5.542	40	
75	5.51	5.424	40	
76	5.51	5.687	40	
77	5.51	5.652	40	
78	5.51	5.361	40	
79	5.51	5.319	40	
80	5.51	5.57	40	
81	5.51	5.252	40	
82	5.51	5.579	40	
83	5.51	5.707	40	
84	5.51	5.629	40	
85	5.51	5.393	40	
86	5.51	5.646	40	
87	5.51	5.691	40	
88	5.51	5.285	40	
89	5.51	5.63	40	
90	5.51	5.713	40	
91	5.51	5.609	40	
92	5.51	5.566	40	
93	5.51	5.551	40	
94	5.51	5.323	40	
95	5.51	5.367	40	
96	5.51	5.335	40	
97	5.51	5.337	40	
98	5.51	5.694	40	
99	5.51	5.331	40	
100	5.51	5.588	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.613	40	
2	5.51	5.435	40	
3	5.51	5.664	40	
4	5.51	5.705	40	
5	5.51	5.353	40	
6	5.51	5.634	40	
7	5.51	5.321	40	
8	5.51	5.276	40	
9	5.51	5.483	40	
10	5.51	5.419	40	
11	5.51	5.571	40	
12	5.51	5.54	40	
13	5.51	5.463	40	
14	5.51	5.467	40	
15	5.51	5.625	40	
16	5.51	5.561	40	
17	5.51	5.397	40	
18	5.51	5.368	40	
19	5.51	5.341	40	
20	5.51	5.714	40	
21	5.51	5.343	40	
22	5.51	5.322	40	
23	5.51	5.405	40	
24	5.51	5.537	40	
25	5.51	5.475	40	
26	5.51	5.416	40	
27	5.51	5.362	40	
28	5.51	5.367	40	
29	5.51	5.331	40	
30	5.51	5.458	40	
31	5.51	5.59	40	
32	5.51	5.685	40	
33	5.51	5.624	40	
34	5.51	5.282	40	
35	5.51	5.427	40	
36	5.51	5.617	40	
37	5.51	5.267	40	
38	5.51	5.494	40	
39	5.51	5.414	40	
40	5.51	5.334	40	
41	5.51	5.388	40	
42	5.51	5.538	40	
43	5.51	5.349	40	
44	5.51	5.413	40	
45	5.51	5.71	40	
46	5.51	5.556	40	
47	5.51	5.313	40	

48	5.51	5.372	40	
49	5.51	5.647	40	
50	5.51	5.6	40	
51	5.51	5.449	40	
52	5.51	5.534	40	
53	5.51	5.678	40	
54	5.51	5.607	40	
55	5.51	5.662	40	
56	5.51	5.396	40	
57	5.51	5.469	40	
58	5.51	5.505	40	
59	5.51	5.632	40	
60	5.51	5.501	40	
61	5.51	5.545	40	
62	5.51	5.255	40	
63	5.51	5.252	40	
64	5.51	5.383	40	
65	5.51	5.547	40	
66	5.51	5.507	40	
67	5.51	5.294	40	*
68	5.51	5.656	40	
69	5.51	5.594	40	
70	5.51	5.339	40	
71	5.51	5.52	40	
72	5.51	5.296	40	*
73	5.51	5.471	40	
74	5.51	5.371	40	
75	5.51	5.626	40	
76	5.51	5.385	40	
77	5.51	5.347	40	
78	5.51	5.707	40	
79	5.51	5.323	40	
80	5.51	5.546	40	
81	5.51	5.621	40	
82	5.51	5.543	40	
83	5.51	5.359	40	
84	5.51	5.301	40	*
85	5.51	5.539	40	
86	5.51	5.567	40	
87	5.51	5.348	40	
88	5.51	5.387	40	
89	5.51	5.506	40	
90	5.51	5.363	40	
91	5.51	5.502	40	
92	5.51	5.661	40	
93	5.51	5.697	40	
94	5.51	5.288	40	
95	5.51	5.38	40	
96	5.51	5.454	40	
97	5.51	5.65	40	
98	5.51	5.377	40	
99	5.51	5.336	40	
100	5.51	5.592	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.492	40	
2	5.51	5.56	40	
3	5.51	5.386	40	
4	5.51	5.523	40	
5	5.51	5.548	40	
6	5.51	5.461	40	
7	5.51	5.439	40	
8	5.51	5.256	40	
9	5.51	5.406	40	
10	5.51	5.264	40	
11	5.51	5.268	40	
12	5.51	5.377	40	
13	5.51	5.706	40	
14	5.51	5.512	40	
15	5.51	5.619	40	
16	5.51	5.363	40	
17	5.51	5.258	40	
18	5.51	5.493	40	
19	5.51	5.355	40	
20	5.51	5.425	40	
21	5.51	5.533	40	
22	5.51	5.288	40	
23	5.51	5.723	40	
24	5.51	5.571	40	
25	5.51	5.456	40	
26	5.51	5.39	40	
27	5.51	5.638	40	
28	5.51	5.689	40	
29	5.51	5.63	40	
30	5.51	5.659	40	
31	5.51	5.353	40	
32	5.51	5.618	40	
33	5.51	5.272	40	
34	5.51	5.307	40	*
35	5.51	5.573	40	
36	5.51	5.613	40	
37	5.51	5.376	40	
38	5.51	5.314	40	
39	5.51	5.484	40	
40	5.51	5.631	40	
41	5.51	5.427	40	
42	5.51	5.605	40	
43	5.51	5.412	40	
44	5.51	5.482	40	
45	5.51	5.48	40	
46	5.51	5.496	40	
47	5.51	5.569	40	

48	5.51	5.267	40	
49	5.51	5.546	40	
50	5.51	5.502	40	
51	5.51	5.29	40	*
52	5.51	5.374	40	
53	5.51	5.275	40	
54	5.51	5.538	40	
55	5.51	5.313	40	
56	5.51	5.42	40	
57	5.51	5.591	40	
58	5.51	5.584	40	
59	5.51	5.695	40	
60	5.51	5.417	40	
61	5.51	5.357	40	
62	5.51	5.259	40	
63	5.51	5.662	40	
64	5.51	5.388	40	
65	5.51	5.528	40	
66	5.51	5.413	40	
67	5.51	5.711	40	
68	5.51	5.297	40	*
69	5.51	5.623	40	
70	5.51	5.403	40	
71	5.51	5.339	40	
72	5.51	5.589	40	
73	5.51	5.49	40	
74	5.51	5.555	40	
75	5.51	5.691	40	
76	5.51	5.632	40	
77	5.51	5.693	40	
78	5.51	5.5	40	
79	5.51	5.311	40	
80	5.51	5.562	40	
81	5.51	5.566	40	
82	5.51	5.643	40	
83	5.51	5.503	40	
84	5.51	5.396	40	
85	5.51	5.385	40	
86	5.51	5.686	40	
87	5.51	5.372	40	
88	5.51	5.279	40	
89	5.51	5.696	40	
90	5.51	5.491	40	
91	5.51	5.265	40	
92	5.51	5.602	40	
93	5.51	5.261	40	
94	5.51	5.375	40	
95	5.51	5.449	40	
96	5.51	5.559	40	
97	5.51	5.629	40	
98	5.51	5.394	40	
99	5.51	5.421	40	
100	5.51	5.633	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.654	40	
2	5.51	5.579	40	
3	5.51	5.585	40	
4	5.51	5.433	40	
5	5.51	5.265	40	
6	5.51	5.544	40	
7	5.51	5.657	40	
8	5.51	5.647	40	
9	5.51	5.444	40	
10	5.51	5.632	40	
11	5.51	5.695	40	
12	5.51	5.379	40	
13	5.51	5.702	40	
14	5.51	5.372	40	
15	5.51	5.564	40	
16	5.51	5.351	40	
17	5.51	5.62	40	
18	5.51	5.563	40	
19	5.51	5.649	40	
20	5.51	5.722	40	
21	5.51	5.403	40	
22	5.51	5.346	40	
23	5.51	5.373	40	
24	5.51	5.606	40	
25	5.51	5.36	40	
26	5.51	5.435	40	
27	5.51	5.28	40	
28	5.51	5.389	40	
29	5.51	5.288	40	
30	5.51	5.686	40	
31	5.51	5.353	40	
32	5.51	5.392	40	
33	5.51	5.515	40	
34	5.51	5.344	40	
35	5.51	5.607	40	
36	5.51	5.258	40	
37	5.51	5.677	40	
38	5.51	5.548	40	
39	5.51	5.507	40	
40	5.51	5.63	40	
41	5.51	5.257	40	
42	5.51	5.357	40	
43	5.51	5.359	40	
44	5.51	5.706	40	
45	5.51	5.349	40	
46	5.51	5.609	40	
47	5.51	5.422	40	

48	5.51	5.443	40	
49	5.51	5.431	40	
50	5.51	5.503	40	
51	5.51	5.714	40	
52	5.51	5.627	40	
53	5.51	5.622	40	
54	5.51	5.715	40	
55	5.51	5.427	40	
56	5.51	5.462	40	
57	5.51	5.338	40	
58	5.51	5.391	40	
59	5.51	5.619	40	
60	5.51	5.25	40	
61	5.51	5.405	40	
62	5.51	5.271	40	
63	5.51	5.612	40	
64	5.51	5.4	40	
65	5.51	5.618	40	
66	5.51	5.407	40	
67	5.51	5.596	40	
68	5.51	5.441	40	
69	5.51	5.41	40	
70	5.51	5.552	40	
71	5.51	5.615	40	
72	5.51	5.358	40	
73	5.51	5.586	40	
74	5.51	5.598	40	
75	5.51	5.482	40	
76	5.51	5.656	40	
77	5.51	5.325	40	
78	5.51	5.504	40	
79	5.51	5.549	40	
80	5.51	5.43	40	
81	5.51	5.534	40	
82	5.51	5.49	40	
83	5.51	5.718	40	
84	5.51	5.523	40	
85	5.51	5.421	40	
86	5.51	5.591	40	
87	5.51	5.376	40	
88	5.51	5.283	40	
89	5.51	5.561	40	
90	5.51	5.327	40	
91	5.51	5.31	40	*
92	5.51	5.408	40	
93	5.51	5.471	40	
94	5.51	5.635	40	
95	5.51	5.513	40	
96	5.51	5.603	40	
97	5.51	5.634	40	
98	5.51	5.413	40	
99	5.51	5.712	40	
100	5.51	5.617	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.508	40	
2	5.51	5.323	40	
3	5.51	5.257	40	
4	5.51	5.423	40	
5	5.51	5.31	40	*
6	5.51	5.511	40	
7	5.51	5.297	40	*
8	5.51	5.336	40	
9	5.51	5.573	40	
10	5.51	5.666	40	
11	5.51	5.553	40	
12	5.51	5.484	40	
13	5.51	5.469	40	
14	5.51	5.488	40	
15	5.51	5.431	40	
16	5.51	5.26	40	
17	5.51	5.282	40	
18	5.51	5.606	40	
19	5.51	5.258	40	
20	5.51	5.487	40	
21	5.51	5.655	40	
22	5.51	5.512	40	
23	5.51	5.286	40	
24	5.51	5.556	40	
25	5.51	5.494	40	
26	5.51	5.585	40	
27	5.51	5.626	40	
28	5.51	5.294	40	*
29	5.51	5.449	40	
30	5.51	5.591	40	
31	5.51	5.379	40	
32	5.51	5.303	40	*
33	5.51	5.296	40	*
34	5.51	5.582	40	
35	5.51	5.428	40	
36	5.51	5.313	40	
37	5.51	5.671	40	
38	5.51	5.394	40	
39	5.51	5.468	40	
40	5.51	5.677	40	
41	5.51	5.565	40	
42	5.51	5.527	40	
43	5.51	5.293	40	*
44	5.51	5.398	40	
45	5.51	5.535	40	
46	5.51	5.442	40	
47	5.51	5.393	40	

48	5.51	5.526	40	
49	5.51	5.362	40	
50	5.51	5.518	40	
51	5.51	5.593	40	
52	5.51	5.516	40	
53	5.51	5.547	40	
54	5.51	5.536	40	
55	5.51	5.572	40	
56	5.51	5.471	40	
57	5.51	5.7	40	
58	5.51	5.422	40	
59	5.51	5.524	40	
60	5.51	5.649	40	
61	5.51	5.42	40	
62	5.51	5.528	40	
63	5.51	5.562	40	
64	5.51	5.307	40	*
65	5.51	5.668	40	
66	5.51	5.692	40	
67	5.51	5.292	40	*
68	5.51	5.326	40	
69	5.51	5.253	40	
70	5.51	5.325	40	
71	5.51	5.461	40	
72	5.51	5.299	40	*
73	5.51	5.574	40	
74	5.51	5.69	40	
75	5.51	5.473	40	
76	5.51	5.705	40	
77	5.51	5.522	40	
78	5.51	5.289	40	
79	5.51	5.664	40	
80	5.51	5.262	40	
81	5.51	5.519	40	
82	5.51	5.596	40	
83	5.51	5.264	40	
84	5.51	5.713	40	
85	5.51	5.392	40	
86	5.51	5.433	40	
87	5.51	5.396	40	
88	5.51	5.284	40	
89	5.51	5.295	40	*
90	5.51	5.389	40	
91	5.51	5.711	40	
92	5.51	5.271	40	
93	5.51	5.679	40	
94	5.51	5.39	40	
95	5.51	5.575	40	
96	5.51	5.334	40	
97	5.51	5.372	40	
98	5.51	5.722	40	
99	5.51	5.421	40	
100	5.51	5.403	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.72	40	
2	5.51	5.361	40	
3	5.51	5.667	40	
4	5.51	5.624	40	
5	5.51	5.571	40	
6	5.51	5.318	40	
7	5.51	5.605	40	
8	5.51	5.29	40	*
9	5.51	5.631	40	
10	5.51	5.717	40	
11	5.51	5.411	40	
12	5.51	5.485	40	
13	5.51	5.606	40	
14	5.51	5.328	40	
15	5.51	5.293	40	*
16	5.51	5.533	40	
17	5.51	5.622	40	
18	5.51	5.315	40	
19	5.51	5.515	40	
20	5.51	5.414	40	
21	5.51	5.48	40	
22	5.51	5.468	40	
23	5.51	5.62	40	
24	5.51	5.41	40	
25	5.51	5.716	40	
26	5.51	5.285	40	
27	5.51	5.299	40	*
28	5.51	5.454	40	
29	5.51	5.639	40	
30	5.51	5.493	40	
31	5.51	5.251	40	
32	5.51	5.268	40	
33	5.51	5.444	40	
34	5.51	5.61	40	
35	5.51	5.7	40	
36	5.51	5.482	40	
37	5.51	5.47	40	
38	5.51	5.653	40	
39	5.51	5.563	40	
40	5.51	5.364	40	
41	5.51	5.706	40	
42	5.51	5.477	40	
43	5.51	5.275	40	
44	5.51	5.546	40	
45	5.51	5.636	40	
46	5.51	5.432	40	
47	5.51	5.559	40	

48	5.51	5.722	40	
49	5.51	5.527	40	
50	5.51	5.283	40	
51	5.51	5.419	40	
52	5.51	5.324	40	
53	5.51	5.447	40	
54	5.51	5.371	40	
55	5.51	5.689	40	
56	5.51	5.38	40	
57	5.51	5.646	40	
58	5.51	5.599	40	
59	5.51	5.284	40	
60	5.51	5.654	40	
61	5.51	5.575	40	
62	5.51	5.366	40	
63	5.51	5.663	40	
64	5.51	5.711	40	
65	5.51	5.547	40	
66	5.51	5.418	40	
67	5.51	5.556	40	
68	5.51	5.282	40	
69	5.51	5.388	40	
70	5.51	5.393	40	
71	5.51	5.638	40	
72	5.51	5.288	40	
73	5.51	5.403	40	
74	5.51	5.383	40	
75	5.51	5.565	40	
76	5.51	5.675	40	
77	5.51	5.693	40	
78	5.51	5.274	40	
79	5.51	5.535	40	
80	5.51	5.332	40	
81	5.51	5.715	40	
82	5.51	5.633	40	
83	5.51	5.632	40	
84	5.51	5.398	40	
85	5.51	5.443	40	
86	5.51	5.3	40	*
87	5.51	5.596	40	
88	5.51	5.343	40	
89	5.51	5.577	40	
90	5.51	5.552	40	
91	5.51	5.36	40	
92	5.51	5.467	40	
93	5.51	5.63	40	
94	5.51	5.627	40	
95	5.51	5.39	40	
96	5.51	5.377	40	
97	5.51	5.683	40	
98	5.51	5.656	40	
99	5.51	5.335	40	
100	5.51	5.579	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.477	40	
2	5.51	5.484	40	
3	5.51	5.378	40	
4	5.51	5.454	40	
5	5.51	5.43	40	
6	5.51	5.679	40	
7	5.51	5.7	40	
8	5.51	5.364	40	
9	5.51	5.603	40	
10	5.51	5.652	40	
11	5.51	5.406	40	
12	5.51	5.426	40	
13	5.51	5.262	40	
14	5.51	5.63	40	
15	5.51	5.672	40	
16	5.51	5.614	40	
17	5.51	5.495	40	
18	5.51	5.639	40	
19	5.51	5.706	40	
20	5.51	5.625	40	
21	5.51	5.366	40	
22	5.51	5.542	40	
23	5.51	5.383	40	
24	5.51	5.613	40	
25	5.51	5.402	40	
26	5.51	5.68	40	
27	5.51	5.48	40	
28	5.51	5.703	40	
29	5.51	5.534	40	
30	5.51	5.686	40	
31	5.51	5.35	40	
32	5.51	5.373	40	
33	5.51	5.431	40	
34	5.51	5.524	40	
35	5.51	5.25	40	
36	5.51	5.325	40	
37	5.51	5.533	40	
38	5.51	5.562	40	
39	5.51	5.369	40	
40	5.51	5.438	40	
41	5.51	5.692	40	
42	5.51	5.33	40	
43	5.51	5.371	40	
44	5.51	5.483	40	
45	5.51	5.497	40	
46	5.51	5.555	40	
47	5.51	5.351	40	

48	5.51	5.492	40	
49	5.51	5.722	40	
50	5.51	5.357	40	
51	5.51	5.683	40	
52	5.51	5.694	40	
53	5.51	5.54	40	
54	5.51	5.559	40	
55	5.51	5.368	40	
56	5.51	5.569	40	
57	5.51	5.273	40	
58	5.51	5.709	40	
59	5.51	5.408	40	
60	5.51	5.713	40	
61	5.51	5.574	40	
62	5.51	5.556	40	
63	5.51	5.531	40	
64	5.51	5.601	40	
65	5.51	5.678	40	
66	5.51	5.628	40	
67	5.51	5.633	40	
68	5.51	5.615	40	
69	5.51	5.69	40	
70	5.51	5.583	40	
71	5.51	5.719	40	
72	5.51	5.345	40	
73	5.51	5.318	40	
74	5.51	5.358	40	
75	5.51	5.55	40	
76	5.51	5.47	40	
77	5.51	5.446	40	
78	5.51	5.653	40	
79	5.51	5.279	40	
80	5.51	5.407	40	
81	5.51	5.254	40	
82	5.51	5.265	40	
83	5.51	5.512	40	
84	5.51	5.34	40	
85	5.51	5.659	40	
86	5.51	5.595	40	
87	5.51	5.708	40	
88	5.51	5.419	40	
89	5.51	5.475	40	
90	5.51	5.41	40	
91	5.51	5.576	40	
92	5.51	5.507	40	
93	5.51	5.6	40	
94	5.51	5.525	40	
95	5.51	5.673	40	
96	5.51	5.657	40	
97	5.51	5.671	40	
98	5.51	5.584	40	
99	5.51	5.469	40	
100	5.51	5.654	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.476	40	
2	5.51	5.706	40	
3	5.51	5.497	40	
4	5.51	5.413	40	
5	5.51	5.31	40	*
6	5.51	5.463	40	
7	5.51	5.323	40	
8	5.51	5.296	40	*
9	5.51	5.714	40	
10	5.51	5.405	40	
11	5.51	5.719	40	
12	5.51	5.341	40	
13	5.51	5.455	40	
14	5.51	5.491	40	
15	5.51	5.431	40	
16	5.51	5.425	40	
17	5.51	5.615	40	
18	5.51	5.426	40	
19	5.51	5.697	40	
20	5.51	5.25	40	
21	5.51	5.408	40	
22	5.51	5.559	40	
23	5.51	5.398	40	
24	5.51	5.318	40	
25	5.51	5.524	40	
26	5.51	5.591	40	
27	5.51	5.27	40	
28	5.51	5.272	40	
29	5.51	5.345	40	
30	5.51	5.37	40	
31	5.51	5.445	40	
32	5.51	5.518	40	
33	5.51	5.274	40	
34	5.51	5.689	40	
35	5.51	5.285	40	
36	5.51	5.613	40	
37	5.51	5.66	40	
38	5.51	5.511	40	
39	5.51	5.353	40	
40	5.51	5.527	40	
41	5.51	5.297	40	*
42	5.51	5.479	40	
43	5.51	5.526	40	
44	5.51	5.256	40	
45	5.51	5.383	40	
46	5.51	5.687	40	
47	5.51	5.442	40	

48	5.51	5.338	40	
49	5.51	5.498	40	
50	5.51	5.647	40	
51	5.51	5.684	40	
52	5.51	5.556	40	
53	5.51	5.576	40	
54	5.51	5.294	40	*
55	5.51	5.704	40	
56	5.51	5.578	40	
57	5.51	5.334	40	
58	5.51	5.51	40	
59	5.51	5.703	40	
60	5.51	5.307	40	*
61	5.51	5.637	40	
62	5.51	5.386	40	
63	5.51	5.399	40	
64	5.51	5.686	40	
65	5.51	5.291	40	*
66	5.51	5.472	40	
67	5.51	5.46	40	
68	5.51	5.601	40	
69	5.51	5.449	40	
70	5.51	5.502	40	
71	5.51	5.255	40	
72	5.51	5.452	40	
73	5.51	5.467	40	
74	5.51	5.269	40	
75	5.51	5.375	40	
76	5.51	5.583	40	
77	5.51	5.43	40	
78	5.51	5.349	40	
79	5.51	5.458	40	
80	5.51	5.273	40	
81	5.51	5.547	40	
82	5.51	5.346	40	
83	5.51	5.35	40	
84	5.51	5.638	40	
85	5.51	5.373	40	
86	5.51	5.56	40	
87	5.51	5.487	40	
88	5.51	5.655	40	
89	5.51	5.659	40	
90	5.51	5.357	40	
91	5.51	5.603	40	
92	5.51	5.387	40	
93	5.51	5.616	40	
94	5.51	5.679	40	
95	5.51	5.621	40	
96	5.51	5.671	40	
97	5.51	5.325	40	
98	5.51	5.521	40	
99	5.51	5.48	40	
100	5.51	5.673	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.381	40	
2	5.51	5.719	40	
3	5.51	5.432	40	
4	5.51	5.462	40	
5	5.51	5.571	40	
6	5.51	5.481	40	
7	5.51	5.547	40	
8	5.51	5.712	40	
9	5.51	5.282	40	
10	5.51	5.618	40	
11	5.51	5.47	40	
12	5.51	5.331	40	
13	5.51	5.33	40	
14	5.51	5.281	40	
15	5.51	5.42	40	
16	5.51	5.314	40	
17	5.51	5.498	40	
18	5.51	5.41	40	
19	5.51	5.483	40	
20	5.51	5.3	40	*
21	5.51	5.471	40	
22	5.51	5.308	40	*
23	5.51	5.278	40	
24	5.51	5.377	40	
25	5.51	5.255	40	
26	5.51	5.559	40	
27	5.51	5.429	40	
28	5.51	5.64	40	
29	5.51	5.443	40	
30	5.51	5.276	40	
31	5.51	5.563	40	
32	5.51	5.393	40	
33	5.51	5.414	40	
34	5.51	5.626	40	
35	5.51	5.625	40	
36	5.51	5.398	40	
37	5.51	5.254	40	
38	5.51	5.359	40	
39	5.51	5.289	40	
40	5.51	5.515	40	
41	5.51	5.605	40	
42	5.51	5.284	40	
43	5.51	5.423	40	
44	5.51	5.397	40	
45	5.51	5.485	40	
46	5.51	5.644	40	
47	5.51	5.295	40	*

48	5.51	5.477	40	
49	5.51	5.575	40	
50	5.51	5.383	40	
51	5.51	5.412	40	
52	5.51	5.427	40	
53	5.51	5.312	40	
54	5.51	5.327	40	
55	5.51	5.633	40	
56	5.51	5.357	40	
57	5.51	5.49	40	
58	5.51	5.597	40	
59	5.51	5.706	40	
60	5.51	5.594	40	
61	5.51	5.339	40	
62	5.51	5.287	40	
63	5.51	5.445	40	
64	5.51	5.553	40	
65	5.51	5.389	40	
66	5.51	5.536	40	
67	5.51	5.444	40	
68	5.51	5.58	40	
69	5.51	5.67	40	
70	5.51	5.648	40	
71	5.51	5.54	40	
72	5.51	5.433	40	
73	5.51	5.264	40	
74	5.51	5.598	40	
75	5.51	5.631	40	
76	5.51	5.659	40	
77	5.51	5.664	40	
78	5.51	5.608	40	
79	5.51	5.658	40	
80	5.51	5.469	40	
81	5.51	5.623	40	
82	5.51	5.708	40	
83	5.51	5.665	40	
84	5.51	5.29	40	*
85	5.51	5.674	40	
86	5.51	5.283	40	
87	5.51	5.695	40	
88	5.51	5.568	40	
89	5.51	5.258	40	
90	5.51	5.703	40	
91	5.51	5.251	40	
92	5.51	5.493	40	
93	5.51	5.621	40	
94	5.51	5.341	40	
95	5.51	5.66	40	
96	5.51	5.323	40	
97	5.51	5.367	40	
98	5.51	5.71	40	
99	5.51	5.615	40	
100	5.51	5.671	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.321	40	
2	5.51	5.436	40	
3	5.51	5.427	40	
4	5.51	5.338	40	
5	5.51	5.685	40	
6	5.51	5.691	40	
7	5.51	5.629	40	
8	5.51	5.357	40	
9	5.51	5.443	40	
10	5.51	5.472	40	
11	5.51	5.517	40	
12	5.51	5.531	40	
13	5.51	5.599	40	
14	5.51	5.287	40	
15	5.51	5.345	40	
16	5.51	5.702	40	
17	5.51	5.675	40	
18	5.51	5.707	40	
19	5.51	5.401	40	
20	5.51	5.61	40	
21	5.51	5.7	40	
22	5.51	5.322	40	
23	5.51	5.389	40	
24	5.51	5.407	40	
25	5.51	5.656	40	
26	5.51	5.667	40	
27	5.51	5.615	40	
28	5.51	5.335	40	
29	5.51	5.6	40	
30	5.51	5.602	40	
31	5.51	5.257	40	
32	5.51	5.545	40	
33	5.51	5.384	40	
34	5.51	5.607	40	
35	5.51	5.278	40	
36	5.51	5.555	40	
37	5.51	5.507	40	
38	5.51	5.724	40	
39	5.51	5.527	40	
40	5.51	5.56	40	
41	5.51	5.281	40	
42	5.51	5.657	40	
43	5.51	5.591	40	
44	5.51	5.369	40	
45	5.51	5.514	40	
46	5.51	5.305	40	*
47	5.51	5.705	40	

48	5.51	5.651	40	
49	5.51	5.329	40	
50	5.51	5.593	40	
51	5.51	5.344	40	
52	5.51	5.516	40	
53	5.51	5.259	40	
54	5.51	5.437	40	
55	5.51	5.408	40	
56	5.51	5.452	40	
57	5.51	5.556	40	
58	5.51	5.699	40	
59	5.51	5.676	40	
60	5.51	5.446	40	
61	5.51	5.327	40	
62	5.51	5.589	40	
63	5.51	5.601	40	
64	5.51	5.573	40	
65	5.51	5.308	40	*
66	5.51	5.439	40	
67	5.51	5.542	40	
68	5.51	5.627	40	
69	5.51	5.332	40	
70	5.51	5.616	40	
71	5.51	5.722	40	
72	5.51	5.478	40	
73	5.51	5.404	40	
74	5.51	5.368	40	
75	5.51	5.424	40	
76	5.51	5.45	40	
77	5.51	5.307	40	*
78	5.51	5.295	40	*
79	5.51	5.397	40	
80	5.51	5.402	40	
81	5.51	5.262	40	
82	5.51	5.342	40	
83	5.51	5.512	40	
84	5.51	5.298	40	*
85	5.51	5.714	40	
86	5.51	5.316	40	
87	5.51	5.557	40	
88	5.51	5.274	40	
89	5.51	5.498	40	
90	5.51	5.665	40	
91	5.51	5.422	40	
92	5.51	5.271	40	
93	5.51	5.642	40	
94	5.51	5.475	40	
95	5.51	5.455	40	
96	5.51	5.653	40	
97	5.51	5.604	40	
98	5.51	5.559	40	
99	5.51	5.405	40	
100	5.51	5.34	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.411	40	
2	5.51	5.317	40	
3	5.51	5.446	40	
4	5.51	5.468	40	
5	5.51	5.263	40	
6	5.51	5.519	40	
7	5.51	5.525	40	
8	5.51	5.581	40	
9	5.51	5.267	40	
10	5.51	5.301	40	*
11	5.51	5.435	40	
12	5.51	5.443	40	
13	5.51	5.523	40	
14	5.51	5.367	40	
15	5.51	5.539	40	
16	5.51	5.531	40	
17	5.51	5.507	40	
18	5.51	5.293	40	*
19	5.51	5.711	40	
20	5.51	5.543	40	
21	5.51	5.611	40	
22	5.51	5.402	40	
23	5.51	5.297	40	*
24	5.51	5.445	40	
25	5.51	5.451	40	
26	5.51	5.274	40	
27	5.51	5.415	40	
28	5.51	5.376	40	
29	5.51	5.705	40	
30	5.51	5.397	40	
31	5.51	5.5	40	
32	5.51	5.662	40	
33	5.51	5.372	40	
34	5.51	5.287	40	
35	5.51	5.577	40	
36	5.51	5.362	40	
37	5.51	5.628	40	
38	5.51	5.6	40	
39	5.51	5.717	40	
40	5.51	5.538	40	
41	5.51	5.603	40	
42	5.51	5.377	40	
43	5.51	5.679	40	
44	5.51	5.401	40	
45	5.51	5.462	40	
46	5.51	5.675	40	
47	5.51	5.509	40	

48	5.51	5.637	40	
49	5.51	5.561	40	
50	5.51	5.424	40	
51	5.51	5.484	40	
52	5.51	5.294	40	*
53	5.51	5.286	40	
54	5.51	5.65	40	
55	5.51	5.723	40	
56	5.51	5.672	40	
57	5.51	5.661	40	
58	5.51	5.352	40	
59	5.51	5.387	40	
60	5.51	5.518	40	
61	5.51	5.45	40	
62	5.51	5.386	40	
63	5.51	5.409	40	
64	5.51	5.678	40	
65	5.51	5.586	40	
66	5.51	5.258	40	
67	5.51	5.623	40	
68	5.51	5.58	40	
69	5.51	5.389	40	
70	5.51	5.436	40	
71	5.51	5.576	40	
72	5.51	5.719	40	
73	5.51	5.582	40	
74	5.51	5.621	40	
75	5.51	5.658	40	
76	5.51	5.566	40	
77	5.51	5.606	40	
78	5.51	5.426	40	
79	5.51	5.27	40	
80	5.51	5.67	40	
81	5.51	5.262	40	
82	5.51	5.631	40	
83	5.51	5.299	40	*
84	5.51	5.328	40	
85	5.51	5.638	40	
86	5.51	5.663	40	
87	5.51	5.323	40	
88	5.51	5.649	40	
89	5.51	5.403	40	
90	5.51	5.313	40	
91	5.51	5.395	40	
92	5.51	5.524	40	
93	5.51	5.521	40	
94	5.51	5.683	40	
95	5.51	5.71	40	
96	5.51	5.546	40	
97	5.51	5.414	40	
98	5.51	5.348	40	
99	5.51	5.709	40	
100	5.51	5.572	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.59	40	
2	5.51	5.261	40	
3	5.51	5.611	40	
4	5.51	5.547	40	
5	5.51	5.369	40	
6	5.51	5.418	40	
7	5.51	5.549	40	
8	5.51	5.49	40	
9	5.51	5.371	40	
10	5.51	5.438	40	
11	5.51	5.627	40	
12	5.51	5.599	40	
13	5.51	5.451	40	
14	5.51	5.601	40	
15	5.51	5.32	40	
16	5.51	5.587	40	
17	5.51	5.265	40	
18	5.51	5.657	40	
19	5.51	5.314	40	
20	5.51	5.33	40	
21	5.51	5.656	40	
22	5.51	5.393	40	
23	5.51	5.662	40	
24	5.51	5.561	40	
25	5.51	5.486	40	
26	5.51	5.403	40	
27	5.51	5.537	40	
28	5.51	5.594	40	
29	5.51	5.623	40	
30	5.51	5.586	40	
31	5.51	5.255	40	
32	5.51	5.287	40	
33	5.51	5.608	40	
34	5.51	5.386	40	
35	5.51	5.605	40	
36	5.51	5.721	40	
37	5.51	5.365	40	
38	5.51	5.251	40	
39	5.51	5.368	40	
40	5.51	5.412	40	
41	5.51	5.585	40	
42	5.51	5.512	40	
43	5.51	5.596	40	
44	5.51	5.354	40	
45	5.51	5.63	40	
46	5.51	5.505	40	
47	5.51	5.399	40	

48	5.51	5.433	40	
49	5.51	5.666	40	
50	5.51	5.43	40	
51	5.51	5.392	40	
52	5.51	5.347	40	
53	5.51	5.327	40	
54	5.51	5.349	40	
55	5.51	5.342	40	
56	5.51	5.316	40	
57	5.51	5.551	40	
58	5.51	5.285	40	
59	5.51	5.296	40	*
60	5.51	5.606	40	
61	5.51	5.527	40	
62	5.51	5.417	40	
63	5.51	5.428	40	
64	5.51	5.387	40	
65	5.51	5.704	40	
66	5.51	5.381	40	
67	5.51	5.571	40	
68	5.51	5.649	40	
69	5.51	5.653	40	
70	5.51	5.397	40	
71	5.51	5.629	40	
72	5.51	5.331	40	
73	5.51	5.427	40	
74	5.51	5.583	40	
75	5.51	5.262	40	
76	5.51	5.398	40	
77	5.51	5.467	40	
78	5.51	5.352	40	
79	5.51	5.589	40	
80	5.51	5.477	40	
81	5.51	5.38	40	
82	5.51	5.283	40	
83	5.51	5.564	40	
84	5.51	5.439	40	
85	5.51	5.286	40	
86	5.51	5.452	40	
87	5.51	5.559	40	
88	5.51	5.394	40	
89	5.51	5.554	40	
90	5.51	5.465	40	
91	5.51	5.7	40	
92	5.51	5.555	40	
93	5.51	5.687	40	
94	5.51	5.584	40	
95	5.51	5.325	40	
96	5.51	5.345	40	
97	5.51	5.673	40	
98	5.51	5.3	40	*
99	5.51	5.568	40	
100	5.51	5.51	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.65	40	
2	5.51	5.279	40	
3	5.51	5.694	40	
4	5.51	5.532	40	
5	5.51	5.294	40	*
6	5.51	5.655	40	
7	5.51	5.662	40	
8	5.51	5.555	40	
9	5.51	5.531	40	
10	5.51	5.573	40	
11	5.51	5.417	40	
12	5.51	5.492	40	
13	5.51	5.374	40	
14	5.51	5.269	40	
15	5.51	5.347	40	
16	5.51	5.611	40	
17	5.51	5.343	40	
18	5.51	5.481	40	
19	5.51	5.352	40	
20	5.51	5.371	40	
21	5.51	5.369	40	
22	5.51	5.424	40	
23	5.51	5.589	40	
24	5.51	5.566	40	
25	5.51	5.672	40	
26	5.51	5.508	40	
27	5.51	5.432	40	
28	5.51	5.557	40	
29	5.51	5.264	40	
30	5.51	5.718	40	
31	5.51	5.552	40	
32	5.51	5.292	40	*
33	5.51	5.486	40	
34	5.51	5.448	40	
35	5.51	5.376	40	
36	5.51	5.349	40	
37	5.51	5.516	40	
38	5.51	5.354	40	
39	5.51	5.314	40	
40	5.51	5.689	40	
41	5.51	5.554	40	
42	5.51	5.271	40	
43	5.51	5.408	40	
44	5.51	5.709	40	
45	5.51	5.549	40	
46	5.51	5.591	40	
47	5.51	5.522	40	

48	5.51	5.303	40	*
49	5.51	5.69	40	
50	5.51	5.411	40	
51	5.51	5.62	40	
52	5.51	5.25	40	
53	5.51	5.276	40	
54	5.51	5.647	40	
55	5.51	5.321	40	
56	5.51	5.267	40	
57	5.51	5.401	40	
58	5.51	5.528	40	
59	5.51	5.539	40	
60	5.51	5.582	40	
61	5.51	5.548	40	
62	5.51	5.537	40	
63	5.51	5.545	40	
64	5.51	5.587	40	
65	5.51	5.53	40	
66	5.51	5.381	40	
67	5.51	5.63	40	
68	5.51	5.595	40	
69	5.51	5.336	40	
70	5.51	5.458	40	
71	5.51	5.612	40	
72	5.51	5.289	40	
73	5.51	5.304	40	*
74	5.51	5.414	40	
75	5.51	5.291	40	*
76	5.51	5.379	40	
77	5.51	5.588	40	
78	5.51	5.669	40	
79	5.51	5.465	40	
80	5.51	5.26	40	
81	5.51	5.351	40	
82	5.51	5.66	40	
83	5.51	5.429	40	
84	5.51	5.342	40	
85	5.51	5.441	40	
86	5.51	5.656	40	
87	5.51	5.307	40	*
88	5.51	5.296	40	*
89	5.51	5.543	40	
90	5.51	5.699	40	
91	5.51	5.673	40	
92	5.51	5.446	40	
93	5.51	5.535	40	
94	5.51	5.701	40	
95	5.51	5.372	40	
96	5.51	5.506	40	
97	5.51	5.268	40	
98	5.51	5.322	40	
99	5.51	5.653	40	
100	5.51	5.457	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.4	40	
2	5.51	5.406	40	
3	5.51	5.382	40	
4	5.51	5.482	40	
5	5.51	5.289	40	
6	5.51	5.359	40	
7	5.51	5.308	40	*
8	5.51	5.438	40	
9	5.51	5.71	40	
10	5.51	5.656	40	
11	5.51	5.685	40	
12	5.51	5.549	40	
13	5.51	5.528	40	
14	5.51	5.561	40	
15	5.51	5.512	40	
16	5.51	5.442	40	
17	5.51	5.567	40	
18	5.51	5.674	40	
19	5.51	5.333	40	
20	5.51	5.565	40	
21	5.51	5.428	40	
22	5.51	5.519	40	
23	5.51	5.427	40	
24	5.51	5.639	40	
25	5.51	5.275	40	
26	5.51	5.263	40	
27	5.51	5.697	40	
28	5.51	5.319	40	
29	5.51	5.302	40	*
30	5.51	5.692	40	
31	5.51	5.539	40	
32	5.51	5.498	40	
33	5.51	5.576	40	
34	5.51	5.673	40	
35	5.51	5.467	40	
36	5.51	5.444	40	
37	5.51	5.448	40	
38	5.51	5.336	40	
39	5.51	5.719	40	
40	5.51	5.268	40	
41	5.51	5.595	40	
42	5.51	5.583	40	
43	5.51	5.309	40	*
44	5.51	5.611	40	
45	5.51	5.477	40	
46	5.51	5.457	40	
47	5.51	5.613	40	

48	5.51	5.59	40	
49	5.51	5.267	40	
50	5.51	5.689	40	
51	5.51	5.505	40	
52	5.51	5.265	40	
53	5.51	5.398	40	
54	5.51	5.602	40	
55	5.51	5.677	40	
56	5.51	5.599	40	
57	5.51	5.688	40	
58	5.51	5.411	40	
59	5.51	5.422	40	
60	5.51	5.466	40	
61	5.51	5.577	40	
62	5.51	5.322	40	
63	5.51	5.589	40	
64	5.51	5.397	40	
65	5.51	5.604	40	
66	5.51	5.525	40	
67	5.51	5.3	40	*
68	5.51	5.652	40	
69	5.51	5.264	40	
70	5.51	5.461	40	
71	5.51	5.635	40	
72	5.51	5.371	40	
73	5.51	5.324	40	
74	5.51	5.478	40	
75	5.51	5.556	40	
76	5.51	5.321	40	
77	5.51	5.649	40	
78	5.51	5.298	40	*
79	5.51	5.388	40	
80	5.51	5.443	40	
81	5.51	5.474	40	
82	5.51	5.29	40	*
83	5.51	5.439	40	
84	5.51	5.548	40	
85	5.51	5.432	40	
86	5.51	5.681	40	
87	5.51	5.468	40	
88	5.51	5.416	40	
89	5.51	5.311	40	
90	5.51	5.304	40	*
91	5.51	5.61	40	
92	5.51	5.469	40	
93	5.51	5.394	40	
94	5.51	5.644	40	
95	5.51	5.429	40	
96	5.51	5.262	40	
97	5.51	5.612	40	
98	5.51	5.492	40	
99	5.51	5.485	40	
100	5.51	5.259	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.672	40	
2	5.51	5.415	40	
3	5.51	5.701	40	
4	5.51	5.483	40	
5	5.51	5.256	40	
6	5.51	5.376	40	
7	5.51	5.313	40	
8	5.51	5.281	40	
9	5.51	5.29	40	*
10	5.51	5.434	40	
11	5.51	5.561	40	
12	5.51	5.416	40	
13	5.51	5.354	40	
14	5.51	5.499	40	
15	5.51	5.713	40	
16	5.51	5.349	40	
17	5.51	5.632	40	
18	5.51	5.614	40	
19	5.51	5.522	40	
20	5.51	5.66	40	
21	5.51	5.348	40	
22	5.51	5.49	40	
23	5.51	5.373	40	
24	5.51	5.669	40	
25	5.51	5.44	40	
26	5.51	5.56	40	
27	5.51	5.356	40	
28	5.51	5.292	40	*
29	5.51	5.616	40	
30	5.51	5.559	40	
31	5.51	5.637	40	
32	5.51	5.709	40	
33	5.51	5.663	40	
34	5.51	5.699	40	
35	5.51	5.463	40	
36	5.51	5.521	40	
37	5.51	5.623	40	
38	5.51	5.353	40	
39	5.51	5.352	40	
40	5.51	5.266	40	
41	5.51	5.388	40	
42	5.51	5.656	40	
43	5.51	5.261	40	
44	5.51	5.65	40	
45	5.51	5.587	40	
46	5.51	5.666	40	
47	5.51	5.485	40	

48	5.51	5.542	40	
49	5.51	5.314	40	
50	5.51	5.411	40	
51	5.51	5.312	40	
52	5.51	5.724	40	
53	5.51	5.447	40	
54	5.51	5.364	40	
55	5.51	5.545	40	
56	5.51	5.602	40	
57	5.51	5.423	40	
58	5.51	5.307	40	*
59	5.51	5.306	40	*
60	5.51	5.643	40	
61	5.51	5.366	40	
62	5.51	5.537	40	
63	5.51	5.611	40	
64	5.51	5.387	40	
65	5.51	5.41	40	
66	5.51	5.489	40	
67	5.51	5.257	40	
68	5.51	5.456	40	
69	5.51	5.43	40	
70	5.51	5.682	40	
71	5.51	5.552	40	
72	5.51	5.718	40	
73	5.51	5.633	40	
74	5.51	5.282	40	
75	5.51	5.498	40	
76	5.51	5.284	40	
77	5.51	5.304	40	*
78	5.51	5.481	40	
79	5.51	5.437	40	
80	5.51	5.279	40	
81	5.51	5.497	40	
82	5.51	5.706	40	
83	5.51	5.392	40	
84	5.51	5.621	40	
85	5.51	5.715	40	
86	5.51	5.662	40	
87	5.51	5.338	40	
88	5.51	5.316	40	
89	5.51	5.523	40	
90	5.51	5.393	40	
91	5.51	5.472	40	
92	5.51	5.585	40	
93	5.51	5.573	40	
94	5.51	5.624	40	
95	5.51	5.654	40	
96	5.51	5.252	40	
97	5.51	5.424	40	
98	5.51	5.634	40	
99	5.51	5.46	40	
100	5.51	5.695	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.499	40	
2	5.51	5.715	40	
3	5.51	5.718	40	
4	5.51	5.701	40	
5	5.51	5.339	40	
6	5.51	5.599	40	
7	5.51	5.46	40	
8	5.51	5.489	40	
9	5.51	5.687	40	
10	5.51	5.619	40	
11	5.51	5.712	40	
12	5.51	5.695	40	
13	5.51	5.494	40	
14	5.51	5.604	40	
15	5.51	5.472	40	
16	5.51	5.703	40	
17	5.51	5.436	40	
18	5.51	5.655	40	
19	5.51	5.368	40	
20	5.51	5.615	40	
21	5.51	5.596	40	
22	5.51	5.512	40	
23	5.51	5.357	40	
24	5.51	5.589	40	
25	5.51	5.532	40	
26	5.51	5.471	40	
27	5.51	5.523	40	
28	5.51	5.325	40	
29	5.51	5.723	40	
30	5.51	5.691	40	
31	5.51	5.498	40	
32	5.51	5.284	40	
33	5.51	5.621	40	
34	5.51	5.351	40	
35	5.51	5.528	40	
36	5.51	5.605	40	
37	5.51	5.32	40	
38	5.51	5.331	40	
39	5.51	5.44	40	
40	5.51	5.364	40	
41	5.51	5.516	40	
42	5.51	5.47	40	
43	5.51	5.266	40	
44	5.51	5.255	40	
45	5.51	5.716	40	
46	5.51	5.443	40	
47	5.51	5.491	40	

48	5.51	5.437	40	
49	5.51	5.571	40	
50	5.51	5.487	40	
51	5.51	5.456	40	
52	5.51	5.265	40	
53	5.51	5.717	40	
54	5.51	5.31	40	*
55	5.51	5.657	40	
56	5.51	5.318	40	
57	5.51	5.477	40	
58	5.51	5.394	40	
59	5.51	5.497	40	
60	5.51	5.324	40	
61	5.51	5.35	40	
62	5.51	5.48	40	
63	5.51	5.336	40	
64	5.51	5.708	40	
65	5.51	5.405	40	
66	5.51	5.583	40	
67	5.51	5.616	40	
68	5.51	5.256	40	
69	5.51	5.694	40	
70	5.51	5.353	40	
71	5.51	5.711	40	
72	5.51	5.446	40	
73	5.51	5.636	40	
74	5.51	5.414	40	
75	5.51	5.63	40	
76	5.51	5.582	40	
77	5.51	5.676	40	
78	5.51	5.495	40	
79	5.51	5.682	40	
80	5.51	5.693	40	
81	5.51	5.673	40	
82	5.51	5.662	40	
83	5.51	5.425	40	
84	5.51	5.622	40	
85	5.51	5.627	40	
86	5.51	5.349	40	
87	5.51	5.668	40	
88	5.51	5.297	40	*
89	5.51	5.671	40	
90	5.51	5.359	40	
91	5.51	5.679	40	
92	5.51	5.641	40	
93	5.51	5.674	40	
94	5.51	5.307	40	*
95	5.51	5.438	40	
96	5.51	5.406	40	
97	5.51	5.293	40	*
98	5.51	5.634	40	
99	5.51	5.342	40	
100	5.51	5.653	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.39	40	
2	5.51	5.482	40	
3	5.51	5.543	40	
4	5.51	5.411	40	
5	5.51	5.593	40	
6	5.51	5.314	40	
7	5.51	5.683	40	
8	5.51	5.611	40	
9	5.51	5.317	40	
10	5.51	5.654	40	
11	5.51	5.425	40	
12	5.51	5.595	40	
13	5.51	5.722	40	
14	5.51	5.671	40	
15	5.51	5.254	40	
16	5.51	5.648	40	
17	5.51	5.673	40	
18	5.51	5.44	40	
19	5.51	5.385	40	
20	5.51	5.553	40	
21	5.51	5.558	40	
22	5.51	5.332	40	
23	5.51	5.463	40	
24	5.51	5.636	40	
25	5.51	5.262	40	
26	5.51	5.492	40	
27	5.51	5.64	40	
28	5.51	5.529	40	
29	5.51	5.69	40	
30	5.51	5.676	40	
31	5.51	5.41	40	
32	5.51	5.656	40	
33	5.51	5.428	40	
34	5.51	5.667	40	
35	5.51	5.321	40	
36	5.51	5.257	40	
37	5.51	5.291	40	*
38	5.51	5.714	40	
39	5.51	5.581	40	
40	5.51	5.483	40	
41	5.51	5.444	40	
42	5.51	5.252	40	
43	5.51	5.273	40	
44	5.51	5.638	40	
45	5.51	5.447	40	
46	5.51	5.644	40	
47	5.51	5.718	40	

48	5.51	5.517	40	
49	5.51	5.404	40	
50	5.51	5.383	40	
51	5.51	5.524	40	
52	5.51	5.701	40	
53	5.51	5.705	40	
54	5.51	5.689	40	
55	5.51	5.724	40	
56	5.51	5.6	40	
57	5.51	5.325	40	
58	5.51	5.569	40	
59	5.51	5.274	40	
60	5.51	5.49	40	
61	5.51	5.279	40	
62	5.51	5.503	40	
63	5.51	5.653	40	
64	5.51	5.609	40	
65	5.51	5.352	40	
66	5.51	5.339	40	
67	5.51	5.478	40	
68	5.51	5.647	40	
69	5.51	5.435	40	
70	5.51	5.354	40	
71	5.51	5.263	40	
72	5.51	5.323	40	
73	5.51	5.628	40	
74	5.51	5.469	40	
75	5.51	5.494	40	
76	5.51	5.63	40	
77	5.51	5.533	40	
78	5.51	5.269	40	
79	5.51	5.674	40	
80	5.51	5.507	40	
81	5.51	5.651	40	
82	5.51	5.565	40	
83	5.51	5.513	40	
84	5.51	5.665	40	
85	5.51	5.416	40	
86	5.51	5.364	40	
87	5.51	5.649	40	
88	5.51	5.308	40	*
89	5.51	5.28	40	
90	5.51	5.502	40	
91	5.51	5.694	40	
92	5.51	5.382	40	
93	5.51	5.399	40	
94	5.51	5.509	40	
95	5.51	5.462	40	
96	5.51	5.292	40	*
97	5.51	5.605	40	
98	5.51	5.305	40	*
99	5.51	5.698	40	
100	5.51	5.402	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.472	40	
2	5.51	5.636	40	
3	5.51	5.279	40	
4	5.51	5.619	40	
5	5.51	5.631	40	
6	5.51	5.364	40	
7	5.51	5.322	40	
8	5.51	5.335	40	
9	5.51	5.333	40	
10	5.51	5.67	40	
11	5.51	5.559	40	
12	5.51	5.632	40	
13	5.51	5.477	40	
14	5.51	5.463	40	
15	5.51	5.267	40	
16	5.51	5.406	40	
17	5.51	5.589	40	
18	5.51	5.411	40	
19	5.51	5.273	40	
20	5.51	5.485	40	
21	5.51	5.276	40	
22	5.51	5.551	40	
23	5.51	5.387	40	
24	5.51	5.363	40	
25	5.51	5.288	40	
26	5.51	5.505	40	
27	5.51	5.71	40	
28	5.51	5.329	40	
29	5.51	5.353	40	
30	5.51	5.326	40	
31	5.51	5.332	40	
32	5.51	5.458	40	
33	5.51	5.371	40	
34	5.51	5.586	40	
35	5.51	5.465	40	
36	5.51	5.585	40	
37	5.51	5.547	40	
38	5.51	5.48	40	
39	5.51	5.437	40	
40	5.51	5.431	40	
41	5.51	5.588	40	
42	5.51	5.33	40	
43	5.51	5.474	40	
44	5.51	5.323	40	
45	5.51	5.515	40	
46	5.51	5.603	40	
47	5.51	5.351	40	

48	5.51	5.696	40	
49	5.51	5.457	40	
50	5.51	5.504	40	
51	5.51	5.607	40	
52	5.51	5.487	40	
53	5.51	5.42	40	
54	5.51	5.529	40	
55	5.51	5.72	40	
56	5.51	5.611	40	
57	5.51	5.609	40	
58	5.51	5.675	40	
59	5.51	5.57	40	
60	5.51	5.642	40	
61	5.51	5.377	40	
62	5.51	5.3	40	*
63	5.51	5.565	40	
64	5.51	5.471	40	
65	5.51	5.535	40	
66	5.51	5.413	40	
67	5.51	5.277	40	
68	5.51	5.594	40	
69	5.51	5.251	40	
70	5.51	5.389	40	
71	5.51	5.311	40	
72	5.51	5.66	40	
73	5.51	5.676	40	
74	5.51	5.52	40	
75	5.51	5.546	40	
76	5.51	5.55	40	
77	5.51	5.469	40	
78	5.51	5.523	40	
79	5.51	5.321	40	
80	5.51	5.434	40	
81	5.51	5.595	40	
82	5.51	5.537	40	
83	5.51	5.464	40	
84	5.51	5.493	40	
85	5.51	5.452	40	
86	5.51	5.456	40	
87	5.51	5.445	40	
88	5.51	5.657	40	
89	5.51	5.58	40	
90	5.51	5.384	40	
91	5.51	5.703	40	
92	5.51	5.438	40	
93	5.51	5.416	40	
94	5.51	5.558	40	
95	5.51	5.635	40	
96	5.51	5.64	40	
97	5.51	5.325	40	
98	5.51	5.386	40	
99	5.51	5.306	40	*
100	5.51	5.653	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.272	40	
2	5.51	5.576	40	
3	5.51	5.558	40	
4	5.51	5.474	40	
5	5.51	5.715	40	
6	5.51	5.658	40	
7	5.51	5.255	40	
8	5.51	5.506	40	
9	5.51	5.625	40	
10	5.51	5.673	40	
11	5.51	5.589	40	
12	5.51	5.534	40	
13	5.51	5.693	40	
14	5.51	5.291	40	*
15	5.51	5.627	40	
16	5.51	5.335	40	
17	5.51	5.326	40	
18	5.51	5.468	40	
19	5.51	5.684	40	
20	5.51	5.54	40	
21	5.51	5.427	40	
22	5.51	5.661	40	
23	5.51	5.286	40	
24	5.51	5.636	40	
25	5.51	5.663	40	
26	5.51	5.274	40	
27	5.51	5.695	40	
28	5.51	5.436	40	
29	5.51	5.295	40	*
30	5.51	5.324	40	
31	5.51	5.494	40	
32	5.51	5.254	40	
33	5.51	5.675	40	
34	5.51	5.323	40	
35	5.51	5.406	40	
36	5.51	5.592	40	
37	5.51	5.526	40	
38	5.51	5.504	40	
39	5.51	5.432	40	
40	5.51	5.647	40	
41	5.51	5.394	40	
42	5.51	5.411	40	
43	5.51	5.58	40	
44	5.51	5.653	40	
45	5.51	5.314	40	
46	5.51	5.53	40	
47	5.51	5.573	40	

48	5.51	5.448	40	
49	5.51	5.386	40	
50	5.51	5.557	40	
51	5.51	5.507	40	
52	5.51	5.505	40	
53	5.51	5.441	40	
54	5.51	5.621	40	
55	5.51	5.462	40	
56	5.51	5.525	40	
57	5.51	5.626	40	
58	5.51	5.657	40	
59	5.51	5.308	40	*
60	5.51	5.521	40	
61	5.51	5.641	40	
62	5.51	5.69	40	
63	5.51	5.279	40	
64	5.51	5.716	40	
65	5.51	5.302	40	*
66	5.51	5.333	40	
67	5.51	5.41	40	
68	5.51	5.307	40	*
69	5.51	5.357	40	
70	5.51	5.42	40	
71	5.51	5.639	40	
72	5.51	5.634	40	
73	5.51	5.461	40	
74	5.51	5.446	40	
75	5.51	5.416	40	
76	5.51	5.676	40	
77	5.51	5.358	40	
78	5.51	5.543	40	
79	5.51	5.379	40	
80	5.51	5.594	40	
81	5.51	5.43	40	
82	5.51	5.362	40	
83	5.51	5.45	40	
84	5.51	5.708	40	
85	5.51	5.688	40	
86	5.51	5.378	40	
87	5.51	5.449	40	
88	5.51	5.581	40	
89	5.51	5.516	40	
90	5.51	5.278	40	
91	5.51	5.648	40	
92	5.51	5.697	40	
93	5.51	5.631	40	
94	5.51	5.268	40	
95	5.51	5.36	40	
96	5.51	5.481	40	
97	5.51	5.711	40	
98	5.51	5.652	40	
99	5.51	5.563	40	
100	5.51	5.39	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.449	40	
2	5.51	5.387	40	
3	5.51	5.488	40	
4	5.51	5.572	40	
5	5.51	5.522	40	
6	5.51	5.314	40	
7	5.51	5.721	40	
8	5.51	5.306	40	*
9	5.51	5.559	40	
10	5.51	5.259	40	
11	5.51	5.718	40	
12	5.51	5.667	40	
13	5.51	5.701	40	
14	5.51	5.289	40	
15	5.51	5.589	40	
16	5.51	5.311	40	
17	5.51	5.67	40	
18	5.51	5.502	40	
19	5.51	5.391	40	
20	5.51	5.33	40	
21	5.51	5.647	40	
22	5.51	5.412	40	
23	5.51	5.407	40	
24	5.51	5.545	40	
25	5.51	5.705	40	
26	5.51	5.373	40	
27	5.51	5.613	40	
28	5.51	5.691	40	
29	5.51	5.596	40	
30	5.51	5.606	40	
31	5.51	5.366	40	
32	5.51	5.309	40	*
33	5.51	5.356	40	
34	5.51	5.323	40	
35	5.51	5.348	40	
36	5.51	5.276	40	
37	5.51	5.54	40	
38	5.51	5.394	40	
39	5.51	5.263	40	
40	5.51	5.564	40	
41	5.51	5.55	40	
42	5.51	5.371	40	
43	5.51	5.681	40	
44	5.51	5.699	40	
45	5.51	5.459	40	
46	5.51	5.342	40	
47	5.51	5.32	40	

48	5.51	5.59	40	
49	5.51	5.272	40	
50	5.51	5.467	40	
51	5.51	5.416	40	
52	5.51	5.639	40	
53	5.51	5.69	40	
54	5.51	5.42	40	
55	5.51	5.601	40	
56	5.51	5.5	40	
57	5.51	5.49	40	
58	5.51	5.561	40	
59	5.51	5.635	40	
60	5.51	5.257	40	
61	5.51	5.39	40	
62	5.51	5.571	40	
63	5.51	5.72	40	
64	5.51	5.464	40	
65	5.51	5.653	40	
66	5.51	5.555	40	
67	5.51	5.43	40	
68	5.51	5.44	40	
69	5.51	5.629	40	
70	5.51	5.315	40	
71	5.51	5.411	40	
72	5.51	5.349	40	
73	5.51	5.384	40	
74	5.51	5.605	40	
75	5.51	5.29	40	*
76	5.51	5.526	40	
77	5.51	5.299	40	*
78	5.51	5.268	40	
79	5.51	5.324	40	
80	5.51	5.266	40	
81	5.51	5.619	40	
82	5.51	5.456	40	
83	5.51	5.599	40	
84	5.51	5.64	40	
85	5.51	5.403	40	
86	5.51	5.321	40	
87	5.51	5.496	40	
88	5.51	5.353	40	
89	5.51	5.616	40	
90	5.51	5.722	40	
91	5.51	5.463	40	
92	5.51	5.685	40	
93	5.51	5.381	40	
94	5.51	5.518	40	
95	5.51	5.35	40	
96	5.51	5.37	40	
97	5.51	5.295	40	*
98	5.51	5.291	40	*
99	5.51	5.385	40	
100	5.51	5.557	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.259	40	
2	5.51	5.42	40	
3	5.51	5.327	40	
4	5.51	5.279	40	
5	5.51	5.513	40	
6	5.51	5.306	40	*
7	5.51	5.252	40	
8	5.51	5.639	40	
9	5.51	5.711	40	
10	5.51	5.32	40	
11	5.51	5.692	40	
12	5.51	5.261	40	
13	5.51	5.704	40	
14	5.51	5.672	40	
15	5.51	5.507	40	
16	5.51	5.358	40	
17	5.51	5.594	40	
18	5.51	5.251	40	
19	5.51	5.441	40	
20	5.51	5.342	40	
21	5.51	5.64	40	
22	5.51	5.4	40	
23	5.51	5.641	40	
24	5.51	5.53	40	
25	5.51	5.504	40	
26	5.51	5.574	40	
27	5.51	5.538	40	
28	5.51	5.615	40	
29	5.51	5.359	40	
30	5.51	5.372	40	
31	5.51	5.467	40	
32	5.51	5.465	40	
33	5.51	5.647	40	
34	5.51	5.577	40	
35	5.51	5.683	40	
36	5.51	5.583	40	
37	5.51	5.428	40	
38	5.51	5.407	40	
39	5.51	5.532	40	
40	5.51	5.315	40	
41	5.51	5.312	40	
42	5.51	5.436	40	
43	5.51	5.544	40	
44	5.51	5.272	40	
45	5.51	5.392	40	
46	5.51	5.614	40	
47	5.51	5.352	40	

48	5.51	5.604	40	
49	5.51	5.364	40	
50	5.51	5.63	40	
51	5.51	5.369	40	
52	5.51	5.319	40	
53	5.51	5.716	40	
54	5.51	5.46	40	
55	5.51	5.691	40	
56	5.51	5.451	40	
57	5.51	5.558	40	
58	5.51	5.432	40	
59	5.51	5.668	40	
60	5.51	5.684	40	
61	5.51	5.537	40	
62	5.51	5.381	40	
63	5.51	5.494	40	
64	5.51	5.717	40	
65	5.51	5.304	40	*
66	5.51	5.626	40	
67	5.51	5.673	40	
68	5.51	5.479	40	
69	5.51	5.686	40	
70	5.51	5.257	40	
71	5.51	5.401	40	
72	5.51	5.561	40	
73	5.51	5.65	40	
74	5.51	5.576	40	
75	5.51	5.591	40	
76	5.51	5.414	40	
77	5.51	5.597	40	
78	5.51	5.406	40	
79	5.51	5.616	40	
80	5.51	5.696	40	
81	5.51	5.275	40	
82	5.51	5.39	40	
83	5.51	5.44	40	
84	5.51	5.676	40	
85	5.51	5.484	40	
86	5.51	5.447	40	
87	5.51	5.596	40	
88	5.51	5.488	40	
89	5.51	5.365	40	
90	5.51	5.499	40	
91	5.51	5.487	40	
92	5.51	5.621	40	
93	5.51	5.702	40	
94	5.51	5.404	40	
95	5.51	5.611	40	
96	5.51	5.666	40	
97	5.51	5.421	40	
98	5.51	5.326	40	
99	5.51	5.454	40	
100	5.51	5.579	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.285	40	
2	5.51	5.268	40	
3	5.51	5.659	40	
4	5.51	5.368	40	
5	5.51	5.334	40	
6	5.51	5.308	40	*
7	5.51	5.407	40	
8	5.51	5.313	40	
9	5.51	5.292	40	*
10	5.51	5.679	40	
11	5.51	5.556	40	
12	5.51	5.297	40	*
13	5.51	5.424	40	
14	5.51	5.267	40	
15	5.51	5.301	40	*
16	5.51	5.374	40	
17	5.51	5.529	40	
18	5.51	5.713	40	
19	5.51	5.414	40	
20	5.51	5.331	40	
21	5.51	5.389	40	
22	5.51	5.652	40	
23	5.51	5.402	40	
24	5.51	5.361	40	
25	5.51	5.697	40	
26	5.51	5.461	40	
27	5.51	5.626	40	
28	5.51	5.573	40	
29	5.51	5.631	40	
30	5.51	5.333	40	
31	5.51	5.354	40	
32	5.51	5.61	40	
33	5.51	5.309	40	*
34	5.51	5.305	40	*
35	5.51	5.588	40	
36	5.51	5.365	40	
37	5.51	5.399	40	
38	5.51	5.617	40	
39	5.51	5.494	40	
40	5.51	5.303	40	*
41	5.51	5.489	40	
42	5.51	5.724	40	
43	5.51	5.62	40	
44	5.51	5.493	40	
45	5.51	5.278	40	
46	5.51	5.341	40	
47	5.51	5.442	40	

48	5.51	5.649	40	
49	5.51	5.43	40	
50	5.51	5.505	40	
51	5.51	5.565	40	
52	5.51	5.383	40	
53	5.51	5.363	40	
54	5.51	5.28	40	
55	5.51	5.66	40	
56	5.51	5.67	40	
57	5.51	5.482	40	
58	5.51	5.353	40	
59	5.51	5.465	40	
60	5.51	5.388	40	
61	5.51	5.566	40	
62	5.51	5.454	40	
63	5.51	5.466	40	
64	5.51	5.356	40	
65	5.51	5.705	40	
66	5.51	5.594	40	
67	5.51	5.474	40	
68	5.51	5.33	40	
69	5.51	5.538	40	
70	5.51	5.638	40	
71	5.51	5.647	40	
72	5.51	5.481	40	
73	5.51	5.708	40	
74	5.51	5.293	40	*
75	5.51	5.431	40	
76	5.51	5.432	40	
77	5.51	5.63	40	
78	5.51	5.64	40	
79	5.51	5.484	40	
80	5.51	5.687	40	
81	5.51	5.564	40	
82	5.51	5.348	40	
83	5.51	5.398	40	
84	5.51	5.662	40	
85	5.51	5.65	40	
86	5.51	5.473	40	
87	5.51	5.416	40	
88	5.51	5.541	40	
89	5.51	5.335	40	
90	5.51	5.406	40	
91	5.51	5.444	40	
92	5.51	5.403	40	
93	5.51	5.59	40	
94	5.51	5.721	40	
95	5.51	5.616	40	
96	5.51	5.252	40	
97	5.51	5.396	40	
98	5.51	5.261	40	
99	5.51	5.307	40	*
100	5.51	5.519	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.356	40	
2	5.51	5.538	40	
3	5.51	5.441	40	
4	5.51	5.377	40	
5	5.51	5.597	40	
6	5.51	5.273	40	
7	5.51	5.695	40	
8	5.51	5.687	40	
9	5.51	5.315	40	
10	5.51	5.275	40	
11	5.51	5.386	40	
12	5.51	5.267	40	
13	5.51	5.657	40	
14	5.51	5.543	40	
15	5.51	5.402	40	
16	5.51	5.261	40	
17	5.51	5.297	40	*
18	5.51	5.673	40	
19	5.51	5.369	40	
20	5.51	5.461	40	
21	5.51	5.425	40	
22	5.51	5.424	40	
23	5.51	5.483	40	
24	5.51	5.459	40	
25	5.51	5.524	40	
26	5.51	5.566	40	
27	5.51	5.398	40	
28	5.51	5.415	40	
29	5.51	5.496	40	
30	5.51	5.426	40	
31	5.51	5.276	40	
32	5.51	5.493	40	
33	5.51	5.665	40	
34	5.51	5.399	40	
35	5.51	5.319	40	
36	5.51	5.469	40	
37	5.51	5.437	40	
38	5.51	5.625	40	
39	5.51	5.703	40	
40	5.51	5.26	40	
41	5.51	5.302	40	*
42	5.51	5.614	40	
43	5.51	5.607	40	
44	5.51	5.283	40	
45	5.51	5.632	40	
46	5.51	5.693	40	
47	5.51	5.453	40	

48	5.51	5.385	40	
49	5.51	5.514	40	
50	5.51	5.484	40	
51	5.51	5.33	40	
52	5.51	5.591	40	
53	5.51	5.478	40	
54	5.51	5.71	40	
55	5.51	5.509	40	
56	5.51	5.392	40	
57	5.51	5.513	40	
58	5.51	5.645	40	
59	5.51	5.328	40	
60	5.51	5.287	40	
61	5.51	5.705	40	
62	5.51	5.486	40	
63	5.51	5.588	40	
64	5.51	5.407	40	
65	5.51	5.519	40	
66	5.51	5.481	40	
67	5.51	5.341	40	
68	5.51	5.56	40	
69	5.51	5.388	40	
70	5.51	5.285	40	
71	5.51	5.322	40	
72	5.51	5.557	40	
73	5.51	5.468	40	
74	5.51	5.306	40	*
75	5.51	5.54	40	
76	5.51	5.668	40	
77	5.51	5.313	40	
78	5.51	5.654	40	
79	5.51	5.698	40	
80	5.51	5.605	40	
81	5.51	5.271	40	
82	5.51	5.269	40	
83	5.51	5.582	40	
84	5.51	5.487	40	
85	5.51	5.617	40	
86	5.51	5.587	40	
87	5.51	5.309	40	*
88	5.51	5.552	40	
89	5.51	5.47	40	
90	5.51	5.5	40	
91	5.51	5.331	40	
92	5.51	5.358	40	
93	5.51	5.35	40	
94	5.51	5.529	40	
95	5.51	5.528	40	
96	5.51	5.427	40	
97	5.51	5.633	40	
98	5.51	5.585	40	
99	5.51	5.326	40	
100	5.51	5.414	40	

--

802.11ax(HE80) - 5530MHz

RADAR TYPE 1

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	89	1	598
2	68	1	778
3	63	1	838
4	70	1	758
5	92	1	578
6	18	1	3066
7	68	1	778
8	58	1	918
9	78	1	678
10	62	1	858
11	63	1	838
12	18	1	3066
13	98	1	538
14	78	1	678
15	81	1	658
16	83	1	638
17	59	1	898
18	78	1	678
19	72	1	738
20	76	1	698
21	95	1	558
22	83	1	638
23	59	1	898
24	95	1	558
25	95	1	558
26	89	1	598
27	89	1	598
28	102	1	518
29	81	1	658
30	81	1	658

802.11ax(HE80) - 5530MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	25	2.5	204
2	26	3.6	227
3	24	4.7	195
4	27	1.9	220
5	23	1.3	227
6	24	3.2	179
7	29	2.7	174
8	27	2	183
9	25	3.1	156
10	23	3.2	175
11	27	1.8	171
12	26	2.4	177
13	28	3.8	219
14	28	2.3	209
15	27	3.7	210
16	23	4.3	160
17	29	3.4	187
18	28	4.3	214
19	24	3.4	227
20	24	4.1	163
21	23	4.5	155
22	24	3.9	207
23	25	2	198
24	23	3.5	188
25	25	2.4	181
26	23	1.1	229
27	29	3.3	230
28	29	3.2	176
29	24	2.1	213
30	27	1	182

802.11ax(HE80) - 5530MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	18	6.5	474
2	16	8.6	461
3	18	8.5	317
4	17	6.8	251
5	18	6.3	453
6	18	7.4	485
7	16	6	417
8	17	7	261
9	16	8.6	309
10	17	7.6	211
11	16	8.3	461
12	17	6.5	430
13	16	9.1	347
14	17	8.4	273
15	17	8.6	342
16	17	7.2	393
17	16	6.7	251
18	18	10	256
19	16	7.7	416
20	17	7.8	235
21	18	7.6	370
22	17	7	235
23	18	8.8	386
24	17	8.2	250
25	17	8.8	336
26	18	7.9	422
27	18	9.3	482
28	18	8.2	372
29	18	8.1	418
30	16	9.8	272

802.11ax(HE80) - 5530MHz

RADAR TYPE 4

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	14	16.1	388
2	14	12	473
3	12	18	303
4	15	13.6	233
5	12	18.4	250
6	15	17.9	464
7	13	17.4	472
8	16	18.6	222
9	15	16.3	444
10	13	18.9	287
11	13	17.3	220
12	15	14.9	479
13	14	11.4	402
14	16	15	225
15	13	16.3	394
16	15	13.7	496
17	14	12.5	472
18	12	11.5	313
19	12	19	338
20	12	14.2	420
21	15	12.8	363
22	14	11.3	303
23	14	19.9	488
24	16	17.8	214
25	12	12.1	293
26	15	13.1	352
27	16	17.9	218
28	14	19.8	306
29	13	12.6	209
30	14	18.4	241

802.11ax(HE80) - 5530MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	7	1	5530
2	19	1	5530
3	9	1	5530
4	13	1	5530
5	10	1	5530
6	5	1	5530
7	13	1	5530
8	16	1	5530
9	11	1	5530
10	6	1	5530
11	13	2	5496.2
12	18	2	5498.2
13	11	2	5495.4
14	5	2	5493
15	7	2	5493.8
16	5	2	5493
17	7	2	5493.8
18	14	2	5496.6
19	5	2	5493
20	9	2	5494.6
21	6	3	5566.6
22	13	3	5563.8
23	14	3	5563.4
24	6	3	5566.6
25	18	3	5561.8
26	5	3	5567
27	5	3	5567
28	7	3	5566.2
29	10	3	5565
30	5	3	5567

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	77.6	7	1938	1827	574.772
2	2	70.9	7	1385		148.736
3	2	81.7	7	1470		214.207
4	2	72.9	7	1289		338.03
5	3	77	7	1614	1971	112.983
6	1	60.9	7			83.267
7	2	93.3	7	1608		641.24
8	3	80.9	7	1934	1002	597.493
9	2	96.9	7	1861		568.707
10	1	83.7	7			550.83
11	2	99.6	7	1965		433.113
12	1	70.2	7			486.037
13	2	60	7	1711		103.82
14	2	55.1	7	1397		281.263
15	2	70.7	7	1762		524.947
16	2	77.2	7	1165		216.1
17	2	77.6	7	1918		396.033
18	2	85.2	7	1642		596.567

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	51.8	19	1364		104.784
2	1	85.5	19			552.123
3	2	50.1	19	1690		317.657
4	3	93.4	19	1613	1655	549.08
5	2	94.3	19	1368		337.393
6	1	74.5	19			536.067
7	2	95.9	19	1992		451.59
8	2	62.5	19	1938		179.193
9	2	69.1	19	1711		558.717
10	2	93.4	19	1216		643.66
11	1	62.2	19			533.983
12	2	50.9	19	1378		316.727
13	3	68.6	19	1545	1964	367.51
14	2	90.8	19	1748		620.203
15	2	67.3	19	1801		182.097
16	1	62.5	19			487.5
17	1	97.8	19			283.733
18	2	71.5	19	1864		289.167

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	53.3	9	1072		609.096
2	2	85.7	9	1669		909.893
3	3	59.8	9	1576	1398	870.156
4	2	79.9	9	1591		750.659
5	2	57.2	9	1071		673.242
6	2	97	9	1705		615.375
7	2	90.2	9	1861		680.758
8	1	87.6	9			647.612
9	2	67.1	9	1759		279.995
10	2	76.5	9	1534		791.468
11	3	70.8	9	1810	1244	192.041
12	2	63.4	9	1608		206.654
13	2	81.8	9	1232		563.477

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	65.9	13			60.013
2	2	77.3	13	1509		83.366
3	2	97	13	1081		469.752
4	2	58	13	1135		176.553
5	3	93.7	13	1554	1458	487.684
6	1	64.9	13			89.145
7	2	58.3	13	1121		105.356
8	1	69.1	13			372.827
9	2	86.3	13	1100		602.638
10	2	75.3	13	1779		231.749
11	2	57.9	13	1969		357.671
12	2	98.9	13	1792		593.432
13	2	86.8	13	1311		59.613
14	2	84.5	13	1276		364.294
15	2	66.1	13	1884		301.235
16	2	89.2	13	1144		164.246
17	3	95.4	13	1794	1203	149.437
18	1	94.4	13			250.758
19	3	53.4	13	1436	1473	285.179

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 11

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	68.9	5	1016	1754	367.697
2	2	96.9	5	1990		424.541
3	2	54.8	5	1860		284.402
4	2	57.3	5	1410		116.153
5	2	96	5	1110		588.184
6	1	63.1	5			449.055
7	3	64	5	1520	1909	486.846
8	2	68.5	5	1769		85.837
9	2	92.8	5	1846		127.988
10	3	67.8	5	1206	1093	485.189
11	1	74.9	5			233.981
12	3	80.4	5	1638	1481	163.712
13	1	88.9	5			191.673
14	3	94.4	5	1432	1023	446.554
15	3	69.1	5	1723	1033	256.525
16	1	94.7	5			390.576
17	1	95.9	5			522.237
18	1	96.4	5			411.258
19	1	86.2	5			182.079

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	91.2	13	1181	1467	5.446
2	2	76	13	1192		612.22
3	1	64.4	13			58.2
4	1	53.5	13			219.66
5	2	98.4	13	1390		530.13
6	1	93.8	13			590.98
7	2	52.2	13	1525		209.65
8	1	65.8	13			772.02
9	2	65.7	13	1102		286
10	1	56.5	13			344.96
11	2	93	13	1512		615.03
12	2	95	13	1707		206.09
13	2	63.4	13	1754		51.27
14	2	73.7	13	1501		630.7
15	2	73.7	13	1087		161.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.5	16	1532		145.791
2	1	79.7	16			89.759
3	2	51	16	1307		628.215
4	1	88.7	16			187.823
5	2	79.4	16	1683		353.981
6	3	89.4	16	1388	1873	296.618
7	2	85.8	16	1513		160.156
8	2	56.9	16	1135		200.834
9	1	53.5	16			681.261
10	2	93.1	16	1106		480.099
11	2	89.5	16	1185		26.906
12	2	65.6	16	1075		669.664
13	2	65.1	16	1209		588.432
14	1	54.5	16			578.559
15	3	64.4	16	1988	1777	320.447
16	3	75.2	16	1122	1092	666.065
17	2	86.3	16	1876		535.082

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	57.7	11	1874		383.314
2	3	52.5	11	1748	1026	661.137
3	2	52.9	11	1569		198.514
4	2	80.3	11	1908		615.001
5	2	60.5	11	1295		249.399
6	2	84.1	11	1186		379.506
7	1	66.7	11			436.393
8	1	93.4	11			166.34
9	2	63	11	1280		758.547
10	3	71.1	11	1838	1962	220.934
11	3	99.3	11	1512	1096	389.201
12	3	63.6	11	1018	1710	3.279
13	1	63.2	11			707.486
14	3	67.8	11	1314	1919	734.843

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	77.8	6	1773		475.088
2	3	91.6	6	1553	1766	500.29
3	3	68.8	6	1452	1477	797.45
4	2	63.1	6	1567		923.34
5	3	77.3	6	1558	1738	151.25
6	2	68.5	6	1800		618.24
7	3	68.6	6	1724	1684	568
8	2	74	6	1293		63.86
9	3	62.4	6	1743	1403	940.94
10	3	62.8	6	1509	1233	684.51
11	2	98.8	6	1671		58.9
12	2	84.5	6	1784		62.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	90.8	13	1630		12.299
2	3	88.6	13	1708	1943	323.106
3	2	68.1	13	1617		469.89
4	2	84.3	13	1185		73.95
5	3	61.3	13	1262	1891	482.59
6	1	76.8	13			528.29
7	3	94.4	13	1296	1847	189.37
8	2	57.6	13	1148		478.4
9	2	87.4	13	1753		350.31
10	2	84.5	13	1395		371.48
11	2	69.4	13	1855		582.23
12	1	98.5	13			420.55
13	2	79.6	13	1973		243.37
14	2	53.9	13	1434		162.61
15	2	99.2	13	1732		250.54
16	1	78.1	13			360.47
17	2	92.2	13	1212		51.03
18	3	88.3	13	1830	1583	285.6
19	3	65.5	13	1172	1152	254.4
20	1	53.3	13			523.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	76.4	18	1291	1118	626.607
2	2	53	18	1547		734.683
3	2	66.4	18	1034		574.216
4	2	99.5	18	1904		446.709
5	1	61.6	18			505.692
6	1	90.4	18			2.805
7	2	86.3	18	1774		545.608
8	1	55.6	18			319.472
9	2	67.2	18	1043		123.465
10	2	78.4	18	1452		171.348
11	2	64.6	18	1659		385.071
12	3	86.5	18	1789	1903	354.554
13	2	98.7	18	1571		632.977

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	96.7	5	1523	1191	351.798
2	2	78.3	5	1773		56.613
3	2	75	5	1308		222.235
4	3	98.7	5	1805	1677	122.093
5	2	85.8	5	1122		605.841
6	1	77.8	5			435.368
7	2	85	5	1296		657.816
8	3	65.4	5	1035	1643	321.224
9	2	89.5	5	1334		303.911
10	2	61.4	5	1957		565.839
11	1	50	5			627.396
12	1	68.6	5			677.184
13	3	59.4	5	1596	1416	542.832
14	1	88.4	5			294.029
15	2	71.9	5	1639		281.547
16	2	63.6	5	1810		392.365
17	1	67.1	5			607.182

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	56.1	7	1870	1196	426.886
2	2	61.3	7	1200		586.281
3	2	80.2	7	1508		528.042
4	1	83.1	7			193.113
5	3	85.6	7	1867	1447	456.874
6	3	76.9	7	1497	1382	172.945
7	1	72.3	7			94.386
8	2	75.4	7	1957		262.077
9	2	58.5	7	1135		394.578
10	2	57.1	7	1589		616.159
11	3	92.8	7	1988	1860	498.251
12	1	54.1	7			194.832
13	1	52.6	7			598.173
14	2	78.1	7	1284		181.454
15	3	68.9	7	1788	1351	240.175
16	2	91.5	7	1496		613.116
17	3	64.4	7	1704	1412	79.137
18	2	82.4	7	1465		271.258
19	2	60.8	7	1330		510.279

--

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	86.2	7	1998		387.597
2	3	78.5	7	1551	1591	240.252
3	2	91.6	7	1978		0.677
4	2	70.7	7	1822		436.86
5	2	97.7	7	1840		525.083
6	2	91.4	7	1711		249.137
7	3	92.3	7	1387	1325	215.71
8	2	76.8	7	1723		60.693
9	2	68.4	7	1027		266.487
10	2	79.7	7	1014		457.2
11	1	90.5	7			194.663
12	2	87.9	7	1815		157.197
13	1	74.7	7			34.38
14	2	58.1	7	1931		389.553
15	3	60.8	7	1949	1670	228.297
16	3	81	7	1551	1814	524.5
17	2	60.6	7	1547		438.533
18	2	62.2	7	1857		540.967

Rohde & Schwarz Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	57.2	5			321.154
2	1	80.5	5			687.548
3	3	74.6	5	1761	1540	484.155
4	3	92.7	5	1184	1180	466.123
5	2	95.9	5	1615		304.971
6	2	50.3	5	1103		72.518
7	3	62.6	5	1548	1437	330.786
8	2	84.3	5	1705		646.034
9	2	50.9	5	1283		103.251
10	2	96.3	5	1541		437.759
11	2	99.5	5	1926		255.626
12	1	94.5	5			459.194
13	1	72.9	5			387.842
14	3	98.2	5	1839	1738	288.409
15	2	66.2	5	1797		562.547
16	2	64	5	1984		389.265
17	2	63.6	5	1967		107.882

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	63.2	9	1663		773.4
2	3	72.3	9	1495	1689	477.473
3	3	84.1	9	1993	1673	779.716
4	2	74.6	9	1060		611.179
5	2	83	9	1062		88.632
6	2	75.3	9	1197		124.895
7	2	55	9	1648		237.088
8	3	79	9	1712	1293	681.082
9	2	61.1	9	1114		680.235
10	2	56.1	9	1022		337.748
11	2	74.9	9	1539		633.141
12	2	73.8	9	1978		280.054
13	2	95.6	9	1158		635.877

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	95.9	13	1339	1650	292.606
2	2	66.8	13	1727		248.419
3	3	73.5	13	1707	1889	539.945
4	1	63.9	13			521.573
5	2	57.4	13	1044		227.961
6	2	68.3	13	1481		176.618
7	2	98.4	13	1515		359.206
8	2	71.3	13	1997		654.754
9	3	60.8	13	1116	1415	335.301
10	3	61.8	13	1224	1939	91.079
11	2	62.4	13	1326		670.426
12	3	64	13	1709	1556	101.674
13	2	79.7	13	1333		684.012
14	2	59.2	13	1382		100.089
15	2	55.6	13	1887		201.047
16	2	89.5	13	1633		587.765
17	2	75	13	1483		203.982

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	97.5	14	1473		563.028
2	1	57.6	14			201.772
3	2	65	14	1962		288.322
4	2	59	14	1631		520.073
5	1	59.8	14			3.084
6	3	88.5	14	1958	1264	223.645
7	1	54	14			66.936
8	3	71.3	14	1223	1743	585.557
9	1	64	14			446.368
10	3	64.6	14	1507	1911	215.829
11	2	84.5	14	1499		422.401
12	2	95.8	14	1281		179.302
13	2	64.2	14	1544		536.093
14	3	74.5	14	1710	1622	291.774
15	2	72.3	14	1865		618.345
16	3	80	14	1007	1575	461.456
17	2	96.8	14	1400		613.337
18	3	57.2	14	1047	1833	462.158
19	2	50.7	14	1927		548.879

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	70.5	6	1677		148.233
2	1	65.8	6			770.591
3	3	93.6	6	1800	1866	203.562
4	2	94.2	6	1554		309.353
5	1	50.5	6			455.054
6	2	77.7	6	1704		1015.585
7	1	65.2	6			893.545
8	1	53.2	6			472.786
9	3	68.1	6	1300	1823	438.647
10	3	60	6	1762	1637	49.808
11	2	85.7	6	1611		265.309

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	65.7	18			315.752
2	2	85.8	18	1525		60.82
3	1	50.1	18			405.924
4	2	96.6	18	1079		652.471
5	2	76.1	18	1115		300.649
6	2	59.8	18	1019		775.866
7	2	54.7	18	1470		280.183
8	1	65.8	18			306.75
9	3	95	18	1007	1918	363.587
10	2	58.3	18	1140		314.534
11	2	82.4	18	1272		492.431
12	1	83.6	18			290.249
13	1	92.5	18			152.486
14	2	78.7	18	1511		601.243

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	87.6	5			310.797
2	2	58.9	5	1163		456.448
3	3	72.7	5	1762	1747	299.295
4	3	79.3	5	1756	1909	25.623
5	2	83.5	5	1898		300.991
6	2	60.9	5	1725		122.928
7	2	63.7	5	1352		478.596
8	2	97.8	5	1768		103.824
9	2	65.6	5	1244		635.571
10	3	99.1	5	1911	1640	193.509
11	1	62.3	5			510.506
12	2	96.9	5	1673		175.664
13	1	60.1	5			662.532
14	3	52.2	5	1137	1434	472.499
15	2	93	5	1426		275.947
16	3	70.5	5	1382	1885	402.265
17	2	90.4	5	1514		506.882

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	83.4	5	1841		158.664
2	2	72.1	5	1619		317.187
3	2	81.8	5	1826		61.497
4	1	82	5			574.73
5	1	94.4	5			460.133
6	3	89.8	5	1423	1492	86.557
7	2	59.4	5	1130		173.85
8	2	67.2	5	1430		262.193
9	2	52.7	5	1239		600.917
10	2	74.3	5	1902		493.51
11	2	88.7	5	1003		123.503
12	3	92	5	1111	1785	596.737
13	1	68.8	5			114.96
14	3	57	5	1449	1281	402.253
15	2	96.4	5	1381		600.877
16	3	51.4	5	1307	1198	242.3
17	2	72.5	5	1948		142.933
18	3	54.6	5	1217	1945	559.967

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	90.8	7	1758		421.883
2	1	84.9	7			60.177
3	2	74.6	7	1609		420.357
4	2	66	7	1720		32.3
5	2	68.7	7	1323		84.763
6	2	87.2	7	1702		368.567
7	2	85.9	7	1026		346.71
8	2	82.6	7	1134		487.743
9	1	64.5	7			303.817
10	3	83.2	7	1353	1550	297.9
11	2	56.6	7	1011		258.763
12	1	51	7			535.787
13	3	72.3	7	1000	1849	453.15
14	1	82.6	7			376.963
15	2	53.9	7	1662		528.617
16	2	84.7	7	1106		536.7
17	2	73.9	7	1622		270.033
18	1	88.8	7			345.167

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	85.6	10	1476		430.671
2	2	58.2	10	1914		956.63
3	1	51.3	10			585.13
4	2	76.2	10	1942		107.69
5	2	50.9	10	1376		497.75
6	3	53.3	10	1140	1745	155.14
7	1	78.5	10			206.16
8	2	50.5	10	1109		147.16
9	1	66.9	10			118.79
10	1	98.9	10			309.28
11	2	58.4	10	1638		503.5
12	1	52.6	10			924.3

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	63.2	5	1869	1499	60.502
2	1	53.9	5			255.998
3	3	71.1	5	1255	1894	592.042
4	2	56.3	5	1811		362.493
5	2	74.9	5	1609		252.144
6	2	98.8	5	1138		0.385
7	3	65.4	5	1570	1987	484.676
8	2	93.8	5	1838		192.527
9	2	87.9	5	1922		18.278
10	2	69.7	5	1350		73.239
11	3	69.7	5	1559	1264	368.991
12	2	78.3	5	1020		296.442
13	2	55.6	5	1002		464.263
14	2	62.2	5	1518		113.944
15	1	59.1	5			484.455
16	2	53.9	5	1147		12.516
17	1	98	5			435.837
18	2	59.2	5	1415		519.958
19	2	53.2	5	1204		54.379

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.484	80	
2	5.53	5.581	80	
3	5.53	5.534	80	
4	5.53	5.456	80	
5	5.53	5.664	80	
6	5.53	5.394	80	
7	5.53	5.687	80	
8	5.53	5.621	80	
9	5.53	5.674	80	
10	5.53	5.492	80	
11	5.53	5.314	80	
12	5.53	5.445	80	
13	5.53	5.713	80	
14	5.53	5.585	80	
15	5.53	5.6	80	
16	5.53	5.528	80	
17	5.53	5.25	80	
18	5.53	5.301	80	
19	5.53	5.449	80	
20	5.53	5.48	80	
21	5.53	5.308	80	
22	5.53	5.38	80	
23	5.53	5.723	80	
24	5.53	5.59	80	
25	5.53	5.42	80	
26	5.53	5.683	80	
27	5.53	5.559	80	
28	5.53	5.455	80	
29	5.53	5.582	80	
30	5.53	5.686	80	
31	5.53	5.489	80	
32	5.53	5.639	80	
33	5.53	5.531	80	
34	5.53	5.378	80	
35	5.53	5.51	80	
36	5.53	5.281	80	
37	5.53	5.499	80	
38	5.53	5.548	80	
39	5.53	5.622	80	
40	5.53	5.407	80	
41	5.53	5.262	80	*
42	5.53	5.316	80	
43	5.53	5.422	80	
44	5.53	5.486	80	
45	5.53	5.352	80	
46	5.53	5.31	80	
47	5.53	5.514	80	

48	5.53	5.436	80	
49	5.53	5.515	80	
50	5.53	5.353	80	
51	5.53	5.389	80	
52	5.53	5.271	80	*
53	5.53	5.263	80	*
54	5.53	5.717	80	
55	5.53	5.322	80	
56	5.53	5.427	80	
57	5.53	5.441	80	
58	5.53	5.424	80	
59	5.53	5.343	80	
60	5.53	5.429	80	
61	5.53	5.703	80	
62	5.53	5.648	80	
63	5.53	5.392	80	
64	5.53	5.387	80	
65	5.53	5.417	80	
66	5.53	5.348	80	
67	5.53	5.556	80	
68	5.53	5.652	80	
69	5.53	5.275	80	*
70	5.53	5.311	80	
71	5.53	5.26	80	*
72	5.53	5.329	80	
73	5.53	5.58	80	
74	5.53	5.636	80	
75	5.53	5.325	80	
76	5.53	5.593	80	
77	5.53	5.315	80	
78	5.53	5.357	80	
79	5.53	5.678	80	
80	5.53	5.618	80	
81	5.53	5.601	80	
82	5.53	5.536	80	
83	5.53	5.651	80	
84	5.53	5.44	80	
85	5.53	5.442	80	
86	5.53	5.605	80	
87	5.53	5.634	80	
88	5.53	5.437	80	
89	5.53	5.29	80	
90	5.53	5.526	80	
91	5.53	5.706	80	
92	5.53	5.358	80	
93	5.53	5.401	80	
94	5.53	5.722	80	
95	5.53	5.716	80	
96	5.53	5.615	80	
97	5.53	5.638	80	
98	5.53	5.596	80	
99	5.53	5.575	80	
100	5.53	5.487	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.561	80	
2	5.53	5.296	80	
3	5.53	5.363	80	
4	5.53	5.632	80	
5	5.53	5.44	80	
6	5.53	5.592	80	
7	5.53	5.517	80	
8	5.53	5.573	80	
9	5.53	5.579	80	
10	5.53	5.346	80	
11	5.53	5.325	80	
12	5.53	5.359	80	
13	5.53	5.366	80	
14	5.53	5.509	80	
15	5.53	5.368	80	
16	5.53	5.708	80	
17	5.53	5.262	80	*
18	5.53	5.371	80	
19	5.53	5.507	80	
20	5.53	5.66	80	
21	5.53	5.679	80	
22	5.53	5.395	80	
23	5.53	5.452	80	
24	5.53	5.502	80	
25	5.53	5.34	80	
26	5.53	5.696	80	
27	5.53	5.477	80	
28	5.53	5.645	80	
29	5.53	5.379	80	
30	5.53	5.405	80	
31	5.53	5.441	80	
32	5.53	5.617	80	
33	5.53	5.582	80	
34	5.53	5.659	80	
35	5.53	5.691	80	
36	5.53	5.512	80	
37	5.53	5.622	80	
38	5.53	5.319	80	
39	5.53	5.286	80	
40	5.53	5.722	80	
41	5.53	5.651	80	
42	5.53	5.476	80	
43	5.53	5.42	80	
44	5.53	5.348	80	
45	5.53	5.614	80	
46	5.53	5.404	80	
47	5.53	5.481	80	

48	5.53	5.628	80	
49	5.53	5.549	80	
50	5.53	5.427	80	
51	5.53	5.594	80	
52	5.53	5.465	80	
53	5.53	5.699	80	
54	5.53	5.537	80	
55	5.53	5.657	80	
56	5.53	5.552	80	
57	5.53	5.521	80	
58	5.53	5.515	80	
59	5.53	5.35	80	
60	5.53	5.293	80	
61	5.53	5.393	80	
62	5.53	5.576	80	
63	5.53	5.642	80	
64	5.53	5.448	80	
65	5.53	5.389	80	
66	5.53	5.557	80	
67	5.53	5.598	80	
68	5.53	5.454	80	
69	5.53	5.355	80	
70	5.53	5.666	80	
71	5.53	5.559	80	
72	5.53	5.56	80	
73	5.53	5.572	80	
74	5.53	5.32	80	
75	5.53	5.529	80	
76	5.53	5.69	80	
77	5.53	5.556	80	
78	5.53	5.711	80	
79	5.53	5.62	80	
80	5.53	5.567	80	
81	5.53	5.667	80	
82	5.53	5.375	80	
83	5.53	5.327	80	
84	5.53	5.265	80	*
85	5.53	5.528	80	
86	5.53	5.61	80	
87	5.53	5.541	80	
88	5.53	5.29	80	
89	5.53	5.347	80	
90	5.53	5.531	80	
91	5.53	5.324	80	
92	5.53	5.316	80	
93	5.53	5.302	80	
94	5.53	5.497	80	
95	5.53	5.338	80	
96	5.53	5.693	80	
97	5.53	5.267	80	*
98	5.53	5.49	80	
99	5.53	5.475	80	
100	5.53	5.665	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.367	80	
2	5.53	5.308	80	
3	5.53	5.379	80	
4	5.53	5.585	80	
5	5.53	5.285	80	
6	5.53	5.662	80	
7	5.53	5.38	80	
8	5.53	5.592	80	
9	5.53	5.384	80	
10	5.53	5.356	80	
11	5.53	5.251	80	
12	5.53	5.704	80	
13	5.53	5.723	80	
14	5.53	5.569	80	
15	5.53	5.409	80	
16	5.53	5.658	80	
17	5.53	5.283	80	
18	5.53	5.547	80	
19	5.53	5.468	80	
20	5.53	5.609	80	
21	5.53	5.619	80	
22	5.53	5.348	80	
23	5.53	5.666	80	
24	5.53	5.343	80	
25	5.53	5.524	80	
26	5.53	5.309	80	
27	5.53	5.659	80	
28	5.53	5.458	80	
29	5.53	5.261	80	*
30	5.53	5.681	80	
31	5.53	5.685	80	
32	5.53	5.708	80	
33	5.53	5.344	80	
34	5.53	5.292	80	
35	5.53	5.589	80	
36	5.53	5.35	80	
37	5.53	5.705	80	
38	5.53	5.375	80	
39	5.53	5.678	80	
40	5.53	5.583	80	
41	5.53	5.486	80	
42	5.53	5.255	80	
43	5.53	5.411	80	
44	5.53	5.278	80	*
45	5.53	5.474	80	
46	5.53	5.56	80	
47	5.53	5.588	80	

48	5.53	5.473	80	
49	5.53	5.55	80	
50	5.53	5.602	80	
51	5.53	5.688	80	
52	5.53	5.424	80	
53	5.53	5.321	80	
54	5.53	5.603	80	
55	5.53	5.713	80	
56	5.53	5.54	80	
57	5.53	5.469	80	
58	5.53	5.304	80	
59	5.53	5.25	80	
60	5.53	5.582	80	
61	5.53	5.624	80	
62	5.53	5.328	80	
63	5.53	5.31	80	
64	5.53	5.393	80	
65	5.53	5.53	80	
66	5.53	5.683	80	
67	5.53	5.686	80	
68	5.53	5.638	80	
69	5.53	5.675	80	
70	5.53	5.553	80	
71	5.53	5.453	80	
72	5.53	5.554	80	
73	5.53	5.329	80	
74	5.53	5.47	80	
75	5.53	5.284	80	
76	5.53	5.493	80	
77	5.53	5.72	80	
78	5.53	5.52	80	
79	5.53	5.544	80	
80	5.53	5.684	80	
81	5.53	5.523	80	
82	5.53	5.575	80	
83	5.53	5.447	80	
84	5.53	5.312	80	
85	5.53	5.51	80	
86	5.53	5.591	80	
87	5.53	5.449	80	
88	5.53	5.307	80	
89	5.53	5.355	80	
90	5.53	5.663	80	
91	5.53	5.649	80	
92	5.53	5.427	80	
93	5.53	5.522	80	
94	5.53	5.323	80	
95	5.53	5.606	80	
96	5.53	5.456	80	
97	5.53	5.275	80	*
98	5.53	5.388	80	
99	5.53	5.478	80	
100	5.53	5.636	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.676	80	
2	5.53	5.515	80	
3	5.53	5.337	80	
4	5.53	5.353	80	
5	5.53	5.381	80	
6	5.53	5.373	80	
7	5.53	5.637	80	
8	5.53	5.602	80	
9	5.53	5.63	80	
10	5.53	5.365	80	
11	5.53	5.553	80	
12	5.53	5.656	80	
13	5.53	5.339	80	
14	5.53	5.311	80	
15	5.53	5.282	80	
16	5.53	5.507	80	
17	5.53	5.607	80	
18	5.53	5.629	80	
19	5.53	5.422	80	
20	5.53	5.696	80	
21	5.53	5.252	80	
22	5.53	5.286	80	
23	5.53	5.663	80	
24	5.53	5.31	80	
25	5.53	5.684	80	
26	5.53	5.314	80	
27	5.53	5.475	80	
28	5.53	5.458	80	
29	5.53	5.582	80	
30	5.53	5.262	80	*
31	5.53	5.376	80	
32	5.53	5.514	80	
33	5.53	5.268	80	*
34	5.53	5.672	80	
35	5.53	5.535	80	
36	5.53	5.661	80	
37	5.53	5.401	80	
38	5.53	5.623	80	
39	5.53	5.548	80	
40	5.53	5.706	80	
41	5.53	5.713	80	
42	5.53	5.712	80	
43	5.53	5.508	80	
44	5.53	5.456	80	
45	5.53	5.336	80	
46	5.53	5.674	80	
47	5.53	5.681	80	

48	5.53	5.54	80	
49	5.53	5.443	80	
50	5.53	5.406	80	
51	5.53	5.265	80	*
52	5.53	5.667	80	
53	5.53	5.275	80	*
54	5.53	5.482	80	
55	5.53	5.399	80	
56	5.53	5.714	80	
57	5.53	5.312	80	
58	5.53	5.7	80	
59	5.53	5.325	80	
60	5.53	5.572	80	
61	5.53	5.538	80	
62	5.53	5.618	80	
63	5.53	5.251	80	
64	5.53	5.654	80	
65	5.53	5.695	80	
66	5.53	5.464	80	
67	5.53	5.621	80	
68	5.53	5.588	80	
69	5.53	5.47	80	
70	5.53	5.413	80	
71	5.53	5.622	80	
72	5.53	5.595	80	
73	5.53	5.338	80	
74	5.53	5.324	80	
75	5.53	5.518	80	
76	5.53	5.307	80	
77	5.53	5.612	80	
78	5.53	5.563	80	
79	5.53	5.484	80	
80	5.53	5.396	80	
81	5.53	5.284	80	
82	5.53	5.542	80	
83	5.53	5.551	80	
84	5.53	5.332	80	
85	5.53	5.285	80	
86	5.53	5.321	80	
87	5.53	5.361	80	
88	5.53	5.334	80	
89	5.53	5.386	80	
90	5.53	5.51	80	
91	5.53	5.664	80	
92	5.53	5.645	80	
93	5.53	5.424	80	
94	5.53	5.707	80	
95	5.53	5.267	80	*
96	5.53	5.392	80	
97	5.53	5.611	80	
98	5.53	5.4	80	
99	5.53	5.319	80	
100	5.53	5.419	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.598	80	
2	5.53	5.253	80	
3	5.53	5.303	80	
4	5.53	5.503	80	
5	5.53	5.683	80	
6	5.53	5.684	80	
7	5.53	5.363	80	
8	5.53	5.575	80	
9	5.53	5.57	80	
10	5.53	5.452	80	
11	5.53	5.511	80	
12	5.53	5.462	80	
13	5.53	5.433	80	
14	5.53	5.399	80	
15	5.53	5.269	80	*
16	5.53	5.622	80	
17	5.53	5.322	80	
18	5.53	5.374	80	
19	5.53	5.623	80	
20	5.53	5.662	80	
21	5.53	5.357	80	
22	5.53	5.385	80	
23	5.53	5.435	80	
24	5.53	5.413	80	
25	5.53	5.509	80	
26	5.53	5.595	80	
27	5.53	5.581	80	
28	5.53	5.339	80	
29	5.53	5.332	80	
30	5.53	5.455	80	
31	5.53	5.513	80	
32	5.53	5.609	80	
33	5.53	5.485	80	
34	5.53	5.386	80	
35	5.53	5.489	80	
36	5.53	5.285	80	
37	5.53	5.445	80	
38	5.53	5.465	80	
39	5.53	5.259	80	
40	5.53	5.572	80	
41	5.53	5.381	80	
42	5.53	5.392	80	
43	5.53	5.492	80	
44	5.53	5.668	80	
45	5.53	5.317	80	
46	5.53	5.271	80	*
47	5.53	5.518	80	

48	5.53	5.621	80	
49	5.53	5.516	80	
50	5.53	5.47	80	
51	5.53	5.65	80	
52	5.53	5.63	80	
53	5.53	5.48	80	
54	5.53	5.562	80	
55	5.53	5.51	80	
56	5.53	5.29	80	
57	5.53	5.457	80	
58	5.53	5.656	80	
59	5.53	5.537	80	
60	5.53	5.686	80	
61	5.53	5.34	80	
62	5.53	5.616	80	
63	5.53	5.297	80	
64	5.53	5.648	80	
65	5.53	5.487	80	
66	5.53	5.587	80	
67	5.53	5.54	80	
68	5.53	5.554	80	
69	5.53	5.318	80	
70	5.53	5.3	80	
71	5.53	5.427	80	
72	5.53	5.331	80	
73	5.53	5.714	80	
74	5.53	5.558	80	
75	5.53	5.423	80	
76	5.53	5.417	80	
77	5.53	5.543	80	
78	5.53	5.667	80	
79	5.53	5.393	80	
80	5.53	5.652	80	
81	5.53	5.327	80	
82	5.53	5.514	80	
83	5.53	5.414	80	
84	5.53	5.553	80	
85	5.53	5.341	80	
86	5.53	5.552	80	
87	5.53	5.538	80	
88	5.53	5.464	80	
89	5.53	5.293	80	
90	5.53	5.422	80	
91	5.53	5.475	80	
92	5.53	5.415	80	
93	5.53	5.699	80	
94	5.53	5.311	80	
95	5.53	5.31	80	
96	5.53	5.646	80	
97	5.53	5.266	80	*
98	5.53	5.347	80	
99	5.53	5.559	80	
100	5.53	5.578	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.72	80	
2	5.53	5.662	80	
3	5.53	5.312	80	
4	5.53	5.27	80	*
5	5.53	5.677	80	
6	5.53	5.321	80	
7	5.53	5.475	80	
8	5.53	5.361	80	
9	5.53	5.494	80	
10	5.53	5.336	80	
11	5.53	5.507	80	
12	5.53	5.38	80	
13	5.53	5.424	80	
14	5.53	5.699	80	
15	5.53	5.547	80	
16	5.53	5.329	80	
17	5.53	5.422	80	
18	5.53	5.724	80	
19	5.53	5.414	80	
20	5.53	5.343	80	
21	5.53	5.441	80	
22	5.53	5.595	80	
23	5.53	5.517	80	
24	5.53	5.524	80	
25	5.53	5.285	80	
26	5.53	5.283	80	
27	5.53	5.596	80	
28	5.53	5.676	80	
29	5.53	5.341	80	
30	5.53	5.695	80	
31	5.53	5.455	80	
32	5.53	5.287	80	
33	5.53	5.264	80	*
34	5.53	5.696	80	
35	5.53	5.417	80	
36	5.53	5.664	80	
37	5.53	5.473	80	
38	5.53	5.453	80	
39	5.53	5.354	80	
40	5.53	5.511	80	
41	5.53	5.483	80	
42	5.53	5.563	80	
43	5.53	5.314	80	
44	5.53	5.472	80	
45	5.53	5.398	80	
46	5.53	5.628	80	
47	5.53	5.534	80	

48	5.53	5.67	80	
49	5.53	5.397	80	
50	5.53	5.523	80	
51	5.53	5.701	80	
52	5.53	5.583	80	
53	5.53	5.694	80	
54	5.53	5.601	80	
55	5.53	5.265	80	*
56	5.53	5.706	80	
57	5.53	5.353	80	
58	5.53	5.293	80	
59	5.53	5.291	80	
60	5.53	5.602	80	
61	5.53	5.368	80	
62	5.53	5.657	80	
63	5.53	5.352	80	
64	5.53	5.484	80	
65	5.53	5.416	80	
66	5.53	5.538	80	
67	5.53	5.315	80	
68	5.53	5.379	80	
69	5.53	5.435	80	
70	5.53	5.277	80	*
71	5.53	5.266	80	*
72	5.53	5.357	80	
73	5.53	5.308	80	
74	5.53	5.702	80	
75	5.53	5.382	80	
76	5.53	5.698	80	
77	5.53	5.425	80	
78	5.53	5.384	80	
79	5.53	5.642	80	
80	5.53	5.256	80	
81	5.53	5.34	80	
82	5.53	5.607	80	
83	5.53	5.627	80	
84	5.53	5.63	80	
85	5.53	5.374	80	
86	5.53	5.675	80	
87	5.53	5.704	80	
88	5.53	5.717	80	
89	5.53	5.371	80	
90	5.53	5.443	80	
91	5.53	5.593	80	
92	5.53	5.714	80	
93	5.53	5.573	80	
94	5.53	5.333	80	
95	5.53	5.356	80	
96	5.53	5.552	80	
97	5.53	5.712	80	
98	5.53	5.502	80	
99	5.53	5.263	80	*
100	5.53	5.476	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.551	80	
2	5.53	5.417	80	
3	5.53	5.396	80	
4	5.53	5.592	80	
5	5.53	5.624	80	
6	5.53	5.291	80	
7	5.53	5.284	80	
8	5.53	5.493	80	
9	5.53	5.484	80	
10	5.53	5.334	80	
11	5.53	5.424	80	
12	5.53	5.546	80	
13	5.53	5.311	80	
14	5.53	5.327	80	
15	5.53	5.315	80	
16	5.53	5.332	80	
17	5.53	5.589	80	
18	5.53	5.564	80	
19	5.53	5.45	80	
20	5.53	5.27	80	*
21	5.53	5.293	80	
22	5.53	5.25	80	
23	5.53	5.714	80	
24	5.53	5.399	80	
25	5.53	5.466	80	
26	5.53	5.716	80	
27	5.53	5.48	80	
28	5.53	5.296	80	
29	5.53	5.265	80	*
30	5.53	5.616	80	
31	5.53	5.636	80	
32	5.53	5.532	80	
33	5.53	5.553	80	
34	5.53	5.292	80	
35	5.53	5.256	80	
36	5.53	5.653	80	
37	5.53	5.267	80	*
38	5.53	5.443	80	
39	5.53	5.559	80	
40	5.53	5.689	80	
41	5.53	5.448	80	
42	5.53	5.622	80	
43	5.53	5.538	80	
44	5.53	5.644	80	
45	5.53	5.661	80	
46	5.53	5.339	80	
47	5.53	5.469	80	

48	5.53	5.515	80	
49	5.53	5.58	80	
50	5.53	5.542	80	
51	5.53	5.375	80	
52	5.53	5.717	80	
53	5.53	5.301	80	
54	5.53	5.666	80	
55	5.53	5.377	80	
56	5.53	5.373	80	
57	5.53	5.677	80	
58	5.53	5.326	80	
59	5.53	5.688	80	
60	5.53	5.587	80	
61	5.53	5.435	80	
62	5.53	5.654	80	
63	5.53	5.497	80	
64	5.53	5.649	80	
65	5.53	5.459	80	
66	5.53	5.588	80	
67	5.53	5.54	80	
68	5.53	5.561	80	
69	5.53	5.63	80	
70	5.53	5.383	80	
71	5.53	5.548	80	
72	5.53	5.409	80	
73	5.53	5.641	80	
74	5.53	5.378	80	
75	5.53	5.621	80	
76	5.53	5.322	80	
77	5.53	5.525	80	
78	5.53	5.4	80	
79	5.53	5.313	80	
80	5.53	5.298	80	
81	5.53	5.394	80	
82	5.53	5.549	80	
83	5.53	5.266	80	*
84	5.53	5.623	80	
85	5.53	5.49	80	
86	5.53	5.434	80	
87	5.53	5.253	80	
88	5.53	5.576	80	
89	5.53	5.285	80	
90	5.53	5.347	80	
91	5.53	5.637	80	
92	5.53	5.289	80	
93	5.53	5.482	80	
94	5.53	5.543	80	
95	5.53	5.302	80	
96	5.53	5.699	80	
97	5.53	5.408	80	
98	5.53	5.38	80	
99	5.53	5.674	80	
100	5.53	5.55	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.549	80	
2	5.53	5.663	80	
3	5.53	5.512	80	
4	5.53	5.688	80	
5	5.53	5.457	80	
6	5.53	5.469	80	
7	5.53	5.624	80	
8	5.53	5.449	80	
9	5.53	5.321	80	
10	5.53	5.563	80	
11	5.53	5.482	80	
12	5.53	5.516	80	
13	5.53	5.393	80	
14	5.53	5.462	80	
15	5.53	5.719	80	
16	5.53	5.554	80	
17	5.53	5.68	80	
18	5.53	5.277	80	*
19	5.53	5.72	80	
20	5.53	5.308	80	
21	5.53	5.675	80	
22	5.53	5.568	80	
23	5.53	5.634	80	
24	5.53	5.466	80	
25	5.53	5.521	80	
26	5.53	5.343	80	
27	5.53	5.329	80	
28	5.53	5.543	80	
29	5.53	5.286	80	
30	5.53	5.485	80	
31	5.53	5.541	80	
32	5.53	5.366	80	
33	5.53	5.538	80	
34	5.53	5.678	80	
35	5.53	5.666	80	
36	5.53	5.324	80	
37	5.53	5.346	80	
38	5.53	5.273	80	*
39	5.53	5.66	80	
40	5.53	5.455	80	
41	5.53	5.44	80	
42	5.53	5.336	80	
43	5.53	5.603	80	
44	5.53	5.586	80	
45	5.53	5.452	80	
46	5.53	5.483	80	
47	5.53	5.65	80	

48	5.53	5.668	80	
49	5.53	5.698	80	
50	5.53	5.367	80	
51	5.53	5.3	80	
52	5.53	5.395	80	
53	5.53	5.589	80	
54	5.53	5.56	80	
55	5.53	5.419	80	
56	5.53	5.648	80	
57	5.53	5.704	80	
58	5.53	5.64	80	
59	5.53	5.259	80	
60	5.53	5.692	80	
61	5.53	5.534	80	
62	5.53	5.463	80	
63	5.53	5.416	80	
64	5.53	5.435	80	
65	5.53	5.351	80	
66	5.53	5.375	80	
67	5.53	5.591	80	
68	5.53	5.594	80	
69	5.53	5.572	80	
70	5.53	5.37	80	
71	5.53	5.306	80	
72	5.53	5.697	80	
73	5.53	5.468	80	
74	5.53	5.428	80	
75	5.53	5.531	80	
76	5.53	5.443	80	
77	5.53	5.297	80	
78	5.53	5.672	80	
79	5.53	5.296	80	
80	5.53	5.434	80	
81	5.53	5.26	80	*
82	5.53	5.527	80	
83	5.53	5.657	80	
84	5.53	5.501	80	
85	5.53	5.689	80	
86	5.53	5.506	80	
87	5.53	5.394	80	
88	5.53	5.661	80	
89	5.53	5.357	80	
90	5.53	5.597	80	
91	5.53	5.412	80	
92	5.53	5.381	80	
93	5.53	5.421	80	
94	5.53	5.717	80	
95	5.53	5.43	80	
96	5.53	5.335	80	
97	5.53	5.503	80	
98	5.53	5.333	80	
99	5.53	5.397	80	
100	5.53	5.423	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.708	80	
2	5.53	5.454	80	
3	5.53	5.42	80	
4	5.53	5.291	80	
5	5.53	5.47	80	
6	5.53	5.321	80	
7	5.53	5.341	80	
8	5.53	5.684	80	
9	5.53	5.515	80	
10	5.53	5.697	80	
11	5.53	5.264	80	*
12	5.53	5.67	80	
13	5.53	5.713	80	
14	5.53	5.635	80	
15	5.53	5.611	80	
16	5.53	5.62	80	
17	5.53	5.549	80	
18	5.53	5.322	80	
19	5.53	5.281	80	
20	5.53	5.327	80	
21	5.53	5.521	80	
22	5.53	5.372	80	
23	5.53	5.457	80	
24	5.53	5.676	80	
25	5.53	5.471	80	
26	5.53	5.503	80	
27	5.53	5.656	80	
28	5.53	5.626	80	
29	5.53	5.29	80	
30	5.53	5.592	80	
31	5.53	5.581	80	
32	5.53	5.648	80	
33	5.53	5.687	80	
34	5.53	5.318	80	
35	5.53	5.397	80	
36	5.53	5.663	80	
37	5.53	5.44	80	
38	5.53	5.431	80	
39	5.53	5.411	80	
40	5.53	5.666	80	
41	5.53	5.496	80	
42	5.53	5.313	80	
43	5.53	5.548	80	
44	5.53	5.408	80	
45	5.53	5.25	80	
46	5.53	5.279	80	*
47	5.53	5.533	80	

48	5.53	5.389	80	
49	5.53	5.522	80	
50	5.53	5.449	80	
51	5.53	5.368	80	
52	5.53	5.658	80	
53	5.53	5.461	80	
54	5.53	5.301	80	
55	5.53	5.598	80	
56	5.53	5.499	80	
57	5.53	5.719	80	
58	5.53	5.364	80	
59	5.53	5.285	80	
60	5.53	5.589	80	
61	5.53	5.303	80	
62	5.53	5.619	80	
63	5.53	5.498	80	
64	5.53	5.678	80	
65	5.53	5.557	80	
66	5.53	5.458	80	
67	5.53	5.563	80	
68	5.53	5.345	80	
69	5.53	5.576	80	
70	5.53	5.419	80	
71	5.53	5.597	80	
72	5.53	5.594	80	
73	5.53	5.362	80	
74	5.53	5.34	80	
75	5.53	5.464	80	
76	5.53	5.324	80	
77	5.53	5.443	80	
78	5.53	5.358	80	
79	5.53	5.665	80	
80	5.53	5.263	80	*
81	5.53	5.657	80	
82	5.53	5.609	80	
83	5.53	5.428	80	
84	5.53	5.61	80	
85	5.53	5.588	80	
86	5.53	5.424	80	
87	5.53	5.274	80	*
88	5.53	5.444	80	
89	5.53	5.293	80	
90	5.53	5.387	80	
91	5.53	5.286	80	
92	5.53	5.343	80	
93	5.53	5.302	80	
94	5.53	5.269	80	*
95	5.53	5.266	80	*
96	5.53	5.308	80	
97	5.53	5.508	80	
98	5.53	5.491	80	
99	5.53	5.659	80	
100	5.53	5.612	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.423	80	
2	5.53	5.278	80	*
3	5.53	5.425	80	
4	5.53	5.643	80	
5	5.53	5.607	80	
6	5.53	5.344	80	
7	5.53	5.39	80	
8	5.53	5.395	80	
9	5.53	5.36	80	
10	5.53	5.356	80	
11	5.53	5.498	80	
12	5.53	5.507	80	
13	5.53	5.573	80	
14	5.53	5.684	80	
15	5.53	5.42	80	
16	5.53	5.404	80	
17	5.53	5.366	80	
18	5.53	5.258	80	
19	5.53	5.291	80	
20	5.53	5.715	80	
21	5.53	5.62	80	
22	5.53	5.286	80	
23	5.53	5.455	80	
24	5.53	5.424	80	
25	5.53	5.387	80	
26	5.53	5.305	80	
27	5.53	5.708	80	
28	5.53	5.566	80	
29	5.53	5.434	80	
30	5.53	5.409	80	
31	5.53	5.32	80	
32	5.53	5.713	80	
33	5.53	5.373	80	
34	5.53	5.575	80	
35	5.53	5.394	80	
36	5.53	5.264	80	*
37	5.53	5.413	80	
38	5.53	5.389	80	
39	5.53	5.557	80	
40	5.53	5.431	80	
41	5.53	5.517	80	
42	5.53	5.374	80	
43	5.53	5.28	80	*
44	5.53	5.269	80	*
45	5.53	5.721	80	
46	5.53	5.677	80	
47	5.53	5.683	80	

48	5.53	5.447	80	
49	5.53	5.319	80	
50	5.53	5.369	80	
51	5.53	5.384	80	
52	5.53	5.446	80	
53	5.53	5.682	80	
54	5.53	5.616	80	
55	5.53	5.337	80	
56	5.53	5.671	80	
57	5.53	5.603	80	
58	5.53	5.472	80	
59	5.53	5.27	80	*
60	5.53	5.393	80	
61	5.53	5.45	80	
62	5.53	5.612	80	
63	5.53	5.678	80	
64	5.53	5.542	80	
65	5.53	5.649	80	
66	5.53	5.609	80	
67	5.53	5.513	80	
68	5.53	5.268	80	*
69	5.53	5.63	80	
70	5.53	5.283	80	
71	5.53	5.486	80	
72	5.53	5.451	80	
73	5.53	5.685	80	
74	5.53	5.296	80	
75	5.53	5.502	80	
76	5.53	5.552	80	
77	5.53	5.406	80	
78	5.53	5.613	80	
79	5.53	5.26	80	*
80	5.53	5.476	80	
81	5.53	5.636	80	
82	5.53	5.544	80	
83	5.53	5.343	80	
84	5.53	5.705	80	
85	5.53	5.548	80	
86	5.53	5.48	80	
87	5.53	5.641	80	
88	5.53	5.61	80	
89	5.53	5.596	80	
90	5.53	5.385	80	
91	5.53	5.533	80	
92	5.53	5.538	80	
93	5.53	5.695	80	
94	5.53	5.561	80	
95	5.53	5.673	80	
96	5.53	5.676	80	
97	5.53	5.376	80	
98	5.53	5.54	80	
99	5.53	5.657	80	
100	5.53	5.68	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.522	80	
2	5.53	5.634	80	
3	5.53	5.549	80	
4	5.53	5.397	80	
5	5.53	5.401	80	
6	5.53	5.639	80	
7	5.53	5.64	80	
8	5.53	5.491	80	
9	5.53	5.586	80	
10	5.53	5.625	80	
11	5.53	5.304	80	
12	5.53	5.611	80	
13	5.53	5.551	80	
14	5.53	5.678	80	
15	5.53	5.469	80	
16	5.53	5.384	80	
17	5.53	5.395	80	
18	5.53	5.667	80	
19	5.53	5.446	80	
20	5.53	5.544	80	
21	5.53	5.297	80	
22	5.53	5.277	80	*
23	5.53	5.352	80	
24	5.53	5.482	80	
25	5.53	5.543	80	
26	5.53	5.655	80	
27	5.53	5.581	80	
28	5.53	5.699	80	
29	5.53	5.458	80	
30	5.53	5.555	80	
31	5.53	5.613	80	
32	5.53	5.466	80	
33	5.53	5.281	80	
34	5.53	5.313	80	
35	5.53	5.407	80	
36	5.53	5.624	80	
37	5.53	5.659	80	
38	5.53	5.307	80	
39	5.53	5.48	80	
40	5.53	5.66	80	
41	5.53	5.476	80	
42	5.53	5.273	80	*
43	5.53	5.428	80	
44	5.53	5.577	80	
45	5.53	5.541	80	
46	5.53	5.579	80	
47	5.53	5.306	80	

48	5.53	5.362	80	
49	5.53	5.391	80	
50	5.53	5.609	80	
51	5.53	5.499	80	
52	5.53	5.564	80	
53	5.53	5.392	80	
54	5.53	5.674	80	
55	5.53	5.592	80	
56	5.53	5.315	80	
57	5.53	5.32	80	
58	5.53	5.393	80	
59	5.53	5.253	80	
60	5.53	5.424	80	
61	5.53	5.326	80	
62	5.53	5.547	80	
63	5.53	5.275	80	*
64	5.53	5.344	80	
65	5.53	5.339	80	
66	5.53	5.512	80	
67	5.53	5.264	80	*
68	5.53	5.527	80	
69	5.53	5.644	80	
70	5.53	5.501	80	
71	5.53	5.695	80	
72	5.53	5.692	80	
73	5.53	5.439	80	
74	5.53	5.504	80	
75	5.53	5.398	80	
76	5.53	5.389	80	
77	5.53	5.436	80	
78	5.53	5.429	80	
79	5.53	5.269	80	*
80	5.53	5.598	80	
81	5.53	5.599	80	
82	5.53	5.578	80	
83	5.53	5.478	80	
84	5.53	5.585	80	
85	5.53	5.342	80	
86	5.53	5.409	80	
87	5.53	5.329	80	
88	5.53	5.559	80	
89	5.53	5.254	80	
90	5.53	5.698	80	
91	5.53	5.366	80	
92	5.53	5.568	80	
93	5.53	5.503	80	
94	5.53	5.696	80	
95	5.53	5.723	80	
96	5.53	5.34	80	
97	5.53	5.645	80	
98	5.53	5.654	80	
99	5.53	5.328	80	
100	5.53	5.687	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.441	80	
2	5.53	5.724	80	
3	5.53	5.289	80	
4	5.53	5.276	80	*
5	5.53	5.429	80	
6	5.53	5.59	80	
7	5.53	5.354	80	
8	5.53	5.451	80	
9	5.53	5.688	80	
10	5.53	5.689	80	
11	5.53	5.506	80	
12	5.53	5.722	80	
13	5.53	5.717	80	
14	5.53	5.381	80	
15	5.53	5.643	80	
16	5.53	5.602	80	
17	5.53	5.661	80	
18	5.53	5.39	80	
19	5.53	5.272	80	*
20	5.53	5.471	80	
21	5.53	5.472	80	
22	5.53	5.356	80	
23	5.53	5.524	80	
24	5.53	5.621	80	
25	5.53	5.699	80	
26	5.53	5.627	80	
27	5.53	5.297	80	
28	5.53	5.611	80	
29	5.53	5.619	80	
30	5.53	5.261	80	*
31	5.53	5.465	80	
32	5.53	5.254	80	
33	5.53	5.604	80	
34	5.53	5.503	80	
35	5.53	5.402	80	
36	5.53	5.682	80	
37	5.53	5.406	80	
38	5.53	5.596	80	
39	5.53	5.363	80	
40	5.53	5.298	80	
41	5.53	5.537	80	
42	5.53	5.52	80	
43	5.53	5.628	80	
44	5.53	5.299	80	
45	5.53	5.334	80	
46	5.53	5.44	80	
47	5.53	5.348	80	

48	5.53	5.34	80	
49	5.53	5.709	80	
50	5.53	5.492	80	
51	5.53	5.408	80	
52	5.53	5.663	80	
53	5.53	5.668	80	
54	5.53	5.414	80	
55	5.53	5.67	80	
56	5.53	5.678	80	
57	5.53	5.557	80	
58	5.53	5.375	80	
59	5.53	5.675	80	
60	5.53	5.343	80	
61	5.53	5.68	80	
62	5.53	5.599	80	
63	5.53	5.312	80	
64	5.53	5.71	80	
65	5.53	5.632	80	
66	5.53	5.669	80	
67	5.53	5.505	80	
68	5.53	5.565	80	
69	5.53	5.692	80	
70	5.53	5.708	80	
71	5.53	5.512	80	
72	5.53	5.562	80	
73	5.53	5.478	80	
74	5.53	5.595	80	
75	5.53	5.64	80	
76	5.53	5.637	80	
77	5.53	5.419	80	
78	5.53	5.284	80	
79	5.53	5.387	80	
80	5.53	5.491	80	
81	5.53	5.293	80	
82	5.53	5.47	80	
83	5.53	5.719	80	
84	5.53	5.329	80	
85	5.53	5.386	80	
86	5.53	5.331	80	
87	5.53	5.626	80	
88	5.53	5.65	80	
89	5.53	5.62	80	
90	5.53	5.667	80	
91	5.53	5.393	80	
92	5.53	5.521	80	
93	5.53	5.509	80	
94	5.53	5.541	80	
95	5.53	5.303	80	
96	5.53	5.317	80	
97	5.53	5.677	80	
98	5.53	5.548	80	
99	5.53	5.359	80	
100	5.53	5.263	80	*

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.521	80	
2	5.53	5.496	80	
3	5.53	5.384	80	
4	5.53	5.514	80	
5	5.53	5.647	80	
6	5.53	5.568	80	
7	5.53	5.54	80	
8	5.53	5.302	80	
9	5.53	5.421	80	
10	5.53	5.63	80	
11	5.53	5.527	80	
12	5.53	5.348	80	
13	5.53	5.597	80	
14	5.53	5.439	80	
15	5.53	5.445	80	
16	5.53	5.609	80	
17	5.53	5.67	80	
18	5.53	5.639	80	
19	5.53	5.653	80	
20	5.53	5.284	80	
21	5.53	5.691	80	
22	5.53	5.362	80	
23	5.53	5.679	80	
24	5.53	5.509	80	
25	5.53	5.48	80	
26	5.53	5.265	80	*
27	5.53	5.403	80	
28	5.53	5.685	80	
29	5.53	5.694	80	
30	5.53	5.642	80	
31	5.53	5.625	80	
32	5.53	5.429	80	
33	5.53	5.487	80	
34	5.53	5.405	80	
35	5.53	5.361	80	
36	5.53	5.641	80	
37	5.53	5.711	80	
38	5.53	5.474	80	
39	5.53	5.552	80	
40	5.53	5.411	80	
41	5.53	5.253	80	
42	5.53	5.433	80	
43	5.53	5.571	80	
44	5.53	5.556	80	
45	5.53	5.39	80	
46	5.53	5.261	80	*
47	5.53	5.674	80	

48	5.53	5.567	80	
49	5.53	5.279	80	*
50	5.53	5.488	80	
51	5.53	5.281	80	
52	5.53	5.671	80	
53	5.53	5.692	80	
54	5.53	5.548	80	
55	5.53	5.416	80	
56	5.53	5.632	80	
57	5.53	5.464	80	
58	5.53	5.493	80	
59	5.53	5.338	80	
60	5.53	5.575	80	
61	5.53	5.451	80	
62	5.53	5.724	80	
63	5.53	5.477	80	
64	5.53	5.26	80	*
65	5.53	5.303	80	
66	5.53	5.619	80	
67	5.53	5.566	80	
68	5.53	5.537	80	
69	5.53	5.541	80	
70	5.53	5.602	80	
71	5.53	5.512	80	
72	5.53	5.627	80	
73	5.53	5.406	80	
74	5.53	5.69	80	
75	5.53	5.56	80	
76	5.53	5.457	80	
77	5.53	5.64	80	
78	5.53	5.475	80	
79	5.53	5.478	80	
80	5.53	5.638	80	
81	5.53	5.462	80	
82	5.53	5.664	80	
83	5.53	5.559	80	
84	5.53	5.494	80	
85	5.53	5.623	80	
86	5.53	5.562	80	
87	5.53	5.707	80	
88	5.53	5.399	80	
89	5.53	5.511	80	
90	5.53	5.588	80	
91	5.53	5.551	80	
92	5.53	5.683	80	
93	5.53	5.258	80	
94	5.53	5.345	80	
95	5.53	5.544	80	
96	5.53	5.285	80	
97	5.53	5.558	80	
98	5.53	5.525	80	
99	5.53	5.574	80	
100	5.53	5.25	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.483	80	
2	5.53	5.586	80	
3	5.53	5.59	80	
4	5.53	5.432	80	
5	5.53	5.487	80	
6	5.53	5.347	80	
7	5.53	5.268	80	*
8	5.53	5.56	80	
9	5.53	5.289	80	
10	5.53	5.513	80	
11	5.53	5.36	80	
12	5.53	5.45	80	
13	5.53	5.293	80	
14	5.53	5.366	80	
15	5.53	5.272	80	*
16	5.53	5.522	80	
17	5.53	5.415	80	
18	5.53	5.576	80	
19	5.53	5.527	80	
20	5.53	5.571	80	
21	5.53	5.476	80	
22	5.53	5.697	80	
23	5.53	5.308	80	
24	5.53	5.548	80	
25	5.53	5.372	80	
26	5.53	5.254	80	
27	5.53	5.373	80	
28	5.53	5.594	80	
29	5.53	5.251	80	
30	5.53	5.399	80	
31	5.53	5.262	80	*
32	5.53	5.382	80	
33	5.53	5.641	80	
34	5.53	5.556	80	
35	5.53	5.318	80	
36	5.53	5.69	80	
37	5.53	5.616	80	
38	5.53	5.312	80	
39	5.53	5.485	80	
40	5.53	5.395	80	
41	5.53	5.303	80	
42	5.53	5.637	80	
43	5.53	5.277	80	*
44	5.53	5.35	80	
45	5.53	5.46	80	
46	5.53	5.559	80	
47	5.53	5.589	80	

48	5.53	5.426	80	
49	5.53	5.643	80	
50	5.53	5.656	80	
51	5.53	5.507	80	
52	5.53	5.304	80	
53	5.53	5.402	80	
54	5.53	5.424	80	
55	5.53	5.331	80	
56	5.53	5.462	80	
57	5.53	5.68	80	
58	5.53	5.675	80	
59	5.53	5.515	80	
60	5.53	5.363	80	
61	5.53	5.685	80	
62	5.53	5.669	80	
63	5.53	5.601	80	
64	5.53	5.404	80	
65	5.53	5.322	80	
66	5.53	5.491	80	
67	5.53	5.671	80	
68	5.53	5.321	80	
69	5.53	5.553	80	
70	5.53	5.488	80	
71	5.53	5.549	80	
72	5.53	5.403	80	
73	5.53	5.377	80	
74	5.53	5.686	80	
75	5.53	5.551	80	
76	5.53	5.285	80	
77	5.53	5.392	80	
78	5.53	5.592	80	
79	5.53	5.378	80	
80	5.53	5.509	80	
81	5.53	5.687	80	
82	5.53	5.625	80	
83	5.53	5.306	80	
84	5.53	5.583	80	
85	5.53	5.265	80	*
86	5.53	5.286	80	
87	5.53	5.317	80	
88	5.53	5.612	80	
89	5.53	5.4	80	
90	5.53	5.672	80	
91	5.53	5.439	80	
92	5.53	5.456	80	
93	5.53	5.644	80	
94	5.53	5.544	80	
95	5.53	5.489	80	
96	5.53	5.577	80	
97	5.53	5.408	80	
98	5.53	5.588	80	
99	5.53	5.375	80	
100	5.53	5.345	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.641	80	
2	5.53	5.677	80	
3	5.53	5.676	80	
4	5.53	5.333	80	
5	5.53	5.298	80	
6	5.53	5.417	80	
7	5.53	5.48	80	
8	5.53	5.466	80	
9	5.53	5.599	80	
10	5.53	5.351	80	
11	5.53	5.342	80	
12	5.53	5.657	80	
13	5.53	5.465	80	
14	5.53	5.629	80	
15	5.53	5.303	80	
16	5.53	5.605	80	
17	5.53	5.476	80	
18	5.53	5.542	80	
19	5.53	5.502	80	
20	5.53	5.307	80	
21	5.53	5.408	80	
22	5.53	5.649	80	
23	5.53	5.555	80	
24	5.53	5.573	80	
25	5.53	5.489	80	
26	5.53	5.506	80	
27	5.53	5.511	80	
28	5.53	5.29	80	
29	5.53	5.429	80	
30	5.53	5.447	80	
31	5.53	5.684	80	
32	5.53	5.477	80	
33	5.53	5.514	80	
34	5.53	5.618	80	
35	5.53	5.703	80	
36	5.53	5.319	80	
37	5.53	5.593	80	
38	5.53	5.636	80	
39	5.53	5.314	80	
40	5.53	5.614	80	
41	5.53	5.366	80	
42	5.53	5.538	80	
43	5.53	5.646	80	
44	5.53	5.497	80	
45	5.53	5.344	80	
46	5.53	5.407	80	
47	5.53	5.32	80	

48	5.53	5.288	80	
49	5.53	5.349	80	
50	5.53	5.683	80	
51	5.53	5.645	80	
52	5.53	5.589	80	
53	5.53	5.609	80	
54	5.53	5.671	80	
55	5.53	5.462	80	
56	5.53	5.564	80	
57	5.53	5.619	80	
58	5.53	5.533	80	
59	5.53	5.551	80	
60	5.53	5.698	80	
61	5.53	5.284	80	
62	5.53	5.712	80	
63	5.53	5.507	80	
64	5.53	5.382	80	
65	5.53	5.341	80	
66	5.53	5.541	80	
67	5.53	5.411	80	
68	5.53	5.628	80	
69	5.53	5.381	80	
70	5.53	5.715	80	
71	5.53	5.581	80	
72	5.53	5.276	80	*
73	5.53	5.454	80	
74	5.53	5.409	80	
75	5.53	5.338	80	
76	5.53	5.412	80	
77	5.53	5.377	80	
78	5.53	5.352	80	
79	5.53	5.337	80	
80	5.53	5.687	80	
81	5.53	5.724	80	
82	5.53	5.385	80	
83	5.53	5.659	80	
84	5.53	5.562	80	
85	5.53	5.47	80	
86	5.53	5.635	80	
87	5.53	5.563	80	
88	5.53	5.302	80	
89	5.53	5.395	80	
90	5.53	5.421	80	
91	5.53	5.696	80	
92	5.53	5.652	80	
93	5.53	5.623	80	
94	5.53	5.38	80	
95	5.53	5.471	80	
96	5.53	5.281	80	
97	5.53	5.258	80	
98	5.53	5.375	80	
99	5.53	5.336	80	
100	5.53	5.54	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.356	80	
2	5.53	5.317	80	
3	5.53	5.678	80	
4	5.53	5.654	80	
5	5.53	5.32	80	
6	5.53	5.655	80	
7	5.53	5.486	80	
8	5.53	5.353	80	
9	5.53	5.597	80	
10	5.53	5.463	80	
11	5.53	5.523	80	
12	5.53	5.67	80	
13	5.53	5.689	80	
14	5.53	5.43	80	
15	5.53	5.362	80	
16	5.53	5.298	80	
17	5.53	5.273	80	*
18	5.53	5.498	80	
19	5.53	5.696	80	
20	5.53	5.643	80	
21	5.53	5.441	80	
22	5.53	5.377	80	
23	5.53	5.724	80	
24	5.53	5.531	80	
25	5.53	5.329	80	
26	5.53	5.37	80	
27	5.53	5.423	80	
28	5.53	5.656	80	
29	5.53	5.285	80	
30	5.53	5.631	80	
31	5.53	5.694	80	
32	5.53	5.445	80	
33	5.53	5.394	80	
34	5.53	5.456	80	
35	5.53	5.718	80	
36	5.53	5.628	80	
37	5.53	5.545	80	
38	5.53	5.588	80	
39	5.53	5.368	80	
40	5.53	5.581	80	
41	5.53	5.304	80	
42	5.53	5.611	80	
43	5.53	5.518	80	
44	5.53	5.528	80	
45	5.53	5.357	80	
46	5.53	5.418	80	
47	5.53	5.576	80	

48	5.53	5.346	80	
49	5.53	5.69	80	
50	5.53	5.541	80	
51	5.53	5.666	80	
52	5.53	5.625	80	
53	5.53	5.44	80	
54	5.53	5.482	80	
55	5.53	5.379	80	
56	5.53	5.291	80	
57	5.53	5.653	80	
58	5.53	5.28	80	*
59	5.53	5.6	80	
60	5.53	5.321	80	
61	5.53	5.618	80	
62	5.53	5.695	80	
63	5.53	5.586	80	
64	5.53	5.575	80	
65	5.53	5.649	80	
66	5.53	5.621	80	
67	5.53	5.448	80	
68	5.53	5.364	80	
69	5.53	5.562	80	
70	5.53	5.374	80	
71	5.53	5.381	80	
72	5.53	5.538	80	
73	5.53	5.665	80	
74	5.53	5.294	80	
75	5.53	5.53	80	
76	5.53	5.363	80	
77	5.53	5.422	80	
78	5.53	5.454	80	
79	5.53	5.444	80	
80	5.53	5.593	80	
81	5.53	5.345	80	
82	5.53	5.462	80	
83	5.53	5.292	80	
84	5.53	5.543	80	
85	5.53	5.383	80	
86	5.53	5.254	80	
87	5.53	5.318	80	
88	5.53	5.721	80	
89	5.53	5.327	80	
90	5.53	5.263	80	*
91	5.53	5.469	80	
92	5.53	5.492	80	
93	5.53	5.658	80	
94	5.53	5.572	80	
95	5.53	5.567	80	
96	5.53	5.3	80	
97	5.53	5.559	80	
98	5.53	5.704	80	
99	5.53	5.555	80	
100	5.53	5.687	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.464	80	
2	5.53	5.633	80	
3	5.53	5.498	80	
4	5.53	5.569	80	
5	5.53	5.344	80	
6	5.53	5.351	80	
7	5.53	5.635	80	
8	5.53	5.405	80	
9	5.53	5.269	80	*
10	5.53	5.656	80	
11	5.53	5.586	80	
12	5.53	5.252	80	
13	5.53	5.517	80	
14	5.53	5.662	80	
15	5.53	5.374	80	
16	5.53	5.562	80	
17	5.53	5.257	80	
18	5.53	5.654	80	
19	5.53	5.706	80	
20	5.53	5.371	80	
21	5.53	5.68	80	
22	5.53	5.394	80	
23	5.53	5.32	80	
24	5.53	5.702	80	
25	5.53	5.705	80	
26	5.53	5.511	80	
27	5.53	5.71	80	
28	5.53	5.695	80	
29	5.53	5.323	80	
30	5.53	5.279	80	*
31	5.53	5.284	80	
32	5.53	5.273	80	*
33	5.53	5.305	80	
34	5.53	5.527	80	
35	5.53	5.539	80	
36	5.53	5.304	80	
37	5.53	5.651	80	
38	5.53	5.258	80	
39	5.53	5.529	80	
40	5.53	5.714	80	
41	5.53	5.558	80	
42	5.53	5.553	80	
43	5.53	5.652	80	
44	5.53	5.701	80	
45	5.53	5.534	80	
46	5.53	5.524	80	
47	5.53	5.352	80	

48	5.53	5.67	80	
49	5.53	5.383	80	
50	5.53	5.474	80	
51	5.53	5.276	80	*
52	5.53	5.583	80	
53	5.53	5.31	80	
54	5.53	5.641	80	
55	5.53	5.568	80	
56	5.53	5.542	80	
57	5.53	5.505	80	
58	5.53	5.686	80	
59	5.53	5.7	80	
60	5.53	5.297	80	
61	5.53	5.336	80	
62	5.53	5.457	80	
63	5.53	5.277	80	*
64	5.53	5.522	80	
65	5.53	5.271	80	*
66	5.53	5.322	80	
67	5.53	5.455	80	
68	5.53	5.608	80	
69	5.53	5.692	80	
70	5.53	5.578	80	
71	5.53	5.37	80	
72	5.53	5.642	80	
73	5.53	5.606	80	
74	5.53	5.657	80	
75	5.53	5.461	80	
76	5.53	5.666	80	
77	5.53	5.398	80	
78	5.53	5.605	80	
79	5.53	5.321	80	
80	5.53	5.281	80	
81	5.53	5.293	80	
82	5.53	5.516	80	
83	5.53	5.506	80	
84	5.53	5.399	80	
85	5.53	5.69	80	
86	5.53	5.716	80	
87	5.53	5.301	80	
88	5.53	5.259	80	
89	5.53	5.458	80	
90	5.53	5.429	80	
91	5.53	5.664	80	
92	5.53	5.509	80	
93	5.53	5.519	80	
94	5.53	5.6	80	
95	5.53	5.62	80	
96	5.53	5.499	80	
97	5.53	5.533	80	
98	5.53	5.445	80	
99	5.53	5.435	80	
100	5.53	5.482	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.438	80	
2	5.53	5.354	80	
3	5.53	5.41	80	
4	5.53	5.332	80	
5	5.53	5.37	80	
6	5.53	5.531	80	
7	5.53	5.697	80	
8	5.53	5.567	80	
9	5.53	5.295	80	
10	5.53	5.478	80	
11	5.53	5.58	80	
12	5.53	5.475	80	
13	5.53	5.412	80	
14	5.53	5.598	80	
15	5.53	5.704	80	
16	5.53	5.638	80	
17	5.53	5.261	80	*
18	5.53	5.694	80	
19	5.53	5.589	80	
20	5.53	5.587	80	
21	5.53	5.458	80	
22	5.53	5.66	80	
23	5.53	5.661	80	
24	5.53	5.297	80	
25	5.53	5.434	80	
26	5.53	5.489	80	
27	5.53	5.479	80	
28	5.53	5.334	80	
29	5.53	5.303	80	
30	5.53	5.258	80	
31	5.53	5.608	80	
32	5.53	5.301	80	
33	5.53	5.341	80	
34	5.53	5.559	80	
35	5.53	5.652	80	
36	5.53	5.671	80	
37	5.53	5.431	80	
38	5.53	5.719	80	
39	5.53	5.572	80	
40	5.53	5.348	80	
41	5.53	5.635	80	
42	5.53	5.631	80	
43	5.53	5.377	80	
44	5.53	5.331	80	
45	5.53	5.369	80	
46	5.53	5.316	80	
47	5.53	5.611	80	

48	5.53	5.388	80	
49	5.53	5.274	80	*
50	5.53	5.502	80	
51	5.53	5.69	80	
52	5.53	5.404	80	
53	5.53	5.6	80	
54	5.53	5.537	80	
55	5.53	5.252	80	
56	5.53	5.506	80	
57	5.53	5.266	80	*
58	5.53	5.314	80	
59	5.53	5.715	80	
60	5.53	5.472	80	
61	5.53	5.281	80	
62	5.53	5.647	80	
63	5.53	5.499	80	
64	5.53	5.382	80	
65	5.53	5.4	80	
66	5.53	5.573	80	
67	5.53	5.678	80	
68	5.53	5.688	80	
69	5.53	5.677	80	
70	5.53	5.29	80	
71	5.53	5.403	80	
72	5.53	5.491	80	
73	5.53	5.71	80	
74	5.53	5.513	80	
75	5.53	5.56	80	
76	5.53	5.365	80	
77	5.53	5.374	80	
78	5.53	5.556	80	
79	5.53	5.701	80	
80	5.53	5.251	80	
81	5.53	5.25	80	
82	5.53	5.637	80	
83	5.53	5.619	80	
84	5.53	5.583	80	
85	5.53	5.695	80	
86	5.53	5.643	80	
87	5.53	5.436	80	
88	5.53	5.396	80	
89	5.53	5.653	80	
90	5.53	5.427	80	
91	5.53	5.709	80	
92	5.53	5.285	80	
93	5.53	5.256	80	
94	5.53	5.46	80	
95	5.53	5.522	80	
96	5.53	5.511	80	
97	5.53	5.447	80	
98	5.53	5.43	80	
99	5.53	5.356	80	
100	5.53	5.595	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.331	80	
2	5.53	5.305	80	
3	5.53	5.355	80	
4	5.53	5.467	80	
5	5.53	5.327	80	
6	5.53	5.428	80	
7	5.53	5.706	80	
8	5.53	5.656	80	
9	5.53	5.605	80	
10	5.53	5.648	80	
11	5.53	5.301	80	
12	5.53	5.378	80	
13	5.53	5.637	80	
14	5.53	5.486	80	
15	5.53	5.372	80	
16	5.53	5.274	80	*
17	5.53	5.629	80	
18	5.53	5.405	80	
19	5.53	5.298	80	
20	5.53	5.341	80	
21	5.53	5.491	80	
22	5.53	5.721	80	
23	5.53	5.457	80	
24	5.53	5.514	80	
25	5.53	5.713	80	
26	5.53	5.71	80	
27	5.53	5.562	80	
28	5.53	5.357	80	
29	5.53	5.617	80	
30	5.53	5.272	80	*
31	5.53	5.402	80	
32	5.53	5.664	80	
33	5.53	5.46	80	
34	5.53	5.385	80	
35	5.53	5.518	80	
36	5.53	5.418	80	
37	5.53	5.532	80	
38	5.53	5.397	80	
39	5.53	5.282	80	
40	5.53	5.69	80	
41	5.53	5.534	80	
42	5.53	5.276	80	*
43	5.53	5.296	80	
44	5.53	5.44	80	
45	5.53	5.505	80	
46	5.53	5.667	80	
47	5.53	5.403	80	

48	5.53	5.659	80	
49	5.53	5.535	80	
50	5.53	5.307	80	
51	5.53	5.365	80	
52	5.53	5.297	80	
53	5.53	5.429	80	
54	5.53	5.564	80	
55	5.53	5.362	80	
56	5.53	5.558	80	
57	5.53	5.497	80	
58	5.53	5.31	80	
59	5.53	5.504	80	
60	5.53	5.698	80	
61	5.53	5.501	80	
62	5.53	5.63	80	
63	5.53	5.439	80	
64	5.53	5.436	80	
65	5.53	5.579	80	
66	5.53	5.62	80	
67	5.53	5.607	80	
68	5.53	5.427	80	
69	5.53	5.702	80	
70	5.53	5.498	80	
71	5.53	5.434	80	
72	5.53	5.525	80	
73	5.53	5.356	80	
74	5.53	5.28	80	*
75	5.53	5.392	80	
76	5.53	5.515	80	
77	5.53	5.543	80	
78	5.53	5.458	80	
79	5.53	5.645	80	
80	5.53	5.512	80	
81	5.53	5.678	80	
82	5.53	5.545	80	
83	5.53	5.587	80	
84	5.53	5.642	80	
85	5.53	5.611	80	
86	5.53	5.291	80	
87	5.53	5.352	80	
88	5.53	5.461	80	
89	5.53	5.351	80	
90	5.53	5.466	80	
91	5.53	5.358	80	
92	5.53	5.471	80	
93	5.53	5.661	80	
94	5.53	5.288	80	
95	5.53	5.597	80	
96	5.53	5.653	80	
97	5.53	5.407	80	
98	5.53	5.638	80	
99	5.53	5.566	80	
100	5.53	5.602	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.591	80	
2	5.53	5.422	80	
3	5.53	5.467	80	
4	5.53	5.375	80	
5	5.53	5.606	80	
6	5.53	5.681	80	
7	5.53	5.611	80	
8	5.53	5.334	80	
9	5.53	5.483	80	
10	5.53	5.553	80	
11	5.53	5.409	80	
12	5.53	5.612	80	
13	5.53	5.509	80	
14	5.53	5.456	80	
15	5.53	5.453	80	
16	5.53	5.342	80	
17	5.53	5.489	80	
18	5.53	5.549	80	
19	5.53	5.429	80	
20	5.53	5.709	80	
21	5.53	5.484	80	
22	5.53	5.385	80	
23	5.53	5.559	80	
24	5.53	5.468	80	
25	5.53	5.534	80	
26	5.53	5.634	80	
27	5.53	5.266	80	*
28	5.53	5.403	80	
29	5.53	5.613	80	
30	5.53	5.355	80	
31	5.53	5.623	80	
32	5.53	5.29	80	
33	5.53	5.64	80	
34	5.53	5.648	80	
35	5.53	5.439	80	
36	5.53	5.531	80	
37	5.53	5.477	80	
38	5.53	5.637	80	
39	5.53	5.443	80	
40	5.53	5.397	80	
41	5.53	5.598	80	
42	5.53	5.349	80	
43	5.53	5.469	80	
44	5.53	5.517	80	
45	5.53	5.43	80	
46	5.53	5.421	80	
47	5.53	5.618	80	

48	5.53	5.259	80	
49	5.53	5.352	80	
50	5.53	5.382	80	
51	5.53	5.589	80	
52	5.53	5.694	80	
53	5.53	5.672	80	
54	5.53	5.432	80	
55	5.53	5.368	80	
56	5.53	5.679	80	
57	5.53	5.331	80	
58	5.53	5.345	80	
59	5.53	5.363	80	
60	5.53	5.638	80	
61	5.53	5.642	80	
62	5.53	5.556	80	
63	5.53	5.573	80	
64	5.53	5.607	80	
65	5.53	5.575	80	
66	5.53	5.577	80	
67	5.53	5.33	80	
68	5.53	5.26	80	*
69	5.53	5.708	80	
70	5.53	5.585	80	
71	5.53	5.303	80	
72	5.53	5.258	80	
73	5.53	5.494	80	
74	5.53	5.682	80	
75	5.53	5.415	80	
76	5.53	5.674	80	
77	5.53	5.301	80	
78	5.53	5.452	80	
79	5.53	5.646	80	
80	5.53	5.372	80	
81	5.53	5.651	80	
82	5.53	5.687	80	
83	5.53	5.71	80	
84	5.53	5.253	80	
85	5.53	5.602	80	
86	5.53	5.324	80	
87	5.53	5.413	80	
88	5.53	5.391	80	
89	5.53	5.333	80	
90	5.53	5.671	80	
91	5.53	5.647	80	
92	5.53	5.678	80	
93	5.53	5.52	80	
94	5.53	5.325	80	
95	5.53	5.386	80	
96	5.53	5.624	80	
97	5.53	5.508	80	
98	5.53	5.309	80	
99	5.53	5.683	80	
100	5.53	5.562	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.335	80	
2	5.53	5.58	80	
3	5.53	5.278	80	*
4	5.53	5.386	80	
5	5.53	5.503	80	
6	5.53	5.496	80	
7	5.53	5.662	80	
8	5.53	5.51	80	
9	5.53	5.539	80	
10	5.53	5.655	80	
11	5.53	5.394	80	
12	5.53	5.406	80	
13	5.53	5.701	80	
14	5.53	5.493	80	
15	5.53	5.286	80	
16	5.53	5.588	80	
17	5.53	5.653	80	
18	5.53	5.388	80	
19	5.53	5.304	80	
20	5.53	5.369	80	
21	5.53	5.523	80	
22	5.53	5.641	80	
23	5.53	5.698	80	
24	5.53	5.494	80	
25	5.53	5.697	80	
26	5.53	5.257	80	
27	5.53	5.342	80	
28	5.53	5.336	80	
29	5.53	5.339	80	
30	5.53	5.438	80	
31	5.53	5.459	80	
32	5.53	5.623	80	
33	5.53	5.402	80	
34	5.53	5.556	80	
35	5.53	5.571	80	
36	5.53	5.579	80	
37	5.53	5.6	80	
38	5.53	5.658	80	
39	5.53	5.306	80	
40	5.53	5.318	80	
41	5.53	5.69	80	
42	5.53	5.315	80	
43	5.53	5.636	80	
44	5.53	5.447	80	
45	5.53	5.373	80	
46	5.53	5.439	80	
47	5.53	5.374	80	

48	5.53	5.448	80	
49	5.53	5.604	80	
50	5.53	5.508	80	
51	5.53	5.668	80	
52	5.53	5.25	80	
53	5.53	5.398	80	
54	5.53	5.313	80	
55	5.53	5.572	80	
56	5.53	5.253	80	
57	5.53	5.442	80	
58	5.53	5.724	80	
59	5.53	5.718	80	
60	5.53	5.622	80	
61	5.53	5.57	80	
62	5.53	5.265	80	*
63	5.53	5.649	80	
64	5.53	5.372	80	
65	5.53	5.65	80	
66	5.53	5.311	80	
67	5.53	5.29	80	
68	5.53	5.524	80	
69	5.53	5.652	80	
70	5.53	5.705	80	
71	5.53	5.557	80	
72	5.53	5.348	80	
73	5.53	5.354	80	
74	5.53	5.71	80	
75	5.53	5.682	80	
76	5.53	5.547	80	
77	5.53	5.616	80	
78	5.53	5.545	80	
79	5.53	5.256	80	
80	5.53	5.577	80	
81	5.53	5.263	80	*
82	5.53	5.258	80	
83	5.53	5.468	80	
84	5.53	5.367	80	
85	5.53	5.31	80	
86	5.53	5.464	80	
87	5.53	5.646	80	
88	5.53	5.269	80	*
89	5.53	5.712	80	
90	5.53	5.478	80	
91	5.53	5.461	80	
92	5.53	5.687	80	
93	5.53	5.261	80	*
94	5.53	5.497	80	
95	5.53	5.27	80	*
96	5.53	5.275	80	*
97	5.53	5.585	80	
98	5.53	5.453	80	
99	5.53	5.463	80	
100	5.53	5.714	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.538	80	
2	5.53	5.444	80	
3	5.53	5.43	80	
4	5.53	5.416	80	
5	5.53	5.695	80	
6	5.53	5.692	80	
7	5.53	5.424	80	
8	5.53	5.296	80	
9	5.53	5.291	80	
10	5.53	5.414	80	
11	5.53	5.618	80	
12	5.53	5.654	80	
13	5.53	5.7	80	
14	5.53	5.628	80	
15	5.53	5.603	80	
16	5.53	5.301	80	
17	5.53	5.551	80	
18	5.53	5.47	80	
19	5.53	5.669	80	
20	5.53	5.699	80	
21	5.53	5.704	80	
22	5.53	5.72	80	
23	5.53	5.463	80	
24	5.53	5.559	80	
25	5.53	5.48	80	
26	5.53	5.464	80	
27	5.53	5.266	80	*
28	5.53	5.513	80	
29	5.53	5.625	80	
30	5.53	5.587	80	
31	5.53	5.656	80	
32	5.53	5.415	80	
33	5.53	5.528	80	
34	5.53	5.427	80	
35	5.53	5.315	80	
36	5.53	5.263	80	*
37	5.53	5.524	80	
38	5.53	5.508	80	
39	5.53	5.383	80	
40	5.53	5.571	80	
41	5.53	5.703	80	
42	5.53	5.632	80	
43	5.53	5.457	80	
44	5.53	5.347	80	
45	5.53	5.382	80	
46	5.53	5.516	80	
47	5.53	5.661	80	

48	5.53	5.491	80	
49	5.53	5.584	80	
50	5.53	5.549	80	
51	5.53	5.647	80	
52	5.53	5.653	80	
53	5.53	5.643	80	
54	5.53	5.689	80	
55	5.53	5.274	80	*
56	5.53	5.394	80	
57	5.53	5.305	80	
58	5.53	5.458	80	
59	5.53	5.381	80	
60	5.53	5.39	80	
61	5.53	5.537	80	
62	5.53	5.561	80	
63	5.53	5.541	80	
64	5.53	5.605	80	
65	5.53	5.506	80	
66	5.53	5.717	80	
67	5.53	5.652	80	
68	5.53	5.611	80	
69	5.53	5.309	80	
70	5.53	5.335	80	
71	5.53	5.401	80	
72	5.53	5.536	80	
73	5.53	5.634	80	
74	5.53	5.253	80	
75	5.53	5.408	80	
76	5.53	5.675	80	
77	5.53	5.286	80	
78	5.53	5.702	80	
79	5.53	5.33	80	
80	5.53	5.621	80	
81	5.53	5.334	80	
82	5.53	5.515	80	
83	5.53	5.356	80	
84	5.53	5.711	80	
85	5.53	5.562	80	
86	5.53	5.433	80	
87	5.53	5.708	80	
88	5.53	5.552	80	
89	5.53	5.326	80	
90	5.53	5.534	80	
91	5.53	5.682	80	
92	5.53	5.574	80	
93	5.53	5.564	80	
94	5.53	5.252	80	
95	5.53	5.493	80	
96	5.53	5.568	80	
97	5.53	5.423	80	
98	5.53	5.646	80	
99	5.53	5.384	80	
100	5.53	5.505	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.54	80	
2	5.53	5.281	80	
3	5.53	5.307	80	
4	5.53	5.357	80	
5	5.53	5.625	80	
6	5.53	5.513	80	
7	5.53	5.591	80	
8	5.53	5.408	80	
9	5.53	5.365	80	
10	5.53	5.283	80	
11	5.53	5.644	80	
12	5.53	5.338	80	
13	5.53	5.626	80	
14	5.53	5.445	80	
15	5.53	5.276	80	*
16	5.53	5.299	80	
17	5.53	5.263	80	*
18	5.53	5.704	80	
19	5.53	5.419	80	
20	5.53	5.347	80	
21	5.53	5.539	80	
22	5.53	5.493	80	
23	5.53	5.285	80	
24	5.53	5.311	80	
25	5.53	5.595	80	
26	5.53	5.425	80	
27	5.53	5.696	80	
28	5.53	5.548	80	
29	5.53	5.501	80	
30	5.53	5.602	80	
31	5.53	5.498	80	
32	5.53	5.362	80	
33	5.53	5.569	80	
34	5.53	5.613	80	
35	5.53	5.72	80	
36	5.53	5.394	80	
37	5.53	5.305	80	
38	5.53	5.47	80	
39	5.53	5.252	80	
40	5.53	5.701	80	
41	5.53	5.506	80	
42	5.53	5.44	80	
43	5.53	5.297	80	
44	5.53	5.302	80	
45	5.53	5.532	80	
46	5.53	5.374	80	
47	5.53	5.547	80	

48	5.53	5.639	80	
49	5.53	5.518	80	
50	5.53	5.531	80	
51	5.53	5.672	80	
52	5.53	5.349	80	
53	5.53	5.675	80	
54	5.53	5.348	80	
55	5.53	5.6	80	
56	5.53	5.468	80	
57	5.53	5.279	80	*
58	5.53	5.37	80	
59	5.53	5.667	80	
60	5.53	5.437	80	
61	5.53	5.572	80	
62	5.53	5.515	80	
63	5.53	5.301	80	
64	5.53	5.364	80	
65	5.53	5.578	80	
66	5.53	5.604	80	
67	5.53	5.589	80	
68	5.53	5.561	80	
69	5.53	5.382	80	
70	5.53	5.296	80	
71	5.53	5.64	80	
72	5.53	5.294	80	
73	5.53	5.399	80	
74	5.53	5.718	80	
75	5.53	5.571	80	
76	5.53	5.376	80	
77	5.53	5.488	80	
78	5.53	5.61	80	
79	5.53	5.703	80	
80	5.53	5.573	80	
81	5.53	5.274	80	*
82	5.53	5.525	80	
83	5.53	5.671	80	
84	5.53	5.606	80	
85	5.53	5.543	80	
86	5.53	5.255	80	
87	5.53	5.657	80	
88	5.53	5.709	80	
89	5.53	5.502	80	
90	5.53	5.51	80	
91	5.53	5.544	80	
92	5.53	5.582	80	
93	5.53	5.309	80	
94	5.53	5.405	80	
95	5.53	5.366	80	
96	5.53	5.463	80	
97	5.53	5.655	80	
98	5.53	5.508	80	
99	5.53	5.528	80	
100	5.53	5.38	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.629	80	
2	5.53	5.663	80	
3	5.53	5.466	80	
4	5.53	5.659	80	
5	5.53	5.305	80	
6	5.53	5.649	80	
7	5.53	5.509	80	
8	5.53	5.378	80	
9	5.53	5.522	80	
10	5.53	5.374	80	
11	5.53	5.632	80	
12	5.53	5.516	80	
13	5.53	5.327	80	
14	5.53	5.666	80	
15	5.53	5.662	80	
16	5.53	5.502	80	
17	5.53	5.498	80	
18	5.53	5.54	80	
19	5.53	5.347	80	
20	5.53	5.612	80	
21	5.53	5.409	80	
22	5.53	5.57	80	
23	5.53	5.367	80	
24	5.53	5.439	80	
25	5.53	5.511	80	
26	5.53	5.357	80	
27	5.53	5.656	80	
28	5.53	5.724	80	
29	5.53	5.605	80	
30	5.53	5.286	80	
31	5.53	5.487	80	
32	5.53	5.59	80	
33	5.53	5.508	80	
34	5.53	5.274	80	*
35	5.53	5.679	80	
36	5.53	5.503	80	
37	5.53	5.475	80	
38	5.53	5.392	80	
39	5.53	5.523	80	
40	5.53	5.291	80	
41	5.53	5.435	80	
42	5.53	5.554	80	
43	5.53	5.463	80	
44	5.53	5.719	80	
45	5.53	5.643	80	
46	5.53	5.621	80	
47	5.53	5.333	80	

48	5.53	5.535	80	
49	5.53	5.354	80	
50	5.53	5.375	80	
51	5.53	5.491	80	
52	5.53	5.665	80	
53	5.53	5.413	80	
54	5.53	5.477	80	
55	5.53	5.356	80	
56	5.53	5.474	80	
57	5.53	5.406	80	
58	5.53	5.414	80	
59	5.53	5.696	80	
60	5.53	5.261	80	*
61	5.53	5.708	80	
62	5.53	5.441	80	
63	5.53	5.544	80	
64	5.53	5.496	80	
65	5.53	5.301	80	
66	5.53	5.43	80	
67	5.53	5.27	80	*
68	5.53	5.25	80	
69	5.53	5.593	80	
70	5.53	5.538	80	
71	5.53	5.343	80	
72	5.53	5.559	80	
73	5.53	5.39	80	
74	5.53	5.588	80	
75	5.53	5.568	80	
76	5.53	5.412	80	
77	5.53	5.514	80	
78	5.53	5.646	80	
79	5.53	5.277	80	*
80	5.53	5.577	80	
81	5.53	5.468	80	
82	5.53	5.578	80	
83	5.53	5.689	80	
84	5.53	5.553	80	
85	5.53	5.295	80	
86	5.53	5.313	80	
87	5.53	5.558	80	
88	5.53	5.369	80	
89	5.53	5.687	80	
90	5.53	5.651	80	
91	5.53	5.332	80	
92	5.53	5.64	80	
93	5.53	5.478	80	
94	5.53	5.278	80	*
95	5.53	5.619	80	
96	5.53	5.35	80	
97	5.53	5.718	80	
98	5.53	5.389	80	
99	5.53	5.67	80	
100	5.53	5.591	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.666	80	
2	5.53	5.685	80	
3	5.53	5.51	80	
4	5.53	5.673	80	
5	5.53	5.424	80	
6	5.53	5.538	80	
7	5.53	5.6	80	
8	5.53	5.266	80	*
9	5.53	5.52	80	
10	5.53	5.699	80	
11	5.53	5.667	80	
12	5.53	5.705	80	
13	5.53	5.352	80	
14	5.53	5.354	80	
15	5.53	5.66	80	
16	5.53	5.351	80	
17	5.53	5.438	80	
18	5.53	5.37	80	
19	5.53	5.268	80	*
20	5.53	5.669	80	
21	5.53	5.361	80	
22	5.53	5.548	80	
23	5.53	5.631	80	
24	5.53	5.533	80	
25	5.53	5.337	80	
26	5.53	5.378	80	
27	5.53	5.526	80	
28	5.53	5.501	80	
29	5.53	5.331	80	
30	5.53	5.527	80	
31	5.53	5.588	80	
32	5.53	5.446	80	
33	5.53	5.359	80	
34	5.53	5.677	80	
35	5.53	5.314	80	
36	5.53	5.717	80	
37	5.53	5.459	80	
38	5.53	5.457	80	
39	5.53	5.591	80	
40	5.53	5.307	80	
41	5.53	5.671	80	
42	5.53	5.422	80	
43	5.53	5.724	80	
44	5.53	5.429	80	
45	5.53	5.592	80	
46	5.53	5.622	80	
47	5.53	5.377	80	

48	5.53	5.647	80	
49	5.53	5.458	80	
50	5.53	5.698	80	
51	5.53	5.625	80	
52	5.53	5.379	80	
53	5.53	5.68	80	
54	5.53	5.419	80	
55	5.53	5.661	80	
56	5.53	5.387	80	
57	5.53	5.473	80	
58	5.53	5.462	80	
59	5.53	5.426	80	
60	5.53	5.472	80	
61	5.53	5.328	80	
62	5.53	5.452	80	
63	5.53	5.411	80	
64	5.53	5.517	80	
65	5.53	5.536	80	
66	5.53	5.502	80	
67	5.53	5.563	80	
68	5.53	5.363	80	
69	5.53	5.542	80	
70	5.53	5.323	80	
71	5.53	5.284	80	
72	5.53	5.263	80	*
73	5.53	5.574	80	
74	5.53	5.509	80	
75	5.53	5.552	80	
76	5.53	5.381	80	
77	5.53	5.546	80	
78	5.53	5.562	80	
79	5.53	5.719	80	
80	5.53	5.334	80	
81	5.53	5.255	80	
82	5.53	5.506	80	
83	5.53	5.27	80	*
84	5.53	5.442	80	
85	5.53	5.703	80	
86	5.53	5.262	80	*
87	5.53	5.635	80	
88	5.53	5.373	80	
89	5.53	5.384	80	
90	5.53	5.643	80	
91	5.53	5.271	80	*
92	5.53	5.441	80	
93	5.53	5.541	80	
94	5.53	5.315	80	
95	5.53	5.525	80	
96	5.53	5.686	80	
97	5.53	5.43	80	
98	5.53	5.539	80	
99	5.53	5.259	80	
100	5.53	5.375	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.348	80	
2	5.53	5.345	80	
3	5.53	5.462	80	
4	5.53	5.421	80	
5	5.53	5.25	80	
6	5.53	5.613	80	
7	5.53	5.396	80	
8	5.53	5.419	80	
9	5.53	5.299	80	
10	5.53	5.383	80	
11	5.53	5.463	80	
12	5.53	5.295	80	
13	5.53	5.45	80	
14	5.53	5.305	80	
15	5.53	5.257	80	
16	5.53	5.265	80	*
17	5.53	5.359	80	
18	5.53	5.468	80	
19	5.53	5.306	80	
20	5.53	5.385	80	
21	5.53	5.473	80	
22	5.53	5.42	80	
23	5.53	5.507	80	
24	5.53	5.377	80	
25	5.53	5.469	80	
26	5.53	5.666	80	
27	5.53	5.414	80	
28	5.53	5.709	80	
29	5.53	5.672	80	
30	5.53	5.563	80	
31	5.53	5.623	80	
32	5.53	5.323	80	
33	5.53	5.495	80	
34	5.53	5.443	80	
35	5.53	5.464	80	
36	5.53	5.321	80	
37	5.53	5.576	80	
38	5.53	5.537	80	
39	5.53	5.398	80	
40	5.53	5.583	80	
41	5.53	5.721	80	
42	5.53	5.658	80	
43	5.53	5.413	80	
44	5.53	5.367	80	
45	5.53	5.456	80	
46	5.53	5.506	80	
47	5.53	5.402	80	

48	5.53	5.588	80	
49	5.53	5.644	80	
50	5.53	5.284	80	
51	5.53	5.5	80	
52	5.53	5.547	80	
53	5.53	5.416	80	
54	5.53	5.518	80	
55	5.53	5.691	80	
56	5.53	5.332	80	
57	5.53	5.532	80	
58	5.53	5.544	80	
59	5.53	5.325	80	
60	5.53	5.667	80	
61	5.53	5.485	80	
62	5.53	5.324	80	
63	5.53	5.701	80	
64	5.53	5.513	80	
65	5.53	5.607	80	
66	5.53	5.717	80	
67	5.53	5.585	80	
68	5.53	5.355	80	
69	5.53	5.344	80	
70	5.53	5.638	80	
71	5.53	5.643	80	
72	5.53	5.406	80	
73	5.53	5.481	80	
74	5.53	5.651	80	
75	5.53	5.336	80	
76	5.53	5.639	80	
77	5.53	5.264	80	*
78	5.53	5.479	80	
79	5.53	5.688	80	
80	5.53	5.331	80	
81	5.53	5.39	80	
82	5.53	5.625	80	
83	5.53	5.433	80	
84	5.53	5.387	80	
85	5.53	5.351	80	
86	5.53	5.471	80	
87	5.53	5.637	80	
88	5.53	5.649	80	
89	5.53	5.654	80	
90	5.53	5.286	80	
91	5.53	5.374	80	
92	5.53	5.715	80	
93	5.53	5.46	80	
94	5.53	5.522	80	
95	5.53	5.502	80	
96	5.53	5.698	80	
97	5.53	5.364	80	
98	5.53	5.384	80	
99	5.53	5.523	80	
100	5.53	5.382	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.36	80	
2	5.53	5.373	80	
3	5.53	5.601	80	
4	5.53	5.396	80	
5	5.53	5.457	80	
6	5.53	5.377	80	
7	5.53	5.407	80	
8	5.53	5.706	80	
9	5.53	5.705	80	
10	5.53	5.723	80	
11	5.53	5.719	80	
12	5.53	5.324	80	
13	5.53	5.636	80	
14	5.53	5.411	80	
15	5.53	5.318	80	
16	5.53	5.518	80	
17	5.53	5.261	80	*
18	5.53	5.61	80	
19	5.53	5.551	80	
20	5.53	5.583	80	
21	5.53	5.566	80	
22	5.53	5.694	80	
23	5.53	5.435	80	
24	5.53	5.385	80	
25	5.53	5.523	80	
26	5.53	5.378	80	
27	5.53	5.421	80	
28	5.53	5.279	80	*
29	5.53	5.271	80	*
30	5.53	5.341	80	
31	5.53	5.478	80	
32	5.53	5.423	80	
33	5.53	5.477	80	
34	5.53	5.269	80	*
35	5.53	5.52	80	
36	5.53	5.276	80	*
37	5.53	5.516	80	
38	5.53	5.455	80	
39	5.53	5.527	80	
40	5.53	5.419	80	
41	5.53	5.449	80	
42	5.53	5.285	80	
43	5.53	5.578	80	
44	5.53	5.45	80	
45	5.53	5.659	80	
46	5.53	5.674	80	
47	5.53	5.58	80	

48	5.53	5.68	80	
49	5.53	5.354	80	
50	5.53	5.606	80	
51	5.53	5.362	80	
52	5.53	5.293	80	
53	5.53	5.603	80	
54	5.53	5.375	80	
55	5.53	5.561	80	
56	5.53	5.263	80	*
57	5.53	5.521	80	
58	5.53	5.564	80	
59	5.53	5.469	80	
60	5.53	5.647	80	
61	5.53	5.552	80	
62	5.53	5.621	80	
63	5.53	5.631	80	
64	5.53	5.517	80	
65	5.53	5.335	80	
66	5.53	5.615	80	
67	5.53	5.608	80	
68	5.53	5.534	80	
69	5.53	5.519	80	
70	5.53	5.657	80	
71	5.53	5.703	80	
72	5.53	5.466	80	
73	5.53	5.685	80	
74	5.53	5.359	80	
75	5.53	5.412	80	
76	5.53	5.575	80	
77	5.53	5.458	80	
78	5.53	5.415	80	
79	5.53	5.312	80	
80	5.53	5.6	80	
81	5.53	5.648	80	
82	5.53	5.569	80	
83	5.53	5.379	80	
84	5.53	5.286	80	
85	5.53	5.695	80	
86	5.53	5.256	80	
87	5.53	5.503	80	
88	5.53	5.472	80	
89	5.53	5.538	80	
90	5.53	5.317	80	
91	5.53	5.652	80	
92	5.53	5.295	80	
93	5.53	5.34	80	
94	5.53	5.613	80	
95	5.53	5.402	80	
96	5.53	5.446	80	
97	5.53	5.681	80	
98	5.53	5.406	80	
99	5.53	5.399	80	
100	5.53	5.715	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.604	80	
2	5.53	5.702	80	
3	5.53	5.587	80	
4	5.53	5.259	80	
5	5.53	5.517	80	
6	5.53	5.591	80	
7	5.53	5.539	80	
8	5.53	5.687	80	
9	5.53	5.471	80	
10	5.53	5.466	80	
11	5.53	5.413	80	
12	5.53	5.661	80	
13	5.53	5.459	80	
14	5.53	5.326	80	
15	5.53	5.412	80	
16	5.53	5.332	80	
17	5.53	5.508	80	
18	5.53	5.642	80	
19	5.53	5.652	80	
20	5.53	5.354	80	
21	5.53	5.397	80	
22	5.53	5.626	80	
23	5.53	5.308	80	
24	5.53	5.282	80	
25	5.53	5.327	80	
26	5.53	5.47	80	
27	5.53	5.714	80	
28	5.53	5.723	80	
29	5.53	5.533	80	
30	5.53	5.494	80	
31	5.53	5.641	80	
32	5.53	5.325	80	
33	5.53	5.503	80	
34	5.53	5.468	80	
35	5.53	5.428	80	
36	5.53	5.654	80	
37	5.53	5.406	80	
38	5.53	5.51	80	
39	5.53	5.638	80	
40	5.53	5.71	80	
41	5.53	5.548	80	
42	5.53	5.314	80	
43	5.53	5.521	80	
44	5.53	5.383	80	
45	5.53	5.562	80	
46	5.53	5.303	80	
47	5.53	5.609	80	

48	5.53	5.336	80	
49	5.53	5.279	80	*
50	5.53	5.632	80	
51	5.53	5.599	80	
52	5.53	5.482	80	
53	5.53	5.589	80	
54	5.53	5.307	80	
55	5.53	5.504	80	
56	5.53	5.34	80	
57	5.53	5.59	80	
58	5.53	5.266	80	*
59	5.53	5.257	80	
60	5.53	5.594	80	
61	5.53	5.416	80	
62	5.53	5.427	80	
63	5.53	5.569	80	
64	5.53	5.665	80	
65	5.53	5.274	80	*
66	5.53	5.713	80	
67	5.53	5.717	80	
68	5.53	5.54	80	
69	5.53	5.567	80	
70	5.53	5.588	80	
71	5.53	5.285	80	
72	5.53	5.603	80	
73	5.53	5.613	80	
74	5.53	5.375	80	
75	5.53	5.429	80	
76	5.53	5.461	80	
77	5.53	5.367	80	
78	5.53	5.419	80	
79	5.53	5.7	80	
80	5.53	5.462	80	
81	5.53	5.525	80	
82	5.53	5.404	80	
83	5.53	5.704	80	
84	5.53	5.365	80	
85	5.53	5.438	80	
86	5.53	5.49	80	
87	5.53	5.401	80	
88	5.53	5.699	80	
89	5.53	5.483	80	
90	5.53	5.528	80	
91	5.53	5.28	80	*
92	5.53	5.442	80	
93	5.53	5.387	80	
94	5.53	5.606	80	
95	5.53	5.611	80	
96	5.53	5.592	80	
97	5.53	5.615	80	
98	5.53	5.418	80	
99	5.53	5.378	80	
100	5.53	5.299	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.604	80	
2	5.53	5.361	80	
3	5.53	5.724	80	
4	5.53	5.547	80	
5	5.53	5.575	80	
6	5.53	5.544	80	
7	5.53	5.47	80	
8	5.53	5.389	80	
9	5.53	5.419	80	
10	5.53	5.265	80	*
11	5.53	5.664	80	
12	5.53	5.35	80	
13	5.53	5.7	80	
14	5.53	5.421	80	
15	5.53	5.507	80	
16	5.53	5.551	80	
17	5.53	5.513	80	
18	5.53	5.614	80	
19	5.53	5.462	80	
20	5.53	5.527	80	
21	5.53	5.272	80	*
22	5.53	5.697	80	
23	5.53	5.52	80	
24	5.53	5.672	80	
25	5.53	5.283	80	
26	5.53	5.538	80	
27	5.53	5.569	80	
28	5.53	5.349	80	
29	5.53	5.545	80	
30	5.53	5.626	80	
31	5.53	5.599	80	
32	5.53	5.502	80	
33	5.53	5.259	80	
34	5.53	5.5	80	
35	5.53	5.516	80	
36	5.53	5.499	80	
37	5.53	5.297	80	
38	5.53	5.289	80	
39	5.53	5.439	80	
40	5.53	5.343	80	
41	5.53	5.579	80	
42	5.53	5.325	80	
43	5.53	5.477	80	
44	5.53	5.448	80	
45	5.53	5.288	80	
46	5.53	5.416	80	
47	5.53	5.398	80	

48	5.53	5.558	80	
49	5.53	5.457	80	
50	5.53	5.36	80	
51	5.53	5.62	80	
52	5.53	5.63	80	
53	5.53	5.676	80	
54	5.53	5.674	80	
55	5.53	5.43	80	
56	5.53	5.411	80	
57	5.53	5.417	80	
58	5.53	5.661	80	
59	5.53	5.312	80	
60	5.53	5.302	80	
61	5.53	5.663	80	
62	5.53	5.307	80	
63	5.53	5.552	80	
64	5.53	5.515	80	
65	5.53	5.298	80	
66	5.53	5.55	80	
67	5.53	5.669	80	
68	5.53	5.314	80	
69	5.53	5.4	80	
70	5.53	5.623	80	
71	5.53	5.525	80	
72	5.53	5.295	80	
73	5.53	5.316	80	
74	5.53	5.717	80	
75	5.53	5.306	80	
76	5.53	5.637	80	
77	5.53	5.365	80	
78	5.53	5.31	80	
79	5.53	5.542	80	
80	5.53	5.418	80	
81	5.53	5.51	80	
82	5.53	5.489	80	
83	5.53	5.323	80	
84	5.53	5.463	80	
85	5.53	5.685	80	
86	5.53	5.441	80	
87	5.53	5.514	80	
88	5.53	5.385	80	
89	5.53	5.711	80	
90	5.53	5.452	80	
91	5.53	5.654	80	
92	5.53	5.668	80	
93	5.53	5.695	80	
94	5.53	5.409	80	
95	5.53	5.337	80	
96	5.53	5.571	80	
97	5.53	5.362	80	
98	5.53	5.478	80	
99	5.53	5.491	80	
100	5.53	5.509	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.256	80	
2	5.53	5.516	80	
3	5.53	5.251	80	
4	5.53	5.397	80	
5	5.53	5.254	80	
6	5.53	5.496	80	
7	5.53	5.7	80	
8	5.53	5.495	80	
9	5.53	5.315	80	
10	5.53	5.427	80	
11	5.53	5.613	80	
12	5.53	5.652	80	
13	5.53	5.272	80	*
14	5.53	5.263	80	*
15	5.53	5.625	80	
16	5.53	5.301	80	
17	5.53	5.53	80	
18	5.53	5.487	80	
19	5.53	5.51	80	
20	5.53	5.594	80	
21	5.53	5.67	80	
22	5.53	5.701	80	
23	5.53	5.678	80	
24	5.53	5.458	80	
25	5.53	5.541	80	
26	5.53	5.367	80	
27	5.53	5.532	80	
28	5.53	5.558	80	
29	5.53	5.341	80	
30	5.53	5.481	80	
31	5.53	5.407	80	
32	5.53	5.384	80	
33	5.53	5.467	80	
34	5.53	5.287	80	
35	5.53	5.297	80	
36	5.53	5.586	80	
37	5.53	5.49	80	
38	5.53	5.316	80	
39	5.53	5.262	80	*
40	5.53	5.292	80	
41	5.53	5.415	80	
42	5.53	5.55	80	
43	5.53	5.609	80	
44	5.53	5.325	80	
45	5.53	5.449	80	
46	5.53	5.519	80	
47	5.53	5.71	80	

48	5.53	5.463	80	
49	5.53	5.268	80	*
50	5.53	5.561	80	
51	5.53	5.28	80	*
52	5.53	5.286	80	
53	5.53	5.474	80	
54	5.53	5.522	80	
55	5.53	5.265	80	*
56	5.53	5.381	80	
57	5.53	5.47	80	
58	5.53	5.345	80	
59	5.53	5.378	80	
60	5.53	5.653	80	
61	5.53	5.491	80	
62	5.53	5.454	80	
63	5.53	5.274	80	*
64	5.53	5.551	80	
65	5.53	5.608	80	
66	5.53	5.549	80	
67	5.53	5.611	80	
68	5.53	5.414	80	
69	5.53	5.591	80	
70	5.53	5.576	80	
71	5.53	5.488	80	
72	5.53	5.498	80	
73	5.53	5.465	80	
74	5.53	5.468	80	
75	5.53	5.706	80	
76	5.53	5.56	80	
77	5.53	5.441	80	
78	5.53	5.382	80	
79	5.53	5.555	80	
80	5.53	5.428	80	
81	5.53	5.614	80	
82	5.53	5.716	80	
83	5.53	5.478	80	
84	5.53	5.645	80	
85	5.53	5.373	80	
86	5.53	5.693	80	
87	5.53	5.264	80	*
88	5.53	5.395	80	
89	5.53	5.648	80	
90	5.53	5.261	80	*
91	5.53	5.41	80	
92	5.53	5.446	80	
93	5.53	5.422	80	
94	5.53	5.365	80	
95	5.53	5.699	80	
96	5.53	5.429	80	
97	5.53	5.506	80	
98	5.53	5.455	80	
99	5.53	5.615	80	
100	5.53	5.387	80	

--