

12345678

76

16

Switching power supply (开关电源)

Engineering Sample

Model (型号): CS WPP STD 3300WFW=2.2

P/N(料号): EOE16010952REV (版本): P2

Input (输入): 800V~; 16A; 79-90kHz

Date:YYWW S/N:ZZZZZZ

Delta Energy Systems(Germany) GmbH, Tscheulinstr. 21 ,79331 Teningen,Germany

Protection class:IP65


Made in SLOVAKIA

斯洛伐克制造




76

16



IC: 27805-WPU3300W
FCC ID: 2AVWKWPU3300W



5.2

5.0

4.1

4.1

- NOTES:
- BLANK LABEL ,P/N:3208026400 ,2 pcs ,t=0.075mm, PET 76mm x 16 mm ;
VENDOR: GRAVIC, SPEC REFERRED TO THE NEXT PAGE.
 - GRAPHICS AND LETTERING COLOR: BLACK
 - 2D-Barcode type: DataMatrix ECC200
2D-Barcode text:
SN: MMMMMMMMMMMM-XXYYZZZZZZ-P2
MMMMMMMMMMMM=EOE16010952
YYWW=YearYearWeekWeek
ZZZZZZ=Serial number
 - THERMAL TRANSFER RIBBON: ARMOR AXR 7+

Must meet Delta General Spec. 10000-0162

		© DELTA ELECTRONICS (THAILAND) PCL		DRAWN:	PENG.DENG	DATE:	Apr-16-24
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS (THAILAND) PUBLIC Co., LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.		Doc-Type: 000		CHECKED:	ROBY	DATE:	Apr-16-24
				APPROVED:	ROBY	DATE:	Apr-16-24
Plant HDC				Description WPP LABEL			
GENERAL TOL: ±0.2mm				Part No: 3265483500		REV: 05	
SCALE: 4:1	UNIT: MM	Used on: EOE16010952			Sheet 2 of 2	ECO_No:	

ROLL / TEKERCS

ARTWORK-PROOF

PART NUMBER / Cikkszám:
3208026400

Customer's drawing number: 320802640000.pdf

Company / Cég : DELTA


NOTES:

1. Size / Méret : 76 x 16 mm
2. Material /Anyag : White PET 50µ with permanent adhesive
3. Final aspect / Felület : Matt / Matt
4. Standard Layout / Kiszерelés: Roll /Tekercses
Max. Diameter of roll / Tekercs max. átmérője : -
Core Diameter / Cséve átmérője : 76,2 mm
Number per Roll / Darab per tekercs: 1000 pcs.
5. Packaging / Csomagolás : Packed in cardboard box / Karton dobozban
6. Colors / Színek:

White as material / Fehér anyagszín

Kiss cut to liner / Vágás a linerig
7. UL Code: UL PGJl2 GFWP5 FILE MH29516
8. Other: 0 / 0
9. Quantity of special characteristics: 0 pcs / 0 db
10. Regulation: 0 / 0


FEED DIRECTION
LETEKERSELÉSI IRÁNY



Cr: 2 mm(4x)



Winding direction /
Tekercselési irány:



Delivered on carton paper core
Karton dudán szállítva

Rev.	Date / dátum	Modification / Módosítás	Mod. by
1	2024.09.18.	Creation	

Conforming ROHS specification	
Tolerances Unless Noted / Általános tolerancia	
From print to cut / Nyomat és vágás között	± 0,5 mm
Cutting Dimension / Kivágás Méret	
0-30 mm	± 0,2 mm
31-120 mm	± 0,3 mm
121-500 mm	± 0,5 mm
Color / Szín	-

Dimensions are in mm	Scale /Arány:
A4	1/1
Proof reviewed and signed within 48 hours in order to respect our delivery time.The materials used are not dust free. We are not responsible for printing problems which could be caused by dust. Functional tests have to be performed by the customer and qualification is under his responsibility. *:Color tolerance is according to norm CIE 1994, D65, 10°. Material thickness tolerance is as per TDS available on demand.	

GRAVIC GROUP		www.gravicgroup.com	
Created by		Ákos PAKU	
Controlled by			
CUSTOMER'S APPROVAL SIGNATURE AND DATE			

12573

16

76

Switching power supply (开关电源)

Engineering Sample

Model (型号): CS WPB STD 3300W 1ACFW:PFC=2.2/IPT=2.2/ETH=3.1Protection class:IP65

P/N(料号): EOE16010870REV (版本): P2.2Made in SLOVAKIA
斯洛伐克制造

Input (输入): 200-240V~; 16A; 50/60Hz

Output(输出): 800V~; 16A; 79-90kHzDate:YYWW S/N:ZZZZZZ


Delta Energy Systems(Germany) GmbH, Tscheulinstr. 21 ,79331 Teningen,Germany



12573


16

76



IC: 27805-WPU3300W
FCC ID: 2AVWKWPU3300W

- NOTES:
- BLANK LABEL ,P/N:3208026400 ,2 pcs ,t=0.075mm, PET 76mm x 16 mm ;
VENDOR: GRAVIC, SPEC REFERRED TO THE NEXT PAGE.
 - GRAPHICS AND LETTERING COLOR: BLACK
 - 2D-Barcode type: DataMatrix ECC200
2D-Barcode text:
SN: MMMMMMMMMMMM-XXYYZZZZZZ-P2
MMMMMMMMMMMM=EOE16010870
YYWW=YearYearWeekWeek
ZZZZZZ=Serial number
 - THERMAL TRANSFER RIBBON: ARMOR AXR 7+



		© DELTA ELECTRONICS (THAILAND) PCL		DRAWN:	PENG.DENG	DATE:	Apr-16-24
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS (THAILAND) PUBLIC Co., LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.		Doc-Typ: 000		CHECKED:	ROBY	DATE:	Apr-16-24
				APPROVED:	ROBY	DATE:	Apr-16-24
Plant HDC		A3 SIZE		Description WPB LABEL			
GENERAL TOL: ±0.2mm		Part No: 3265483400		Sheet 2 of 2		ECO_No:	
SCALE: 4:1		UNIT: MM		Used on: EOE16010870		REV: 05	

ROLL / TEKERCS

ARTWORK-PROOF

PART NUMBER / Cikkszám:
3208026400

Customer's drawing number: 320802640000.pdf

Company / Cég : DELTA


NOTES:

1. Size / Méret : 76 x 16 mm
2. Material /Anyag : White PET 50µ with permanent adhesive
3. Final aspect / Felület : Matt / Matt
4. Standard Layout / Kiszерelés: Roll /Tekercses
Max. Diameter of roll / Tekercs max. átmérője : -
Core Diameter / Cséve átmérője : 76,2 mm
Number per Roll / Darab per tekercs: 1000 pcs.
5. Packaging / Csomagolás : Packed in cardboard box / Karton dobozban
6. Colors / Színek:

White as material / Fehér anyagszín

Kiss cut to liner / Vágás a linerig
7. UL Code: UL PGJl2 GFWP5 FILE MH29516
8. Other: 0 / 0
9. Quantity of special characteristics: 0 pcs / 0 db
10. Regulation: 0 / 0


FEED DIRECTION
LETEKERSELÉSI IRÁNY



Cr: 2 mm(4x)



Winding direction /
Tekercselési irány:



Delivered on carton paper core
Karton dudán szállítva

Rev.	Date / dátum	Modification / Módosítás	Mod. by
1	2024.09.18.	Creation	

Conforming ROHS specification	
Tolerances Unless Noted / Általános tolerancia	
From print to cut / Nyomat és vágás között	± 0,5 mm
Cutting Dimension / Kivágás Méret	
0-30 mm	± 0,2 mm
31-120 mm	± 0,3 mm
121-500 mm	± 0,5 mm
Color / Szín	-

Dimensions are in mm	Scale /Arány:
A4	1/1
Proof reviewed and signed within 48 hours in order to respect our delivery time.The materials used are not dust free. We are not responsible for printing problems which could be caused by dust. Functional tests have to be performed by the customer and qualification is under his responsibility. *:Color tolerance is according to norm CIE 1994, D65, 10°. Material thickness tolerance is as per TDS available on demand.	

GRAVIC GROUP		www.gravicgroup.com	
Created by		Ákos PAKU	
Controlled by			
CUSTOMER'S APPROVAL SIGNATURE AND DATE			