




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




Occupied bandwidth

Band	Channel	Frequency (MHz)	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
WCDMA Band2	9262	1852.4	4.163	4.679	PASS
WCDMA Band2	9400	1880	4.173	4.724	PASS
WCDMA Band2	9538	1907.6	4.175	4.731	PASS
WCDMA Band4	1312	1712.4	4.176	4.677	PASS
WCDMA Band4	1450	1740	4.193	4.711	PASS
WCDMA Band4	1513	1752.6	4.185	4.754	PASS
WCDMA Band5	4132	826.4	4.183	4.709	PASS
WCDMA Band5	4182	836.4	4.183	4.733	PASS
WCDMA Band5	4233	846.6	4.164	4.685	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




Band edge

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	1850.00	-21.29	-13	PASS
WCDMA Band2	9538	1907.6	1910.00	-21.58	-13	PASS
WCDMA Band4	1312	1712.4	1710.00	-22.32	-13	PASS
WCDMA Band4	1513	1752.6	1755.00	-21.57	-13	PASS
WCDMA Band5	4132	826.4	824.00	-21.99	-13	PASS
WCDMA Band5	4233	846.6	849.00	-22.79	-13	PASS


WCDMA Band2 Channel=9262



WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312



WCDMA Band4 Channel=1513



WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4233




Out-of-band emissions

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	19117.33	-22.28	-13	PASS
WCDMA Band2	9400	1880	19467.30	-22.41	-13	PASS
WCDMA Band2	9538	1907.6	16435.36	-22.10	-13	PASS
WCDMA Band4	1312	1712.4	16500.26	-23.17	-13	PASS
WCDMA Band4	1450	1740	16367.96	-22.78	-13	PASS
WCDMA Band4	1513	1752.6	19245.13	-22.02	-13	PASS
WCDMA Band5	4132	826.4	7402.07	-30.10	-13	PASS
WCDMA Band5	4182	836.4	3114.22	-29.32	-13	PASS
WCDMA Band5	4233	846.6	6227.60	-30.32	-13	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




RADIATED SPURIOUS EMISSION

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.7050MHz	-77.36	-13.00	-64.36	PK	Hor
2*	148.4613MHz	-77.58	-13.00	-64.58	PK	Hor
3*	290.4450MHz	-75.83	-13.00	-62.83	PK	Hor
4*	488.0825MHz	-71.42	-13.00	-58.42	PK	Hor
5*	799.0888MHz	-62.01	-13.00	-49.01	PK	Hor
6*	990.1788MHz	-61.18	-13.00	-48.18	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.8225MHz	-77.36	-13.00	-64.36	PK	Ver
2*	67.2238MHz	-78.22	-13.00	-65.22	PK	Ver
3*	160.8288MHz	-76.10	-13.00	-63.10	PK	Ver
4*	330.3363MHz	-75.18	-13.00	-62.18	PK	Ver
5*	705.7263MHz	-63.45	-13.00	-50.45	PK	Ver
6*	987.5113MHz	-60.87	-13.00	-47.87	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.8538MHz	-78.05	-13.00	-65.05	PK	Hor
2*	57.8875MHz	-77.61	-13.00	-64.61	PK	Hor
3*	150.4013MHz	-76.52	-13.00	-63.52	PK	Hor
4*	392.7800MHz	-74.57	-13.00	-61.57	PK	Hor
5*	735.4325MHz	-64.53	-13.00	-51.53	PK	Hor
6*	961.8063MHz	-60.84	-13.00	-47.84	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.3100MHz	-77.32	-13.00	-64.32	PK	Ver
2*	84.0775MHz	-79.86	-13.00	-66.86	PK	Ver
3*	153.1900MHz	-76.28	-13.00	-63.28	PK	Ver
4*	282.8063MHz	-76.50	-13.00	-63.50	PK	Ver
5*	503.7238MHz	-71.16	-13.00	-58.16	PK	Ver
6*	997.6963MHz	-59.24	-13.00	-46.24	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.9425MHz	-78.15	-13.00	-65.15	PK	Hor
2*	53.1588MHz	-77.06	-13.00	-64.06	PK	Hor
3*	159.4950MHz	-76.35	-13.00	-63.35	PK	Hor
4*	274.8038MHz	-76.64	-13.00	-63.64	PK	Hor
5*	478.3825MHz	-72.13	-13.00	-59.13	PK	Hor
6*	997.3325MHz	-60.58	-13.00	-47.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	62.9800MHz	-76.57	-13.00	-63.57	PK	Ver
2*	88.8063MHz	-79.65	-13.00	-66.65	PK	Ver
3*	153.4325MHz	-75.87	-13.00	-62.87	PK	Ver
4*	352.6463MHz	-75.46	-13.00	-62.46	PK	Ver
5*	608.6050MHz	-67.48	-13.00	-54.48	PK	Ver
6*	971.3850MHz	-59.62	-13.00	-46.62	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.5188MHz	-77.05	-13.00	-64.05	PK	Hor
2*	58.0088MHz	-78.58	-13.00	-65.58	PK	Hor
3*	160.2225MHz	-77.24	-13.00	-64.24	PK	Hor
4*	321.0000MHz	-75.50	-13.00	-62.50	PK	Hor
5*	689.6000MHz	-64.57	-13.00	-51.57	PK	Hor
6*	993.5738MHz	-61.06	-13.00	-48.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.5838MHz	-77.75	-13.00	-64.75	PK	Ver
2*	68.6788MHz	-78.88	-13.00	-65.88	PK	Ver
3*	161.0713MHz	-76.98	-13.00	-63.98	PK	Ver
4*	470.1375MHz	-73.06	-13.00	-60.06	PK	Ver
5*	981.9338MHz	-60.18	-13.00	-47.18	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.3088MHz	-77.82	-13.00	-64.82	PK	Hor
2*	58.8575MHz	-78.54	-13.00	-65.54	PK	Hor
3*	150.0375MHz	-77.19	-13.00	-64.19	PK	Hor
4*	323.0613MHz	-76.87	-13.00	-63.87	PK	Hor
5*	375.9263MHz	-74.40	-13.00	-61.40	PK	Hor
6*	975.2650MHz	-60.34	-13.00	-47.34	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.5175MHz	-76.94	-13.00	-63.94	PK	Ver
2*	58.2513MHz	-76.41	-13.00	-63.41	PK	Ver
3*	89.5338MHz	-79.20	-13.00	-66.20	PK	Ver
4*	169.8013MHz	-75.90	-13.00	-62.90	PK	Ver
5*	359.5575MHz	-75.17	-13.00	-62.17	PK	Ver
6*	985.6925MHz	-59.75	-13.00	-46.75	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	34.4863MHz	-77.87	-13.00	-64.87	PK	Hor
2*	139.6100MHz	-76.81	-13.00	-63.81	PK	Hor
3*	362.9525MHz	-73.71	-13.00	-60.71	PK	Hor
4*	511.2413MHz	-70.42	-13.00	-57.42	PK	Hor
5*	659.1663MHz	-64.97	-13.00	-51.97	PK	Hor
6*	985.9350MHz	-61.03	-13.00	-48.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	59.1000MHz	-77.73	-13.00	-64.73	PK	Ver
2*	150.1588MHz	-76.56	-13.00	-63.56	PK	Ver
3*	368.0450MHz	-75.20	-13.00	-62.20	PK	Ver
4*	492.3263MHz	-73.06	-13.00	-60.06	PK	Ver
5*	690.2063MHz	-65.23	-13.00	-52.23	PK	Ver
6*	983.5100MHz	-60.37	-13.00	-47.37	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.3363MHz	-76.92	-13.00	-63.92	PK	Hor
2*	51.8250MHz	-77.57	-13.00	-64.57	PK	Hor
3*	157.0700MHz	-76.39	-13.00	-63.39	PK	Hor
4*	396.9025MHz	-73.37	-13.00	-60.37	PK	Hor
5*	700.9975MHz	-63.42	-13.00	-50.42	PK	Hor
6*	980.8425MHz	-60.02	-13.00	-47.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.0338MHz	-77.57	-13.00	-64.57	PK	Ver
2*	84.5625MHz	-79.41	-13.00	-66.41	PK	Ver
3*	141.9138MHz	-77.42	-13.00	-64.42	PK	Ver
4*	225.5763MHz	-78.07	-13.00	-65.07	PK	Ver
5*	529.5500MHz	-70.39	-13.00	-57.39	PK	Ver
6*	969.4450MHz	-61.19	-13.00	-48.19	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.4588MHz	-78.05	-13.00	-65.05	PK	Hor
2*	56.4325MHz	-78.08	-13.00	-65.08	PK	Hor
3*	143.4900MHz	-76.34	-13.00	-63.34	PK	Hor
4*	251.0388MHz	-77.48	-13.00	-64.48	PK	Hor
5*	469.5313MHz	-71.99	-13.00	-58.99	PK	Hor
6*	995.9988MHz	-60.66	-13.00	-47.66	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	32.4250MHz	-77.98	-13.00	-64.98	PK	Ver
2*	87.7150MHz	-79.29	-13.00	-66.29	PK	Ver
3*	150.5225MHz	-76.60	-13.00	-63.60	PK	Ver
4*	284.1400MHz	-76.46	-13.00	-63.46	PK	Ver
5*	690.5700MHz	-64.96	-13.00	-51.96	PK	Ver
6*	986.2988MHz	-60.08	-13.00	-47.08	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: WCDMA Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.8225MHz	-77.50	-13.00	-64.50	PK	Hor
2*	57.5238MHz	-77.75	-13.00	-64.75	PK	Hor
3*	156.8275MHz	-76.81	-13.00	-63.81	PK	Hor
4*	324.3950MHz	-76.91	-13.00	-63.91	PK	Hor
5*	541.9175MHz	-70.57	-13.00	-57.57	PK	Hor
6*	993.6950MHz	-59.06	-13.00	-46.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.9425MHz	-77.45	-13.00	-64.45	PK	Ver
2*	83.4713MHz	-78.96	-13.00	-65.96	PK	Ver
3*	165.1938MHz	-76.12	-13.00	-63.12	PK	Ver
4*	359.9213MHz	-75.56	-13.00	-62.56	PK	Ver
5*	509.9075MHz	-71.25	-13.00	-58.25	PK	Ver
6*	959.2600MHz	-59.95	-13.00	-46.95	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.474GHz	-56.01	-13.00	-43.01	PK	Hor
2*	2.913GHz	-49.77	-13.00	-36.77	PK	Hor
3*	4.778GHz	-47.72	-13.00	-34.72	PK	Hor
4*	8.865GHz	-41.79	-13.00	-28.79	PK	Hor
5*	11.436GHz	-41.01	-13.00	-28.01	PK	Hor
6*	17.896GHz	-37.82	-13.00	-24.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.978GHz	-53.54	-13.00	-40.54	PK	Ver
2*	3.153GHz	-49.28	-13.00	-36.28	PK	Ver
3*	4.885GHz	-47.68	-13.00	-34.68	PK	Ver
4*	8.142GHz	-42.97	-13.00	-29.97	PK	Ver
5*	11.402GHz	-40.89	-13.00	-27.89	PK	Ver
6*	17.717GHz	-37.72	-13.00	-24.72	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.816GHz	-54.38	-13.00	-41.38	PK	Hor
2*	2.819GHz	-50.80	-13.00	-37.80	PK	Hor
3*	4.708GHz	-48.45	-13.00	-35.45	PK	Hor
4*	8.926GHz	-41.72	-13.00	-28.72	PK	Hor
5*	11.274GHz	-40.57	-13.00	-27.57	PK	Hor
6*	16.366GHz	-36.17	-13.00	-23.17	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.046GHz	-51.95	-13.00	-38.95	PK	Ver
2*	2.978GHz	-48.94	-13.00	-35.94	PK	Ver
3*	4.836GHz	-47.93	-13.00	-34.93	PK	Ver
4*	6.181GHz	-45.93	-13.00	-32.93	PK	Ver
5*	11.266GHz	-40.09	-13.00	-27.09	PK	Ver
6*	17.730GHz	-36.01	-13.00	-23.01	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.470GHz	-54.80	-13.00	-41.80	PK	Hor
2*	2.539GHz	-49.21	-13.00	-36.21	PK	Hor
3*	4.840GHz	-47.04	-13.00	-34.04	PK	Hor
4*	8.924GHz	-40.95	-13.00	-27.95	PK	Hor
5*	11.270GHz	-39.98	-13.00	-26.98	PK	Hor
6*	17.915GHz	-36.92	-13.00	-23.92	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.400GHz	-55.88	-13.00	-42.88	PK	Ver
2*	1.931GHz	-54.16	-13.00	-41.16	PK	Ver
3*	2.575GHz	-49.93	-13.00	-36.93	PK	Ver
4*	4.827GHz	-46.88	-13.00	-33.88	PK	Ver
5*	9.409GHz	-41.89	-13.00	-28.89	PK	Ver
6*	17.964GHz	-37.18	-13.00	-24.18	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.876GHz	-54.14	-13.00	-41.14	PK	Hor
2*	2.866GHz	-49.32	-13.00	-36.32	PK	Hor
3*	4.790GHz	-47.20	-13.00	-34.20	PK	Hor
4*	8.554GHz	-42.42	-13.00	-29.42	PK	Hor
5*	11.340GHz	-40.34	-13.00	-27.34	PK	Hor
6*	16.376GHz	-38.10	-13.00	-25.10	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.350GHz	-55.95	-13.00	-42.95	PK	Ver
2*	2.534GHz	-51.00	-13.00	-38.00	PK	Ver
3*	3.362GHz	-49.81	-13.00	-36.81	PK	Ver
4*	4.842GHz	-47.19	-13.00	-34.19	PK	Ver
5*	9.012GHz	-41.04	-13.00	-28.04	PK	Ver
6*	16.472GHz	-39.03	-13.00	-26.03	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.088GHz	-52.60	-13.00	-39.60	PK	Hor
2*	2.860GHz	-49.40	-13.00	-36.40	PK	Hor
3*	4.642GHz	-47.78	-13.00	-34.78	PK	Hor
4*	8.922GHz	-41.34	-13.00	-28.34	PK	Hor
5*	11.364GHz	-40.97	-13.00	-27.97	PK	Hor
6*	16.470GHz	-37.78	-13.00	-24.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.350GHz	-54.91	-13.00	-41.91	PK	Ver
2*	2.540GHz	-50.51	-13.00	-37.51	PK	Ver
3*	3.234GHz	-48.66	-13.00	-35.66	PK	Ver
4*	6.670GHz	-44.79	-13.00	-31.79	PK	Ver
5*	8.986GHz	-42.11	-13.00	-29.11	PK	Ver
6*	14.318GHz	-37.83	-13.00	-24.83	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.972GHz	-53.12	-13.00	-40.12	PK	Hor
2*	2.580GHz	-49.95	-13.00	-36.95	PK	Hor
3*	3.276GHz	-49.37	-13.00	-36.37	PK	Hor
4*	4.778GHz	-47.60	-13.00	-34.60	PK	Hor
5*	9.462GHz	-41.14	-13.00	-28.14	PK	Hor
6*	16.888GHz	-38.03	-13.00	-25.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.514GHz	-54.77	-13.00	-41.77	PK	Ver
2*	2.180GHz	-51.58	-13.00	-38.58	PK	Ver
3*	3.350GHz	-48.82	-13.00	-35.82	PK	Ver
4*	4.790GHz	-46.59	-13.00	-33.59	PK	Ver
5*	9.434GHz	-40.54	-13.00	-27.54	PK	Ver
6*	16.464GHz	-37.67	-13.00	-24.67	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.190GHz	-56.25	-13.00	-43.25	PK	Hor
2*	2.580GHz	-49.66	-13.00	-36.66	PK	Hor
3*	3.251GHz	-49.92	-13.00	-36.92	PK	Hor
4*	4.371GHz	-47.65	-13.00	-34.65	PK	Hor
5*	7.134GHz	-44.42	-13.00	-31.42	PK	Hor
6*	8.927GHz	-41.23	-13.00	-28.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.148GHz	-56.20	-13.00	-43.20	PK	Ver
2*	1.434GHz	-55.06	-13.00	-42.06	PK	Ver
3*	2.211GHz	-51.67	-13.00	-38.67	PK	Ver
4*	3.236GHz	-48.22	-13.00	-35.22	PK	Ver
5*	4.797GHz	-47.49	-13.00	-34.49	PK	Ver
6*	8.991GHz	-41.12	-13.00	-28.12	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.389GHz	-55.18	-13.00	-42.18	PK	Hor
2*	2.172GHz	-51.47	-13.00	-38.47	PK	Hor
3*	3.020GHz	-48.70	-13.00	-35.70	PK	Hor
4*	4.713GHz	-47.42	-13.00	-34.42	PK	Hor
5*	6.168GHz	-46.08	-13.00	-33.08	PK	Hor
6*	8.938GHz	-41.47	-13.00	-28.47	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.343GHz	-56.01	-13.00	-43.01	PK	Ver
2*	1.970GHz	-53.61	-13.00	-40.61	PK	Ver
3*	2.719GHz	-50.05	-13.00	-37.05	PK	Ver
4*	3.181GHz	-49.49	-13.00	-36.49	PK	Ver
5*	4.792GHz	-47.07	-13.00	-34.07	PK	Ver
6*	8.917GHz	-41.40	-13.00	-28.40	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: WCDMA Band 5 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.524GHz	-54.39	-13.00	-41.39	PK	Hor
2*	2.267GHz	-51.77	-13.00	-38.77	PK	Hor
3*	2.855GHz	-49.45	-13.00	-36.45	PK	Hor
4*	3.434GHz	-48.58	-13.00	-35.58	PK	Hor
5*	4.886GHz	-46.53	-13.00	-33.53	PK	Hor
6*	8.866GHz	-41.73	-13.00	-28.73	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.269GHz	-55.81	-13.00	-42.81	PK	Ver
2*	1.467GHz	-55.52	-13.00	-42.52	PK	Ver
3*	2.485GHz	-50.55	-13.00	-37.55	PK	Ver
4*	3.128GHz	-49.42	-13.00	-36.42	PK	Ver
5*	4.832GHz	-46.87	-13.00	-33.87	PK	Ver
6*	7.586GHz	-41.26	-13.00	-28.26	PK	Ver