



Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.9425MHz	-77.52	-13.00	-64.52	PK	Hor
2*	69.7700MHz	-77.52	-13.00	-64.52	PK	Hor
3*	151.8563MHz	-75.14	-13.00	-62.14	PK	Hor
4*	447.9488MHz	-72.29	-13.00	-59.29	PK	Hor
5*	693.8438MHz	-65.04	-13.00	-52.04	PK	Hor
6*	998.4238MHz	-58.50	-13.00	-45.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.1250MHz	-77.35	-13.00	-64.35	PK	Ver
2*	83.4713MHz	-79.82	-13.00	-66.82	PK	Ver
3*	166.5275MHz	-76.57	-13.00	-63.57	PK	Ver
4*	374.7138MHz	-75.30	-13.00	-62.30	PK	Ver
5*	708.5150MHz	-64.73	-13.00	-51.73	PK	Ver
6*	997.0900MHz	-59.58	-13.00	-46.58	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.5788MHz	-78.28	-13.00	-65.28	PK	Hor
2*	62.0100MHz	-77.75	-13.00	-64.75	PK	Hor
3*	153.7963MHz	-76.53	-13.00	-63.53	PK	Hor
4*	376.6538MHz	-74.84	-13.00	-61.84	PK	Hor
5*	628.9750MHz	-67.06	-13.00	-54.06	PK	Hor
6*	980.1150MHz	-60.97	-13.00	-47.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.5188MHz	-77.71	-13.00	-64.71	PK	Ver
2*	58.9788MHz	-78.07	-13.00	-65.07	PK	Ver
3*	152.4625MHz	-76.37	-13.00	-63.37	PK	Ver
4*	370.4700MHz	-76.03	-13.00	-63.03	PK	Ver
5*	713.4863MHz	-64.75	-13.00	-51.75	PK	Ver
6*	983.5100MHz	-60.45	-13.00	-47.45	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.9725MHz	-78.01	-13.00	-65.01	PK	Hor
2*	50.4913MHz	-77.95	-13.00	-64.95	PK	Hor
3*	160.1013MHz	-76.94	-13.00	-63.94	PK	Hor
4*	318.0900MHz	-75.37	-13.00	-62.37	PK	Hor
5*	445.7663MHz	-72.96	-13.00	-59.96	PK	Hor
6*	978.6600MHz	-60.18	-13.00	-47.18	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.5188MHz	-77.71	-13.00	-64.71	PK	Ver
2*	58.9788MHz	-78.07	-13.00	-65.07	PK	Ver
3*	152.4625MHz	-76.37	-13.00	-63.37	PK	Ver
4*	370.4700MHz	-76.03	-13.00	-63.03	PK	Ver
5*	713.4863MHz	-64.75	-13.00	-51.75	PK	Ver
6*	983.5100MHz	-60.45	-13.00	-47.45	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.3975MHz	-78.07	-13.00	-65.07	PK	Hor
2*	60.6763MHz	-77.60	-13.00	-64.60	PK	Hor
3*	162.5263MHz	-75.98	-13.00	-62.98	PK	Hor
4*	382.5950MHz	-75.02	-13.00	-62.02	PK	Hor
5*	605.2100MHz	-66.58	-13.00	-53.58	PK	Hor
6*	984.6013MHz	-60.30	-13.00	-47.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.0325MHz	-77.10	-13.00	-64.10	PK	Ver
2*	55.7050MHz	-77.83	-13.00	-64.83	PK	Ver
3*	157.6763MHz	-76.70	-13.00	-63.70	PK	Ver
4*	417.7575MHz	-74.08	-13.00	-61.08	PK	Ver
5*	670.6850MHz	-65.84	-13.00	-52.84	PK	Ver
6*	1.0000GHz	-59.09	-13.00	-46.09	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.9438MHz	-77.33	-13.00	-64.33	PK	Hor
2*	59.2213MHz	-77.86	-13.00	-64.86	PK	Hor
3*	121.0588MHz	-78.25	-13.00	-65.25	PK	Hor
4*	174.4088MHz	-76.23	-13.00	-63.23	PK	Hor
5*	384.1713MHz	-74.20	-13.00	-61.20	PK	Hor
6*	973.6888MHz	-60.23	-13.00	-47.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.8550MHz	-77.37	-13.00	-64.37	PK	Ver
2*	133.1838MHz	-78.64	-13.00	-65.64	PK	Ver
3*	163.0113MHz	-76.66	-13.00	-63.66	PK	Ver
4*	375.8050MHz	-73.57	-13.00	-60.57	PK	Ver
5*	863.7150MHz	-63.21	-13.00	-50.21	PK	Ver
6*	939.9813MHz	-60.95	-13.00	-47.95	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.6988MHz	-78.03	-13.00	-65.03	PK	Hor
2*	51.2188MHz	-76.79	-13.00	-63.79	PK	Hor
3*	156.1000MHz	-76.83	-13.00	-63.83	PK	Hor
4*	408.9063MHz	-73.13	-13.00	-60.13	PK	Hor
5*	651.0425MHz	-65.97	-13.00	-52.97	PK	Hor
6*	996.3625MHz	-60.55	-13.00	-47.55	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.3063MHz	-77.82	-13.00	-64.82	PK	Ver
2*	64.5563MHz	-77.72	-13.00	-64.72	PK	Ver
3*	153.3113MHz	-76.35	-13.00	-63.35	PK	Ver
4*	397.7513MHz	-74.42	-13.00	-61.42	PK	Ver
5*	676.6263MHz	-65.68	-13.00	-52.68	PK	Ver
6*	976.3563MHz	-60.44	-13.00	-47.44	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.1850MHz	-77.57	-13.00	-64.57	PK	Hor
2*	54.3713MHz	-77.21	-13.00	-64.21	PK	Hor
3*	154.5238MHz	-76.78	-13.00	-63.78	PK	Hor
4*	529.4288MHz	-71.37	-13.00	-58.37	PK	Hor
5*	762.5925MHz	-63.43	-13.00	-50.43	PK	Hor
6*	957.3200MHz	-59.32	-13.00	-46.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.5213MHz	-77.09	-13.00	-64.09	PK	Ver
2*	68.9213MHz	-77.90	-13.00	-64.90	PK	Ver
3*	151.8563MHz	-76.02	-13.00	-63.02	PK	Ver
4*	364.1650MHz	-74.80	-13.00	-61.80	PK	Ver
5*	709.8488MHz	-63.71	-13.00	-50.71	PK	Ver
6*	997.4538MHz	-60.29	-13.00	-47.29	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.2463MHz	-77.92	-13.00	-64.92	PK	Hor
2*	56.7963MHz	-78.71	-13.00	-65.71	PK	Hor
3*	159.3738MHz	-76.48	-13.00	-63.48	PK	Hor
4*	470.0163MHz	-72.70	-13.00	-59.70	PK	Hor
5*	675.7775MHz	-64.53	-13.00	-51.53	PK	Hor
6*	985.4500MHz	-60.61	-13.00	-47.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.6413MHz	-77.13	-13.00	-64.13	PK	Ver
2*	128.0913MHz	-78.14	-13.00	-65.14	PK	Ver
3*	152.0988MHz	-76.07	-13.00	-63.07	PK	Ver
4*	405.0263MHz	-74.40	-13.00	-61.40	PK	Ver
5*	700.0275MHz	-65.22	-13.00	-52.22	PK	Ver
6*	996.6050MHz	-59.81	-13.00	-46.81	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.3338MHz	-77.94	-13.00	-64.94	PK	Hor
2*	53.4013MHz	-78.34	-13.00	-65.34	PK	Hor
3*	129.1825MHz	-78.85	-13.00	-65.85	PK	Hor
4*	164.7088MHz	-76.57	-13.00	-63.57	PK	Hor
5*	374.8350MHz	-74.94	-13.00	-61.94	PK	Hor
6*	994.0588MHz	-60.26	-13.00	-47.26	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.0338MHz	-78.28	-13.00	-65.28	PK	Ver
2*	84.3200MHz	-78.82	-13.00	-65.82	PK	Ver
3*	166.6488MHz	-76.11	-13.00	-63.11	PK	Ver
4*	320.5150MHz	-77.16	-13.00	-64.16	PK	Ver
5*	688.6300MHz	-65.09	-13.00	-52.09	PK	Ver
6*	997.5750MHz	-59.50	-13.00	-46.50	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.5788MHz	-77.15	-13.00	-64.15	PK	Hor
2*	60.0700MHz	-77.40	-13.00	-64.40	PK	Hor
3*	170.1650MHz	-76.86	-13.00	-63.86	PK	Hor
4*	405.3900MHz	-73.71	-13.00	-60.71	PK	Hor
5*	708.6363MHz	-64.97	-13.00	-51.97	PK	Hor
6*	999.1513MHz	-61.01	-13.00	-48.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.9400MHz	-78.03	-13.00	-65.03	PK	Ver
2*	64.4350MHz	-78.34	-13.00	-65.34	PK	Ver
3*	164.2238MHz	-76.79	-13.00	-63.79	PK	Ver
4*	409.8763MHz	-73.56	-13.00	-60.56	PK	Ver
5*	654.9225MHz	-65.97	-13.00	-52.97	PK	Ver
6*	895.9675MHz	-60.74	-13.00	-47.74	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	34.3650MHz	-78.46	-13.00	-65.46	PK	Hor
2*	54.8563MHz	-77.43	-13.00	-64.43	PK	Hor
3*	148.9463MHz	-76.92	-13.00	-63.92	PK	Hor
4*	333.1250MHz	-75.81	-13.00	-62.81	PK	Hor
5*	703.3013MHz	-64.24	-13.00	-51.24	PK	Hor
6*	997.8175MHz	-59.84	-13.00	-46.84	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.5800MHz	-77.53	-13.00	-64.53	PK	Ver
2*	56.9175MHz	-78.21	-13.00	-65.21	PK	Ver
3*	146.6425MHz	-77.39	-13.00	-64.39	PK	Ver
4*	158.0400MHz	-77.17	-13.00	-64.17	PK	Ver
5*	325.7288MHz	-77.25	-13.00	-64.25	PK	Ver
6*	973.5675MHz	-60.94	-13.00	-47.94	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.9125MHz	-77.28	-13.00	-64.28	PK	Hor
2*	62.2525MHz	-77.92	-13.00	-64.92	PK	Hor
3*	154.4025MHz	-76.49	-13.00	-63.49	PK	Hor
4*	289.1113MHz	-77.24	-13.00	-64.24	PK	Hor
5*	407.0875MHz	-73.61	-13.00	-60.61	PK	Hor
6*	814.3663MHz	-62.84	-13.00	-49.84	PK	Hor
7*	971.6275MHz	-59.39	-13.00	-46.39	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.6113MHz	-76.77	-13.00	-63.77	PK	Ver
2*	59.2213MHz	-77.66	-13.00	-64.66	PK	Ver
3*	154.0388MHz	-75.96	-13.00	-62.96	PK	Ver
4*	693.7225MHz	-64.05	-13.00	-51.05	PK	Ver
5*	903.8488MHz	-61.36	-13.00	-48.36	PK	Ver
6*	975.5075MHz	-59.65	-13.00	-46.65	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	32.0613MHz	-77.80	-13.00	-64.80	PK	Hor
2*	49.0363MHz	-77.48	-13.00	-64.48	PK	Hor
3*	156.9488MHz	-76.14	-13.00	-63.14	PK	Hor
4*	432.4288MHz	-72.98	-13.00	-59.98	PK	Hor
5*	753.9838MHz	-64.11	-13.00	-51.11	PK	Hor
6*	983.8738MHz	-60.50	-13.00	-47.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.2763MHz	-77.15	-13.00	-64.15	PK	Ver
2*	53.7650MHz	-77.57	-13.00	-64.57	PK	Ver
3*	165.6788MHz	-76.09	-13.00	-63.09	PK	Ver
4*	437.1575MHz	-72.63	-13.00	-59.63	PK	Ver
5*	680.3850MHz	-64.52	-13.00	-51.52	PK	Ver
6*	989.5725MHz	-60.43	-13.00	-47.43	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 26.8°C
M/N: UW505	Humidity: 39%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 71 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.4313MHz	-78.03	-13.00	-65.03	PK	Hor
2*	153.1900MHz	-76.58	-13.00	-63.58	PK	Hor
3*	179.3800MHz	-77.89	-13.00	-64.89	PK	Hor
4*	342.8250MHz	-74.74	-13.00	-61.74	PK	Hor
5*	521.7900MHz	-71.55	-13.00	-58.55	PK	Hor
6*	1.0000GHz	-60.83	-13.00	-47.83	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.2463MHz	-77.98	-13.00	-64.98	PK	Ver
2*	56.6750MHz	-77.83	-13.00	-64.83	PK	Ver
3*	151.4925MHz	-75.70	-13.00	-62.70	PK	Ver
4*	470.1375MHz	-72.68	-13.00	-59.68	PK	Ver
5*	768.8975MHz	-64.55	-13.00	-51.55	PK	Ver
6*	988.9663MHz	-60.57	-13.00	-47.57	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.308GHz	-55.77	-13.00	-42.77	PK	Hor
2*	2.260GHz	-51.00	-13.00	-38.00	PK	Hor
3*	3.263GHz	-49.91	-13.00	-36.91	PK	Hor
4*	4.630GHz	-47.68	-13.00	-34.68	PK	Hor
5*	8.890GHz	-41.82	-13.00	-28.82	PK	Hor
6*	17.911GHz	-37.78	-13.00	-24.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.827GHz	-53.79	-13.00	-40.79	PK	Ver
2*	2.993GHz	-49.46	-13.00	-36.46	PK	Ver
3*	4.831GHz	-47.19	-13.00	-34.19	PK	Ver
4*	8.943GHz	-40.55	-13.00	-27.55	PK	Ver
5*	14.413GHz	-38.77	-13.00	-25.77	PK	Ver
6*	17.915GHz	-37.51	-13.00	-24.51	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.317GHz	-55.46	-13.00	-42.46	PK	Hor
2*	3.391GHz	-49.61	-13.00	-36.61	PK	Hor
3*	5.235GHz	-46.85	-13.00	-33.85	PK	Hor
4*	8.894GHz	-41.94	-13.00	-28.94	PK	Hor
5*	11.340GHz	-39.17	-13.00	-26.17	PK	Hor
6*	17.932GHz	-36.73	-13.00	-23.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.227GHz	-54.95	-13.00	-41.95	PK	Ver
2*	2.972GHz	-49.54	-13.00	-36.54	PK	Ver
3*	4.872GHz	-47.79	-13.00	-34.79	PK	Ver
4*	9.009GHz	-41.65	-13.00	-28.65	PK	Ver
5*	14.309GHz	-38.70	-13.00	-25.70	PK	Ver
6*	17.724GHz	-37.64	-13.00	-24.64	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.421GHz	-55.86	-13.00	-42.86	PK	Hor
2*	2.719GHz	-50.31	-13.00	-37.31	PK	Hor
3*	4.341GHz	-47.68	-13.00	-34.68	PK	Hor
4*	7.177GHz	-43.16	-13.00	-30.16	PK	Hor
5*	8.888GHz	-42.05	-13.00	-29.05	PK	Hor
6*	17.010GHz	-38.13	-13.00	-25.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.278GHz	-55.91	-13.00	-42.91	PK	Ver
2*	2.007GHz	-53.58	-13.00	-40.58	PK	Ver
3*	2.978GHz	-49.91	-13.00	-36.91	PK	Ver
4*	6.157GHz	-46.53	-13.00	-33.53	PK	Ver
5*	8.931GHz	-41.73	-13.00	-28.73	PK	Ver
6*	17.819GHz	-38.09	-13.00	-25.09	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.528GHz	-55.92	-13.00	-42.92	PK	Hor
2*	1.926GHz	-53.56	-13.00	-40.56	PK	Hor
3*	2.756GHz	-49.67	-13.00	-36.67	PK	Hor
4*	4.798GHz	-47.01	-13.00	-34.01	PK	Hor
5*	8.928GHz	-41.34	-13.00	-28.34	PK	Hor
6*	16.464GHz	-37.95	-13.00	-24.95	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.290GHz	-54.78	-13.00	-41.78	PK	Ver
2*	2.170GHz	-53.05	-13.00	-40.05	PK	Ver
3*	3.218GHz	-49.66	-13.00	-36.66	PK	Ver
4*	4.808GHz	-47.73	-13.00	-34.73	PK	Ver
5*	9.452GHz	-41.25	-13.00	-28.25	PK	Ver
6*	16.370GHz	-39.09	-13.00	-26.09	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.496GHz	-54.43	-13.00	-41.43	PK	Hor
2*	2.444GHz	-50.73	-13.00	-37.73	PK	Hor
3*	3.128GHz	-49.20	-13.00	-36.20	PK	Hor
4*	4.770GHz	-47.83	-13.00	-34.83	PK	Hor
5*	8.924GHz	-41.73	-13.00	-28.73	PK	Hor
6*	16.376GHz	-37.97	-13.00	-24.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.932GHz	-53.13	-13.00	-40.13	PK	Ver
2*	2.440GHz	-51.37	-13.00	-38.37	PK	Ver
3*	3.166GHz	-49.70	-13.00	-36.70	PK	Ver
4*	5.658GHz	-47.67	-13.00	-34.67	PK	Ver
5*	8.948GHz	-42.12	-13.00	-29.12	PK	Ver
6*	14.416GHz	-39.40	-13.00	-26.40	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.490GHz	-55.03	-13.00	-42.03	PK	Hor
2*	2.528GHz	-50.94	-13.00	-37.94	PK	Hor
3*	3.094GHz	-49.37	-13.00	-36.37	PK	Hor
4*	5.742GHz	-46.34	-13.00	-33.34	PK	Hor
5*	8.938GHz	-40.93	-13.00	-27.93	PK	Hor
6*	16.372GHz	-38.50	-13.00	-25.50	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.944GHz	-53.03	-13.00	-40.03	PK	Ver
2*	3.132GHz	-48.75	-13.00	-35.75	PK	Ver
3*	4.848GHz	-46.59	-13.00	-33.59	PK	Ver
4*	8.934GHz	-40.77	-13.00	-27.77	PK	Ver
5*	11.266GHz	-39.93	-13.00	-26.93	PK	Ver
6*	16.380GHz	-37.25	-13.00	-24.25	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.317GHz	-55.56	-13.00	-42.56	PK	Hor
2*	2.052GHz	-52.45	-13.00	-39.45	PK	Hor
3*	2.610GHz	-50.10	-13.00	-37.10	PK	Hor
4*	3.165GHz	-49.00	-13.00	-36.00	PK	Hor
5*	4.847GHz	-47.00	-13.00	-34.00	PK	Hor
6*	8.572GHz	-41.43	-13.00	-28.43	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.380GHz	-55.40	-13.00	-42.40	PK	Ver
2*	1.704GHz	-53.95	-13.00	-40.95	PK	Ver
3*	2.268GHz	-50.66	-13.00	-37.66	PK	Ver
4*	3.078GHz	-49.52	-13.00	-36.52	PK	Ver
5*	4.760GHz	-47.22	-13.00	-34.22	PK	Ver
6*	8.918GHz	-41.55	-13.00	-28.55	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 5 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.501GHz	-54.37	-13.00	-41.37	PK	Hor
2*	1.934GHz	-53.86	-13.00	-40.86	PK	Hor
3*	2.303GHz	-52.49	-13.00	-39.49	PK	Hor
4*	3.003GHz	-48.97	-13.00	-35.97	PK	Hor
5*	4.806GHz	-47.14	-13.00	-34.14	PK	Hor
6*	8.927GHz	-40.89	-13.00	-27.89	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.377GHz	-56.00	-13.00	-43.00	PK	Ver
2*	1.664GHz	-55.88	-13.00	-42.88	PK	Ver
3*	2.257GHz	-51.83	-13.00	-38.83	PK	Ver
4*	2.913GHz	-49.72	-13.00	-36.72	PK	Ver
5*	4.793GHz	-47.34	-13.00	-34.34	PK	Ver
6*	8.931GHz	-42.18	-13.00	-29.18	PK	Ver