



Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.407GHz	-55.72	-13.00	-42.72	PK	Hor
2*	1.757GHz	-53.93	-13.00	-40.93	PK	Hor
3*	2.133GHz	-52.46	-13.00	-39.46	PK	Hor
4*	2.971GHz	-49.15	-13.00	-36.15	PK	Hor
5*	4.837GHz	-47.06	-13.00	-34.06	PK	Hor
6*	8.872GHz	-41.48	-13.00	-28.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.472GHz	-55.32	-13.00	-42.32	PK	Ver
2*	2.047GHz	-52.52	-13.00	-39.52	PK	Ver
3*	2.491GHz	-49.44	-13.00	-36.44	PK	Ver
4*	3.350GHz	-49.18	-13.00	-36.18	PK	Ver
5*	4.370GHz	-47.62	-13.00	-34.62	PK	Ver
6*	8.984GHz	-41.58	-13.00	-28.58	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.404GHz	-55.53	-13.00	-42.53	PK	Hor
2*	2.094GHz	-52.01	-13.00	-39.01	PK	Hor
3*	2.781GHz	-49.37	-13.00	-36.37	PK	Hor
4*	3.326GHz	-49.27	-13.00	-36.27	PK	Hor
5*	4.834GHz	-47.49	-13.00	-34.49	PK	Hor
6*	6.466GHz	-45.72	-13.00	-32.72	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.341GHz	-56.32	-13.00	-43.32	PK	Ver
2*	1.436GHz	-54.81	-13.00	-41.81	PK	Ver
3*	2.174GHz	-53.19	-13.00	-40.19	PK	Ver
4*	2.697GHz	-50.15	-13.00	-37.15	PK	Ver
5*	4.364GHz	-48.77	-13.00	-35.77	PK	Ver
6*	6.675GHz	-45.77	-13.00	-32.77	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.190GHz	-56.31	-13.00	-43.31	PK	Hor
2*	1.476GHz	-55.22	-13.00	-42.22	PK	Hor
3*	2.133GHz	-51.77	-13.00	-38.77	PK	Hor
4*	2.759GHz	-49.30	-13.00	-36.30	PK	Hor
5*	4.842GHz	-47.15	-13.00	-34.15	PK	Hor
6*	6.729GHz	-45.26	-13.00	-32.26	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.468GHz	-55.44	-13.00	-42.44	PK	Ver
2*	1.971GHz	-52.98	-13.00	-39.98	PK	Ver
3*	2.258GHz	-51.02	-13.00	-38.02	PK	Ver
4*	3.175GHz	-49.90	-13.00	-36.90	PK	Ver
5*	5.363GHz	-47.09	-13.00	-34.09	PK	Ver
6*	6.657GHz	-45.71	-13.00	-32.71	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.392GHz	-55.18	-13.00	-42.18	PK	Hor
2*	1.866GHz	-53.40	-13.00	-40.40	PK	Hor
3*	2.302GHz	-51.47	-13.00	-38.47	PK	Hor
4*	2.978GHz	-49.10	-13.00	-36.10	PK	Hor
5*	4.728GHz	-47.43	-13.00	-34.43	PK	Hor
6*	6.648GHz	-45.48	-13.00	-32.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.355GHz	-56.16	-13.00	-43.16	PK	Ver
2*	1.609GHz	-54.78	-13.00	-41.78	PK	Ver
3*	2.162GHz	-52.80	-13.00	-39.80	PK	Ver
4*	2.541GHz	-51.21	-13.00	-38.21	PK	Ver
5*	3.135GHz	-49.87	-13.00	-36.87	PK	Ver
6*	6.711GHz	-44.95	-13.00	-31.95	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.391GHz	-55.72	-13.00	-42.72	PK	Hor
2*	1.703GHz	-53.98	-13.00	-40.98	PK	Hor
3*	2.363GHz	-51.04	-13.00	-38.04	PK	Hor
4*	2.787GHz	-49.42	-13.00	-36.42	PK	Hor
5*	4.794GHz	-47.38	-13.00	-34.38	PK	Hor
6*	6.652GHz	-45.21	-13.00	-32.21	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.317GHz	-55.40	-13.00	-42.40	PK	Ver
2*	2.225GHz	-50.81	-13.00	-37.81	PK	Ver
3*	2.604GHz	-50.08	-13.00	-37.08	PK	Ver
4*	3.369GHz	-48.95	-13.00	-35.95	PK	Ver
5*	4.360GHz	-47.27	-13.00	-34.27	PK	Ver
6*	6.645GHz	-45.40	-13.00	-32.40	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.386GHz	-55.06	-13.00	-42.06	PK	Hor
2*	2.088GHz	-51.85	-13.00	-38.85	PK	Hor
3*	2.493GHz	-50.10	-13.00	-37.10	PK	Hor
4*	3.278GHz	-49.47	-13.00	-36.47	PK	Hor
5*	4.788GHz	-46.77	-13.00	-33.77	PK	Hor
6*	6.607GHz	-44.17	-13.00	-31.17	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.370GHz	-55.50	-13.00	-42.50	PK	Ver
2*	1.796GHz	-54.40	-13.00	-41.40	PK	Ver
3*	2.229GHz	-51.36	-13.00	-38.36	PK	Ver
4*	3.128GHz	-48.57	-13.00	-35.57	PK	Ver
5*	4.841GHz	-46.78	-13.00	-33.78	PK	Ver
6*	6.646GHz	-45.32	-13.00	-32.32	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.400GHz	-54.65	-13.00	-41.65	PK	Hor
2*	1.926GHz	-53.72	-13.00	-40.72	PK	Hor
3*	2.358GHz	-50.11	-13.00	-37.11	PK	Hor
4*	2.982GHz	-48.78	-13.00	-35.78	PK	Hor
5*	4.832GHz	-46.51	-13.00	-33.51	PK	Hor
6*	6.720GHz	-45.32	-13.00	-32.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.407GHz	-55.82	-13.00	-42.82	PK	Ver
2*	2.349GHz	-50.70	-13.00	-37.70	PK	Ver
3*	2.973GHz	-49.46	-13.00	-36.46	PK	Ver
4*	4.787GHz	-46.91	-13.00	-33.91	PK	Ver
5*	6.143GHz	-45.70	-13.00	-32.70	PK	Ver
6*	6.648GHz	-45.15	-13.00	-32.15	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.518GHz	-55.54	-13.00	-42.54	PK	Hor
2*	2.180GHz	-51.56	-13.00	-38.56	PK	Hor
3*	2.974GHz	-50.30	-13.00	-37.30	PK	Hor
4*	4.704GHz	-47.97	-13.00	-34.97	PK	Hor
5*	8.928GHz	-42.08	-13.00	-29.08	PK	Hor
6*	16.372GHz	-38.58	-13.00	-25.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.424GHz	-55.10	-13.00	-42.10	PK	Ver
2*	2.096GHz	-52.70	-13.00	-39.70	PK	Ver
3*	2.778GHz	-49.08	-13.00	-36.08	PK	Ver
4*	4.794GHz	-46.18	-13.00	-33.18	PK	Ver
5*	8.998GHz	-41.47	-13.00	-28.47	PK	Ver
6*	16.474GHz	-39.51	-13.00	-26.51	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.618GHz	-54.76	-13.00	-41.76	PK	Hor
2*	2.302GHz	-51.87	-13.00	-38.87	PK	Hor
3*	2.936GHz	-50.14	-13.00	-37.14	PK	Hor
4*	4.844GHz	-46.40	-13.00	-33.40	PK	Hor
5*	6.714GHz	-45.84	-13.00	-32.84	PK	Hor
6*	16.374GHz	-38.69	-13.00	-25.69	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.612GHz	-54.46	-13.00	-41.46	PK	Ver
2*	2.896GHz	-48.93	-13.00	-35.93	PK	Ver
3*	4.782GHz	-48.24	-13.00	-35.24	PK	Ver
4*	6.144GHz	-45.61	-13.00	-32.61	PK	Ver
5*	8.972GHz	-42.35	-13.00	-29.35	PK	Ver
6*	16.464GHz	-37.65	-13.00	-24.65	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.350GHz	-54.99	-13.00	-41.99	PK	Hor
2*	2.492GHz	-50.69	-13.00	-37.69	PK	Hor
3*	3.134GHz	-49.51	-13.00	-36.51	PK	Hor
4*	4.904GHz	-48.20	-13.00	-35.20	PK	Hor
5*	10.432GHz	-41.69	-13.00	-28.69	PK	Hor
6*	16.942GHz	-39.42	-13.00	-26.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.510GHz	-54.81	-13.00	-41.81	PK	Ver
2*	2.626GHz	-50.81	-13.00	-37.81	PK	Ver
3*	3.284GHz	-48.89	-13.00	-35.89	PK	Ver
4*	4.326GHz	-46.55	-13.00	-33.55	PK	Ver
5*	8.936GHz	-41.17	-13.00	-28.17	PK	Ver
6*	14.420GHz	-38.34	-13.00	-25.34	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.288GHz	-55.93	-13.00	-42.93	PK	Hor
2*	1.516GHz	-53.85	-13.00	-40.85	PK	Hor
3*	2.660GHz	-50.01	-13.00	-37.01	PK	Hor
4*	3.361GHz	-48.42	-13.00	-35.42	PK	Hor
5*	4.731GHz	-46.33	-13.00	-33.33	PK	Hor
6*	5.428GHz	-47.29	-13.00	-34.29	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.428GHz	-55.38	-13.00	-42.38	PK	Ver
2*	1.756GHz	-53.70	-13.00	-40.70	PK	Ver
3*	2.094GHz	-52.96	-13.00	-39.96	PK	Ver
4*	2.578GHz	-50.00	-13.00	-37.00	PK	Ver
5*	3.223GHz	-48.52	-13.00	-35.52	PK	Ver
6*	4.855GHz	-46.63	-13.00	-33.63	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.270GHz	-56.65	-13.00	-43.65	PK	Hor
2*	1.879GHz	-53.47	-13.00	-40.47	PK	Hor
3*	2.729GHz	-49.94	-13.00	-36.94	PK	Hor
4*	3.263GHz	-49.30	-13.00	-36.30	PK	Hor
5*	4.705GHz	-47.19	-13.00	-34.19	PK	Hor
6*	5.682GHz	-47.06	-13.00	-34.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.459GHz	-54.95	-13.00	-41.95	PK	Ver
2*	1.918GHz	-52.94	-13.00	-39.94	PK	Ver
3*	2.229GHz	-50.98	-13.00	-37.98	PK	Ver
4*	2.755GHz	-49.43	-13.00	-36.43	PK	Ver
5*	3.223GHz	-48.39	-13.00	-35.39	PK	Ver
6*	4.809GHz	-46.40	-13.00	-33.40	PK	Ver

Project: LGT23C062	Test Engineer: Dylan.shi
EUT: smart phone	Temperature: 25°C
M/N: UW505	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 71 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.259GHz	-56.56	-13.00	-43.56	PK	Hor
2*	1.412GHz	-54.46	-13.00	-41.46	PK	Hor
3*	2.314GHz	-51.80	-13.00	-38.80	PK	Hor
4*	2.827GHz	-49.47	-13.00	-36.47	PK	Hor
5*	3.236GHz	-48.17	-13.00	-35.17	PK	Hor
6*	4.757GHz	-47.02	-13.00	-34.02	PK	Hor
7*	5.324GHz	-46.93	-13.00	-33.93	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.231GHz	-56.28	-13.00	-43.28	PK	Ver
2*	1.506GHz	-55.62	-13.00	-42.62	PK	Ver
3*	1.868GHz	-53.51	-13.00	-40.51	PK	Ver
4*	2.309GHz	-52.28	-13.00	-39.28	PK	Ver
5*	2.856GHz	-49.80	-13.00	-36.80	PK	Ver
6*	4.960GHz	-47.00	-13.00	-34.00	PK	Ver

*****END OF THE REPORT*****