



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Smart Diagnostic System

Test Model: P102

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant0	0.945	N/A	Pass
NVNT	1-DH5	2441	Ant0	1.011	N/A	Pass
NVNT	1-DH5	2480	Ant0	0.949	N/A	Pass
NVNT	2-DH5	2402	Ant0	1.282	N/A	Pass
NVNT	2-DH5	2441	Ant0	1.286	N/A	Pass
NVNT	2-DH5	2480	Ant0	1.306	N/A	Pass
NVNT	3-DH5	2402	Ant0	1.308	N/A	Pass
NVNT	3-DH5	2441	Ant0	1.291	N/A	Pass
NVNT	3-DH5	2480	Ant0	1.29	N/A	Pass





Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant0



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant0






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant0




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant0






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant0



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




-20dB Bandwidth NVNT 3-DH5 2402MHz Ant0



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant0







A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant0	0.33	21	Pass
NVNT	1-DH5	2441	Ant0	1.09	21	Pass
NVNT	1-DH5	2480	Ant0	-0.59	21	Pass
NVNT	2-DH5	2402	Ant0	0.32	21	Pass
NVNT	2-DH5	2441	Ant0	1.19	21	Pass
NVNT	2-DH5	2480	Ant0	0.14	21	Pass
NVNT	3-DH5	2402	Ant0	0.46	21	Pass
NVNT	3-DH5	2441	Ant0	1.34	21	Pass
NVNT	3-DH5	2480	Ant0	0.34	21	Pass








Test Graphs



Power NVNT 1-DH5 2402MHz Ant0






Power NVNT 1-DH5 2441MHz Ant0













A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant0	2402	2402.838	0.838	0.674	Pass
NVNT	2-DH5	Ant0	2402.022	2402.998	0.976	0.871	Pass
NVNT	3-DH5	Ant0	2402.04	2403.026	0.986	0.872	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant0



CFS NVNT 2-DH5 2402MHz Ant0







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant0	0.499	58.383	117	31600	400	Pass
NVNT	2-DH5	2402	Ant0	2.899	269.607	93	31600	400	Pass
NVNT	3-DH5	2402	Ant0	2.897	301.288	104	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant0 One Burst



Dwell NVNT 1-DH5 2402MHz Ant0 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Dwell NVNT 2-DH5 2402MHz Ant0 One Burst



Dwell NVNT 2-DH5 2402MHz Ant0 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Dwell NVNT 3-DH5 2402MHz Ant0 One Burst



Dwell NVNT 3-DH5 2402MHz Ant0 Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant0	79	15	Pass
NVNT	2-DH5	Ant0	79	15	Pass
NVNT	3-DH5	Ant0	79	15	Pass







Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant0



Hopping No. NVNT 2-DH5 2402MHz Ant0







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	No-Hopping	-55.45	-20	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	-56.03	-20	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	-53.83	-20	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	-54.78	-20	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	-51.85	-20	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	-52.67	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant0 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant0 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant0 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant0 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant0 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant0 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant0 No-Hopping Ref



Band Edge NVNT 2-DH5 2480MHz Ant0 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 3-DH5 2402MHz Ant0 No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant0 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 3-DH5 2480MHz Ant0 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant0 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	Hopping	-55.17	-20	Pass
NVNT	1-DH5	2480	Ant0	Hopping	-55.29	-20	Pass
NVNT	2-DH5	2402	Ant0	Hopping	-52.32	-20	Pass
NVNT	2-DH5	2480	Ant0	Hopping	-53.62	-20	Pass
NVNT	3-DH5	2402	Ant0	Hopping	-54.35	-20	Pass
NVNT	3-DH5	2480	Ant0	Hopping	-54.28	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant0 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant0 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant0 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant0 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant0 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant0 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant0 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant0 Hopping Emission





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant0	-55.31	-20	Pass
NVNT	1-DH5	2441	Ant0	-54.95	-20	Pass
NVNT	1-DH5	2480	Ant0	-54.94	-20	Pass
NVNT	2-DH5	2402	Ant0	-53.78	-20	Pass
NVNT	2-DH5	2441	Ant0	-52.95	-20	Pass
NVNT	2-DH5	2480	Ant0	-53.57	-20	Pass
NVNT	3-DH5	2402	Ant0	-52.55	-20	Pass
NVNT	3-DH5	2441	Ant0	-50.59	-20	Pass
NVNT	3-DH5	2480	Ant0	-53.3	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant0 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant0 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 1-DH5 2441MHz Ant0 Ref



Tx. Spurious NVNT 1-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant0 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant0 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant0 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant0 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant0 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant0 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant0 Emission





A.8 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant0	No-Hopping	2310	-48.65	3.45	50.03	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2310	-57.89	3.45	40.79	Average	54	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2346.48	-47.49	3.45	51.19	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2387.952	-57.41	3.45	41.27	Average	54	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2390	-50.39	3.45	48.29	Peak	74	Pass
NVNT	1-DH5	2402	Ant0	No-Hopping	2390	-57.51	3.45	41.17	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.5	-47.51	3.45	51.17	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.5	-55.92	3.45	42.76	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2486.992	-44.66	3.45	54.02	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2483.512	-55.92	3.45	42.76	Average	54	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2500	-50.25	3.45	48.43	Peak	74	Pass
NVNT	1-DH5	2480	Ant0	No-Hopping	2500	-57.11	3.45	41.57	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2310	-50.78	3.45	47.90	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2310	-57.86	3.45	40.82	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2328.72	-46.96	3.45	51.72	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2386.512	-57.4	3.45	41.28	Average	54	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2390	-49.23	3.45	49.45	Peak	74	Pass
NVNT	2-DH5	2402	Ant0	No-Hopping	2390	-57.51	3.45	41.17	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.5	-50.45	3.45	48.23	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2483.5	-54.61	3.45	44.07	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2485.072	-40.85	3.45	57.83	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2484.76	-52.93	3.45	45.75	Average	54	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2500	-51.01	3.45	47.67	Peak	74	Pass
NVNT	2-DH5	2480	Ant0	No-Hopping	2500	-55.99	3.45	42.69	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2310	-51.11	3.45	47.57	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2310	-57.81	3.45	40.87	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2371.536	-47.67	3.45	51.01	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2388.912	-57.38	3.45	41.30	Average	54	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2390	-50.44	3.45	48.24	Peak	74	Pass
NVNT	3-DH5	2402	Ant0	No-Hopping	2390	-57.53	3.45	41.15	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.5	-50.14	3.45	48.54	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.5	-55.58	3.45	43.10	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2484.688	-41.1	3.45	57.58	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2483.512	-55.58	3.45	43.10	Average	54	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2500	-49.68	3.45	49.00	Peak	74	Pass
NVNT	3-DH5	2480	Ant0	No-Hopping	2500	-57.12	3.45	41.56	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant0 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant0 No-Hopping Peak



Restrict Band NVNT 1-DH5 2480MHz Ant0 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 2-DH5 2402MHz Ant0 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant0 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant0 No-Hopping Peak



Restrict Band NVNT 2-DH5 2480MHz Ant0 No-Hopping Average





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Restrict Band NVNT 3-DH5 2480MHz Ant0 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant0 No-Hopping Average

