



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Car Diagnostics Tablet

Test Model: P901

Environmental Conditions

Temperature:	24.5° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Bill Zhu
Supervised by:	Li huan



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit (MHz)
NVNT	1-DH5	2402	Ant1	1.036	/
NVNT	1-DH5	2441	Ant1	1.022	/
NVNT	1-DH5	2480	Ant1	1.012	/
NVNT	2-DH5	2402	Ant1	1.316	/
NVNT	2-DH5	2441	Ant1	1.287	/
NVNT	2-DH5	2480	Ant1	1.301	/
NVNT	3-DH5	2402	Ant1	1.295	/
NVNT	3-DH5	2441	Ant1	1.29	/
NVNT	3-DH5	2480	Ant1	1.306	/






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1






A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.34	21	Pass
NVNT	1-DH5	2441	Ant1	1.71	21	Pass
NVNT	1-DH5	2480	Ant1	0.31	21	Pass
NVNT	2-DH5	2402	Ant1	-0.43	21	Pass
NVNT	2-DH5	2441	Ant1	0.8	21	Pass
NVNT	2-DH5	2480	Ant1	-0.58	21	Pass
NVNT	3-DH5	2402	Ant1	-0.34	21	Pass
NVNT	3-DH5	2441	Ant1	0.97	21	Pass
NVNT	3-DH5	2480	Ant1	-0.44	21	Pass








Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.158	2403.016	0.858	0.691	Pass
NVNT	2-DH5	Ant1	2402.16	2403.158	0.998	0.877	Pass
NVNT	3-DH5	Ant1	2402.156	2403.15	0.994	0.863	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	276.672	96	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.882	282.436	98	31600	400	Pass
NVNT	1-DH5	2480	Ant1	2.882	302.61	105	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.88	293.76	102	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.882	317.02	110	31600	400	Pass
NVNT	2-DH5	2480	Ant1	2.885	326.005	113	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	306.022	106	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.887	291.587	101	31600	400	Pass
NVNT	3-DH5	2480	Ant1	2.885	288.5	100	31600	400	Pass






Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 1-DH5 2441MHz Ant1 One Burst




Dwell NVNT 1-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 1-DH5 2480MHz Ant1 One Burst




Dwell NVNT 1-DH5 2480MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2441MHz Ant1 One Burst




Dwell NVNT 2-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2480MHz Ant1 One Burst




Dwell NVNT 2-DH5 2480MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst




Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2441MHz Ant1 One Burst




Dwell NVNT 3-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2480MHz Ant1 One Burst



Dwell NVNT 3-DH5 2480MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.28	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-57.64	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.65	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.21	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-54.66	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-52.52	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



**(Hopping)**

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-57	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-55.71	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.89	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54.89	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-54.63	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-55.42	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.36	-20	Pass
NVNT	1-DH5	2441	Ant1	-56.91	-20	Pass
NVNT	1-DH5	2480	Ant1	-55.34	-20	Pass
NVNT	2-DH5	2402	Ant1	-54	-20	Pass
NVNT	2-DH5	2441	Ant1	-55.51	-20	Pass
NVNT	2-DH5	2480	Ant1	-53.55	-20	Pass
NVNT	3-DH5	2402	Ant1	-54.72	-20	Pass
NVNT	3-DH5	2441	Ant1	-55.38	-20	Pass
NVNT	3-DH5	2480	Ant1	-54.27	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-48.79	2	48.47	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-60.7	2	36.56	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2367.6	-47.67	2	49.59	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2375.376	-60.15	2	37.11	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.68	2	47.58	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-60.33	2	36.93	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.67	2	46.59	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-59.64	2	37.62	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2491.96	-46.74	2	50.52	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.512	-59.64	2	37.62	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.41	2	46.85	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-60	2	37.26	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.81	2	45.45	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-60.64	2	36.62	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2343.216	-47.85	2	49.41	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2378.928	-60.03	2	37.23	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.62	2	47.64	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-60.34	2	36.92	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.73	2	47.53	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-59.63	2	37.63	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2493.544	-46.49	2	50.77	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.584	-59.62	2	37.64	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-51.08	2	46.18	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-59.86	2	37.4	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.59	2	45.67	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-60.55	2	36.71	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2371.152	-47.4	2	49.86	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2389.872	-60.01	2	37.25	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.29	2	46.97	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-60.12	2	37.14	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.33	2	47.93	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-59.43	2	37.83	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2498.968	-47.51	2	49.75	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-59.43	2	37.83	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.8	2	47.46	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-59.93	2	37.33	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

