

Product Number: ZF4333218L350MM
Product Name: 433 Antenna

Specification For Approval

Date: 2024/ 04/ 12

File No.: 2404120001

Version: 1.0

Customer:

Customer P/N: /

INVAX P/N: ZF4333218L350MM

Description : Antenna

Cortec Checked By:	R@ D Dept 20240412 Jack
Customer Approved By:	

Dongguan ZhiFeng Communication Technology Co., Ltd.
Room 101, No. 8, Kongsan Lane, Shixinliangjing, Zhangmutou Town, Dongguan, Guangdong, China

Phone:86-18665349896

We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.

Product Number: ZF4333218L350MM

Product Name: 433 Antenna

Index:

- 1. Reliability Testing**
- 2. Specification**
- 3. SParameter Test Data**
- 4. Anical DrawingSee attached files**

Product Number: ZF4333218L350MM

Product Name: 433 Antenna

1. Reliability Testing

Test Item	Procedure	Requirement
1. Visual inspection and Dimension Check	Applicable methods using x5 magnification	follow specification
2. Rapid Changing of Temperature	-40℃ (30minutes) to 90℃ (30minutes); 24 cycles	After 2 hours recovery: 1. no visible damage 2. Freq. Tol.: < ±5%
3. Damp Heat	24 hours at 60℃; 90 ~ 95% RH	After 2 hours recovery: 1. no visible damage 2. Freq. Tol. : < ±5%
4. Endurance	24 hours at 90℃	After 2 hours recovery: 1. no visible damage 2. Freq Tol.: < ±5%


2. Specification

A. Electrical Characteristics	
S.W.R.	433MHz: <=1.5
Antenna Gain	2± 0.5dBi
Impedance	50 Ohm
B. Material	
Material of Radiator	/
Connector Type	R- SMA
C. Environmental	
Operation Temperature	- 30 °C ~ + 85 °C
Storage Temperature	- 30 °C ~ + 85 °C

Product Number: ZF4333218L350MM

Product Name: 433 Antenna

3. S Parameter Test data



4、Anical DrawingSee attached files

