



## Appendix D

### RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: Tablet

Test Model: KB1001

#### Environmental Conditions

|                    |            |
|--------------------|------------|
| Temperature:       | 23.8°C     |
| Relative Humidity: | 52.1%      |
| ATM Pressure:      | 100.0 kPa  |
| Test Engineer:     | Paddi Chen |
| Supervised by:     | Nick Peng  |





## D.1 -26dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -26 dB Bandwidth (MHz) | Limit -26 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | a    | 5180            | Ant1    | 27.002                 | ---                          | Pass    |
| NVNT      | a    | 5200            | Ant1    | 27.845                 | ---                          | Pass    |
| NVNT      | a    | 5240            | Ant1    | 26.652                 | ---                          | Pass    |
| NVNT      | n20  | 5180            | Ant1    | 28.409                 | ---                          | Pass    |
| NVNT      | n20  | 5200            | Ant1    | 26.515                 | ---                          | Pass    |
| NVNT      | n20  | 5240            | Ant1    | 29.018                 | ---                          | Pass    |
| NVNT      | n40  | 5190            | Ant1    | 48.57                  | ---                          | Pass    |
| NVNT      | n40  | 5230            | Ant1    | 52.6                   | ---                          | Pass    |
| NVNT      | ac20 | 5180            | Ant1    | 29.457                 | ---                          | Pass    |
| NVNT      | ac20 | 5200            | Ant1    | 29.443                 | ---                          | Pass    |
| NVNT      | ac20 | 5240            | Ant1    | 26.033                 | ---                          | Pass    |
| NVNT      | ac40 | 5190            | Ant1    | 55.759                 | ---                          | Pass    |
| NVNT      | ac40 | 5230            | Ant1    | 55.932                 | ---                          | Pass    |
| NVNT      | ax20 | 5180            | Ant1    | 28.233                 | ---                          | Pass    |
| NVNT      | ax20 | 5200            | Ant1    | 28.277                 | ---                          | Pass    |
| NVNT      | ax20 | 5240            | Ant1    | 28.933                 | ---                          | Pass    |
| NVNT      | ax40 | 5190            | Ant1    | 55.636                 | ---                          | Pass    |
| NVNT      | ax40 | 5230            | Ant1    | 55.888                 | ---                          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT a 5240MHz Ant1



## -26dB Bandwidth NVNT n20 5180MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ac20 5180MHz Ant1



## -26dB Bandwidth NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ac20 5240MHz Ant1



## -26dB Bandwidth NVNT ac40 5190MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ac40 5230MHz Ant1



## -26dB Bandwidth NVNT ax20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ax20 5200MHz Ant1



## -26dB Bandwidth NVNT ax20 5240MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ax40 5190MHz Ant1



## -26dB Bandwidth NVNT ax40 5230MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency (MHz) | Antenna | -26 dB Bandwidth (MHz) | Limit -26 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | a    | 5180            | Ant2    | 28.189                 | ---                          | Pass    |
| NVNT      | a    | 5200            | Ant2    | 25.581                 | ---                          | Pass    |
| NVNT      | a    | 5240            | Ant2    | 27.449                 | ---                          | Pass    |
| NVNT      | n20  | 5180            | Ant2    | 28.415                 | ---                          | Pass    |
| NVNT      | n20  | 5200            | Ant2    | 27.058                 | ---                          | Pass    |
| NVNT      | n20  | 5240            | Ant2    | 27.772                 | ---                          | Pass    |
| NVNT      | n40  | 5190            | Ant2    | 51.08                  | ---                          | Pass    |
| NVNT      | n40  | 5230            | Ant2    | 46.768                 | ---                          | Pass    |
| NVNT      | ac20 | 5180            | Ant2    | 28.896                 | ---                          | Pass    |
| NVNT      | ac20 | 5200            | Ant2    | 28.072                 | ---                          | Pass    |
| NVNT      | ac20 | 5240            | Ant2    | 28.758                 | ---                          | Pass    |
| NVNT      | ac40 | 5190            | Ant2    | 55.75                  | ---                          | Pass    |
| NVNT      | ac40 | 5230            | Ant2    | 55.513                 | ---                          | Pass    |
| NVNT      | ax20 | 5180            | Ant2    | 29.555                 | ---                          | Pass    |
| NVNT      | ax20 | 5200            | Ant2    | 29.236                 | ---                          | Pass    |
| NVNT      | ax20 | 5240            | Ant2    | 29.212                 | ---                          | Pass    |
| NVNT      | ax40 | 5190            | Ant2    | 56.547                 | ---                          | Pass    |
| NVNT      | ax40 | 5230            | Ant2    | 55.143                 | ---                          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant2



-26dB Bandwidth NVNT a 5200MHz Ant2





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ac20 5180MHz Ant2



## -26dB Bandwidth NVNT ac20 5200MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ac20 5240MHz Ant2



## -26dB Bandwidth NVNT ac40 5190MHz Ant2





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ax20 5200MHz Ant2



## -26dB Bandwidth NVNT ax20 5240MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ax40 5190MHz Ant2



## -26dB Bandwidth NVNT ax40 5230MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## D.2 Maximum Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT      | a    | 5180            | Ant1    | 10.75                 | 0.24             | 10.99             | 24          | Pass    |
| NVNT      | a    | 5200            | Ant1    | 10.48                 | 0.24             | 10.72             | 24          | Pass    |
| NVNT      | a    | 5240            | Ant1    | 9.66                  | 0.24             | 9.9               | 24          | Pass    |
| NVNT      | n20  | 5180            | Ant1    | 11.07                 | 0.28             | 11.35             | 24          | Pass    |
| NVNT      | n20  | 5200            | Ant1    | 10.74                 | 0.28             | 11.02             | 24          | Pass    |
| NVNT      | n20  | 5240            | Ant1    | 9.96                  | 0.28             | 10.24             | 24          | Pass    |
| NVNT      | n40  | 5190            | Ant1    | 10.32                 | 0.54             | 10.86             | 24          | Pass    |
| NVNT      | n40  | 5230            | Ant1    | 9.42                  | 0.54             | 9.96              | 24          | Pass    |
| NVNT      | ac20 | 5180            | Ant1    | 11.09                 | 0.28             | 11.37             | 24          | Pass    |
| NVNT      | ac20 | 5200            | Ant1    | 10.36                 | 0.28             | 10.64             | 24          | Pass    |
| NVNT      | ac20 | 5240            | Ant1    | 9.54                  | 0.28             | 9.82              | 24          | Pass    |
| NVNT      | ac40 | 5190            | Ant1    | 10.24                 | 0.53             | 10.77             | 24          | Pass    |
| NVNT      | ac40 | 5230            | Ant1    | 9.39                  | 0.53             | 9.92              | 24          | Pass    |
| NVNT      | ax20 | 5180            | Ant1    | 9.76                  | 0.28             | 10.04             | 24          | Pass    |
| NVNT      | ax20 | 5200            | Ant1    | 9.28                  | 0.28             | 9.56              | 24          | Pass    |
| NVNT      | ax20 | 5240            | Ant1    | 8.62                  | 0.28             | 8.9               | 24          | Pass    |
| NVNT      | ax40 | 5190            | Ant1    | 9.19                  | 0.53             | 9.72              | 24          | Pass    |
| NVNT      | ax40 | 5230            | Ant1    | 8.34                  | 0.53             | 8.87              | 24          | Pass    |

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT      | a    | 5180            | Ant2    | 10.39                 | 0.24             | 10.63             | 24          | Pass    |
| NVNT      | a    | 5200            | Ant2    | 10.07                 | 0.24             | 10.31             | 24          | Pass    |
| NVNT      | a    | 5240            | Ant2    | 9.27                  | 0.24             | 9.51              | 24          | Pass    |
| NVNT      | n20  | 5180            | Ant2    | 10.7                  | 0.28             | 10.98             | 24          | Pass    |
| NVNT      | n20  | 5200            | Ant2    | 10.21                 | 0.28             | 10.49             | 24          | Pass    |
| NVNT      | n20  | 5240            | Ant2    | 9.62                  | 0.28             | 9.9               | 24          | Pass    |
| NVNT      | n40  | 5190            | Ant2    | 10                    | 0.54             | 10.54             | 24          | Pass    |
| NVNT      | n40  | 5230            | Ant2    | 9.2                   | 0.55             | 9.75              | 24          | Pass    |
| NVNT      | ac20 | 5180            | Ant2    | 10.6                  | 0.28             | 10.88             | 24          | Pass    |
| NVNT      | ac20 | 5200            | Ant2    | 10.25                 | 0.28             | 10.53             | 24          | Pass    |
| NVNT      | ac20 | 5240            | Ant2    | 9.57                  | 0.28             | 9.85              | 24          | Pass    |
| NVNT      | ac40 | 5190            | Ant2    | 10.05                 | 0.53             | 10.58             | 24          | Pass    |
| NVNT      | ac40 | 5230            | Ant2    | 9.3                   | 0.53             | 9.83              | 24          | Pass    |
| NVNT      | ax20 | 5180            | Ant1    | 9.59                  | 0.28             | 9.87              | 24          | Pass    |
| NVNT      | ax20 | 5200            | Ant1    | 9.21                  | 0.28             | 9.49              | 24          | Pass    |
| NVNT      | ax20 | 5240            | Ant1    | 8.55                  | 0.28             | 8.83              | 24          | Pass    |
| NVNT      | ax40 | 5190            | Ant1    | 9.19                  | 0.53             | 9.72              | 24          | Pass    |
| NVNT      | ax40 | 5230            | Ant1    | 8.35                  | 0.53             | 8.88              | 24          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## MIMO

| Condition | Mode | Frequency (MHz) | Total Power (dBm) |       |           | Limit (dBm) | Verdict |
|-----------|------|-----------------|-------------------|-------|-----------|-------------|---------|
|           |      |                 | Ant1              | Ant2  | Ant1+Ant2 |             |         |
| NVNT      | n20  | 5180            | 11.35             | 10.98 | 14.18     | 30          | Pass    |
| NVNT      | n20  | 5200            | 11.02             | 10.49 | 13.77     | 30          | Pass    |
| NVNT      | n20  | 5240            | 10.24             | 9.9   | 13.08     | 30          | Pass    |
| NVNT      | n40  | 5190            | 10.86             | 10.54 | 13.71     | 30          | Pass    |
| NVNT      | n40  | 5230            | 9.96              | 9.75  | 12.87     | 30          | Pass    |
| NVNT      | ac20 | 5180            | 11.37             | 10.88 | 14.14     | 30          | Pass    |
| NVNT      | ac20 | 5200            | 10.64             | 10.53 | 13.60     | 30          | Pass    |
| NVNT      | ac20 | 5240            | 9.82              | 9.85  | 12.85     | 30          | Pass    |
| NVNT      | ac40 | 5190            | 10.77             | 10.58 | 13.69     | 30          | Pass    |
| NVNT      | ac40 | 5230            | 9.92              | 9.83  | 12.89     | 30          | Pass    |
| NVNT      | ax20 | 5180            | 10.04             | 9.87  | 12.97     | 30          | Pass    |
| NVNT      | ax20 | 5200            | 9.56              | 9.49  | 12.54     | 30          | Pass    |
| NVNT      | ax20 | 5240            | 8.9               | 8.83  | 11.88     | 30          | Pass    |
| NVNT      | ax40 | 5190            | 9.72              | 9.72  | 12.73     | 30          | Pass    |
| NVNT      | ax40 | 5230            | 8.87              | 8.88  | 11.89     | 30          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



### D.3 Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/MHz) | Duty Factor (dB) | Total PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------|-------------------------|------------------|---------------------|-----------------|---------|
| NVNT      | a    | 5180            | Ant1    | 0.33                    | 0.24             | 0.57                | 11              | Pass    |
| NVNT      | a    | 5200            | Ant1    | -0.29                   | 0.24             | -0.05               | 11              | Pass    |
| NVNT      | a    | 5240            | Ant1    | -0.85                   | 0.24             | -0.61               | 11              | Pass    |
| NVNT      | n20  | 5180            | Ant1    | 0.39                    | 0.28             | 0.67                | 11              | Pass    |
| NVNT      | n20  | 5200            | Ant1    | -0.13                   | 0.28             | 0.15                | 11              | Pass    |
| NVNT      | n20  | 5240            | Ant1    | -0.89                   | 0.28             | -0.61               | 11              | Pass    |
| NVNT      | n40  | 5190            | Ant1    | -3.06                   | 0.54             | -2.52               | 11              | Pass    |
| NVNT      | n40  | 5230            | Ant1    | -3.78                   | 0.54             | -3.24               | 11              | Pass    |
| NVNT      | ac20 | 5180            | Ant1    | 0.24                    | 0.28             | 0.52                | 11              | Pass    |
| NVNT      | ac20 | 5200            | Ant1    | -0.46                   | 0.28             | -0.18               | 11              | Pass    |
| NVNT      | ac20 | 5240            | Ant1    | -1.24                   | 0.28             | -0.96               | 11              | Pass    |
| NVNT      | ac40 | 5190            | Ant1    | -3.24                   | 0.53             | -2.71               | 11              | Pass    |
| NVNT      | ac40 | 5230            | Ant1    | -4.14                   | 0.53             | -3.61               | 11              | Pass    |
| NVNT      | ax20 | 5180            | Ant1    | -0.9                    | 0.28             | -0.62               | 11              | Pass    |
| NVNT      | ax20 | 5200            | Ant1    | -1.52                   | 0.28             | -1.24               | 11              | Pass    |
| NVNT      | ax20 | 5240            | Ant1    | -2.16                   | 0.28             | -1.88               | 11              | Pass    |
| NVNT      | ax40 | 5190            | Ant1    | -4.36                   | 0.53             | -3.83               | 11              | Pass    |
| NVNT      | ax40 | 5230            | Ant1    | -5.15                   | 0.53             | -4.62               | 11              | Pass    |

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/MHz) | Duty Factor (dB) | Total PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------|-------------------------|------------------|---------------------|-----------------|---------|
| NVNT      | a    | 5180            | Ant2    | 0.07                    | 0.24             | 0.31                | 11              | Pass    |
| NVNT      | a    | 5200            | Ant2    | -0.68                   | 0.24             | -0.44               | 11              | Pass    |
| NVNT      | a    | 5240            | Ant2    | -1.17                   | 0.24             | -0.93               | 11              | Pass    |
| NVNT      | n20  | 5180            | Ant2    | 0.06                    | 0.28             | 0.34                | 11              | Pass    |
| NVNT      | n20  | 5200            | Ant2    | -0.45                   | 0.28             | -0.17               | 11              | Pass    |
| NVNT      | n20  | 5240            | Ant2    | -1.22                   | 0.28             | -0.94               | 11              | Pass    |
| NVNT      | n40  | 5190            | Ant2    | -3.17                   | 0.54             | -2.63               | 11              | Pass    |
| NVNT      | n40  | 5230            | Ant2    | -4.2                    | 0.55             | -3.65               | 11              | Pass    |
| NVNT      | ac20 | 5180            | Ant2    | -0.18                   | 0.28             | 0.1                 | 11              | Pass    |
| NVNT      | ac20 | 5200            | Ant2    | -0.22                   | 0.28             | 0.06                | 11              | Pass    |
| NVNT      | ac20 | 5240            | Ant2    | -0.94                   | 0.28             | -0.66               | 11              | Pass    |
| NVNT      | ac40 | 5190            | Ant2    | -3.32                   | 0.53             | -2.79               | 11              | Pass    |
| NVNT      | ac40 | 5230            | Ant2    | -4.2                    | 0.53             | -3.67               | 11              | Pass    |
| NVNT      | ax20 | 5180            | Ant2    | -1.14                   | 0.28             | -0.86               | 11              | Pass    |
| NVNT      | ax20 | 5200            | Ant2    | -1.73                   | 0.28             | -1.45               | 11              | Pass    |
| NVNT      | ax20 | 5240            | Ant2    | -2.19                   | 0.28             | -1.91               | 11              | Pass    |
| NVNT      | ax40 | 5190            | Ant2    | -4.26                   | 0.53             | -3.73               | 11              | Pass    |
| NVNT      | ax40 | 5230            | Ant2    | -5.17                   | 0.53             | -4.64               | 11              | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## MIMO

| Condition | Mode | Frequency (MHz) | Total PSD (dBm/MHz) |       |           | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------------------|-------|-----------|-----------------|---------|
|           |      |                 | Ant1                | Ant2  | Ant1+Ant2 |                 |         |
| NVNT      | n20  | 5180            | 0.67                | 0.34  | 3.52      | 11              | Pass    |
| NVNT      | n20  | 5200            | 0.15                | -0.17 | 3.00      | 11              | Pass    |
| NVNT      | n20  | 5240            | -0.61               | -0.94 | 2.24      | 11              | Pass    |
| NVNT      | n40  | 5190            | -2.52               | -2.63 | 0.44      | 11              | Pass    |
| NVNT      | n40  | 5230            | -3.24               | -3.65 | -0.43     | 11              | Pass    |
| NVNT      | ac20 | 5180            | 0.52                | 0.1   | 3.33      | 11              | Pass    |
| NVNT      | ac20 | 5200            | -0.18               | 0.06  | 2.95      | 11              | Pass    |
| NVNT      | ac20 | 5240            | -0.96               | -0.66 | 2.20      | 11              | Pass    |
| NVNT      | ac40 | 5190            | -2.71               | -2.79 | 0.26      | 11              | Pass    |
| NVNT      | ac40 | 5230            | -3.61               | -3.67 | -0.63     | 11              | Pass    |
| NVNT      | ax20 | 5180            | -0.62               | -0.86 | 2.27      | 11              | Pass    |
| NVNT      | ax20 | 5200            | -1.24               | -1.45 | 1.67      | 11              | Pass    |
| NVNT      | ax20 | 5240            | -1.88               | -1.91 | 1.12      | 11              | Pass    |
| NVNT      | ax40 | 5190            | -3.83               | -3.73 | -0.77     | 11              | Pass    |
| NVNT      | ax40 | 5230            | -4.62               | -4.64 | -1.62     | 11              | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT a 5180MHz Ant2



PSD NVNT a 5200MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT a 5240MHz Ant2



PSD NVNT n20 5180MHz Ant2





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ax40 5190MHz Ant2



PSD NVNT ax40 5230MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## D.4 Restrict Band

| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur<br>Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | Duty<br>Factor<br>(dB) | E<br>(dBuV/m) | Detector | Limit<br>(dBuV/m) | Verdict |
|-----------|------|--------------------|---------|-----------------------|----------------|---------------|------------------------|---------------|----------|-------------------|---------|
| NVNT      | a    | 5180               | Ant1    | 4500                  | -50.94         | 2.80          | -                      | 47.09         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant1    | 4500                  | -58.53         | 2.80          | 0.24                   | 39.74         | Average  | 54                | Pass    |
| NVNT      | a    | 5180               | Ant1    | 5149.6                | -40.03         | 2.80          | -                      | 58.00         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant1    | 5149.6                | -51.56         | 2.80          | 0.24                   | 46.71         | Average  | 54                | Pass    |
| NVNT      | a    | 5180               | Ant1    | 5150                  | -40.69         | 2.80          | -                      | 57.34         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant1    | 5150                  | -51.15         | 2.80          | 0.24                   | 47.12         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant1    | 5350                  | -50.23         | 2.80          | -                      | 47.80         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant1    | 5350                  | -57.81         | 2.80          | 0.24                   | 40.46         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant1    | 5351.52               | -47.06         | 2.80          | -                      | 50.97         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant1    | 5351.28               | -57.13         | 2.80          | 0.24                   | 41.14         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant1    | 5460                  | -50.33         | 2.80          | -                      | 47.70         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant1    | 5460                  | -58.36         | 2.80          | 0.24                   | 39.91         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant1    | 4500                  | -51.97         | 2.80          | -                      | 46.06         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant1    | 4500                  | -59.12         | 2.80          | 0.28                   | 39.19         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant1    | 5149.6                | -41.36         | 2.80          | -                      | 56.67         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant1    | 5149.6                | -51.15         | 2.80          | 0.28                   | 47.16         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant1    | 5150                  | -41.24         | 2.80          | -                      | 56.79         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant1    | 5150                  | -50.63         | 2.80          | 0.28                   | 47.68         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant1    | 5350                  | -48.53         | 2.80          | -                      | 49.50         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant1    | 5350                  | -57.81         | 2.80          | 0.28                   | 40.50         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant1    | 5377.2                | -47.33         | 2.80          | -                      | 50.70         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant1    | 5352                  | -56.92         | 2.80          | 0.28                   | 41.39         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant1    | 5460                  | -50.36         | 2.80          | -                      | 47.67         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant1    | 5460                  | -58.22         | 2.80          | 0.28                   | 40.09         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant1    | 4500                  | -50.63         | 2.80          | -                      | 47.40         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant1    | 4500                  | -58.46         | 2.80          | 0.54                   | 40.11         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant1    | 5146.78               | -37.61         | 2.80          | -                      | 60.42         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant1    | 5149.7                | -48.91         | 2.80          | 0.54                   | 49.66         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant1    | 5150                  | -41.35         | 2.80          | -                      | 56.68         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant1    | 5150                  | -48.91         | 2.80          | 0.54                   | 49.66         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant1    | 5350                  | -50.45         | 2.80          | -                      | 47.58         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant1    | 5350                  | -57.87         | 2.80          | 0.54                   | 40.70         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant1    | 5402.22               | -47.14         | 2.80          | -                      | 50.89         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant1    | 5353.35               | -57.19         | 2.80          | 0.54                   | 41.38         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant1    | 5460                  | -49.92         | 2.80          | -                      | 48.11         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant1    | 5460                  | -58.34         | 2.80          | 0.54                   | 40.23         | Average  | 54                | Pass    |
| NVNT      | ac20 | 5180               | Ant1    | 4500                  | -49.63         | 2.80          | -                      | 48.40         | Peak     | 68.2              | Pass    |
| NVNT      | ac20 | 5180               | Ant1    | 4500                  | -58.7          | 2.80          | 0.28                   | 39.61         | Average  | 54                | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ac20 | 5180 | Ant1 | 5149.6  | -32.32 | 2.80 | -    | 65.71 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5180 | Ant1 | 5148.9  | -47.89 | 2.80 | 0.28 | 50.42 | Average | 54   | Pass |
| NVNT | ac20 | 5180 | Ant1 | 5150    | -36.84 | 2.80 | -    | 61.19 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5180 | Ant1 | 5150    | -49.23 | 2.80 | 0.28 | 49.08 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant1 | 5350    | -49.24 | 2.80 | -    | 48.79 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant1 | 5350    | -57.44 | 2.80 | 0.28 | 40.87 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant1 | 5352.24 | -46.91 | 2.80 | -    | 51.12 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant1 | 5390.64 | -57.14 | 2.80 | 0.28 | 41.17 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant1 | 5460    | -50.36 | 2.80 | -    | 47.67 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant1 | 5460    | -58.41 | 2.80 | 0.28 | 39.90 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant1 | 4500    | -49.6  | 2.80 | -    | 48.43 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant1 | 4500    | -58.35 | 2.80 | 0.53 | 40.21 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant1 | 5149.7  | -37.22 | 2.80 | -    | 60.81 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant1 | 5149.7  | -50.07 | 2.80 | 0.53 | 48.49 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant1 | 5150    | -37.22 | 2.80 | -    | 60.81 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant1 | 5150    | -50.07 | 2.80 | 0.53 | 48.49 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant1 | 5350    | -48.79 | 2.80 | -    | 49.24 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant1 | 5350    | -57.65 | 2.80 | 0.53 | 40.91 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant1 | 5398.17 | -47.13 | 2.80 | -    | 50.90 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant1 | 5365.5  | -57.18 | 2.80 | 0.53 | 41.38 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant1 | 5460    | -50.26 | 2.80 | -    | 47.77 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant1 | 5460    | -57.55 | 2.80 | 0.53 | 41.01 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant1 | 4500    | -49.49 | 2.80 | -    | 48.54 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant1 | 4500    | -59.28 | 2.80 | 0.28 | 39.03 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant1 | 5148.9  | -39.17 | 2.80 | -    | 58.86 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant1 | 5149.6  | -52.07 | 2.80 | 0.28 | 46.24 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant1 | 5150    | -34.81 | 2.80 | -    | 63.22 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant1 | 5150    | -50.56 | 2.80 | 0.28 | 47.75 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant1 | 5350    | -48.84 | 2.80 | -    | 49.19 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant1 | 5350    | -57.78 | 2.80 | 0.28 | 40.53 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant1 | 5368.32 | -47.3  | 2.80 | -    | 50.73 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant1 | 5372.4  | -57.27 | 2.80 | 0.28 | 41.04 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant1 | 5460    | -49.72 | 2.80 | -    | 48.31 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant1 | 5460    | -58.07 | 2.80 | 0.28 | 40.24 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant1 | 4500    | -51.36 | 2.80 | -    | 46.67 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant1 | 4500    | -58.4  | 2.80 | 0.53 | 40.16 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant1 | 5148.97 | -38.63 | 2.80 | -    | 59.40 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant1 | 5149.7  | -50.56 | 2.80 | 0.53 | 48.00 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant1 | 5150    | -39.32 | 2.80 | -    | 58.71 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant1 | 5150    | -50.56 | 2.80 | 0.53 | 48.00 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant1 | 5350    | -48.5  | 2.80 | -    | 49.53 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant1 | 5350    | -57.96 | 2.80 | 0.53 | 40.60 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant1 | 5390.61 | -47.72 | 2.80 | -    | 50.31 | Peak    | 68.2 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ax40 | 5230 | Ant1 | 5447.31 | -57.37 | 2.80 | 0.53 | 41.19 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant1 | 5460    | -50.11 | 2.80 | -    | 47.92 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant1 | 5460    | -58.59 | 2.80 | 0.53 | 39.97 | Average | 54   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT a 5180MHz Ant1 Peak



## Restrict Band NVNT a 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5240MHz Ant1 Peak



## Restrict Band NVNT a 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5180MHz Ant1 Peak



## Restrict Band NVNT n20 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5240MHz Ant1 Peak



## Restrict Band NVNT n20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5190MHz Ant1 Peak



## Restrict Band NVNT n40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5230MHz Ant1 Peak



## Restrict Band NVNT n40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5180MHz Ant1 Peak



## Restrict Band NVNT ac20 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5240MHz Ant1 Peak



## Restrict Band NVNT ac20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5190MHz Ant1 Peak



## Restrict Band NVNT ac40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5230MHz Ant1 Peak



## Restrict Band NVNT ac40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5180MHz Ant1 Peak



## Restrict Band NVNT ax20 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5240MHz Ant1 Peak



## Restrict Band NVNT ax20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5190MHz Ant1 Peak



## Restrict Band NVNT ax40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5230MHz Ant1 Peak



## Restrict Band NVNT ax40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur<br>Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | Duty<br>Factor<br>(dB) | E<br>(dBuV/m) | Detector | Limit<br>(dBuV/m) | Verdict |
|-----------|------|--------------------|---------|-----------------------|----------------|---------------|------------------------|---------------|----------|-------------------|---------|
| NVNT      | a    | 5180               | Ant2    | 4500                  | -51.16         | 2.99          | -                      | 47.06         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant2    | 4500                  | -59.1          | 2.99          | 0.24                   | 39.36         | Average  | 54                | Pass    |
| NVNT      | a    | 5180               | Ant2    | 5148.2                | -39.64         | 2.99          | -                      | 58.58         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant2    | 5148.9                | -51.95         | 2.99          | 0.24                   | 46.51         | Average  | 54                | Pass    |
| NVNT      | a    | 5180               | Ant2    | 5150                  | -37.67         | 2.99          | -                      | 60.55         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5180               | Ant2    | 5150                  | -51.32         | 2.99          | 0.24                   | 47.14         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant2    | 5350                  | -48.85         | 2.99          | -                      | 49.37         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant2    | 5350                  | -57.43         | 2.99          | 0.24                   | 41.03         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant2    | 5432.16               | -47.38         | 2.99          | -                      | 50.84         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant2    | 5382                  | -57.26         | 2.99          | 0.24                   | 41.20         | Average  | 54                | Pass    |
| NVNT      | a    | 5240               | Ant2    | 5460                  | -50.45         | 2.99          | -                      | 47.77         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5240               | Ant2    | 5460                  | -58.69         | 2.99          | 0.24                   | 39.77         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant2    | 4500                  | -49.88         | 2.99          | -                      | 48.34         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant2    | 4500                  | -58.83         | 2.99          | 0.28                   | 39.67         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant2    | 5147.5                | -36.53         | 2.99          | -                      | 61.69         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant2    | 5149.6                | -50.25         | 2.99          | 0.28                   | 48.25         | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | Ant2    | 5150                  | -39.23         | 2.99          | -                      | 58.99         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | Ant2    | 5150                  | -49.68         | 2.99          | 0.28                   | 48.82         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant2    | 5350                  | -49.26         | 2.99          | -                      | 48.96         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant2    | 5350                  | -56.83         | 2.99          | 0.28                   | 41.67         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant2    | 5452.32               | -47.28         | 2.99          | -                      | 50.94         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant2    | 5350.08               | -56.83         | 2.99          | 0.28                   | 41.67         | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | Ant2    | 5460                  | -49.44         | 2.99          | -                      | 48.78         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | Ant2    | 5460                  | -58.48         | 2.99          | 0.28                   | 40.02         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant2    | 4500                  | -50.83         | 2.99          | -                      | 47.39         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant2    | 4500                  | -58.51         | 2.99          | 0.54                   | 40.25         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant2    | 5149.7                | -32.72         | 2.99          | -                      | 65.50         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant2    | 5148.24               | -49.1          | 2.99          | 0.54                   | 49.66         | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | Ant2    | 5150                  | -32.72         | 2.99          | -                      | 65.50         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | Ant2    | 5150                  | -49.86         | 2.99          | 0.54                   | 48.90         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant2    | 5350                  | -47.78         | 2.99          | -                      | 50.44         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant2    | 5350                  | -57.53         | 2.99          | 0.55                   | 41.24         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant2    | 5383.59               | -46.36         | 2.99          | -                      | 51.86         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant2    | 5350.92               | -57.16         | 2.99          | 0.55                   | 41.61         | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | Ant2    | 5460                  | -50.46         | 2.99          | -                      | 47.76         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | Ant2    | 5460                  | -58.37         | 2.99          | 0.55                   | 40.40         | Average  | 54                | Pass    |
| NVNT      | ac20 | 5180               | Ant2    | 4500                  | -49.87         | 2.99          | -                      | 48.35         | Peak     | 68.2              | Pass    |
| NVNT      | ac20 | 5180               | Ant2    | 4500                  | -58.71         | 2.99          | 0.28                   | 39.79         | Average  | 54                | Pass    |
| NVNT      | ac20 | 5180               | Ant2    | 5145.4                | -32.72         | 2.99          | -                      | 65.50         | Peak     | 68.2              | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ac20 | 5180 | Ant2 | 5148.9  | -50.07 | 2.99 | 0.28 | 48.43 | Average | 54   | Pass |
| NVNT | ac20 | 5180 | Ant2 | 5150    | -36.27 | 2.99 | -    | 61.95 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5180 | Ant2 | 5150    | -49.87 | 2.99 | 0.28 | 48.63 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant2 | 5350    | -50.54 | 2.99 | -    | 47.68 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant2 | 5350    | -58.01 | 2.99 | 0.28 | 40.49 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant2 | 5370.24 | -46.37 | 2.99 | -    | 51.85 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant2 | 5365.68 | -57.4  | 2.99 | 0.28 | 41.10 | Average | 54   | Pass |
| NVNT | ac20 | 5240 | Ant2 | 5460    | -50.62 | 2.99 | -    | 47.60 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5240 | Ant2 | 5460    | -58.57 | 2.99 | 0.28 | 39.93 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant2 | 4500    | -50.61 | 2.99 | -    | 47.61 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant2 | 4500    | -58.39 | 2.99 | 0.53 | 40.36 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant2 | 5146.78 | -36.56 | 2.99 | -    | 61.66 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant2 | 5149.7  | -49.04 | 2.99 | 0.53 | 49.71 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | Ant2 | 5150    | -38.65 | 2.99 | -    | 59.57 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | Ant2 | 5150    | -49.04 | 2.99 | 0.53 | 49.71 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant2 | 5350    | -50.72 | 2.99 | -    | 47.50 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant2 | 5350    | -57.19 | 2.99 | 0.53 | 41.56 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant2 | 5415.72 | -47.4  | 2.99 | -    | 50.82 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant2 | 5403.3  | -57.18 | 2.99 | 0.53 | 41.57 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | Ant2 | 5460    | -51.13 | 2.99 | -    | 47.09 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | Ant2 | 5460    | -57.97 | 2.99 | 0.53 | 40.78 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant2 | 4500    | -50.04 | 2.99 | -    | 48.18 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant2 | 4500    | -58.96 | 2.99 | 0.28 | 39.54 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant2 | 5147.5  | -38.68 | 2.99 | -    | 59.54 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant2 | 5149.6  | -51.75 | 2.99 | 0.28 | 46.75 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | Ant2 | 5150    | -40.1  | 2.99 | -    | 58.12 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | Ant2 | 5150    | -51.68 | 2.99 | 0.28 | 46.82 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant2 | 5350    | -49.35 | 2.99 | -    | 48.87 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant2 | 5350    | -57.24 | 2.99 | 0.28 | 41.26 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant2 | 5385.84 | -47.46 | 2.99 | -    | 50.76 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant2 | 5351.76 | -57.24 | 2.99 | 0.28 | 41.26 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | Ant2 | 5460    | -50.93 | 2.99 | -    | 47.29 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | Ant2 | 5460    | -58.15 | 2.99 | 0.28 | 40.35 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant2 | 4500    | -49.81 | 2.99 | -    | 48.41 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant2 | 4500    | -58.84 | 2.99 | 0.53 | 39.91 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant2 | 5146.78 | -37.19 | 2.99 | -    | 61.03 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant2 | 5149.7  | -50.6  | 2.99 | 0.53 | 48.15 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | Ant2 | 5150    | -40.2  | 2.99 | -    | 58.02 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | Ant2 | 5150    | -50.6  | 2.99 | 0.53 | 48.15 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant2 | 5350    | -49.93 | 2.99 | -    | 48.29 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant2 | 5350    | -57.7  | 2.99 | 0.53 | 41.05 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | Ant2 | 5369.01 | -46.06 | 2.99 | -    | 52.16 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant2 | 5350.65 | -57.37 | 2.99 | 0.53 | 41.38 | Average | 54   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




|      |      |      |      |      |        |      |      |       |         |      |      |
|------|------|------|------|------|--------|------|------|-------|---------|------|------|
| NVNT | ax40 | 5230 | Ant2 | 5460 | -50.75 | 2.99 | -    | 47.47 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | Ant2 | 5460 | -58.24 | 2.99 | 0.53 | 40.51 | Average | 54   | Pass |






## Test Graphs

## Restrict Band NVNT a 5180MHz Ant2 Peak



## Restrict Band NVNT a 5180MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5240MHz Ant2 Peak



## Restrict Band NVNT a 5240MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5180MHz Ant2 Peak



## Restrict Band NVNT n20 5180MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5240MHz Ant2 Peak



## Restrict Band NVNT n20 5240MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5190MHz Ant2 Peak



## Restrict Band NVNT n40 5190MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5230MHz Ant2 Peak



## Restrict Band NVNT n40 5230MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5180MHz Ant2 Peak



## Restrict Band NVNT ac20 5180MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5240MHz Ant2 Peak



## Restrict Band NVNT ac20 5240MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5190MHz Ant2 Peak



## Restrict Band NVNT ac40 5190MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5230MHz Ant2 Peak



## Restrict Band NVNT ac40 5230MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5180MHz Ant2 Peak



## Restrict Band NVNT ax20 5180MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5240MHz Ant2 Peak



## Restrict Band NVNT ax20 5240MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5190MHz Ant2 Peak



## Restrict Band NVNT ax40 5190MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5230MHz Ant2 Peak



## Restrict Band NVNT ax40 5230MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## MIMO

| Condition | Mode | Frequency<br>(MHz) | Ant1<br>Power<br>(dBm) | Ant2<br>Power<br>(dBm) | Gain<br>(dBi) | Total<br>E (dBuV/m) | Detector | Limit<br>(dBuV/m) | Verdict |
|-----------|------|--------------------|------------------------|------------------------|---------------|---------------------|----------|-------------------|---------|
| NVNT      | n20  | 5180               | -51.97                 | -49.88                 | 5.91          | 53.37               | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | -59.12                 | -58.83                 | 5.91          | 45.20               | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | -41.36                 | -36.53                 | 5.91          | 65.87               | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | -51.15                 | -50.25                 | 5.91          | 53.50               | Average  | 54                | Pass    |
| NVNT      | n20  | 5180               | -41.24                 | -39.23                 | 5.91          | 64.05               | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5180               | -54.63                 | -49.68                 | 5.91          | 52.69               | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | -48.53                 | -49.26                 | 5.91          | 55.29               | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | -57.81                 | -56.83                 | 5.91          | 46.88               | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | -47.33                 | -47.28                 | 5.91          | 56.87               | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | -56.92                 | -56.83                 | 5.91          | 47.30               | Average  | 54                | Pass    |
| NVNT      | n20  | 5240               | -50.36                 | -49.44                 | 5.91          | 54.30               | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5240               | -58.22                 | -58.48                 | 5.91          | 45.83               | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | -50.63                 | -50.83                 | 5.91          | 53.45               | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | -58.46                 | -58.51                 | 5.91          | 45.69               | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | -47.61                 | -42.72                 | 5.91          | 59.66               | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | -58.91                 | -49.1                  | 5.91          | 52.50               | Average  | 54                | Pass    |
| NVNT      | n40  | 5190               | -41.35                 | -42.72                 | 5.91          | 62.19               | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5190               | -49.91                 | -52.86                 | 5.91          | 53.04               | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | -50.45                 | -57.78                 | 5.91          | 51.45               | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | -57.87                 | -57.53                 | 5.91          | 46.48               | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | -47.14                 | -46.36                 | 5.91          | 57.44               | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | -57.19                 | -57.16                 | 5.91          | 47.00               | Average  | 54                | Pass    |
| NVNT      | n40  | 5230               | -49.92                 | -50.46                 | 5.91          | 53.99               | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5230               | -58.34                 | -58.37                 | 5.91          | 45.82               | Average  | 54                | Pass    |
| NVNT      | ac20 | 5180               | -49.63                 | -49.87                 | 5.91          | 54.43               | Peak     | 68.2              | Pass    |
| NVNT      | ac20 | 5180               | -58.7                  | -58.71                 | 5.91          | 45.47               | Average  | 54                | Pass    |
| NVNT      | ac20 | 5180               | -42.32                 | -48.72                 | 5.91          | 59.74               | Peak     | 68.2              | Pass    |
| NVNT      | ac20 | 5180               | -49.89                 | -54.07                 | 5.91          | 52.68               | Average  | 54                | Pass    |
| NVNT      | ac20 | 5180               | -36.84                 | -36.27                 | 5.91          | 67.63               | Peak     | 68.2              | Pass    |
| NVNT      | ac20 | 5180               | -49.23                 | -55.87                 | 5.91          | 52.79               | Average  | 54                | Pass    |
| NVNT      | ac20 | 5240               | -49.24                 | -50.54                 | 5.91          | 54.33               | Peak     | 68.2              | Pass    |
| NVNT      | ac20 | 5240               | -57.44                 | -58.01                 | 5.91          | 46.46               | Average  | 54                | Pass    |
| NVNT      | ac20 | 5240               | -46.91                 | -46.37                 | 5.91          | 57.54               | Peak     | 68.2              | Pass    |
| NVNT      | ac20 | 5240               | -57.14                 | -57.4                  | 5.91          | 46.91               | Average  | 54                | Pass    |
| NVNT      | ac20 | 5240               | -50.36                 | -50.62                 | 5.91          | 53.69               | Peak     | 68.2              | Pass    |
| NVNT      | ac20 | 5240               | -58.41                 | -58.57                 | 5.91          | 45.68               | Average  | 54                | Pass    |
| NVNT      | ac40 | 5190               | -49.6                  | -50.61                 | 5.91          | 54.10               | Peak     | 68.2              | Pass    |
| NVNT      | ac40 | 5190               | -58.35                 | -58.39                 | 5.91          | 45.80               | Average  | 54                | Pass    |
| NVNT      | ac40 | 5190               | -37.22                 | -36.56                 | 5.91          | 67.30               | Peak     | 68.2              | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |        |        |      |       |         |      |      |
|------|------|------|--------|--------|------|-------|---------|------|------|
| NVNT | ac40 | 5190 | -50.07 | -52.04 | 5.91 | 53.23 | Average | 54   | Pass |
| NVNT | ac40 | 5190 | -37.22 | -38.65 | 5.91 | 66.30 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5190 | -50.07 | -54.04 | 5.91 | 52.56 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | -48.79 | -50.72 | 5.91 | 54.53 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | -57.65 | -57.19 | 5.91 | 46.76 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | -47.13 | -47.4  | 5.91 | 56.91 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | -57.18 | -57.18 | 5.91 | 46.99 | Average | 54   | Pass |
| NVNT | ac40 | 5230 | -50.26 | -51.13 | 5.91 | 53.50 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5230 | -57.55 | -57.97 | 5.91 | 46.42 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | -49.49 | -50.04 | 5.91 | 54.42 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | -59.28 | -58.96 | 5.91 | 45.06 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | -39.17 | -38.68 | 5.91 | 65.26 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | -52.07 | -51.75 | 5.91 | 52.27 | Average | 54   | Pass |
| NVNT | ax20 | 5180 | -34.81 | -40.1  | 5.91 | 67.48 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5180 | -50.56 | -51.68 | 5.91 | 53.09 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | -48.84 | -49.35 | 5.91 | 55.09 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | -57.78 | -57.24 | 5.91 | 46.67 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | -47.3  | -47.46 | 5.91 | 56.79 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | -57.27 | -57.24 | 5.91 | 46.92 | Average | 54   | Pass |
| NVNT | ax20 | 5240 | -49.72 | -50.93 | 5.91 | 53.89 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5240 | -58.07 | -58.15 | 5.91 | 46.06 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | -51.36 | -49.81 | 5.91 | 53.66 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | -58.4  | -58.84 | 5.91 | 45.56 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | -38.63 | -37.19 | 5.91 | 66.32 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | -50.56 | -50.6  | 5.91 | 53.59 | Average | 54   | Pass |
| NVNT | ax40 | 5190 | -39.32 | -40.2  | 5.91 | 64.44 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5190 | -50.56 | -50.6  | 5.91 | 53.59 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | -48.5  | -49.93 | 5.91 | 55.02 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | -57.96 | -57.7  | 5.91 | 46.35 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | -47.72 | -46.06 | 5.91 | 57.36 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | -57.37 | -57.37 | 5.91 | 46.80 | Average | 54   | Pass |
| NVNT | ax40 | 5230 | -50.11 | -50.75 | 5.91 | 53.76 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5230 | -58.59 | -58.24 | 5.91 | 45.76 | Average | 54   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## D.5 Frequency Stability

| Condition | Mode | Frequency (MHz) | Antenna | Measured Frequency (MHz) | Frequency Error (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|-----------|------|-----------------|---------|--------------------------|----------------------|-----------------|-------------|---------|
| NVNT      | a    | 5180            | Ant1    | 5180                     | 0                    | 0               | 25          | Pass    |
| NVNT      | a    | 5200            | Ant1    | 5200                     | 0                    | 0               | 25          | Pass    |
| NVNT      | a    | 5240            | Ant1    | 5240                     | 0                    | 0               | 25          | Pass    |
| NVNT      | n20  | 5180            | Ant1    | 5180                     | 0                    | 0               | 25          | Pass    |
| NVNT      | n20  | 5200            | Ant1    | 5200                     | 0                    | 0               | 25          | Pass    |
| NVNT      | n20  | 5240            | Ant1    | 5239.98                  | -20000               | -3.82           | 25          | Pass    |
| NVNT      | n40  | 5190            | Ant1    | 5190                     | 0                    | 0               | 25          | Pass    |
| NVNT      | n40  | 5230            | Ant1    | 5229.96                  | -40000               | -7.65           | 25          | Pass    |
| NVNT      | ac20 | 5180            | Ant1    | 5180                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac20 | 5200            | Ant1    | 5199.98                  | -20000               | -3.85           | 25          | Pass    |
| NVNT      | ac20 | 5240            | Ant1    | 5240                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac40 | 5190            | Ant1    | 5190                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac40 | 5230            | Ant1    | 5230                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ax20 | 5180            | Ant1    | 5179.98                  | -20000               | -3.86           | 25          | Pass    |
| NVNT      | ax20 | 5200            | Ant1    | 5200                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ax20 | 5240            | Ant1    | 5239.98                  | -20000               | -3.82           | 25          | Pass    |
| NVNT      | ax40 | 5190            | Ant1    | 5189.96                  | -40000               | -7.71           | 25          | Pass    |
| NVNT      | ax40 | 5230            | Ant1    | 5230                     | 0                    | 0               | 25          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Freq. Stability NVNT a 5180MHz Ant1



## Freq. Stability NVNT a 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT a 5240MHz Ant1



## Freq. Stability NVNT n20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT n20 5200MHz Ant1



## Freq. Stability NVNT n20 5240MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT n40 5190MHz Ant1



## Freq. Stability NVNT n40 5230MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5180MHz Ant1



## Freq. Stability NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5240MHz Ant1



## Freq. Stability NVNT ac40 5190MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac40 5230MHz Ant1



## Freq. Stability NVNT ax20 5180MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity