



LTE TDD Band 48 Intra-band CA continuous, Nominal Bandwidth: 5C, 20MHz


QPSK Low channel



QPSK Middle channel



QPSK High channel



1. Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by $10\lg(4)$, so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
2. The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

LTE TDD Band 48 Intra-band CA non-continuous, Nominal Bandwidth: 2C, 10MHz

QPSK_3555MHz +3695MHz



1. Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by $10\lg(4)$, so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
2. The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com


Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

LTE TDD Band 48 Intra-band CA non-continuous, Nominal Bandwidth: 3C, 10MHz


QPSK_3555MHz+3565MHz +3695MHz



QPSK_3555MHz+3685MHz +3695MHz



QPSK_3595MHz+3625MHz +3655MHz



1. Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by $10\lg(4)$, so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
2. The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

LTE TDD Band 48 Intra-band CA non-continuous, Nominal Bandwidth: 4C, 10MHz

QPSK_3595MHz +3615MHz +3635MHz +3655MHz



1. Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by $10\lg(4)$, so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
2. The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

LTE TDD Band 48 Intra-band CA non-continuous, Nominal Bandwidth: 6C, 10MHz

QPSK_3555MHz +3565MHz +3575MHz +3585MHz +3595MHz +3695MHz



- Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by 10lg(4), so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
- The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

LTE TDD Band 48 Intra-band CA non-continuous, Nominal Bandwidth: 2C, 20MHz

QPSK_3560MHz+3690MHz



1. Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by $10\lg(4)$, so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
2. The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com


Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

LTE TDD Band 48 Intra-band CA non-continuous, Nominal Bandwidth: 3C, 20MHz


QPSK_3560MHz +3580MHz +3690MHz



QPSK_3560MHz +3670MHz +3690MHz



QPSK_3590MHz +3630MHz +3690MHz



1. Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by $10\lg(4)$, so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
2. The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

LTE TDD Band 48 Intra-band CA non-continuous, Nominal Bandwidth: 4C, 20MHz


QPSK_3560MHz +3580MHz +3620MHz +3680MHz



1. Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by $10\lg(4)$, so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
2. The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz

LTE TDD Band 48 Intra-band CA non-continuous, Nominal Bandwidth: 6C, 20MHz

QPSK_3560MHz +3580MHz +3600MHz +3620MHz +3640MHz +3690MHz



1. Remark: For 4*4MIMO, one of ANT ports was measured and the limit shall be reduced by $10\lg(4)$, so the limit was calculated to -19dBm/MHz within 0-10 megahertz above/below the upper/lower SAS-assigned channel edge and -31 dBm/MHz at all frequencies greater/less than 10 megahertz above/below the upper/lower SAS assigned channel edge in order to determine the test result conveniently.
2. The level in -29dBm/100KHz = -19dBm/MHz, -41dBm/100KHz = -31dBm/MHz

Note: All modes have been test and only show the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com