

APPENDIX REPORT

Project No.	SHT2003028702EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT20030287001	Model No.	T3
Start test date	2020/4/13	Finish date	2020/4/13
Temperature	25°C	Humidity	50%
Test Engineer	JiongSheng.Feng	Auditor	<i>William.wang</i>




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
E	Band edge and Spurious Emissions (conducted)	PASS




Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	16.77	14.55	≤30.00	Pass
	06	16.53	14.23		
	11	16.09	14.08		
802.11g	01	17.81	15.69	≤30.00	Pass
	06	17.91	15.77		
	11	17.61	15.36		
802.11n(HT20)	01	17.64	15.22	≤30.00	Pass
	06	17.89	15.41		
	11	17.59	15.05		
802.11n(HT40)	03	17.23	14.86	≤30.00	Pass
	06	17.29	14.69		
	09	16.90	14.01		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-2.46	≤8.00	Pass
	06	-2.56		
	11	-2.84		
802.11g	01	-6.25	≤8.00	Pass
	06	-6.19		
	11	-6.23		
802.11n(HT20)	01	-5.75	≤8.00	Pass
	06	-6.00		
	11	-6.06		
802.11n(HT40)	03	-10.69	≤8.00	Pass
	06	-10.44		
	09	-10.29		

Type:	802.11 b
CH01	 Spectrum plot for CH01. The plot shows a frequency sweep from 2.412 GHz to 2.413450 GHz. The y-axis represents power in dBm, ranging from -80 dBm to 10 dBm. The x-axis represents frequency in MHz, with a span of 16.0 MHz. The plot shows a blue line representing the signal level. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 30 kHz, Att 30 dB, SWI 1.78 ms, VBW 100 kHz, Mode Auto Sweep. The date is 10/04/2020 15:43:56.
CH06	 Spectrum plot for CH06. The plot shows a frequency sweep from 2.437 GHz to 2.438450 GHz. The y-axis represents power in dBm, ranging from -80 dBm to 10 dBm. The x-axis represents frequency in MHz, with a span of 16.0 MHz. The plot shows a blue line representing the signal level. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 30 kHz, Att 30 dB, SWI 1.78 ms, VBW 100 kHz, Mode Auto Sweep. The date is 10/04/2020 15:54:41.
CH11	 Spectrum plot for CH11. The plot shows a frequency sweep from 2.462 GHz to 2.463570 GHz. The y-axis represents power in dBm, ranging from -80 dBm to 10 dBm. The x-axis represents frequency in MHz, with a span of 16.0 MHz. The plot shows a blue line representing the signal level. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 30 kHz, Att 30 dB, SWI 1.78 ms, VBW 100 kHz, Mode Auto Sweep. The date is 10/04/2020 15:58:49.


Type:	802.11 g
CH01	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 μs (~1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] 6.25 dBm 2.4122250 GHz Date: 10/04/2020 16:09:33
CH06	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 μs (~1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] 6.19 dBm 2.4372250 GHz Date: 10/04/2020 16:12:02
CH11	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 μs (~1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] 6.23 dBm 2.4622250 GHz Date: 10/04/2020 16:13:45


Type: 802.11n(HT20)	
CH01	 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 13/4/2000 14:57:10
CH06	 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 13/4/2000 15:00:24
CH11	 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 13/4/2000 15:13:40


Type:		802.11n(HT40)
CH03	MultiviewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 μs (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep 10.69 dBm 2.4212860 GHz M1[1] M2 CF 2.422 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 13/APR/2020 16:00:09	
CH06	MultiviewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 μs (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep 10.44 dBm 2.4319450 GHz M1[1] M2 CF 2.437 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 13/APR/2020 16:05:33	
CH09	MultiviewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 μs (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep 10.29 dBm 2.4469450 GHz M1[1] M2 CF 2.452 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 13/APR/2020 16:08:23	


Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	8.01	≥0.5	Pass
	06	8.28		
	11	8.01		
802.11g	01	15.81	≥0.5	Pass
	06	15.81		
	11	15.69		
802.11n(HT20)	01	17.67	≥0.5	Pass
	06	17.73		
	11	17.67		
802.11n(HT40)	03	36.48	≥0.5	Pass
	06	36.54		
	09	36.48		












Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	11.30	-	Pass
	06	11.33		
	11	11.39		
802.11g	01	16.54	-	Pass
	06	16.51		
	11	16.45		
802.11n(HT20)	01	17.86	-	Pass
	06	17.89		
	11	17.80		
802.11n(HT40)	03	36.20	-	Pass
	06	36.20		
	09	36.20		

Appendix report page: 14 of 35








Appendix E: Duty Cycle


Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	0.84	0.88	95.5%	1.2
11g	2437	0.17	0.22	77.3%	5.9
11n20	2437	0.16	0.20	80%	6.3
11n40	2437	0.13	0.16	81.3%	7.7

11b





Date: 10/4/2020 15:57:20

11g



Date: 10/4/2020 16:11:31








Appendix F: Band edge and Spurious Emissions (conducted)




Test Item:	Bandedge	Type:	802.11 b
CH01	</		




Test Item:	Bandedge	Type:	802.11 g																																										
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 30 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz M1[1] -1.13 dBm 2.412210 GHz M2[1] -44.40 dBm 2.400000 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41221 GHz</td><td>-1.13 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-44.40 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-52.46 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-64.16 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.398816 GHz</td><td>-44.38 dBm</td><td></td><td></td></tr></table> Date: 10/4PR,2020 16:09:43			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41221 GHz	-1.13 dBm			M2	1		2.4 GHz	-44.40 dBm			M3	1		2.39 GHz	-52.46 dBm			M4	1		2.31 GHz	-64.16 dBm			M5	1		2.398816 GHz	-44.38 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41221 GHz	-1.13 dBm																																									
M2	1		2.4 GHz	-44.40 dBm																																									
M3	1		2.39 GHz	-52.46 dBm																																									
M4	1		2.31 GHz	-64.16 dBm																																									
M5	1		2.398816 GHz	-44.38 dBm																																									
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 30 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz M1[1] -0.84 dBm 2.4622380 GHz M2[1] -54.60 dBm 2.4835000 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.462238 GHz</td><td>-0.84 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-54.60 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-62.00 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.485024 GHz</td><td>-53.09 dBm</td><td></td><td></td></tr></table> Date: 10/4PR,2020 16:13:55			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.462238 GHz	-0.84 dBm			M2	1		2.4835 GHz	-54.60 dBm			M3	1		2.5 GHz	-62.00 dBm			M4	1		2.485024 GHz	-53.09 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.462238 GHz	-0.84 dBm																																									
M2	1		2.4835 GHz	-54.60 dBm																																									
M3	1		2.5 GHz	-62.00 dBm																																									
M4	1		2.485024 GHz	-53.09 dBm																																									




Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB RWT 1.12 ms VEW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep M1[1] -1.39 dBm 2.411540 GHz M2[1] -42.14 dBm 2.400000 GHz 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41154 GHz</td><td>-1.39 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-42.14 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-51.18 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-64.23 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399712 GHz</td><td>-40.24 dBm</td><td></td><td></td></tr></table> Date: 13/APR/2020 16:22:27			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41154 GHz	-1.39 dBm			M2	1		2.4 GHz	-42.14 dBm			M3	1		2.39 GHz	-51.18 dBm			M4	1		2.31 GHz	-64.23 dBm			M5	1		2.399712 GHz	-40.24 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41154 GHz	-1.39 dBm																																									
M2	1		2.4 GHz	-42.14 dBm																																									
M3	1		2.39 GHz	-51.18 dBm																																									
M4	1		2.31 GHz	-64.23 dBm																																									
M5	1		2.399712 GHz	-40.24 dBm																																									
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SW1 1.03 ms VEW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep M1[1] -0.22 dBm 2.4622380 GHz M2[1] -51.99 dBm 2.4835000 GHz 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.462238 GHz</td><td>-0.22 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-51.99 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-61.89 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484736 GHz</td><td>-49.22 dBm</td><td></td><td></td></tr></table> Date: 13/APR/2020 15:13:50			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.462238 GHz	-0.22 dBm			M2	1		2.4835 GHz	-51.99 dBm			M3	1		2.5 GHz	-61.89 dBm			M4	1		2.484736 GHz	-49.22 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.462238 GHz	-0.22 dBm																																									
M2	1		2.4835 GHz	-51.99 dBm																																									
M3	1		2.5 GHz	-61.89 dBm																																									
M4	1		2.484736 GHz	-49.22 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.32 ms VBW 300 kHz Mode Auto Sweep Count 300/300 #123 MS 1 Frequency Sweep M1[1] -5.20 dBm 2.420970 GHz M2[1] -47.36 dBm 2.400000 GHz  2.31 GHz1001 pts13.2 MHz/2.442 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.42097 GHz</td><td>-5.20 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-47.36 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-48.60 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.77 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.39778 GHz</td><td>-44.41 dBm</td><td></td><td></td></tr></table> Date: 13/4/2020 16:00:19			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42097 GHz	-5.20 dBm			M2	1		2.4 GHz	-47.36 dBm			M3	1		2.39 GHz	-48.60 dBm			M4	1		2.31 GHz	-62.77 dBm			M5	1		2.39778 GHz	-44.41 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.42097 GHz	-5.20 dBm																																									
M2	1		2.4 GHz	-47.36 dBm																																									
M3	1		2.39 GHz	-48.60 dBm																																									
M4	1		2.31 GHz	-62.77 dBm																																									
M5	1		2.39778 GHz	-44.41 dBm																																									
CH09	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300 #123 MS 1 Frequency Sweep M1[1] -5.27 dBm 2.452549 GHz M2[1] -51.70 dBm 2.4835000 GHz  2.432 GHz1001 pts6.8 MHz/2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.452549 GHz</td><td>-5.27 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-51.70 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-57.63 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.484428 GHz</td><td>-47.10 dBm</td><td></td><td></td></tr></table> Date: 13/4/2020 16:08:33			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.452549 GHz	-5.27 dBm			M2	1		2.4835 GHz	-51.70 dBm			M3	1		2.5 GHz	-57.63 dBm			M4	1		2.484428 GHz	-47.10 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.452549 GHz	-5.27 dBm																																									
M2	1		2.4835 GHz	-51.70 dBm																																									
M3	1		2.5 GHz	-57.63 dBm																																									
M4	1		2.484428 GHz	-47.10 dBm																																									


Test Item:	SE	Type:	802.11b
CH01 Reference level			
CH01 30MHz~1000MHz			
CH01 1GHz~26GHz			

CH06 Reference level	 Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -2.14 dBm 2.437410 GHz CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 10.APR.2020 15:54:47
CH06 30MHz~1000MHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30.0 dB SWF 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.67 dBm 568.9950 MHz M1 -17.860 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 10.APR.2020 15:55:03
CH06 1GHz~26GHz	 Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 36.0 dB SWF 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -46.70 dBm 25.902500 GHz M1 -17.860 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 10.APR.2020 15:55:19


CH11 Reference level	
CH11 30MHz~1000MHz	
CH11 1GHz~26GHz	

Test Item:	SE	Type:	802.11g
CH01 Reference level		 Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 MI[1] -0.89 dBm 2.4122400 GHz Date: 10/APR/2020 16:03:49	
CH01 30MHz~1000MHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -61.01 dBm 551.3410 MHz Date: 10/APR/2020 16:10:05	
CH01 1GHz~26GHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 36 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -45.60 dBm 25.887500 GHz Date: 10/APR/2020 16:10:22	


CH06
Reference level









CH06
30MHz~1000MHz









CH06
1GHz~26GHz






CH11
Reference levelCH11
30MHz~1000MHzCH11
1GHz~26GHz


Test Item:	SE	Type:	802.11n(HT20)
CH01 Reference level		 Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SW1 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -10.300 dBm 2.4122400 GHz Span 30.0 MHz CF 2.412 GHz 1001 pts 3.0 MHz/pt Date: 13/4/2010 14:57:29	
CH01 30MHz~1000MHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SW1 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.300 dBm 552.3760 MHz Span 970.0 MHz 30.0 MHz 30001 pts 97.0 MHz/pt Date: 13/4/2010 14:57:45	
CH01 1GHz~26GHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 36 dB SW1 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -60.300 dBm 25.989167 GHz Span 25.0 GHz 1.0 GHz 30001 pts 2.5 GHz/pt Date: 13/4/2010 14:58:01	

CH06 Reference level	
CH06 30MHz~1000MHz	
CH06 1GHz~26GHz	


CH11 Reference level	
CH11 30MHz~1000MHz	
CH11 1GHz~26GHz	

Test Item:	SE	Type:	802.11n(HT40)
CH03 Reference level		 Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.07 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -25.00 dBm 2.4209810 GHz CF 2.422 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz Date: 13/APR/2020 16:00:26	
CH03 30MHz~1000MHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -25.00 dBm 474.1640 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 13/APR/2020 16:00:42	
CH03 1GHz~26GHz		 Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 36 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -25.00 dBm 25.873333 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 13/APR/2020 16:00:58	


CH06
Reference level




CH06
30MHz~1000MHz



CH06
1GHz~26GHz





-----End of Report-----