




Appendix B

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: 10.1 inch Tablet Space 10

Test Model: UNIQ0222

Environmental Conditions

Temperature:	22.0℃
Relative Humidity:	53.0%
ATM Pressure:	100.0 kPa
Test Engineer:	 Kay Hu
Supervised by:	 Li Huan



B.1 DTS Bandwidth

Test Result

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	10.000	2407.000	2417.000	0.5	PASS
		2437	10.000	2432.000	2442.000	0.5	PASS
		2462	10.080	2456.960	2467.040	0.5	PASS
11G	Ant1	2412	15.480	2404.240	2419.720	0.5	PASS
		2437	15.760	2429.120	2444.880	0.5	PASS
		2462	15.120	2454.440	2469.560	0.5	PASS
11N20SISO	Ant1	2412	16.120	2404.240	2420.360	0.5	PASS
		2437	15.440	2429.120	2444.560	0.5	PASS
		2462	15.320	2454.240	2469.560	0.5	PASS
11N40SISO	Ant1	2422	35.200	2404.400	2439.600	0.5	PASS
		2437	35.120	2419.400	2454.520	0.5	PASS
		2452	35.200	2434.400	2469.600	0.5	PASS



Test Graphs

11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462



11G_Ant1_2412




11G_Ant1_2437







11G_Ant1_2462



11N20SISO_Ant1_2412




11N20SISO_Ant1_2437






11N40SISO_Ant1_2437



11N40SISO_Ant1_2452





B.2 Maximum peak conducted output power

Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	2412	13.78	≤30.00	PASS
		2437	13.38	≤30.00	PASS
		2462	12.74	≤30.00	PASS
11G	Ant1	2412	13.36	≤30.00	PASS
		2437	13.01	≤30.00	PASS
		2462	12.45	≤30.00	PASS
11N20SISO	Ant1	2412	13.40	≤30.00	PASS
		2437	13.03	≤30.00	PASS
		2462	12.46	≤30.00	PASS
11N40SISO	Ant1	2422	13.42	≤30.00	PASS
		2437	13.18	≤30.00	PASS
		2452	12.66	≤30.00	PASS




B.3 Maximum power spectral density


Test Result

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-13.12	≤8.00	PASS
		2437	-11.61	≤8.00	PASS
		2462	-10.71	≤8.00	PASS
11G	Ant1	2412	-18.8	≤8.00	PASS
		2437	-19.94	≤8.00	PASS
		2462	-19.57	≤8.00	PASS
11N20SISO	Ant1	2412	-19.88	≤8.00	PASS
		2437	-20.03	≤8.00	PASS
		2462	-20.6	≤8.00	PASS
11N40SISO	Ant1	2422	-23.56	≤8.00	PASS
		2437	-23.33	≤8.00	PASS
		2452	-23.83	≤8.00	PASS






11G_Ant1_2412



11G_Ant1_2437





Autumn Spectrum Analyzer - Screenshot

Center Freq 2.462000000 GHz

Ref Offset 8.63 dB
Ref 28.63 dBm

Trig: Free Run
SAtten: 39 dB

#Avg Type: RMS
AvgMet: 22

Frequency

Auto Tune

Center Freq
2.462000000 GHz

Start Freq
2.468800000 GHz

Stop Freq
2.477120000 GHz

CF Step
3.024000 MHz

Auto

Freq Offset
0 Hz

10 dBmV

Log

Center 2.462000 GHz

Span 30.24 MHz




#Res BW 3.0 kHz

#VBW 10 kHz

#Sweep 6.120 s (1001 pts)


Center Freq 2.412000000 GHz
 Ref Offset 9.66 dB
 Ref 28.66 dBm
 Span 32.24 MHz
 Res BW 3.0 kHz
 #VBW 10 kHz
 #Sweep 6.120 s (1001 pts)
 Mk1 2.4126 GHz
 -19.878 dBm

12 / 50






11N40SISO_Ant1_2437



11N40SISO_Ant1_2452





B.4 Band edge measurements


Test Result

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	1.76	-39.05	≤ -18.24	PASS
		High	2462	0.92	-47.41	≤ -19.08	PASS
11G	Ant1	Low	2412	-4.64	-42.14	≤ -24.64	PASS
		High	2462	-5.62	-47.4	≤ -25.62	PASS
11N20SISO	Ant1	Low	2412	-5.09	-39.96	≤ -25.09	PASS
		High	2462	-5.61	-47.73	≤ -25.61	PASS
11N40SISO	Ant1	Low	2422	-8.03	-41.32	≤ -28.03	PASS
		High	2452	-8.90	-42.38	≤ -28.9	PASS




Test Graphs


11B_Ant1_Low_2412




11B_Ant1_High_2462




11G_Ant1_Low_2412



11G_Ant1_High_2462




11N20SISO_Ant1_Low_2412







11N20SISO_Ant1_High_2462



11N40SISO_Ant1_Low_2422



11N40SISO_Ant1_High_2452






B.5 Conducted Spurious Emission


Test Result

TestMode	Antenna	Channel	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	1.95	1.95	---	PASS
			30~1000	1.95	-60.47	≤ -18.05	PASS
			1000~26500	1.95	-44.32	≤ -18.05	PASS
		2437	Reference	0.16	0.16	---	PASS
			30~1000	0.16	-37.5	≤ -19.84	PASS
			1000~26500	0.16	-45.9	≤ -19.84	PASS
		2462	Reference	0.94	0.94	---	PASS
			30~1000	0.94	-60.52	≤ -19.06	PASS
			1000~26500	0.94	-45.95	≤ -19.06	PASS
11G	Ant1	2412	Reference	-4.67	-4.67	---	PASS
			30~1000	-4.67	-60.8	≤ -24.67	PASS
			1000~26500	-4.67	-46.2	≤ -24.67	PASS
		2437	Reference	-4.95	-4.95	---	PASS
			30~1000	-4.95	-60.92	≤ -24.95	PASS
			1000~26500	-4.95	-46.54	≤ -24.95	PASS
		2462	Reference	-5.72	-5.72	---	PASS
			30~1000	-5.72	-60.26	≤ -25.72	PASS
			1000~26500	-5.72	-45.81	≤ -25.72	PASS
11N20SISO	Ant1	2412	Reference	-5.17	-5.17	---	PASS
			30~1000	-5.17	-60.28	≤ -25.17	PASS
			1000~26500	-5.17	-45.97	≤ -25.17	PASS
		2437	Reference	-4.98	-4.98	---	PASS
			30~1000	-4.98	-60.87	≤ -24.98	PASS
			1000~26500	-4.98	-45.62	≤ -24.98	PASS
		2462	Reference	-5.93	-5.93	---	PASS
			30~1000	-5.93	-60.65	≤ -25.93	PASS
			1000~26500	-5.93	-45.81	≤ -25.93	PASS
11N40SISO	Ant1	2422	Reference	-8.24	-8.24	---	PASS
			30~1000	-8.24	-60.59	≤ -28.24	PASS
			1000~26500	-8.24	-46.21	≤ -28.24	PASS
		2437	Reference	-8.33	-8.33	---	PASS
			30~1000	-8.33	-53.6	≤ -28.33	PASS
			1000~26500	-8.33	-46.2	≤ -28.33	PASS
		2452	Reference	-8.84	-8.84	---	PASS
			30~1000	-8.84	-60.58	≤ -28.84	PASS
			1000~26500	-8.84	-46.06	≤ -28.84	PASS






11B_Ant1_2437_0~Reference




11B_Ant1_2437_30~1000







11B_Ant1_2437_1000~26500




11B_Ant1_2462_0~Reference




11B_Ant1_2462_30~1000



11B_Ant1_2462_1000~26500




11G_Ant1_2412_0~Reference







11G_Ant1_2412_30~1000




11G_Ant1_2412_1000~26500




11G_Ant1_2437_0~Reference



11G_Ant1_2437_30~1000




11G_Ant1_2437_1000~26500







11G_Ant1_2462_0~Reference




11G_Ant1_2462_30~1000




11G_Ant1_2462_1000~26500



11N20SISO_Ant1_2412_0~Reference




11N20SISO_Ant1_2412_30~1000







11N20SISO_Ant1_2412_1000~26500




11N20SISO_Ant1_2437_0~Reference




11N20SISO_Ant1_2437_30~1000



11N20SISO_Ant1_2437_1000~26500




11N20SISO_Ant1_2462_0~Reference







11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500




11N40SISO_Ant1_2422_0~Reference



11N40SISO_Ant1_2422_30~1000




11N40SISO_Ant1_2422_1000~26500







11N40SISO_Ant1_2437_0~Reference




11N40SISO_Ant1_2437_30~1000




11N40SISO_Ant1_2437_1000~26500



11N40SISO_Ant1_2452_0~Reference




11N40SISO_Ant1_2452_30~1000





11N40SISO_Ant1_2452_1000~26500





B.6 Duty Cycle


Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11B	Ant1	2412	8.38	8.41	99.64	---	---
		2437	8.39	8.42	99.64	---	---
		2462	8.38	8.41	99.64	---	---
11G	Ant1	2412	1.39	1.43	97.20	---	---
		2437	1.40	1.43	97.90	---	---
		2462	1.40	1.43	97.90	---	---
11N20SISO	Ant1	2412	1.30	1.34	97.01	---	---
		2437	1.30	1.33	97.74	---	---
		2462	1.30	1.33	97.74	---	---
11N40SISO	Ant1	2422	0.65	0.69	94.20	---	---
		2437	0.64	0.68	94.12	---	---
		2452	0.65	0.68	95.59	---	---




Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462



11G_Ant1_2412




11G_Ant1_2437







11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437



11N20SISO_Ant1_2462




11N40SISO_Ant1_2422






11N40SISO_Ant1_2437



11N40SISO_Ant1_2452





B.7 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-48.84	≤-41.20	46.36	≤54	PASS
				AV	2386.450	-47.24	≤-41.20	47.96	≤54	PASS
				AV	2390.000	-47.28	≤-41.20	47.92	≤54	PASS
				Peak	2310.000	-37.9	≤-21.20	57.30	≤74	PASS
				Peak	2387.620	-35.46	≤-21.20	59.74	≤74	PASS
				Peak	2390.000	-36.71	≤-21.20	58.49	≤74	PASS
		High	2462	AV	2483.500	-46.83	≤-41.20	48.37	≤54	PASS
				AV	2483.560	-46.97	≤-41.20	48.23	≤54	PASS
				AV	2500.000	-47.85	≤-41.20	47.35	≤54	PASS
				Peak	2483.500	-35.96	≤-21.20	59.24	≤74	PASS
				Peak	2495.110	-35.87	≤-21.20	59.33	≤74	PASS
				Peak	2500.000	-36.52	≤-21.20	58.68	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-48.46	≤-41.20	46.74	≤54	PASS
				AV	2389.960	-47.17	≤-41.20	48.03	≤54	PASS
				AV	2390.000	-47.17	≤-41.20	48.03	≤54	PASS
				Peak	2310.000	-38.28	≤-21.20	56.92	≤74	PASS
				Peak	2368.770	-35.71	≤-21.20	59.49	≤74	PASS
				Peak	2390.000	-36.32	≤-21.20	58.88	≤74	PASS
		High	2462	AV	2483.500	-46.66	≤-41.20	48.54	≤54	PASS
				AV	2483.890	-46.5	≤-41.20	48.70	≤54	PASS
				AV	2500.000	-47.3	≤-41.20	47.90	≤54	PASS
				Peak	2483.500	-34.82	≤-21.20	60.38	≤74	PASS
				Peak	2483.560	-33.25	≤-21.20	61.95	≤74	PASS
				Peak	2500.000	-37.02	≤-21.20	58.18	≤74	PASS
11N20SI SO	Ant1	Low	2412	AV	2310.000	-48.43	≤-41.20	46.77	≤54	PASS
				AV	2389.700	-46.78	≤-41.20	48.42	≤54	PASS
				AV	2390.000	-46.85	≤-41.20	48.35	≤54	PASS
				Peak	2310.000	-37.94	≤-21.20	57.26	≤74	PASS
				Peak	2389.440	-33.54	≤-21.20	61.66	≤74	PASS
				Peak	2390.000	-33.58	≤-21.20	61.62	≤74	PASS
		High	2462	AV	2483.500	-46.14	≤-41.20	49.06	≤54	PASS
				AV	2483.670	-46.06	≤-41.20	49.14	≤54	PASS
				AV	2500.000	-47.34	≤-41.20	47.86	≤54	PASS
				Peak	2483.500	-33.47	≤-21.20	61.73	≤74	PASS
				Peak	2484.000	-30.9	≤-21.20	64.30	≤74	PASS
				Peak	2500.000	-36.72	≤-21.20	58.48	≤74	PASS
11N40SI	Ant1	Low	2422	AV	2310.000	-48.12	≤-41.20	47.08	≤54	PASS



SO				AV	2389.310	-42.96	≤-41.20	52.24	≤54	PASS
				AV	2390.000	-43.16	≤-41.20	52.04	≤54	PASS
				Peak	2310.000	-38.29	≤-21.20	56.91	≤74	PASS
				Peak	2389.050	-27.71	≤-21.20	67.49	≤74	PASS
				Peak	2390.000	-29.69	≤-21.20	65.51	≤74	PASS
		High	2452	AV	2483.500	-43.29	≤-41.20	51.91	≤54	PASS
				AV	2484.770	-42.95	≤-41.20	52.25	≤54	PASS
				AV	2500.000	-46.48	≤-41.20	48.72	≤54	PASS
				Peak	2483.500	-26.44	≤-21.20	68.76	≤74	PASS
				Peak	2483.890	-25.79	≤-21.20	69.41	≤74	PASS
				Peak	2500.000	-36.05	≤-21.20	59.15	≤74	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs


11B_Ant1_Low_2412_AV




11B_Ant1_Low_2412_Peak




11B_Ant1_High_2462_AV



11B_Ant1_High_2462_Peak




11G_Ant1_Low_2412_AV







11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV




11G_Ant1_High_2462_Peak



11N20SISO_Ant1_Low_2412_AV




11N20SISO_Ant1_Low_2412_Peak







11N20SISO_Ant1_High_2462_AV




11N20SISO_Ant1_High_2462_Peak




11N40SISO_Ant1_Low_2422_AV



11N40SISO_Ant1_Low_2422_Peak



11N40SISO_Ant1_High_2452_AV





11N40SISO_Ant1_High_2452_Peak

