



TEST REPORT

Application No.: SZCR2104020733CR (SHEM2103002575CR)
FCC ID: 2AWDCTR1000-D
Applicant: Tsingoa (Beijing) Technology Co., Ltd
Address of Applicant: Room 32021, Zhongtai Building, Shuangqing Road No.3, Haidian District, Beijing, China
Manufacturer: Tsingoa (Beijing) Technology Co., Ltd
Address of Manufacturer: Room 32021, Zhongtai Building, Shuangqing Road No.3, Haidian District, Beijing, China
Factory: Beijing Yongshixinyu Electronic Technology Co., Ltd.
Address of Factory: Maohua factory, hofengbozuodi Road, Shunyi District, Beijing, China
Equipment Under Test (EUT):
EUT Name: TICTAG
Model No.: TR1000-d
Standard(s) : 47 CFR Part 15, Subpart F
Date of Receipt: 2021-03-26
Date of Test: 2021-04-10 to 2021-05-06
Date of Issue: 2021-05-06

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Kenx. Xu

Kenx Xu
EMC Laboratory Manager





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Revision Record			
Version	Description	Date	Remark
00	Original	2021-05-06	/

Authorized for issue by:			
			
		Foray Chen /Project Engineer	
			
		Eric Fu /Reviewer	





2 Test Summary

Test Item	Test Requirement	Test method	Result
Antenna Requirement	47 CFR Part 15, Subpart C Section 15.203 & Subpart F Section 15.519 (a)(2)	ANSI C63.10 (2013)	PASS
UWB Bandwidth	47 CFR Part 15, Subpart F Section 15.503 (a)	ANSI C63.10 (2013)	PASS
Dwell Time	47 CFR Part 15, Subpart F Section 15.519 (a)(1)	ANSI C63.10 (2013)	PASS*
Spurious Emissions	47 CFR Part 15, Subpart F Section 15.519 (c)(d)/15.209	ANSI C63.10 (2013)	PASS
EIRP	47 CFR Part 15, Subpart F Section 15.519 (e)	ANSI C63.10 (2013)	PASS

* The details please refer to section 7.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



3 Contents

	Page
1 COVER PAGE.....	1
2 TEST SUMMARY.....	3
3 CONTENTS.....	4
4 GENERAL INFORMATION	5
4.1 DETAILS OF E.U.T.....	5
4.2 DESCRIPTION OF SUPPORT UNITS.....	5
4.3 MEASUREMENT UNCERTAINTY	5
4.4 TEST LOCATION	6
4.5 TEST FACILITY	6
4.6 DEVIATION FROM STANDARDS	6
4.7 ABNORMALITIES FROM STANDARD CONDITIONS	6
5 EQUIPMENT LIST	7
6 RADIO SPECTRUM TECHNICAL REQUIREMENT	9
6.1 ANTENNA REQUIREMENT	9
7 RADIO SPECTRUM MATTER TEST RESULTS	10
7.1 RADIATED SPURIOUS EMISSIONS	10
7.2 UWB BANDWIDTH (10dB BANDWIDTH)	17
7.3 DWELL TIME	20
8 TEST SETUP PHOTOGRAPHS	22
9 EUT CONSTRUCTIONAL DETAILS	22



4 General Information

4.1 Details of E.U.T.

Power supply:	DC 3V by CR2032
Test voltage:	DC 3V
Product category:	hand held
Antenna Gain:	2dBi(Provided by manufacturer)
Antenna Type:	PCB Antenna
Modulation Type:	BPM-BPSK
Number of Channels:	2
Frequency range:	6GHz-8.5GHz

4.2 Description of Support Units

The EUT has been tested as an independent unit.

4.3 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	$\pm 7.25 \times 10^{-8}$
2	Duty cycle	$\pm 0.37\%$
3	Occupied Bandwidth	$\pm 3\%$
4	Conduction emission	$\pm 3.0\text{dB}$ (150kHz to 30MHz)
5	RF conducted power	$\pm 0.75\text{dB}$
6	RF power density	$\pm 2.84\text{dB}$
7	Conducted Spurious emissions	$\pm 0.75\text{dB}$
8	RF Radiated power	$\pm 4.5\text{dB}$ (Below 1GHz)
		$\pm 4.8\text{dB}$ (Above 1GHz)
9	Radiated Spurious emission test	$\pm 4.5\text{dB}$ (Below 1GHz)
		$\pm 4.8\text{dB}$ (Above 1GHz)
10	Temperature test	$\pm 1^\circ\text{C}$
11	Humidity test	$\pm 3\%$
12	Supply voltages	$\pm 1.5\%$
13	Time	$\pm 3\%$

Remark:

The U_{lab} (lab Uncertainty) is less than U_{CISPR} (CISPR Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch
No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong,
China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

- **VCCI**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

- **FCC –Designation Number: CN1178**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

- **Innovation, Science and Economic Development Canada**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch / Shenzhen EMC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



5 Equipment List

General used equipment						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)
1	Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	ZJ1-2B	SEM002-04	2020-09-15	2021-09-14
2	Humidity/ Temperature Indicator	Mingle	N/A	SEM002-08	2020-09-15	2021-09-14
3	Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2021-04-07	2022-04-06

RE in Chamber						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
1	3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2020-07-19	2023-07-18
2	MXE EMI receiver(3Hz- 3.6GHz)	KEYSIGHT	N9038A	SEM004-15	2020-11-02	2021-11-01
3	BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEM003-02	2019-05-24	2022-05-23
4	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEM005-01	2021-03-24	2022-03-23
5	Pre-amplifier (9kHz-1GHz)	Sonoma Instrument Co	310N	SEM005-04	2021-04-09	2022-04-08
6	Loop Antenna (9kHz-30MHz)	ETS-Lindgren	6502	SEM003-08	2020-08-14	2023-08-13
7	Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A
8	Coaxial Cable	SGS	N/A	SEM025-01	2020-07-10	2021-07-09

RE in Chamber 2#						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2020-07-19	2023-07-18
2	EXA Signal Analyzer (10Hz- 44GHz)	Agilent Technologies Inc	N9010A	SEM004-12	2021-04-09	2022-04-08
3	Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018-04-13	2021-04-12
4	Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2021-04-13	2024-04-12
5	Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2020-11-14	2023-11-13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZCR210402073302

Page: 8 of 22

	(15-40GHz)					
6	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEM004-11	2020-09-23	2021-09-22
7	Pre-amplifier (26- 40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2021-03-24	2022-03-23
8	Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A
9	Coaxial Cable	SGS	N/A	SEM026-01	2020-07-10	2021-07-09



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.519(a)(2)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.519(a) (2) requirement:

The use of antennas mounted on outdoor structures, e.g., antennas mounted on the outside of a building or on a telephone pole, or any fixed outdoors infrastructure is prohibited. Antennas may be mounted only on the hand held UWB device.

EUT Antenna:

The antenna is PCB antenna and no consideration of replacement. The best case gain of the antenna is 2dBi.

Antenna location: Refer to Appendix (Internal Photos)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7 Radio Spectrum Matter Test Results

7.1 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15, Subpart F Section 15.519 (c)(d)/15.209				
Test Method:	ANSI C63.10: 2013				
Test Site:	Measurement Distance: 3m				
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak
	30MHz-960MHz	Quasi-peak	100 kHz	300kHz	Quasi-peak
	Above 960MHz	RMS	1MHz	3MHz	RMS
Limit: (Spurious Emissions)	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30
	1.705MHz-30MHz	30	-	-	30
	30MHz-88MHz	100	40.0	Quasi-peak	3
	88MHz-216MHz	150	43.5	Quasi-peak	3
	216MHz-960MHz	200	46.0	Quasi-peak	3
	960MHz-1610MHz	-75.3 dBm (EIRP, RBW=1MHz)		RMS	3
	1610MHz-1990MHz	-63.3 dBm (EIRP, RBW=1MHz)		RMS	3
	1990MHz-3100MHz	-61.3 dBm (EIRP, RBW=1MHz)		RMS	3
	3100MHz-10600MHz	-41.3 dBm (EIRP, RBW=1MHz)		RMS	3
	3100MHz-10600MHz	0 dBm (EIRP, RBW=50MHz)		Peak	3
	Above 10600MHz	-61.3 dBm (EIRP, RBW=1MHz)		RMS	3
	1164MHz-1240MHz	-85.3 dBm (EIRP, RBW=1kHz)		RMS	3
	1559MHz-1610MHz	-85.3 dBm (EIRP, RBW=1kHz)		RMS	3

Test Setup:




Figure 1. Below 30MHz




Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- 1) For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- 2) For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- 3) The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- 4) The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- 5) For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to



	360 degrees to find the maximum reading. 6) The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. 7) If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. 8) Test the EUT in the lowest channel,the middle channel,the Highest channel 9) The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the X axis positioning which it is worse case. 10) Repeat above procedures until all frequencies measured was complete. 11) Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
Exploratory Test Mode:	Transmitting mode
Final Test Mode:	Transmitting mode
Instruments Used:	Refer to section 4 for details
Test Results:	Pass

According to ANSI 63.10 Clause 10.3.9, the EIRP to field strength at a specified measurement distance of 3 m is below:

$$E \text{ (dBuV/m)} = \text{EIRP(dBm)} + 95.3$$

Thus, the field strength limit for the test above 1GHz is below:

Frequency	Limit		Detector	Measurement Distance
	EIRP (dBm)	Field Strength (dBuV/m)		
960MHz-1610MHz	-75.3 (RBW=1MHz)	20.00	RMS	3
1610MHz-1990MHz	-63.3 (RBW=1MHz)	32.00	RMS	3
1990MHz-3100MHz	-61.3 (RBW=1MHz)	34.00	RMS	3
3100MHz-10600MHz	-41.3 (RBW=1MHz)	54.00	RMS	3
3100MHz-10600MHz	0 (RBW=50MHz)	95.3	Peak	3
Above 10600MHz	-61.3 (RBW=1MHz)	34.00	RMS	3
1164MHz-1240MHz	-85.3 (RBW=1kHz)	10.00	RMS	3
1559MHz-1610MHz	-85.3 (RBW=1kHz)	10.00	RMS	3





Measurement Data

7.1.1.1 Peak Power

CH5

Field Strength for fundamental @ RBW=10MHz						
Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Polarization
6500	35.77	5.93	38.10	70.02	73.62	Horizontal
6500	35.77	5.93	38.10	68.84	72.44	Vertical

Caculated Field Strength of fundamental @ RBW=50MHz						
Frequency (MHz)	Measured Field Strength of fundamental (FS _M) (dBuV/m)	Caculated factor for RBW=10MHz to RBW=50MHz	Caculated Field Strength of fundamental (FS _C) (dBuV/m)	Limit (dBuV/m)	Over Limit(dB)	Polarization
6500	73.62	13.98	87.60	95.30	-7.70	Horizontal
6500	72.44	13.98	86.42	95.30	-8.88	Vertical
Note: FS _C = FS _M + 20log(50MHz/10MHz) = FS _M + 13.98						

CH9

Field Strength for fundamental @ RBW=10MHz						
Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Polarization
8000	36.90	5.91	35.90	67.62	74.53	Horizontal
8000	36.90	5.91	35.90	66.54	73.45	Vertical


Caculated Field Strength of fundamental @ RBW=50MHz						
Frequency (MHz)	Measured Field Strength of fundamental (FS _M) (dBuV/m)	Caculated factor for RBW=10MHz to RBW=50MHz	Caculated Field Strength of fundamental (FS _C) (dBuV/m)	Limit (dBuV/m)	Over Limit(dB)	Polarization
8000	74.53	13.98	88.51	95.30	-6.79	Horizontal
8000	73.45	13.98	87.35	95.30	-7.95	Vertical
Note: FS _C = FS _M + 20log(50MHz/10MHz) = FS _M + 13.98						





7.1.1.2 Spurious Emissions

30MHz-960MHz




Antenna Polarity :HORIZONTAL

	Freq	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Emission Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	38.346	39.70	12.95	0.86	42.32	11.19	40.00	-28.81	QP
2	44.275	38.91	13.46	0.94	42.30	11.01	40.00	-28.99	QP
3	50.942	38.81	13.64	1.02	42.30	11.17	40.00	-28.83	QP
4	56.792	39.27	13.28	1.08	42.30	11.33	40.00	-28.67	QP
5	133.619	38.77	12.07	1.75	42.23	10.36	43.50	-33.14	QP
6	168.414	37.82	12.87	1.97	42.20	10.46	43.50	-33.04	QP

Note:Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor





Antenna Polarity : VERTICAL

	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Emission Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	31.399	41.15	12.26	0.80	42.38	11.83	40.00	-28.17	QP
2	44.901	39.04	13.49	0.95	42.30	11.18	40.00	-28.82	QP
3	49.881	39.44	13.69	1.00	42.30	11.83	40.00	-28.17	QP
4	65.573	38.44	12.30	1.17	42.30	9.61	40.00	-30.39	QP
5	139.851	38.11	12.50	1.79	42.22	10.18	43.50	-33.32	QP
6	174.424	38.98	12.36	2.02	42.20	11.16	43.50	-32.34	QP

Note: Emission Level = Read Level + Antenna Factor + Cable loss - Preamplifier Factor



Test Data:


Transmitting with modulation Mode								
Frequency (MHz)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
1164MHz ≤ f ≤ 1240MHz & 1559MHz ≤ f ≤ 1610MHz								
1226.59	25.38	1.81	37.01	16.86	7.04	10.00	-2.96	Vertical
1562.42	25.70	2.00	36.94	16.42	7.18	10.00	-2.82	Vertical
960MHz ≤ f ≤ 3100MHz (except for above frequency range)								
1146.72	25.08	1.76	37.04	24.42	14.22	20.00	-5.78	Vertical
2454.59	29.07	2.85	37.53	28.65	23.04	34.00	-10.96	Vertical
f > 3100MHz								
3626.72	32.36	4.28	38.34	42.62	40.92	54.00	-13.08	Vertical
4538.64	32.67	4.43	38.43	43.83	42.50	54.00	-11.50	Vertical
6624.74	35.72	5.82	37.91	45.12	48.75	54.00	-5.25	Vertical
12181.54	38.73	6.41	36.99	20.68	28.83	34.00	-5.17	Vertical
14643.52	41.79	8.71	38.24	18.79	31.05	34.00	-2.95	Vertical
15121.22	42.28	9.68	37.26	14.62	29.32	34.00	-4.68	Vertical
1164MHz ≤ f ≤ 1240MHz & 1559MHz ≤ f ≤ 1610MHz								
1178.54	25.32	1.78	37.02	17.78	6.00	10.00	-4.00	Horizontal
1582.64	25.88	2.02	36.96	15.94	7.90	10.00	-2.10	Horizontal
960MHz ≤ f ≤ 3100MHz (except for above frequency range)								
1122.24	24.80	1.74	37.05	27.25	12.48	20.00	-7.52	Horizontal
1969.87	27.97	2.27	37.18	27.79	20.95	34.00	-13.05	Horizontal
f > 3100MHz								
3742.64	32.89	4.14	38.30	47.85	40.04	54.00	-13.96	Horizontal
6412.54	35.75	5.64	38.18	47.56	41.25	54.00	-12.75	Horizontal
7182.65	36.28	5.69	37.19	44.72	45.99	54.00	-8.01	Horizontal
12142.90	38.65	6.39	36.94	35.57	29.71	34.00	-4.29	Horizontal
13124.34	39.51	7.02	37.45	19.28	29.43	34.00	-4.57	Horizontal
13786.44	40.42	7.93	37.77	16.43	29.72	34.00	-4.28	Horizontal

Remark:

- 1) Scan from 9kHz to 40GHz, The disturbance above 18GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .



7.2 UWB Bandwidth (10dB Bandwidth)

Test Requirement:	47 CFR Part 15F Section 15.503(a)
Test Method:	ANSI C63.10:2013
Test Setup:	
Limit:	≥500MHz
Exploratory Test Mode:	Transmitter mode
Instruments Used:	Refer to section 4 for details
Test Results:	Pass

Measurement Data

CH5

Test Frequency (MHz)	F _L (MHz)	F _H (MHz)	10dB bandwidth (MHz)	Limit (MHz)	Results
6500	6204	6772	568	≥500MHz	Pass

CH9


Test Frequency (MHz)	F _L (MHz)	F _H (MHz)	10dB bandwidth (MHz)	Limit (MHz)	Results
8000	7732	8308	576	≥500MHz	Pass



Test plot as follows:
CH5



1 B
MAX



Date: 22.APR.2021 10:14:20




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
Shenzhen Branch/Testing Service Laboratory. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



CH9



Date: 6.MAY.2021 13:36:46




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
Shenzhen Branch/Testing Center/Elec Laboratory. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.3 Dwell Time

Test Requirement:	47 CFR Part 15F Section 15.519(a)(1)
Test Method:	ANSI C63.10:2013
Test Setup:	
Limit:	The UWB intentional radiator shall cease transmission within 10 seconds unless it receives an acknowledgement from the associated receiver that its transmission is being received
Exploratory Test Mode:	Operation mode
Instruments Used:	Refer to section 4 for details
Test Results:	Pass*

Measurement Data

The UWB Tag is a real-location system, When UWB Tag not establish communication with UWB gateway UWB Tag cease transmission. so UWB Tag is satisfied the requirement for 47 CFR Part 15F Section 15.519(a)(1).



Date: 6.MAY.2021 13:53:26





8 Test Setup Photographs

Refer to the < Test Setup photos-FCC>.

9 EUT Constructional Details

Refer to the < External Photos > & < Internal Photos >.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com