

MPE ESTIMATION

FCC ID: **2AWDN-D621**

1,Limit for General Population/ Uncontrolled Exposures

Frequency	Power density (mW/ cm ²)	Averaging time(minutes)
300MHz----1.5GHz	F/1500	30
1.5GHz---100GHz	1.0	30

2, Estimation Result

For 2.4G/5G:

Mode	Max PK Output power(dBm)	Tune Up Power(dBm)	Max Tune Up power(mW)	Antenna Gain(dBi)	Antenna Gain (linear)	MPE (mW/cm ²)
2.4G WIFI	19.06	18.5±1(19.5)	89.13	3.54	2.26	0.04008
5.2G WIFI	18.74	18±1(19)	79.43	0.88	1.22	0.01936
$Pd = \frac{P_{out} * G}{4\pi r^2};$ Note: Note: The estimation distance is 20cm Note: PK Output power= conducted power. Conducted power see the test report HK2303271063-1E/2E 2.4G antenna gain=3.54dBi 5G antenna gain=0.88dBi						

when the minimum test separation distance is >20 cm, a distance of 20 cm is applied to determine RF Exposure test exclusion. The test exclusion threshold is 0.04008mW/cm² which is < 1.0mW/cm², RF Exposure testing is not required.

-----The End-----

Note: the device could not transmit simultaneously in 2.4G and 5G.