



11.3. APPENDIX C: MIN EMISSION BANDWIDTH


11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720	15.16	5712.40	5727.56	≥ 0.5	PASS
	Ant2	5720	15.08	5712.48	5727.56	≥ 0.5	PASS
	Ant1	5720_UNII-3	2.56	5725	5727.56	≥ 0.5	PASS
	Ant2	5720_UNII-3	2.56	5725	5727.56	≥ 0.5	PASS
	Ant1	5745	15.08	5737.44	5752.52	≥ 0.5	PASS
	Ant2	5745	15.36	5737.20	5752.56	≥ 0.5	PASS
	Ant1	5785	15.28	5777.20	5792.48	≥ 0.5	PASS
	Ant2	5785	13.16	5778.08	5791.24	≥ 0.5	PASS
	Ant1	5825	16.36	5816.80	5833.16	≥ 0.5	PASS
	Ant2	5825	15.80	5817.08	5832.88	≥ 0.5	PASS
11N20MIMO	Ant1	5720	17.56	5711.20	5728.76	≥ 0.5	PASS
	Ant2	5720	16.32	5711.80	5728.12	≥ 0.5	PASS
	Ant1	5720_UNII-3	3.76	5725	5728.76	≥ 0.5	PASS
	Ant2	5720_UNII-3	3.12	5725	5728.12	≥ 0.5	PASS
	Ant1	5745	15.08	5737.44	5752.52	≥ 0.5	PASS
	Ant2	5745	17.36	5736.40	5753.76	≥ 0.5	PASS
	Ant1	5785	15.48	5777.08	5792.56	≥ 0.5	PASS
	Ant2	5785	16.68	5776.44	5793.12	≥ 0.5	PASS
	Ant1	5825	15.12	5817.40	5832.52	≥ 0.5	PASS
	Ant2	5825	15.08	5817.44	5832.52	≥ 0.5	PASS
11N40MIMO	Ant1	5710	35.20	5692.40	5727.60	≥ 0.5	PASS
	Ant2	5710	35.20	5692.40	5727.60	≥ 0.5	PASS
	Ant1	5710_UNII-3	32.6	5692.40	5725	≥ 0.5	PASS
	Ant2	5710_UNII-3	2.6	5725	5727.60	≥ 0.5	PASS
	Ant1	5755	2.6	5725	5727.60	≥ 0.5	PASS
	Ant2	5755	35.12	5737.40	5772.52	≥ 0.5	PASS
	Ant1	5795	35.12	5737.40	5772.52	≥ 0.5	PASS
	Ant2	5795	35.12	5777.48	5812.60	≥ 0.5	PASS
11AC80MIMO	Ant1	5690	75.04	5652.40	5727.44	≥ 0.5	PASS
	Ant2	5690	75.20	5652.40	5727.60	≥ 0.5	PASS
	Ant1	5690_UNII-3	2.44	5725	5727.44	≥ 0.5	PASS
	Ant2	5690_UNII-3	2.6	5725	5727.60	≥ 0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥ 0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	≥ 0.5	PASS


11.3.2. Test Graphs























11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	15.32	≤23.98	---	19.45	≤22.33	PASS
	Ant2	5180	15.29	≤23.98	---	18.77	≤22.32	PASS
	Ant1	5200	15.25	≤23.98	---	19.38	≤22.36	PASS
	Ant2	5200	15.49	≤23.98	---	18.97	≤22.37	PASS
	Ant1	5240	15.06	≤23.98	---	19.19	≤22.37	PASS
	Ant2	5240	15.14	≤23.98	---	18.62	≤22.4	PASS
	Ant1	5260	15.50	≤23.98	≤23.36	19.63	≤29.36	PASS
	Ant2	5260	15.46	≤23.98	≤23.38	18.94	≤29.38	PASS
	Ant1	5280	15.89	≤23.98	≤23.38	20.02	≤29.38	PASS
	Ant2	5280	15.97	≤23.98	≤23.38	19.45	≤29.38	PASS
	Ant1	5320	15.75	≤23.98	≤23.35	19.88	≤29.35	PASS
	Ant2	5320	15.71	≤23.98	≤23.38	19.19	≤29.38	PASS
	Ant1	5500	15.21	≤23.98	≤23.36	19.34	≤29.36	PASS
	Ant2	5500	15.36	≤23.98	≤23.34	18.84	≤29.34	PASS
	Ant1	5580	15.14	≤23.98	≤23.36	19.27	≤29.36	PASS
	Ant2	5580	15.24	≤23.98	≤23.37	18.72	≤29.37	PASS
	Ant1	5700	15.65	≤23.98	≤23.37	19.78	≤29.37	PASS
	Ant2	5700	15.51	≤23.98	≤23.36	18.99	≤29.36	PASS
	Ant1	5720_UNII-2C	15.13	≤22.81	≤22.36	19.26	≤28.36	PASS
	Ant2	5720_UNII-2C	15.06	≤22.78	≤22.35	18.54	≤28.35	PASS
	Ant1	5720_UNII-3	7.46	≤30.00	≤30.00	11.59	---	PASS
	Ant2	5720_UNII-3	7.30	≤30.00	≤30.00	10.78	---	PASS
	Ant1	5745	15.62	≤30.00	≤30.00	19.75	---	PASS
	Ant2	5745	15.66	≤30.00	≤30.00	19.14	---	PASS
	Ant1	5785	15.66	≤30.00	≤30.00	19.79	---	PASS
	Ant2	5785	15.44	≤30.00	≤30.00	18.92	---	PASS
	Ant1	5825	15.38	≤30.00	≤30.00	19.51	---	PASS
	Ant2	5825	15.42	≤30.00	≤30.00	18.90	---	PASS
11N20MIMO	Ant1	5180	8.24	≤23.98		12.37	≤22.55	PASS
	Ant2	5180	7.55	≤23.98		11.03	≤22.48	PASS
	total	5180	10.92	≤23.98		14.76	≤22.48	PASS
	Ant1	5200	8.43	≤23.98		12.56	≤22.56	PASS
	Ant2	5200	7.96	≤23.98		11.44	≤22.47	PASS
	total	5200	11.21	≤23.98		15.05	≤22.47	PASS
	Ant1	5240	8.57	≤23.98		12.70	≤22.55	PASS
	Ant2	5240	7.82	≤23.98		11.30	≤22.47	PASS
	total	5240	11.22	≤23.98		15.07	≤22.47	PASS
	Ant1	5260	12.19	≤23.98	≤23.56	16.32	≤29.56	PASS
	Ant2	5260	11.45	≤23.98	≤23.49	14.93	≤29.49	PASS
	total	5260	14.85	≤23.98	≤23.49	18.69	≤29.49	PASS
	Ant1	5280	12.10	≤23.98	≤23.55	16.23	≤29.55	PASS
	Ant2	5280	11.35	≤23.98	≤23.48	14.83	≤29.48	PASS
	total	5280	14.75	≤23.98	≤23.48	18.60	≤29.48	PASS
	Ant1	5320	11.80	≤23.98	≤23.55	15.93	≤29.55	PASS
	Ant2	5320	11.46	≤23.98	≤23.48	14.94	≤29.48	PASS
	total	5320	14.64	≤23.98	≤23.48	18.47	≤29.48	PASS
	Ant1	5500	11.65	≤23.98	≤23.55	15.78	≤29.55	PASS
	Ant2	5500	11.56	≤23.98	≤23.48	15.04	≤29.48	PASS
	total	5500	14.62	≤23.98	≤23.48	18.44	≤29.48	PASS
	Ant1	5580	11.57	≤23.98	≤23.55	15.70	≤29.55	PASS
	Ant2	5580	11.68	≤23.98	≤23.48	15.16	≤29.48	PASS
	total	5580	14.64	≤23.98	≤23.48	18.45	≤29.48	PASS


11N40MIMO	Ant1	5700	11.64	≤23.98	≤23.56	15.77	≤29.56	PASS
	Ant2	5700	11.81	≤23.98	≤23.48	15.29	≤29.48	PASS
	total	5700	14.74	≤23.98	≤23.48	18.55	≤29.48	PASS
	Ant1	5720_UNII-2C	11.16	≤22.83	≤22.47	15.29	≤28.47	PASS
	Ant2	5720_UNII-2C	11.30	≤22.83	≤22.42	14.78	≤28.42	PASS
	total	5720_UNII-2C	14.24	≤23.98	≤22.42	18.05	≤28.42	PASS
	Ant1	5720_UNII-3	3.90	≤30.00	≤30.00	8.03	---	PASS
	Ant2	5720_UNII-3	3.94	≤30.00	≤30.00	7.42	---	PASS
	total	5720_UNII-3	6.93	≤30.00	≤30.00	10.75	---	PASS
	Ant1	5745	11.59	≤30.00	≤30.00	15.72	---	PASS
	Ant2	5745	11.74	≤30.00	≤30.00	15.22	---	PASS
	total	5745	14.68	≤30.00	≤30.00	18.49	---	PASS
	Ant1	5785	11.47	≤30.00	≤30.00	15.60	---	PASS
	Ant2	5785	11.69	≤30.00	≤30.00	15.17	---	PASS
	total	5785	14.59	≤30.00	≤30.00	18.40	---	PASS
	Ant1	5825	11.16	≤30.00	≤30.00	15.29	---	PASS
	Ant2	5825	11.30	≤30.00	≤30.00	14.78	---	PASS
	total	5825	14.24	≤30.00	≤30.00	18.05	---	PASS
	Ant1	5190	11.87	≤23.98	---	16.00	≤23.00	PASS
	Ant2	5190	11.25	≤23.98	---	14.73	≤23.00	PASS
	total	5190	14.58	≤23.98	---	18.42	≤23.00	PASS
	Ant1	5230	11.92	≤23.98	---	16.05	≤23.00	PASS
	Ant2	5230	11.15	≤23.98	---	14.63	≤23.00	PASS
	total	5230	14.56	≤23.98	---	18.41	≤23.00	PASS
	Ant1	5270	11.92	≤23.98	≤23.98	16.05	≤30.00	PASS
	Ant2	5270	11.02	≤23.98	≤23.98	14.50	≤30.00	PASS
	total	5270	14.50	≤23.98	≤23.98	18.35	≤30.00	PASS
	Ant1	5310	12.31	≤23.98	≤23.98	16.44	≤30.00	PASS
	Ant2	5310	11.60	≤23.98	≤23.98	15.08	≤30.00	PASS
	total	5310	14.98	≤23.98	≤23.98	18.82	≤30.00	PASS
	Ant1	5510	11.73	≤23.98	≤23.98	15.86	≤30.00	PASS
	Ant2	5510	11.44	≤23.98	≤23.98	14.92	≤30.00	PASS
	total	5510	14.60	≤23.98	≤23.98	18.43	≤30.00	PASS
	Ant1	5550	12.17	≤23.98	≤23.98	16.30	≤30.00	PASS
	Ant2	5550	11.66	≤23.98	≤23.98	15.14	≤30.00	PASS
	total	5550	14.93	≤23.98	≤23.98	18.77	≤30.00	PASS
	Ant1	5670	11.97	≤23.98	≤23.98	16.10	≤30.00	PASS
	Ant2	5670	11.96	≤23.98	≤23.98	15.44	≤30.00	PASS
	total	5670	14.98	≤23.98	≤23.98	18.79	≤30.00	PASS
	Ant1	5710_UNII-2C	11.53	≤23.98	≤23.98	15.66	≤30.00	PASS
	Ant2	5710_UNII-2C	11.54	≤23.98	≤23.98	15.02	≤30.00	PASS
	total	5710_UNII-2C	14.55	≤23.98	≤23.98	18.36	≤30.00	PASS
	Ant1	5710_UNII-3	-0.87	≤30.00	≤30.00	3.26	---	PASS
	Ant2	5710_UNII-3	-0.91	≤30.00	≤30.00	2.57	---	PASS
	total	5710_UNII-3	2.12	≤30.00	≤30.00	5.94	---	PASS
	Ant1	5755	11.67	≤30.00	≤30.00	15.80	---	PASS
	Ant2	5755	11.68	≤30.00	≤30.00	15.16	---	PASS
	total	5755	14.69	≤30.00	≤30.00	18.50	---	PASS
	Ant1	5795	11.54	≤30.00	≤30.00	15.67	---	PASS
	Ant2	5795	11.45	≤30.00	≤30.00	14.93	---	PASS
	total	5795	14.51	≤30.00	≤30.00	18.33	---	PASS
11AC80MIMO	Ant1	5210	11.87	≤23.98	---	16.00	≤23.00	PASS
	Ant2	5210	10.96	≤23.98	---	14.44	≤23.00	PASS
	total	5210	14.45	≤23.98	---	18.30	≤23.00	PASS
	Ant1	5290	12.06	≤23.98	≤23.98	16.19	≤30.00	PASS
	Ant2	5290	11.21	≤23.98	≤23.98	14.69	≤30.00	PASS
	total	5290	14.67	≤23.98	≤23.98	18.51	≤30.00	PASS
	Ant1	5530	11.76	≤23.98	≤23.98	15.89	≤30.00	PASS
	Ant2	5530	11.38	≤23.98	≤23.98	14.86	≤30.00	PASS
	total	5530	14.58	≤23.98	≤23.98	18.42	≤30.00	PASS


Ant1	5610	11.80	≤23.98	≤23.98	15.93	≤30.00	PASS
Ant2	5610	11.72	≤23.98	≤23.98	15.20	≤30.00	PASS
total	5610	14.77	≤23.98	≤23.98	18.59	≤30.00	PASS
Ant1	5690_UNII-2C	11.34	≤23.98	≤23.98	15.47	≤30.00	PASS
Ant2	5690_UNII-2C	11.30	≤23.98	≤23.98	14.78	≤30.00	PASS
total	5690_UNII-2C	14.33	≤23.98	≤23.98	18.15	≤30.00	PASS
Ant1	5690_UNII-3	-4.18	≤30.00	≤30.00	-0.05	---	PASS
Ant2	5690_UNII-3	-4.30	≤30.00	≤30.00	-0.82	---	PASS
total	5690_UNII-3	-1.23	≤30.00	≤30.00	2.59	---	PASS
Ant1	5775	11.53	≤30.00	≤30.00	15.66	---	PASS
Ant2	5775	11.47	≤30.00	≤30.00	14.95	---	PASS
total	5775	14.51	≤30.00	≤30.00	18.33	---	PASS

Note: The Duty Cycle Factor is compensated in the graph.


11.4.2. Test Graphs














11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	4.97	≤9.86	9.10	≤10.00	PASS
	Ant2	5180	4.97	≤9.86	8.45	≤10.00	PASS
	Ant1	5200	5.09	≤9.86	9.22	≤10.00	PASS
	Ant2	5200	5.21	≤9.86	8.69	≤10.00	PASS
	Ant1	5240	4.69	≤9.86	8.82	≤10.00	PASS
	Ant2	5240	4.86	≤9.86	8.34	≤10.00	PASS
	Ant1	5260	5.12	≤9.86	9.25	---	PASS
	Ant2	5260	5.25	≤9.86	8.73	---	PASS
	Ant1	5280	5.64	≤9.86	9.77	---	PASS
	Ant2	5280	5.65	≤9.86	9.13	---	PASS
	Ant1	5320	5.48	≤9.86	9.61	---	PASS
	Ant2	5320	5.54	≤9.86	9.02	---	PASS
	Ant1	5500	4.76	≤9.86	8.89	---	PASS
	Ant2	5500	4.94	≤9.86	8.42	---	PASS
	Ant1	5580	4.93	≤9.86	9.06	---	PASS
	Ant2	5580	4.74	≤9.86	8.22	---	PASS
	Ant1	5700	5.35	≤9.86	9.48	---	PASS
	Ant2	5700	5.20	≤9.86	8.68	---	PASS
	Ant1	5720_UNII-2C	5.60	≤9.86	9.73	---	PASS
	Ant2	5720_UNII-2C	5.37	≤9.86	8.85	---	PASS
	Ant1	5720_UNII-3	0.72	≤28.86	4.85	---	PASS
	Ant2	5720_UNII-3	0.54	≤28.86	4.02	---	PASS
	Ant1	5745	2.39	≤28.86	6.52	---	PASS
	Ant2	5745	2.67	≤28.86	6.15	---	PASS
	Ant1	5785	2.34	≤28.86	6.47	---	PASS
	Ant2	5785	2.40	≤28.86	5.88	---	PASS
	Ant1	5825	2.22	≤28.86	6.35	---	PASS
	Ant2	5825	2.31	≤28.86	5.79	---	PASS
11N20MIMO	Ant1	5180	-2.33	≤9.86	1.80	≤10.00	PASS
	Ant2	5180	-2.92	≤9.86	0.56	≤10.00	PASS
	total	5180	0.40	≤9.86	4.23	≤10.00	PASS
	Ant1	5200	-2.03	≤9.86	2.10	≤10.00	PASS
	Ant2	5200	-2.57	≤9.86	0.91	≤10.00	PASS
	total	5200	0.72	≤9.86	4.56	≤10.00	PASS
	Ant1	5240	-1.80	≤9.86	2.33	≤10.00	PASS
	Ant2	5240	-2.75	≤9.86	0.73	≤10.00	PASS
	total	5240	0.76	≤9.86	4.61	≤10.00	PASS
	Ant1	5260	1.89	≤9.86	6.02	---	PASS
	Ant2	5260	1.04	≤9.86	4.52	---	PASS
	total	5260	4.50	≤9.86	8.34	---	PASS
	Ant1	5280	1.61	≤9.86	5.74	---	PASS
	Ant2	5280	1.00	≤9.86	4.48	---	PASS
	total	5280	4.33	≤9.86	8.17	---	PASS
	Ant1	5320	1.46	≤9.86	5.59	---	PASS
	Ant2	5320	0.95	≤9.86	4.43	---	PASS
	total	5320	4.22	≤9.86	8.06	---	PASS
	Ant1	5500	1.25	≤9.86	5.38	---	PASS
	Ant2	5500	1.19	≤9.86	4.67	---	PASS
	total	5500	4.23	≤9.86	8.05	---	PASS
	Ant1	5580	1.25	≤9.86	5.38	---	PASS
	Ant2	5580	1.32	≤9.86	4.80	---	PASS
	total	5580	4.30	≤9.86	8.11	---	PASS
	Ant1	5700	1.25	≤9.86	5.38	---	PASS
	Ant2	5700	1.36	≤9.86	4.84	---	PASS
	total	5700	4.32	≤9.86	8.13	---	PASS

11N40MIMO	Ant1	5720_UNII-2C	1.71	≤9.86	5.84	---	PASS
	Ant2	5720_UNII-2C	1.58	≤9.86	5.06	---	PASS
	total	5720_UNII-2C	4.66	≤9.86	8.48	---	PASS
	Ant1	5720_UNII-3	-3.16	≤28.86	0.97	---	PASS
	Ant2	5720_UNII-3	-3.25	≤28.86	0.23	---	PASS
	total	5720_UNII-3	-0.19	≤28.86	3.63	---	PASS
	Ant1	5745	-1.49	≤28.86	2.64	---	PASS
	Ant2	5745	-1.16	≤28.86	2.32	---	PASS
	total	5745	1.69	≤28.86	5.49	---	PASS
	Ant1	5785	-1.75	≤28.86	2.38	---	PASS
	Ant2	5785	-1.61	≤28.86	1.87	---	PASS
	total	5785	1.33	≤28.86	5.14	---	PASS
	Ant1	5825	-2.07	≤28.86	2.06	---	PASS
	Ant2	5825	-1.83	≤28.86	1.65	---	PASS
	total	5825	1.06	≤28.86	4.87	---	PASS
	Ant1	5190	-1.69	≤9.86	2.44	≤10.00	PASS
	Ant2	5190	-2.22	≤9.86	1.26	≤10.00	PASS
	total	5190	1.06	≤9.86	4.90	≤10.00	PASS
	Ant1	5230	-1.66	≤9.86	2.47	≤10.00	PASS
	Ant2	5230	-2.42	≤9.86	1.06	≤10.00	PASS
	total	5230	0.99	≤9.86	4.83	≤10.00	PASS
	Ant1	5270	-1.40	≤9.86	2.73	---	PASS
	Ant2	5270	-2.46	≤9.86	1.02	---	PASS
	total	5270	1.11	≤9.86	4.97	---	PASS
	Ant1	5310	-1.24	≤9.86	2.89	---	PASS
	Ant2	5310	-1.81	≤9.86	1.67	---	PASS
	total	5310	1.49	≤9.86	5.33	---	PASS
	Ant1	5510	-1.70	≤9.86	2.43	---	PASS
	Ant2	5510	-2.21	≤9.86	1.27	---	PASS
	total	5510	1.06	≤9.86	4.90	---	PASS
	Ant1	5550	-1.28	≤9.86	2.85	---	PASS
	Ant2	5550	-1.88	≤9.86	1.60	---	PASS
	total	5550	1.44	≤9.86	5.28	---	PASS
	Ant1	5670	-1.30	≤9.86	2.83	---	PASS
	Ant2	5670	-1.29	≤9.86	2.19	---	PASS
	total	5670	1.72	≤9.86	5.53	---	PASS
	Ant1	5710_UNII-2C	-1.68	≤9.86	2.45	---	PASS
	Ant2	5710_UNII-2C	-1.70	≤9.86	1.78	---	PASS
	total	5710_UNII-2C	1.32	≤9.86	5.14	---	PASS
	Ant1	5710_UNII-3	-7.56	≤28.86	-3.43	---	PASS
	Ant2	5710_UNII-3	-7.49	≤28.86	-4.01	---	PASS
	total	5710_UNII-3	-4.51	≤28.86	-0.70	---	PASS
	Ant1	5755	-4.79	≤28.86	-0.66	---	PASS
	Ant2	5755	-4.48	≤28.86	-1.00	---	PASS
	total	5755	-1.62	≤28.86	2.18	---	PASS
	Ant1	5795	-4.78	≤28.86	-0.65	---	PASS
	Ant2	5795	-4.98	≤28.86	-1.50	---	PASS
	total	5795	-1.87	≤28.86	1.96	---	PASS
11AC80MIMO	Ant1	5210	-4.26	≤9.86	-0.13	≤10.00	PASS
	Ant2	5210	-5.10	≤9.86	-1.62	≤10.00	PASS
	total	5210	-1.65	≤9.86	2.20	≤10.00	PASS
	Ant1	5290	-4.39	≤9.86	-0.26	---	PASS
	Ant2	5290	-5.27	≤9.86	-1.79	---	PASS
	total	5290	-1.80	≤9.86	2.05	---	PASS
	Ant1	5530	-4.75	≤9.86	-0.62	---	PASS
	Ant2	5530	-5.28	≤9.86	-1.80	---	PASS
	total	5530	-2.00	≤9.86	1.84	---	PASS
	Ant1	5610	-4.72	≤9.86	-0.59	---	PASS
	Ant2	5610	-4.98	≤9.86	-1.50	---	PASS
	total	5610	-1.84	≤9.86	1.99	---	PASS

	Ant1	5690_UNII-2C	-4.85	≤9.86	-0.72	---	PASS
	Ant2	5690_UNII-2C	-5.08	≤9.86	-1.60	---	PASS
	total	5690_UNII-2C	-1.95	≤9.86	1.87	---	PASS
	Ant1	5690_UNII-3	-11.00	≤28.86	-6.87	---	PASS
	Ant2	5690_UNII-3	-11.20	≤28.86	-7.72	---	PASS
	total	5690_UNII-3	-8.09	≤28.86	-4.26	---	PASS
	Ant1	5775	-7.83	≤28.86	-3.70	---	PASS
	Ant2	5775	-7.44	≤28.86	-3.96	---	PASS
	total	5775	-4.62	≤28.86	-0.82	---	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs

