



Test Data**Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.434	0	-0.434	30	Pass
NVNT	BLE	2442	Ant1	-2.625	0	-2.625	30	Pass
NVNT	BLE	2480	Ant1	-5.045	0	-5.045	30	Pass






-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.656	0.5	Pass
NVNT	BLE	2442	Ant1	0.66	0.5	Pass
NVNT	BLE	2480	Ant1	0.666	0.5	Pass





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.020791958
NVNT	BLE	2442	Ant1	1.021699196
NVNT	BLE	2480	Ant1	1.023593105






Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-17.243	8	Pass
NVNT	BLE	2442	Ant1	-19.342	8	Pass
NVNT	BLE	2480	Ant1	-21.766	8	Pass







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-43.43	-20	Pass
NVNT	BLE	2480	Ant1	-44.72	-20	Pass





Band Edge NVNT BLE 2480MHz Ant1 Emission



Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-36.16	-20	Pass
NVNT	BLE	2442	Ant1	-38.91	-20	Pass
NVNT	BLE	2480	Ant1	-40.42	-20	Pass





