

Antenna Gain Measurement Report

Report No.: ORBCKS-WTW-P25020079

Model No.: UTR-251

Received Date: 2025.2.14

Test Date: 2025.2.14 ~ 2025.2.17

Issued Date: 2025.4.9

Applicant: Space Exploration Technologies Corp. (SPACEX)

Address: 1 Rocket Rd., Hawthorne, CA 90250 USA

Manufacturer: Space Exploration Technologies Corporation (SpaceX)

Address: (1) 858 Farm To Market Road 1209, BASTROP, TX 78602, USA
(2) 3901 Jack Northrop Ave, Bldg. HT-27, Hawthorne, CA 90250, USA

Issued By: Bureau Veritas Consumer Products Services (Hong Kong) Limited, Taoyuan Branch Mobile Communications Laboratory

Lab Address: No.19, Hwa Ya 2nd Rd., Kwei shan Dist., Taoyuan City, Taiwan (R.O.C)

TAF Number: 2770 (OTA3-HY)

Prepared by : Johnny Liu, **Date:** 2025.4.9
Johnny Liu / Supervisor

Approved by : Ken Chan, **Date:** 2025.4.9
Ken Chan / Manger

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Table of Contents

Release Control Record	3
1 EUT Antenna System Description	4
1.1 Antenna Information	4
1.2 Antenna Location (Configuration and RF Chains)	4
2 Antenna Measurement	5
2.1 Antenna Measurement Chamber	5
2.2 Reference Standard	5
2.3 Block diagram of antenna test set-up	5
2.4 Block diagram of calibration	6
2.5 Measurement Setup	6
2.6 EUT Operation mode	7
2.7 Test Setup Diagram for EUT	8
2.8 Test Instruments	8
2.9 Test Procedure	8
2.10 Summary Test Result	9
APPENDIX A – Detail Test Data Information	11
A.1 Radiated Directional Gain	11
A.2 Antenna Pattern Test Plots	35
APPENDIX B –Test Setup and EUT antenna port photo	40
B.1 Antenna Location (Configuration and RF Chains)	40
B.2 Test Setup Diagram for EUT	40
APPENDIX C - Information of the Testing Laboratories	41



Release Control Record

Issue No.	Description	Date Issued
ORBCKS-WTW-P25020079	Original release	2025.4.9

1 EUT Antenna System Description

1.1 Antenna Information

Frequency Range (GHz)	Brand Name	Model Name	Antenna Type	Connector Type	Antenna NO.	RF Chain NO.
2.4~2.4835	SPACEX	UTR-251	PCB	ipex(MHF)	Ant.0	0
2.4~2.4835	SPACEX	UTR-251	PCB	ipex(MHF)	Ant.1	1
5.15~5.25	SPACEX	UTR-251	PCB	ipex(MHF)	Ant.0	0
5.25~5.35	SPACEX	UTR-251	PCB	ipex(MHF)		
5.47~5.725	SPACEX	UTR-251	PCB	ipex(MHF)		
5.725~5.85	SPACEX	UTR-251	PCB	ipex(MHF)		
5.850~5.895	SPACEX	UTR-251	PCB	ipex(MHF)		
5.15~5.25	SPACEX	UTR-251	PCB	ipex(MHF)	Ant.1	1
5.25~5.35	SPACEX	UTR-251	PCB	ipex(MHF)		
5.47~5.725	SPACEX	UTR-251	PCB	ipex(MHF)		
5.725~5.85	SPACEX	UTR-251	PCB	ipex(MHF)		
5.850~5.895	SPACEX	UTR-251	PCB	ipex(MHF)		
5.15~5.25	SPACEX	UTR-251	PCB	ipex(MHF)	Ant.2	2
5.25~5.35	SPACEX	UTR-251	PCB	ipex(MHF)		
5.47~5.725	SPACEX	UTR-251	PCB	ipex(MHF)		
5.725~5.85	SPACEX	UTR-251	PCB	ipex(MHF)		
5.850~5.895	SPACEX	UTR-251	PCB	ipex(MHF)		

1.2 Antenna Location (Configuration and RF Chains)

Please refer to Test Setup and EUT antenna port photo. (Appendix B.)

2 Antenna Measurement

2.1 Antenna Measurement Chamber

Chamber Type	Chamber Size
Fully Anechoic Chamber	Length: 7.32 m Width: 3.66 m Height: 3.51 m

Type of Equipment	Model Number	Serial Number
ETS Anechoic Chamber (OTA3-HY)	AMS-8500	CT0000411-1132
Multi-Axis Positioning System	ETS 2090-OPTI	00086248

Note: The test was performed in CITA OTA distributed-axes system.

2.2 Reference Standard

ANSI 63.10-2013 clause 13

IEEE std. 149-2021

KDB 662911 D01

2.3 Block diagram of antenna test set-up

In far field chamber, rotation around theta axis corresponds to the elevation angle θ and around the phi axis corresponds to the azimuth angle ϕ . When measuring a 3D radiation pattern, the rotation table rotates around the theta from 0° to 180° and the rotation arm revolves around the phi axis between 0° and 360° . The vertical E field actually corresponds to the horizontal polarization and vice versa..




Figure 1. Antenna Pattern Test System.

2.4 Block diagram of calibration





Figure 2. Calibration configuration.

2.5 Measurement Setup

Chamber Placement
To minimize the physical volume occupied by the EUT during testing, the center of rotation shall be the three-dimensional geometric center of the EUT and not the antenna
Positioning an Integrated Device Relative to the Chamber Coordinate System
The reference plane for the EUT is defined as the plane on which the base of the EUT sits. This plane will be normal to the phi axis of the chamber.
Before placing the EUT in the chamber, place the integrated device on a level surface and measure the height, width and depth (H, W, D) of the device to determine the center of each (mark with tape if need).
The center of the height, width and depth of the device shall be located at the origin of the chamber coordinate system.


2.6 EUT Operation mode

2.4G WLAN modes	Modulation	Data Rate Range(MCS)	Tx / Rx	chain mode chain mode	CDD mode	Beamforming mode
802.11b	Support	1 ~ 11Mbps	2Tx	2Rx	Support	N/A
802.11g	Support	6 ~ 54Mbps	2Tx	2Rx	Support	N/A
802.11n HT20	Support	MCS 0~7	2Tx	2Rx	Support	Support
		MCS 8~15	2Tx	2Rx	N/A	Support
802.11n HT40	Support	MCS 0~7	2Tx	2Rx	Support	Support
		MCS 8~15	2Tx	2Rx	N/A	Support
VHT20	Support	MCS0~8 Nss=1	2Tx	2Rx	Support	Support
		MCS0~8 Nss=2	2Tx	2Rx	N/A	Support
VHT40	Support	MCS0~9 Nss=1	2Tx	2Rx	Support	Support
		MCS0~9 Nss=2	2Tx	2Rx	N/A	Support
802.11ax HE20	Support	MCS0~11 Nss=1	2Tx	2Rx	Support	Support
		MCS0~11 Nss=2	2Tx	2Rx	N/A	Support
802.11ax HE40	Support	MCS0~11 Nss=1	2Tx	2Rx	Support	Support
		MCS0~11 Nss=2	2Tx	2Rx	N/A	Support

2.4G WLAN modes	Modulation	Data Rate Range(MCS)	Tx / Rx	chain mode chain mode	CDD mode	Beamforming mode
802.11a	Support	6 ~ 54Mbps	3Tx	3Rx	Support	N/A
802.11n HT20	Support	MCS 0~7	3Tx	3Rx	Support	Support
		MCS 8~15	3Tx	3Rx	Support	Support
802.11n HT40	Support	MCS 0~7	3Tx	3Rx	Support	Support
		MCS 8~15	3Tx	3Rx	Support	Support
802.11ac VHT20	Support	MCS0~8 (256QAM) Nss=1	3Tx	3Rx	Support	Support
		MCS0~8 (256QAM) Nss=2	3Tx	3Rx	Support	Support
802.11ac VHT40	Support	MCS0~9 (256QAM) Nss=1	3Tx	3Rx	Support	Support
		MCS0~9 (256QAM) Nss=2	3Tx	3Rx	Support	Support
802.11ac VHT80	Support	MCS0~9 (256QAM) Nss=1	3Tx	3Rx	Support	Support
		MCS0~9 (256QAM) Nss=2	3Tx	3Rx	Support	Support
802.11ac VHT160	Support	MCS0~9 (256QAM) Nss=1	3Tx	3Rx	Support	Support
		MCS0~9 (256QAM) Nss=2	3Tx	3Rx	Support	Support
802.11ax HE20	Support	MCS0~11 (1024QAM) Nss=1	3Tx	3Rx	Support	Support
		MCS0~11 (1024QAM) Nss=2	3Tx	3Rx	Support	Support
802.11ax HE40	Support	MCS0~11 (1024QAM) Nss=1	3Tx	3Rx	Support	Support
		MCS0~11 (1024QAM) Nss=2	3Tx	3Rx	Support	Support
802.11ax HE80	Support	MCS0~11 (1024QAM) Nss=1	3Tx	3Rx	Support	Support
		MCS0~11 (1024QAM) Nss=2	3Tx	3Rx	Support	Support

2.7 Test Setup Diagram for EUT

Please refer to another document - Test Setup and EUT antenna port photo. (Appendix B.)

2.8 Test Instruments

TYPE OF EQUIPMENT	MODEL NUMBER	SERIAL NUMBER	DATE OF CALIBRATION	DUE DATE OF CALIBRATION	CALIBRATION CYCLE
(OTA3-HY) ETS Anechoic Chamber	AMS-8500	CT0000411-1132	N/A	N/A	N/A
Multi-Axis Positioning System	ETS 2090-OPTI	00086248	N/A	N/A	N/A
Horn Antenna	ETS 3164-08	00157567	N/A	N/A	N/A
Switch Control	Agilent 3499A	MY42005285	N/A	N/A	N/A
Network Analyzer	E5071C	MY46104190	2024/5/30	2025/5/29	12 months
Test Software	ETS-Lindgren EMQuest V1.14 build 31654	1281	N/A	N/A	N/A

Note 1: The test was performed in CITA OTA distributed-axes system.

Note 2: The calibration interval of the above test instruments is 12 months and the calibrations are traceable to NML/ROC and NIST/USA.

2.9 Test Procedure

1. The Antenna Gain Test is performed according to The ANSI/IEEE Std 149 12.3.1 Antenna Gain
2. (Small size (< 42cm) Linear Polarization Antennas), using a two-axis support device and one fixed measurement antenna. The EUT is positioned along the required MAPS centerline fixture holder. The EUT is then stepped between 0 and 180 degrees along the theta axis in 15-degree increments. At each theta position, the phi axis is stepped from 0-360 degrees in 15-degree increments. Data is recorded using the Network analyzer for both theta and phi polarizations at each position. Depending on the protocol, an appropriate filter is used in the EMQuest software to process the data. Upon completion of the test, test results (angular dependent EIRP) is calculated at each measurement point and the required value is automatically calculated. This test procedure is repeated for frequency and configuration as required.
3. Repeat step 1 and measures all of antenna gain for each Phi and Theta polarization for all antenna angles.
4. Considering each combination of phi and theta for all angles of each antenna, Directional Gain are calculated according to the FCC KDB662911 D01 d) (i) or e) (ii) formula.
5. Investigate composite antenna gain at all angles by program and determine maximum gain and Phi/Theta position (Direction gain is calculated for each angle then maximum gain is selected.).

2.10 Summary Test Result

Tested By	Leo Chen
-----------	----------

Individual Antenna Maximum Peak Gain:

Frequency Band (MHz)	2450	-	-	-	-	-	-	-	-
Ant. 1 (Blue) (dBi)	2.07	-	-	-	-	-	-	-	-
Polarization	Theta	-	-	-	-	-	-	-	-
Axis: Theta(°)	120	-	-	-	-	-	-	-	-
Axis: Phi(°)	300	-	-	-	-	-	-	-	-
Ant. 2 (Orange) (dBi)	2.02	-	-	-	-	-	-	-	-
Polarization	Theta	-	-	-	-	-	-	-	-
Axis: Theta(°)	120	-	-	-	-	-	-	-	-
Axis: Phi(°)	120	-	-	-	-	-	-	-	-
Ant. 3 (dBi)	-	-	-	-	-	-	-	-	-
Polarization	-	-	-	-	-	-	-	-	-
Axis: Theta(°)	-	-	-	-	-	-	-	-	-
Axis: Phi(°)	-	-	-	-	-	-	-	-	-
Ant. 4 (dBi)	-	-	-	-	-	-	-	-	-
Polarization	-	-	-	-	-	-	-	-	-
Axis: Theta(°)	-	-	-	-	-	-	-	-	-
Axis: Phi(°)	-	-	-	-	-	-	-	-	-

Maximum Directional Gain (Maximum Direction Angle and Value):

Frequency Band (MHz)	2450	-	-	-	-	-	-	-	-
Ant. 1 (dBi)	1.3	-	-	-	-	-	-	-	-
Ant. 2 (dBi)	-0.28	-	-	-	-	-	-	-	-
Ant. 3 (dBi)	-	-	-	-	-	-	-	-	-
Ant. 4 (dBi)	-	-	-	-	-	-	-	-	-
Polarization	Theta	-	-	-	-	-	-	-	-
Axis: Theta(°)	120	-	-	-	-	-	-	-	-
Axis: Phi(°)	345	-	-	-	-	-	-	-	-
Correlated Signals DG Calculation $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / N_{ANT}]$									
DG (dBi) [1SS]	3.56	-	-	-	-	-	-	-	-

Note:

- ◆ The individual antenna gain and directional gain are by measurement as indicated in above table. For devices transmitter supports MIMO and use same antenna at multiple antenna ports. The direction gain values are follow FCC KDB 662911 D01 into calculation.
- ◆ The applicable limit is subjected to FCC Part 15 regulation and devices transmitter design/specification (i.e., SISO or MIMO etc.). Detail of conformity limit to be described in EUT FCC test reports.

Individual Antenna Maximum Peak Gain:

Frequency Band (MHz)	5200	5300	5600	5785	5895	-	-	-	-
Ant. 1 (Blue) (dBi)	3.13	3.49	3.74	3.25	2.7	-	-	-	-
Polarization	Theta	Theta	Theta	Theta	Theta	-	-	-	-
Axis: Theta(°)	30	30	30	30	15	-	-	-	-
Axis: Phi(°)	270	270	270	285	270	-	-	-	-
Ant. 2 (Orange) (dBi)	3.66	3.35	3.43	3.54	3.08	-	-	-	-
Polarization	Theta	Theta	Theta	Theta	Theta	-	-	-	-
Axis: Theta(°)	30	30	30	15	15	-	-	-	-
Axis: Phi(°)	105	105	105	90	90	-	-	-	-
Ant. 3 (dBi)	1.08	1.81	1.99	2.23	2.86	-	-	-	-
Polarization	Theta	Phi	Phi	Theta	Phi	-	-	-	-
Axis: Theta(°)	0	0	15	0	15	-	-	-	-
Axis: Phi(°)	105	195	0	270	180	-	-	-	-
Ant. 4 (dBi)	-	-	-	-	-	-	-	-	-
Polarization	-	-	-	-	-	-	-	-	-
Axis: Theta(°)	-	-	-	-	-	-	-	-	-
Axis: Phi(°)	-	-	-	-	-	-	-	-	-

Maximum Directional Gain (Maximum Direction Angle and Value):

Frequency Band (MHz)	5200	5300	5600	5785	5895	-	-	-	-
Ant. 1 (dBi)	0.85	1.5	-0.6	0.04	-0.49	-	-	-	-
Ant. 2 (dBi)	0.34	0.65	2.86	3.54	3.08	-	-	-	-
Ant. 3 (dBi)	0.99	1.56	1.58	1.3	1.8	-	-	-	-
Ant. 4 (dBi)	-	-	-	-	-	-	-	-	-
Polarization	Phi	Theta	Theta	Theta	Theta	-	-	-	-
Axis: Theta(°)	0	15	15	15	15	-	-	-	-
Axis: Phi(°)	195	270	90	90	90	-	-	-	-
Correlated Signals DG Calculation $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / N_{ANT}]$									
DG (dBi) [1SS]	5.5	6.02	6.17	6.52	6.36	-	-	-	-

Note:

- ◆ The individual antenna gain and directional gain are by measurement as indicated in above table. For devices transmitter supports MIMO and use same antenna at multiple antenna ports. The direction gain values are follow FCC KDB 662911 D01 into calculation.
- ◆ The applicable limit is subjected to FCC Part 15 regulation and devices transmitter design/specification (i.e., SISO or MIMO etc.). Detail of conformity limit to be described in EUT FCC test reports.

APPENDIX A – Detail Test Data Information

A.1 Radiated Directional Gain

Ant.	No.1																								
Freq. (MHz)	2450																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-17.95	-17.8	-14.47	-11.42	-9.3	-8.04	-7.46	-7.57	-8.28	-9.71	-11.79	-14.39	-15.56	-14.08	-11.91	-10.24	-9.18	-8.72	-8.62	-8.93	-9.71	-10.96	-12.79	-15.43	-17.95
θ (15°)	-19.73	-30.67	-20.06	-13.56	-9.92	-7.76	-6.63	-6.31	-6.69	-7.71	-9.09	-10.23	-10.73	-10.38	-9.5	-8.67	-8.22	-8.05	-8.23	-8.65	-9.35	-10.41	-11.81	-13.26	-19.73
θ (30°)	-10.58	-12.65	-16.43	-19.05	-16.1	-13.31	-12.33	-12.61	-13.72	-14.06	-12.3	-9.8	-7.54	-5.74	-4.27	-3.25	-2.63	-2.37	-2.37	-2.67	-3.29	-4.25	-5.6	-7.29	-10.58
θ (45°)	-4.58	-5.91	-7.34	-8.92	-10.4	-11.07	-10.75	-9.88	-8.94	-8.09	-7.24	-6.16	-4.9	-3.5	-2.25	-1.3	-0.66	-0.24	-0.07	-0.15	-0.48	-1.05	-1.89	-2.65	-4.58
θ (60°)	-1.87	-2.26	-2.65	-3.26	-4.27	-5.3	-5.97	-5.91	-5.21	-4.3	-3.52	-3.01	-2.51	-1.56	-0.24	0.88	1.51	1.68	1.54	1.33	1.09	0.75	0.18	-0.67	-1.87
θ (75°)	-1.04	-2.13	-3.15	-4.16	-4.97	-5.66	-6.26	-6.55	-6.26	-5.23	-3.86	-2.7	-1.78	-0.9	-0.01	0.75	1.26	1.51	1.54	1.43	1.24	0.97	0.57	0.13	-1.04
θ (90°)	-2.41	-3.84	-6.18	-8.34	-9.13	-9.13	-9.23	-9.52	-9.56	-8.75	-6.99	-4.69	-2.52	-0.94	-0.11	0.11	-0.01	-0.16	-0.23	-0.2	-0.15	-0.14	-0.3	-0.83	-2.41
θ (105°)	-1.22	-2.62	-3.64	-3.84	-3.6	-3.37	-3.36	-3.48	-3.71	-3.93	-3.76	-2.88	-1.43	-0.06	0.87	1.35	1.51	1.43	1.21	0.91	0.64	0.51	0.36	0.06	-1.22
θ (120°)	0.5	-0.11	-1.01	-1.86	-2.55	-3.09	-3.51	-3.75	-3.63	-3.1	-2.28	-1.49	-0.88	-0.49	-0.11	0.41	0.95	1.4	1.76	1.99	[2.07]	1.98	1.72	1.3	0.5
θ (135°)	-1	-2.14	-3.65	-5.36	-7.05	-8.73	-9.96	-10.09	-8.76	-6.53	-4.19	-2.38	-1.16	-0.64	-0.6	-0.76	-0.79	-0.58	-0.27	-0.02	0.1	0.11	-0.05	-0.33	-1
θ (150°)	-3.74	-5.79	-9.9	-17.5	-17.22	-11.97	-9.98	-10.12	-12.07	-14.79	-12.8	-8.5	-5.44	-3.49	-2.27	-1.5	-0.99	-0.7	-0.58	-0.62	-0.76	-0.97	-1.39	-2.17	-3.74
θ (165°)	-8.33	-10.36	-12.65	-13.03	-11.11	-9.12	-7.95	-7.53	-7.92	-8.87	-10.01	-10.35	-9.45	-8.08	-7.14	-6.83	-6.83	-6.93	-6.89	-6.72	-6.51	-6.35	-6.5	-6.93	-8.33
θ (180°)	-17.4	-24.57	-12.55	-7.65	-4.96	-3.39	-2.56	-2.36	-2.75	-3.79	-5.61	-8.66	-13.83	-18.63	-11.92	-7.32	-4.69	-3.18	-2.48	-2.42	-2.97	-4.16	-6.23	-9.62	-17.4
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-6.93	-7.13	-7.83	-9.18	-11.19	-13.81	-15.63	-14.69	-12.4	-10.52	-9.25	-8.63	-8.52	-8.89	-9.75	-11.25	-13.7	-17.64	-23.15	-20.61	-15	-11.29	-9.07	-7.87	-6.93
θ (15°)	-6.95	-6.7	-7.03	-8.01	-9.98	-13.19	-17.16	-15.06	-11	-8.34	-6.92	-6.38	-6.73	-7.72	-9.74	-12.92	-18.19	-28.39	-21.83	-16.11	-12.67	-10.32	-8.5	-7.53	-6.95
θ (30°)	-8.22	-7.79	-7.65	-8.36	-10.53	-14.57	-19.06	-15.38	-11.3	-9.03	-7.81	-7.43	-7.77	-8.81	-10.62	-13.39	-17.67	-20.86	-17.92	-14.35	-12.09	-10.73	-9.89	-9.25	-8.22
θ (45°)	-6.94	-7.4	-8.61	-10.71	-13.44	-16.41	-19.59	-22.21	-17.93	-12.85	-9.54	-7.81	-7.35	-8.03	-9.7	-12.53	-17.03	-25.26	-20.45	-14.19	-10.83	-8.94	-7.88	-7.37	-6.94
θ (60°)	-9.65	-10.69	-11.31	-11.16	-11.61	-13.13	-15.76	-19.99	-25.46	-25.25	-19.65	-15.38	-12.18	-10.01	-8.93	-9.1	-10.55	-13.55	-18.68	-20.13	-14.78	-11.3	-9.32	-8.71	-9.65
θ (75°)	-12.85	-21.74	-24	-14.94	-12.65	-12.96	-14.27	-14.34	-13.35	-13.72	-18.17	-32.04	-14.54	-9.7	-7.84	-7.75	-8.9	-11.11	-14.75	-17.05	-13.4	-10.34	-9.21	-9.57	-12.85
θ (90°)	-13.53	-17.11	-18.11	-15.55	-15.09	-16.34	-15.72	-12.03	-9.17	-7.9	-8.51	-11.4	-16.4	-15.01	-11.61	-10.19	-10.22	-11.35	-13.71	-18.47	-25.81	-16.29	-11.82	-10.82	-13.53
θ (105°)	-8.48	-9.06	-11.02	-14.46	-22.64	-25.52	-16.24	-13.64	-13.15	-12.77	-11.14	-9.67	-9.02	-8.95	-9.04	-9.68	-10.87	-12.14	-13.95	-17.22	-26.56	-22.28	-13.44	-10.36	-8.48
θ (120°)	-8.96	-7.14	-6.12	-6.52	-8.08	-10.16	-12.14	-13.86	-15.84	-14.76	-10.83	-7.74	-6.33	-6.5	-7.89	-9.85	-11.5	-12.68	-13.79	-15.42	-17.81	-19.82	-18.27	-13.76	-8.96
θ (135°)	-5.27	-4.32	-4.15	-4.72	-6.01	-8.4	-13.4	-30.82	-12.19	-6.48	-3.89	-3.07	-3.55	-5.17	-7.49	-9.93	-11.56	-12.94	-14.84	-18.51	-26.56	-18.28	-11.31	-8.26	-5.27
θ (150°)	-3.03	-1.9	[-1.25]	-1.52	-2.8	-5.44	-10.48	-26.45	-14.52	-8.43	-5.83	-4.78	-4.7	-5.17	-6.07	-7.25	-8.8	-10.9	-14.24	-19.93	-40.16	-17.18	-10.46	-6.34	-3.03
θ (165°)	-9.1	-7.35	-6.47	-6.5	-7.47	-9.69	-14.14	-22.28	-15.67	-10.21	-7.44	-6.17	-5.94	-6.69	-8.38	-10.78	-13.61	-16.42	-19.07	-22.47	-25.15	-21.05	-15.64	-12.44	-9.1
θ (180°)	-3.05	-2.79	-2.99	-3.77	-5.24	-7.69	-11.79	-18.56	-15.15	-9.39	-6.08	-4.15	-3.07	-2.69	-2.94	-3.85	-5.66	-8.68	-13.75	-19.94	-13.19	-8.45	-5.77	-4.09	-3.05

Ant.	No.2
Freq. (MHz)	2450
Polarity	Theta

dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-28.69	-24.01	-16.17	-12.28	-10.02	-8.69	-7.96	-7.87	-8.3	-9.47	-11.57	-15.39	-22.7	-21.76	-14.73	-11.09	-9.06	-7.98	-7.59	-7.82	-8.82	-10.56	-13.42	-18.38	-28.69
θ (15°)	-15.07	-12.81	-11.05	-9.87	-9.04	-8.51	-8.11	-7.87	-7.76	-7.98	-8.79	-10.53	-13.67	-16.51	-14.55	-11.15	-8.88	-7.69	-7.37	-7.95	-9.3	-11.45	-13.76	-14.53	-15.07
θ (30°)	-9.32	-8	-6.64	-5.53	-4.71	-4.07	-3.7	-3.57	-3.71	-4.06	-4.63	-5.49	-6.78	-8.71	-11.26	-13.86	-14.77	-14.04	-14.15	-15.28	-16.55	-15.44	-12.76	-10.23	-9.32
θ (45°)	-4.17	-3.16	-1.96	-0.97	-0.33	0.01	0.08	-0.09	-0.51	-1.27	-2.37	-3.52	-4.43	-5.43	-6.63	-7.86	-8.82	-9.2	-8.88	-7.91	-6.56	-5.29	-4.33	-3.88	-4.17
θ (60°)	-1.48	-0.99	-0.1	0.78	1.42	1.81	1.99	1.93	1.54	0.95	0.32	-0.37	-1.13	-1.77	-2.27	-2.94	-3.71	-4.34	-4.38	-4.02	-3.42	-2.73	-2.17	-1.74	-1.48
θ (75°)	-1.06	-0.21	0.53	1	1.25	1.35	1.38	1.42	1.33	0.79	-0.23	-1	-1.16	-1.53	-2.58	-4.4	-6.6	-8.62	-9.78	-9.41	-7.74	-5.63	-3.82	-2.71	-1.06
θ (90°)	-1.48	-0.64	-0.28	-0.23	-0.27	-0.35	-0.65	-1.13	-1.24	-0.68	-0.27	-0.76	-1.91	-3.55	-5.85	-8.03	-8.93	-8.97	-7.93	-7.2	-6.86	-6.82	-6.49	-4.58	-1.48
θ (105°)	-0.62	0.34	0.78	0.74	0.44	0.15	-0.07	-0.27	-0.4	-0.09	0.46	0.27	-1.4	-4.09	-5.28	-4.44	-3.46	-2.91	-2.54	-2.21	-1.96	-1.93	-1.85	-1.36	-0.62
θ (120°)	0.23	0.94	1.62	1.81	1.73	1.62	1.67	1.86	[2.02]	1.84	1.21	0.52	0.04	-0.76	-2.04	-3.32	-4.01	-4.51	-5.2	-5.72	-5.08	-3.12	-1.27	-0.28	0.23
θ (135°)	0.44	0.72	0.78	0.91	1.13	1.35	1.51	1.58	1.61	1.65	1.48	0.71	-0.93	-3.41	-6.18	-8.83	-11.37	-14.18	-16.58	-15.36	-10.95	-6.63	-3.36	-1.6	0.44
θ (150°)	-3.58	-1.85	-0.38	0.43	0.81	0.93	0.85	0.55	-0.07	-1.04	-2.38	-4.06	-6.11	-8.92	-13.59	-21.68	-16.47	-11.46	-9.4	-9.1	-10.56	-14.54	-19.03	-11.37	-3.58
θ (165°)	-8.34	-7.87	-7.66	-7.52	-7.61	-7.95	-8.65	-9.63	-10.42	-10.67	-10.48	-10.46	-10.98	-11.72	-11.56	-10.26	-8.66	-7.56	-7.17	-7.5	-8.39	-9.55	-10.18	-10.04	-8.34
θ (180°)	-23.29	-16.08	-10.5	-7.41	-5.58	-4.59	-4.23	-4.54	-5.47	-7.13	-9.84	-13.87	-16.99	-13.96	-10.45	-8.16	-6.84	-5.81	-5.34	-5.35	-5.89	-6.99	-9.05	-12.9	-23.29

Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-9.65	-9.92	-10.87	-12.45	-14.97	-18.5	-19.65	-16.16	-12.67	-10.25	-8.72	-7.98	-7.83	-8.37	-9.51	-11.55	-14.81	-20.75	-39.02	-21.02	-15.45	-12.56	-10.85	-9.94	-9.65
θ (15°)	-8.24	-9.56	-11.7	-15	-20.4	-29.92	-21.92	-15.79	-12.09	-9.44	-7.47	-6.28	-5.7	-5.72	-6.61	-8.53	-12.04	-19.11	-25.03	-15.05	-10.82	-8.71	-7.76	-7.62	-8.24
θ (30°)	-6.35	-7.02	-8.57	-11	-14.48	-19.84	-28.14	-24.33	-18.39	-14.35	-11.11	-8.82	-7.35	-6.81	-7.24	-8.82	-12.04	-20.29	-18.53	-12.48	-9.28	-7.58	-6.64	-6.25	-6.35
θ (45°)	-8.59	-9.36	-11.33	-14.79	-21.04	-35.16	-20.67	-15.13	-11.67	-9.33	-7.82	-7.09	-6.96	-7.36	-8.66	-11.22	-14.9	-17.3	-15.65	-13.17	-11.64	-10.65	-9.95	-9.56	-8.59
θ (60°)	-15.49	-12.95	-11.85	-12.49	-15.07	-21.09	-25.95	-16.07	-11.66	-9.13	-7.62	-6.97	-7.62	-9.89	-14.16	-20.92	-33.07	-29.66	-22.6	-18.85	-16.96	-17.38	-21.4	-40.79	-15.49
θ (75°)	-16.03	-15.23	-14.6	-15.31	-17.68	-22.99	-37.63	-18.04	-12.3	-9.58	-9.1	-10.73	-15.38	-25.63	-18.42	-14.03	-13.24	-14.95	-18.84	-20.23	-16.69	-14.26	-13.22	-13.16	-16.03
θ (90°)	-10.94	-12.78	-14.57	-15.26	-17.54	-23.72	-33.25	-20.5	-15.35	-12.24	-10.79	-10.49	-9.91	-8.74	-8.26	-8.87	-10.73	-14.45	-20.97	-36.34	-20.23	-14.7	-11.44	-9.89	-10.94
θ (105°)	-9.4	-13.24	-21.27	-30.1	-26.52	-30.64	-22.09	-17.05	-14.92	-14.37	-13.82	-11.98	-9.31	-7.58	-7.46	-9	-12.06	-17.09	-22.7	-17.4	-12.18	-9.08	-7.64	-7.57	-9.4
θ (120°)	-6.47	-9.24	-13.62	-17.41	-19.84	-22.66	-25.72	-25.04	-24.52	-20.72	-13.96	-9.77	-7.86	-7.43	-7.73	-8.71	-10.72	-15.99	-35.52	-13.96	-8.28	-5.27	-3.73	-3.69	-6.47
θ (135°)	-5.84	-8.22	-11.76	-16.15	-20.39	-23.29	-26.11	-30.82	-26.72	-20.77	-15.49	-10.82	-7.22	-5.01	-4.26	-4.85	-7.04	-12.01	-24.75	-12.6	-7.45	-5.15	-4.43	-4.56	-5.84
θ (150°)	-2.69	-3.8	-5.73	-8.3	-11.82	-17.28	-28.58	-21.04	-14.58	-10.67	-7.67	-5.21	-3.4	-2.37	-2.15	-2.9	-4.64	-8.7	-19.12	-14.6	-7	-3.75	-2.3	[-1.91]	-2.69
θ (165°)	-11.19	-15.16	-21.3	-30.86	-32.38	-28.87	-27.22	-26.4	-24.79	-20.41	-15.54	-11.86	-9.24	-7.7	-7.15	-7.72	-9.51	-13.61	-23.6	-17.34	-11.34	-8.89	-8.13	-8.47	-11.19
θ (180°)	-5.05	-5.12	-5.83	-7.33	-9.83	-13.96	-19.6	-15.84	-10.82	-7.88	-6.07	-5.14	-4.79	-4.93	-5.61	-6.76	-8.39	-11.5	-17.15	-47.71	-17.22	-11.3	-8.04	-6.1	-5.05

Ant.	No.1																								
Freq (MHz)	5200																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-19.27	-18.88	-8.34	-3.95	-1.57	-0.22	0.54	0.66	0.06	-1.31	-3.73	-8.01	-18.33	-15.82	-7.11	-3.21	-1.04	0.21	0.68	0.76	0.23	-0.93	-3.05	-6.85	-19.27
θ (15°)	-12.9	-21.68	-10.32	-5.55	-2.79	-1.17	-0.33	-0.3	-0.99	-2.42	-5.12	-10.56	-31.06	-10.49	-4.85	-1.75	0.1	1.09	1.47	1.28	0.6	-0.55	-2.55	-4.78	-12.9
θ (30°)	-7.76	-11.17	-15.48	-10.3	-5.94	-3.67	-2.58	-2.51	-3.44	-5.57	-10.25	-23.29	-13.97	-6.85	-2.75	-0.08	1.73	2.75	[3.13]	3.04	2.59	1.54	-0.4	-3.16	-7.76
θ (45°)	-7.01	-9.57	-11.89	-10.17	-8.26	-7.09	-6.93	-7.9	-9.73	-13.08	-20.76	-15.01	-8.84	-5.32	-2.36	-0.04	1.52	2.35	2.66	2.63	2.04	0.66	-1.43	-3.36	-7.01
θ (60°)	-4.55	-6.71	-10.88	-14.36	-13	-10.28	-8.95	-8.44	-9.18	-12.95	-16.24	-11.25	-7.19	-4.08	-1.8	-0.25	0.51	0.78	1.04	1.3	1.45	1.31	0.51	-1.27	-4.55
θ (75°)	-4.42	-5.75	-7.31	-9.14	-9.28	-8.48	-8.72	-10.92	-12.99	-11.38	-8.44	-6.17	-4.51	-2.62	-0.81	0.29	0.56	0.39	0.07	-0.12	-0.17	-0.44	-1.41	-2.51	-4.42
θ (90°)	-3.06	-4.26	-4.76	-5.91	-9.6	-14.38	-16.01	-14.78	-13.75	-10.76	-6.9	-4.46	-3.59	-2.9	-1.51	-0.35	-0.29	-0.67	-0.8	-0.84	-1.01	-1.18	-0.99	-1.34	-3.06
θ (105°)	-5.67	-5.54	-6.19	-7.32	-8.53	-9.48	-10.37	-10.32	-8.71	-7.14	-5.85	-4.62	-3.58	-3.63	-4.01	-3.92	-3.8	-3.78	-3.86	-3.95	-4.21	-4.81	-5.69	-5.79	-5.67
θ (120°)	-6.66	-5.88	-5.43	-6.21	-7.04	-7.94	-9.08	-9.39	-8.86	-8.67	-7.56	-5.72	-5.13	-5.39	-5.15	-4.79	-4.63	-4.91	-5.75	-6.99	-8.21	-8.17	-6.98	-6.79	-6.66
θ (135°)	-11.78	-9.86	-10.6	-13.16	-16.92	-19.71	-14.91	-12.13	-11.14	-10.7	-8.87	-7.69	-8.63	-12.78	-15.91	-16.62	-17.82	-18.93	-19.75	-19.2	-19.4	-21.45	-31.73	-19.83	-11.78
θ (150°)	-7.11	-8.15	-9.71	-10.36	-9.26	-8.22	-7.73	-8.42	-10.66	-13.95	-11.82	-8.51	-6.88	-6.57	-6.89	-7.33	-7.51	-7.71	-7.68	-7.64	-7.64	-7.44	-7.04	-6.81	-7.11
θ (165°)	-11.96	-11.9	-12.25	-13.83	-16.42	-18.98	-21.19	-20.29	-17.85	-14.55	-12.26	-10.67	-9.62	-8.77	-8.56	-8.72	-8.88	-9.17	-9.42	-9.75	-10.31	-11.13	-12.16	-12.44	-11.96
θ (180°)	-23.31	-23.91	-17.68	-13.94	-11.54	-10	-9.09	-8.79	-9.48	-10.69	-12.9	-16.59	-25.11	-24.93	-17.15	-13.54	-11.61	-10.26	-9.71	-9.51	-9.9	-10.58	-11.96	-14.3	-23.31
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.87	[0.93]	0.57	-0.5	-2.37	-5.68	-11.66	-18.12	-8.78	-4.05	-1.38	0.14	0.85	0.85	0.31	-0.98	-3.13	-6.75	-13.84	-17.33	-7.83	-3.69	-1.34	0.08	0.87
θ (15°)	0.18	0.21	-0.34	-1.48	-3.44	-6.78	-13.62	-18.49	-8.25	-3.85	-1.36	0.14	0.78	0.7	-0.04	-1.46	-3.77	-7.94	-17.68	-14.8	-7.63	-4.05	-1.97	-0.88	0.18
θ (30°)	-0.71	-0.47	-0.24	-0.58	-1.95	-4.71	-10.73	-26.11	-8.26	-3.37	-1.04	0.05	0.57	0.7	0.26	-0.83	-2.76	-6.28	-13.66	-17.78	-8.43	-4.32	-2.15	-1.27	-0.71
θ (45°)	-1.52	-0.76	-0.61	-2.09	-5.45	-10.82	-18.47	-13.57	-8.04	-4.05	-1.36	-0.3	-0.27	-0.53	-0.59	-1.04	-2.46	-5.59	-12.45	-20.7	-8.21	-3.83	-2.07	-1.71	-1.52
θ (60°)	-1.34	-1.16	-1.81	-3	-4.98	-9.64	-19.41	-15.57	-9.17	-5.97	-4.34	-1.93	-0.03	-0.07	-0.82	-1.6	-3.16	-5.57	-10	-24.53	-11.57	-5.1	-2.22	-1.29	-1.34
θ (75°)	-3.65	-3.57	-3.48	-4.83	-8.29	-12.43	-21.44	-17.14	-9.11	-5.74	-4.08	-3.49	-1.64	-0.39	-0.86	-2.47	-5.64	-9.43	-13.35	-17.03	-12.14	-6.19	-3.68	-3.57	-3.65
θ (90°)	-3.22	-3.4	-4.93	-4.03	-4.28	-8.2	-20.06	-13.86	-6.34	-3.62	-4.42	-5.64	-2.66	-1.9	-1.96	-2.21	-4.12	-8.47	-17.54	-18.83	-9.63	-5.58	-3.72	-3.67	-3.22
θ (105°)	-4.57	-6.18	-6.59	-7.78	-11.32	-19.35	-22.55	-13.71	-9.7	-7.22	-6.97	-8.87	-4.65	-1.99	-2.63	-4.71	-7.62	-10.57	-14.74	-27.44	-17.69	-10.77	-7.15	-5.54	-4.57
θ (120°)	-6.19	-6.35	-10.03	-14.73	-13.2	-13.71	-18.82	-25.34	-11.79	-8.63	-9.99	-10.9	-6.92	-5.1	-5.27	-6.51	-8.79	-13.04	-25.16	-20.65	-14.73	-13.02	-10.88	-8.89	-6.19
θ (135°)	-6.44	-9.59	-17.98	-26.98	-18.64	-20.35	-21.12	-16.82	-14.85	-17.43	-20.16	-12.93	-8.82	-7.28	-7.42	-9.15	-12.44	-17.58	-23.94	-16.88	-12.39	-10.35	-8.72	-7.89	-6.44
θ (150°)	-6.38	-7.22	-9.81	-13.03	-15.32	-15.15	-14.15	-14.15	-16.4	-24.43	-15.06	-9.2	-7.19	-7.54	-9.57	-12.6	-15.36	-16.99	-19.86	-25.12	-34.06	-18.59	-11.44	-7.62	-6.38
θ (165°)	-8.56	-8.88	-10.27	-12.45	-15.72	-19.97	-26.19	-34.18	-27.36	-20.97	-16.3	-13.4	-11.17	-10.49	-10.73	-11.71	-13.7	-16	-19.35	-27.46	-23.37	-15.63	-11.66	-10.06	-8.56
θ (180°)	-8.69	-8.65	-8.85	-9.78	-11.87	-15.22	-22.5	-30.06	-19.47	-15.32	-12.51	-10.76	-9.89	-9.8	-10.73	-12.15	-15.54	-21.34	-26.68	-20.44	-16.42	-13.39	-11.36	-9.89	-8.69

L	No.1																									
Freq. (MHz)	5300																									
Polarity	Theta																									
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)	
θ (0°)	-20.38	-18.64	-8.47	-4.2	-1.81	-0.34	0.37	0.37	-0.25	-1.61	-3.95	-8.24	-19.04	-15.83	-7.49	-3.78	-1.53	-0.32	0.27	0.35	-0.18	-1.4	-3.63	-7.35	-20.38	
θ (15°)	-12.45	-19.4	-9.31	-4.48	-1.91	-0.47	0.24	0.39	-0.17	-1.72	-4.68	-10.4	-27.89	-10.6	-5.12	-2.18	-0.32	0.89	1.5	1.41	0.64	-0.82	-2.94	-5.12	-12.45	
θ (30°)	-7.55	-11.35	-16.97	-10.36	-5.41	-2.79	-1.56	-1.39	-2.38	-4.61	-8.66	-18.33	-15.9	-7.59	-3.3	-0.31	1.81	3.02	[3.49]	3.29	2.67	1.55	-0.16	-2.66	-7.55	
θ (45°)	-6.94	-10	-12.24	-10.51	-7.91	-6.68	-6.17	-6.32	-7.6	-11.01	-19.71	-15.62	-8.48	-4.69	-1.76	0.55	1.97	2.65	2.83	2.68	2.28	1.27	-0.6	-2.69	-6.94	
θ (60°)	-4.94	-6.42	-10.36	-14.49	-12.66	-10.07	-9.48	-9.52	-10.22	-12.89	-17.62	-12.52	-8.07	-5.01	-2.39	-0.65	0.04	0.07	0.18	0.54	0.7	0.46	-0.27	-1.97	-4.94	
θ (75°)	-4.51	-5.35	-7.08	-9.49	-11.08	-10.63	-10.41	-12.44	-15.69	-13.9	-9.5	-6.03	-4.43	-3.19	-1.35	-0.07	0.06	-0.54	-1.12	-1.09	-0.61	-0.63	-1.81	-3.35	-4.51	
θ (90°)	-3.13	-3.73	-4.7	-6.34	-9.85	-14.88	-17.2	-15.79	-13.93	-11.16	-7.65	-4.96	-3.92	-3.51	-2.52	-1.59	-1.36	-1.25	-0.93	-0.78	-0.96	-1.35	-1.88	-2.22	-3.13	
θ (105°)	-6.12	-5.05	-5.46	-6.62	-7.83	-9.39	-10.83	-10.71	-8.89	-7.26	-5.7	-3.86	-2.97	-3.85	-4.19	-3.54	-3.15	-3.55	-4.14	-4.14	-3.95	-4.35	-5.91	-7.43	-6.12	
θ (120°)	-6.39	-5.22	-4.7	-5.96	-7.71	-8.79	-9.68	-9.79	-9.59	-9.32	-7.55	-5.54	-5.25	-6.2	-6.82	-6.2	-5.26	-5.08	-5.3	-6.32	-7.59	-8	-7.33	-7.04	-6.39	
θ (135°)	-12.78	-9.42	-9.59	-12.08	-14.38	-14.75	-11.6	-9.84	-9.76	-9.48	-8.04	-7.15	-8.83	-13.8	-16.54	-15.69	-15.1	-15.77	-16.93	-15.69	-13.76	-13.31	-16.6	-27.91	-12.78	
θ (150°)	-7.19	-8.04	-9.48	-10.28	-9.53	-8.47	-8.37	-9.47	-12	-13.45	-10.42	-8	-6.91	-6.7	-6.85	-7.24	-7.63	-7.97	-8.16	-8.16	-8	-7.73	-7.13	-6.74	-7.19	
θ (165°)	-10.47	-10.83	-11.75	-13.84	-15.79	-16.53	-16.61	-16.3	-15.78	-13.71	-11.62	-9.97	-8.81	-8.17	-7.91	-7.95	-8.36	-8.94	-9.63	-10.42	-10.71	-10.69	-10.74	-10.76	-10.47	
θ (180°)	-20.75	-22.63	-17.64	-13.53	-11.13	-9.59	-8.88	-8.59	-8.78	-9.96	-12.21	-16.56	-25.7	-27.07	-17.24	-13.13	-10.68	-9.45	-8.66	-8.53	-9.01	-9.79	-11.1	-13.07	-20.75	
Polarity	Phi																									
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)	
θ (0°)	0.1	0.09	-0.39	-1.7	-3.92	-7.67	-15.56	-16.21	-7.65	-3.7	-1.53	-0.4	0.09	0.09	-0.51	-1.78	-4.04	-8.06	-14.97	-17.44	-9.13	-4.78	-2.3	-0.78	0.1	
θ (15°)	0.51	0.77	0.4	-0.73	-2.95	-7.13	-15.54	-14.38	-6.66	-2.71	-0.44	0.65	0.78	0.24	-0.83	-2.56	-5.27	-10.02	-22.92	-15.06	-7.35	-3.74	-1.69	-0.61	0.51	
θ (30°)	-0.21	-0.01	0.34	0.05	-1.53	-4.94	-12.14	-21.18	-7.49	-3.06	-0.71	0.5	[0.94]	0.79	0.26	-0.68	-2.68	-7.04	-17.65	-15.97	-7.33	-3.64	-1.74	-0.71	-0.21	
θ (45°)	-1.56	-0.93	0.07	-0.41	-2.9	-7.42	-16.23	-15.92	-7.21	-3.01	-0.77	-0.14	-0.36	-0.43	-0.01	-0.6	-2.9	-7.44	-17.55	-14.62	-7.17	-3.57	-1.8	-1.47	-1.56	
θ (60°)	-1.31	-1.03	-0.91	-2.42	-4.81	-9.24	-21.4	-15.39	-8.7	-5.26	-2.91	-1.04	-0.47	-1.08	-1.53	-2.07	-4.04	-7.37	-13.34	-33.15	-10.94	-4.97	-1.95	-0.89	-1.31	
θ (75°)	-2.5	-2.34	-2.3	-3.22	-6.36	-11.95	-23.97	-14.87	-7.7	-4.19	-2.74	-2.51	-1.58	-0.66	-0.75	-2.11	-5.02	-9.36	-14.15	-18.16	-13.02	-6.26	-2.88	-2.25	-2.5	
θ (90°)	-2.48	-3.13	-4.69	-4.46	-4.82	-8.79	-19.95	-14.16	-7.06	-4.4	-5.07	-5.45	-3.1	-2.49	-2.84	-4.07	-6.57	-11.42	-20.74	-20.11	-10.6	-5.84	-3.04	-2.19	-2.48	
θ (105°)	-3.56	-5.19	-5.29	-5.51	-7.89	-12.97	-30.62	-15.64	-9.31	-5.91	-5.66	-7.6	-3.7	-1.6	-2.83	-6.02	-9.35	-11.33	-15.58	-34.37	-15.68	-9.31	-6.2	-4.61	-3.56	
θ (120°)	-6.78	-6.56	-9.05	-11.27	-11.21	-13.99	-20.74	-23.93	-12.42	-9.77	-11.09	-10.78	-6.96	-5.43	-5.82	-7.24	-9.95	-16.01	-38.29	-20.01	-15.99	-13.59	-10.44	-9.03	-6.78	
θ (135°)	-6.16	-8.16	-13.46	-23.04	-22.76	-21.5	-22.51	-19.23	-16.56	-18.64	-24.44	-13.32	-8.86	-7.41	-7.94	-10.27	-14.06	-19.75	-28.69	-18.29	-13.21	-11.18	-9.55	-8.16	-6.16	
θ (150°)	-7.45	-7.77	-9.72	-12.61	-16.14	-18.45	-17.9	-16.39	-16.9	-24.63	-19.74	-11.47	-8.56	-8.73	-10.52	-13.78	-16.95	-18.82	-20.21	-24.53	-29.15	-24.66	-15	-9.4	-7.45	
θ (165°)	-9.64	-10.12	-11.72	-14.25	-18.63	-24.29	-34.47	-29.03	-22.31	-19.75	-17.37	-14.72	-11.92	-10.74	-10.6	-11.38	-12.7	-15.15	-19.03	-26.15	-26.35	-18.41	-14	-11.6	-9.64	
θ (180°)	-7.52	-7.28	-7.56	-8.57	-10.27	-13.56	-19.27	-34.62	-22.2	-15.38	-12.2	-10.27	-9.51	-9.48	-10.4	-12.08	-15.09	-20.06	-34.79	-23.74	-16.68	-13.28	-10.88	-9	-7.52	

Ant.	No.1																								
Freq. (MHz)	5600																								
Polarity	Theta																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	-16.87	-20.19	-8.9	-4.38	-1.96	-0.63	0.07	0.22	-0.24	-1.46	-3.61	-7.57	-16.31	-17.32	-7.77	-3.55	-1.16	0.12	0.41	0.25	-0.22	-1.3	-3.16	-6.51	-16.87
θ (15°)	-11.98	-22.96	-12.35	-6.61	-3.36	-1.38	-0.6	-0.72	-1.67	-3.43	-6.38	-11.9	-31.47	-10.57	-4.27	-0.75	1.41	2.59	3.02	2.85	2.1	0.67	-1.65	-4.22	-11.98
θ (30°)	-8.7	-13.34	-18.82	-10.54	-5.15	-2.2	-0.8	-0.75	-1.99	-4.73	-9.45	-18.93	-18.85	-8.36	-2.72	0.62	2.56	3.5	[3.74]	3.66	3.18	2.22	0.41	-2.56	-8.7
θ (45°)	-6.17	-8.98	-10.68	-8.97	-5.24	-3.09	-2.25	-2.18	-3.17	-5.93	-11.98	-15.96	-10.72	-5.54	-1.89	0.62	2	2.51	2.55	2.48	2.41	2.18	1.03	-0.81	-6.17
θ (60°)	-7.25	-8.44	-8.14	-8.47	-8.06	-6.83	-5.89	-5.93	-7.32	-10.09	-12.47	-11.04	-11.28	-6.36	-1.82	-0.33	-0.52	-0.53	-0.11	0.24	0.62	0.82	0.21	-2.06	-7.25
θ (75°)	-5.04	-5.83	-5.68	-6.77	-8.83	-11.02	-12.46	-12.21	-11.16	-10	-7.49	-5.84	-6.92	-5.08	-1.42	-0.26	-0.51	-0.91	-0.68	-0.48	-0.27	0.06	0.09	-0.89	-5.04
θ (90°)	-7.54	-6.2	-4.41	-5.59	-8.34	-11.06	-12.55	-12.14	-10.64	-8.8	-6.79	-6.37	-8	-6.06	-2.59	-1.61	-1.47	-0.94	-0.36	-0.16	-0.28	-0.8	-1.85	-3.4	-7.54
θ (105°)	-6.25	-6.76	-5.35	-5.29	-6.08	-7.75	-9.62	-10.75	-9.7	-7.58	-5.56	-5.06	-8.33	-5.49	-1.52	-0.71	-1.4	-2.54	-3.01	-3	-2.85	-1.98	-1.46	-2.5	-6.25
θ (120°)	-11.15	-7.8	-4.91	-5.74	-7.92	-8.77	-8.65	-8.19	-8.33	-7.71	-5.96	-5.76	-9.52	-12.15	-6.81	-4.6	-4.27	-4.18	-4.28	-4.75	-5.42	-5.78	-5.9	-7.04	-11.15
θ (135°)	-14.17	-12.78	-11.57	-12.89	-13.44	-11.49	-9.27	-8.54	-9.64	-10.65	-8.63	-8.97	-14.85	-15.14	-9.13	-7.71	-7.89	-8.54	-9.02	-8.63	-7.76	-6.78	-6.75	-8.13	-14.17
θ (150°)	-11.2	-11.99	-13.21	-14.36	-14.34	-12.67	-11.3	-11.92	-14.19	-14.64	-13.31	-13.26	-14.64	-14.44	-15.06	-17.82	-17.92	-13.28	-10.57	-9.82	-11.06	-13.29	-13.4	-11.87	-11.2
θ (165°)	-12.75	-15.27	-18.8	-23.86	-31.67	-34.41	-31	-26.35	-19.19	-15.47	-13.98	-13.29	-12.92	-12.78	-12.1	-11.58	-10.96	-10.23	-9.86	-10.06	-10.77	-11.53	-11.83	-12.03	-12.75
θ (180°)	-18.61	-17.79	-14.16	-11.05	-9.26	-8.04	-7.65	-7.9	-8.72	-10.2	-12.93	-17.93	-24.15	-18.3	-13.72	-10.69	-8.67	-7.41	-6.74	-6.67	-7.33	-8.63	-10.3	-12.71	-18.61
Polarity	Phi																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	0.1	-0.04	-0.61	-2.03	-4.4	-8.32	-16.71	-17.39	-7.6	-3.31	-1.02	0.16	[0.63]	0.57	-0.23	-1.85	-4.42	-9.01	-20.89	-14.31	-7.25	-3.81	-1.8	-0.49	0.1
θ (15°)	0.25	-0.21	-0.95	-2.1	-4.32	-8.73	-20.98	-14.26	-6.81	-3.38	-1.4	-0.29	0.32	0.59	0.33	-0.74	-3.06	-7.78	-25.54	-10.33	-4.31	-1.57	-0.18	0.24	0.25
θ (30°)	-0.02	-0.21	-0.64	-1.33	-2.85	-6.48	-16.73	-14.02	-5.85	-2.36	-0.66	-0.23	-0.18	0.24	0.52	-0.25	-2.54	-7.06	-18.55	-13.64	-5.58	-1.89	-0.09	0.35	-0.02
θ (45°)	-0.28	-1.3	-1.08	-0.72	-2.17	-6.65	-19.64	-12.1	-5.46	-2.47	-1.52	-1.53	-1.03	-0.11	0.02	-1.23	-4.33	-9.88	-21.33	-14.67	-7.66	-3.4	-0.78	0.16	-0.28
θ (60°)	-1.93	-2.79	-2.29	-2.12	-4.11	-7.58	-14.52	-19.16	-8.31	-4.33	-2.73	-2.73	-2.58	-0.85	-0.61	-2.91	-6.48	-10.8	-16.23	-31.14	-16.65	-7.34	-2.6	-1.2	-1.93
θ (75°)	-1.55	-3.88	-3.86	-2.3	-3.16	-8.01	-20.1	-12.44	-6.02	-3.73	-3.91	-4.13	-2.77	-2.07	-1.74	-3.81	-8.53	-14.45	-22.79	-23.05	-13.69	-8.3	-4.03	-1.87	-1.55
θ (90°)	-3.13	-4.8	-5.15	-4.17	-4.91	-8.49	-18.36	-16.97	-7.94	-4.83	-5.81	-8.43	-4.56	-3.37	-5.82	-7.74	-8.27	-11.26	-16.75	-27.91	-23.9	-12.42	-6.57	-3.65	-3.13
θ (105°)	-2.66	-5.09	-9.08	-4.77	-4.12	-7.15	-17.28	-11.59	-5.01	-3.03	-5.07	-9.97	-3.95	-2.65	-5.25	-10.36	-14.38	-17.61	-21.8	-25.57	-18.7	-10.96	-6.57	-4.62	-2.66
θ (120°)	-5.84	-7.06	-12.14	-10.58	-7.97	-10.91	-21.51	-17.96	-10.14	-8.75	-14.02	-12.43	-5.56	-4.47	-5.96	-7.18	-9.08	-14.03	-20.33	-31.78	-20.68	-13.66	-9.04	-6.74	-5.84
θ (135°)	-6.78	-7.49	-12.18	-21.11	-20.04	-18.48	-23.18	-30.02	-19.82	-21.31	-21.94	-10.86	-7.05	-7.63	-10.51	-12.28	-11.93	-13.7	-19.92	-25.81	-15.33	-11.22	-9.68	-9.47	-6.78
θ (150°)	-10.92	-9.95	-11.21	-15.43	-20.6	-20.59	-18.18	-16.89	-16.61	-15.84	-11.24	-7.77	-6.66	-8.28	-12.7	-18.68	-17	-15.15	-17.63	-28.66	-18.26	-13.94	-15.64	-16.99	-10.92
θ (165°)	-12.68	-11.77	-12.74	-15.95	-21.86	-23.93	-20.09	-19.08	-18.59	-15.86	-12.74	-10.1	-8.65	-8.68	-9.81	-11.4	-14.52	-18.29	-25.28	-27.81	-23.94	-21.93	-19.08	-16.94	-12.68
θ (180°)	-6.33	-6.3	-6.78	-8	-9.69	-12.89	-16.98	-21.45	-16.8	-12.55	-10.14	-8.67	-8.01	-8.15	-9.09	-10.42	-12.18	-15.61	-22.48	-22.29	-14.6	-10.5	-8.24	-6.98	-6.33

Ant.	No.1																								
Freq (MHz)	5785																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-15.69	-25.18	-9.88	-4.94	-2.17	-0.54	0.31	0.51	0.07	-1.13	-3.06	-6.77	-14.56	-19.8	-8.11	-3.75	-1.33	0.01	0.64	0.85	0.42	-0.69	-2.7	-6.1	-15.69
θ (15°)	-11.76	-19.61	-10.94	-5.77	-2.66	-0.82	0.04	0.04	-0.76	-2.41	-5.22	-10.13	-20.04	-10.43	-4.56	-1.24	0.81	2.02	2.62	2.61	1.92	0.44	-1.96	-4.41	-11.76
θ (30°)	-8.4	-13.35	-16.34	-10.1	-5.84	-3.35	-2.07	-1.87	-2.76	-4.75	-8.33	-14.6	-17.52	-8.31	-3	0.11	1.81	2.76	3.2	[3.25]	2.87	1.91	0.14	-2.58	-8.4
θ (45°)	-4.79	-10.33	-14.6	-12.07	-7.28	-4.48	-3.55	-3.71	-5.23	-8.49	-13.47	-14.79	-9.01	-4.19	-1.15	0.67	1.43	1.62	1.65	1.73	1.77	1.6	1.03	0.02	-4.79
θ (60°)	-4.83	-8.6	-10.45	-9.75	-8.01	-6.4	-5.65	-5.83	-7.08	-9.98	-13.59	-14.62	-9.38	-3.6	-0.88	-0.44	-0.54	-0.25	-0.12	-0.08	0.05	0.36	0.51	-0.57	-4.83
θ (75°)	-4.04	-7.94	-7.57	-7.54	-8.51	-9.35	-9.88	-10.05	-9.91	-9.1	-8.29	-8.39	-5.99	-1.95	-0.37	-0.47	-0.95	-0.57	-0.11	-0.04	-0.27	-0.31	-0.2	-0.57	-4.04
θ (90°)	-6.5	-9.26	-6.61	-6.55	-8.55	-10.28	-10.82	-10.88	-10.2	-8.59	-7.87	-10.18	-9.49	-3.19	-0.84	-0.94	-1.17	-0.71	-0.32	-0.05	-0.12	-0.51	-0.8	-1.74	-6.5
θ (105°)	-4.01	-7.65	-6.94	-5.45	-6.08	-8.35	-10.25	-10.02	-8.53	-6.91	-6.45	-8.45	-7.52	-2.08	-0.32	-0.53	-1.11	-1.43	-1.97	-2.44	-2.7	-2.47	-1.73	-1.75	-4.01
θ (120°)	-7.93	-8.88	-7.01	-7.56	-8.8	-8.19	-7.61	-7.54	-7.82	-7.53	-7.27	-9.15	-11.89	-6.91	-3.89	-3.57	-4.36	-4.81	-4.66	-4.2	-3.8	-3.59	-3.63	-4.29	-7.93
θ (135°)	-8.63	-11.45	-12.41	-12.73	-11.87	-11.14	-10.81	-11.26	-12.57	-12.6	-11.18	-11.6	-10.69	-6.6	-4.84	-5.11	-6.4	-7.77	-8.76	-8.98	-8.51	-7.22	-6.21	-6.24	-8.63
θ (150°)	-22.37	-26.32	-25.6	-26.61	-25.92	-18.1	-14.13	-13.95	-18.04	-22.18	-20.49	-27.28	-23.75	-15.31	-14.59	-17.26	-19.61	-14.99	-11.95	-10.96	-12.25	-16.01	-28.16	-26.43	-22.37
θ (165°)	-22.81	-27.66	-26.92	-22.8	-23.3	-24.76	-24.45	-21.71	-17.9	-16.91	-18.33	-22.57	-26.22	-24.33	-21.11	-17.65	-14.45	-12.03	-10.98	-10.73	-11.6	-13.83	-17.24	-19.64	-22.81
θ (180°)	-24.65	-22.49	-16.57	-13.44	-11.78	-11.12	-11.05	-11.52	-12.42	-13.75	-15.93	-20.03	-25.52	-22.86	-17.15	-13.41	-11.06	-9.6	-8.95	-8.7	-9.32	-10.69	-12.6	-16.52	-24.65
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.17	0.19	-0.26	-1.38	-3.46	-7.04	-14.98	-19.08	-8.1	-3.62	-1.17	0.24	0.78	0.77	0.14	-1.21	-3.63	-7.46	-15.17	-19.93	-8.3	-3.95	-1.69	-0.42	0.17
θ (15°)	0.35	0.34	-0.25	-1.5	-3.66	-7.67	-17.6	-15.47	-7.12	-3.46	-1.42	-0.08	0.65	[0.79]	0.26	-0.92	-3.15	-7.23	-18.11	-13.71	-5.98	-2.67	-0.94	-0.32	0.35
θ (30°)	0.28	0.03	-0.5	-1.33	-3.1	-6.71	-15.68	-15.89	-6.79	-3.23	-1.36	-0.45	0.08	0.5	0.55	-0.46	-2.74	-6.7	-14.93	-16.39	-6.5	-2.62	-0.96	-0.01	0.28
θ (45°)	0.53	-0.18	-1.08	-1.72	-3.44	-7.68	-21.26	-12.06	-5.55	-2.88	-1.47	-0.54	-0.27	-0.2	-0.05	-1.36	-4.31	-8.87	-18.18	-18.17	-9	-4.48	-1.63	-0.3	0.53
θ (60°)	-1.07	-1.88	-2.29	-2.8	-4.2	-7.48	-13.62	-25.96	-9.93	-4.85	-2.67	-1.93	-1.3	-0.73	-1.64	-4.26	-8.76	-15.04	-19.99	-27.36	-26.1	-11.47	-4.3	-1.36	-1.07
θ (75°)	-2.41	-2.86	-5.03	-5.38	-5.51	-8.99	-21.05	-13.62	-7.66	-6.12	-5.34	-3.43	-3.3	-3.38	-2.82	-5.54	-10.87	-16.97	-22.15	-30.9	-20.05	-11.38	-6.78	-4.79	-2.41
θ (90°)	-4.12	-4.86	-7.07	-7.15	-7.36	-10.23	-19.08	-18.84	-10.15	-7.93	-9.91	-8.84	-4.61	-4.67	-6.82	-9.11	-11.81	-14.79	-18.34	-21.02	-20.43	-16.88	-8.57	-5.21	-4.12
θ (105°)	-3.84	-4.27	-10.27	-8.81	-6.54	-9.36	-19.49	-12.6	-7.39	-6.56	-11.45	-7.96	-3.71	-5.1	-8.2	-11.61	-13.65	-14.96	-20.3	-31.39	-28.71	-16.05	-10.02	-7.48	-3.84
θ (120°)	-6.75	-6.81	-10.83	-15.91	-12.27	-14.12	-24.83	-18.6	-11.66	-11.14	-23.27	-10.24	-4.99	-5.72	-8.6	-9.23	-11	-14.01	-17.94	-25.24	-21.78	-16.24	-11.18	-9.01	-6.75
θ (135°)	-7.46	-7.49	-11.52	-25.16	-21.74	-19.19	-25.9	-28.92	-19.23	-20.55	-23.55	-10.83	-7.97	-9.5	-11.73	-10.94	-11.1	-13.39	-18.82	-33.83	-17.7	-12.54	-10.65	-10.04	-7.46
θ (150°)	-11.27	-10.35	-11.75	-16.94	-22.62	-20.51	-19.21	-19.86	-22.16	-21.76	-12.82	-8.44	-7.4	-9.36	-12.76	-12.76	-12.45	-14.31	-19.98	-28.75	-15.47	-11.53	-11.09	-12.91	-11.27
θ (165°)	-12.81	-12.84	-13.55	-15.63	-18.1	-21.45	-25.08	-26.34	-20.28	-15.17	-11.93	-9.93	-9.07	-9.78	-10.73	-11.68	-13.5	-17.54	-28.64	-25.81	-17.42	-14.94	-14.22	-13.91	-12.81
θ (180°)	-8.52	-8.57	-9.35	-10.72	-12.68	-15.83	-20.86	-22.92	-18.29	-15.28	-13.57	-12.58	-11.95	-11.6	-11.93	-12.61	-13.95	-17.62	-25.46	-24.36	-15.67	-12.65	-10.36	-8.96	-8.52

Ant.	No.1
Freq (MHz)	5895
Polarity	Theta

	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-22.4	-16.82	-8.15	-4.15	-1.86	-0.51	-0.04	-0.06	-0.55	-1.8	-4.16	-8.63	-19.35	-15.27	-7.24	-3.38	-1.23	-0.13	0.35	0.2	-0.36	-1.64	-3.88	-7.99	-22.4
θ (15°)	-12.81	-18.37	-10.49	-5.54	-2.65	-1.1	-0.49	-0.76	-1.82	-3.91	-7.42	-13.75	-16.89	-8.11	-3.33	-0.43	1.32	2.26	[2.70]	2.48	1.73	0.26	-2.21	-4.8	-12.81
θ (30°)	-8.09	-12.09	-11.58	-7.01	-4.1	-2.3	-1.46	-1.81	-3.14	-5.34	-8.88	-14.05	-11.94	-6.19	-2.43	0	1.35	2.12	2.45	2.52	2.43	1.77	0.25	-2.53	-8.09
θ (45°)	-6.03	-11.44	-14.1	-10.66	-7.18	-5.13	-4.46	-4.59	-6.16	-8.97	-12.55	-11.97	-6.53	-2.74	-0.69	0.21	0.45	0.76	1.32	1.68	1.72	1.48	0.42	-1.06	-6.03
θ (60°)	-4.15	-7.28	-11.08	-11.69	-9.52	-7.38	-6.12	-5.95	-7.83	-10.09	-11.83	-9.8	-6.53	-2.81	-0.66	-0.02	0.23	0.66	0.71	0.66	0.5	0.3	0.04	-0.73	-4.15
θ (75°)	-3.91	-8.5	-8.31	-8.03	-8.73	-8.27	-8.91	-9.48	-9.01	-8.26	-7.91	-6.43	-3.52	-1.56	-0.97	-0.35	0.52	1.05	1.37	1.11	0.72	0.21	-0.33	-1.02	-3.91
θ (90°)	-5.25	-8.55	-7.95	-6.58	-7.19	-9.18	-9.17	-10.2	-8.39	-8.45	-9.14	-9.92	-5.14	-1.67	-0.87	-1.17	-1.26	-0.84	-0.4	-0.09	-0.29	-0.65	-0.89	-1.39	-5.25
θ (105°)	-4.28	-6.95	-7.48	-6.77	-6.87	-8.81	-8.51	-9.43	-7.64	-7.68	-7.46	-8.48	-4.59	-1.44	-0.81	-1.02	-1.16	-1.22	-1.49	-1.92	-2.13	-1.96	-1.54	-1.81	-4.28
θ (120°)	-7.5	-9.01	-8.61	-8.05	-9.06	-8.67	-8.76	-8.39	-8.55	-9.48	-9.47	-10.24	-7.56	-4.3	-3.04	-3.22	-3.59	-3.52	-3.4	-2.95	-3	-2.95	-2.97	-3.85	-7.5
θ (135°)	-7.38	-9.4	-10.44	-17.76	-13.96	-11.47	-9.71	-11.53	-13.36	-13.53	-10.84	-8.86	-6.87	-4.85	-4.45	-5.25	-6.23	-7.4	-8.2	-8.95	-8.71	-7.54	-6.46	-6.16	-7.38
θ (150°)	-21.59	-20.48	-21.17	-29.64	-22.99	-19.04	-14.73	-16.48	-25.54	-29.74	-25.51	-23.15	-17.21	-14.26	-14.55	-15.85	-14.43	-11.91	-10.03	-9.05	-9.15	-10.91	-14.78	-19.83	-21.59
θ (165°)	-28.55	-24.88	-23.64	-22.8	-20.64	-18	-17.46	-19.26	-18.97	-17.52	-18.25	-19.56	-22.98	-29.91	-24.78	-16.87	-13.22	-11.07	-10.42	-11.51	-13.85	-17.69	-23.87	-33.88	-28.55
θ (180°)	-25.04	-22	-17.99	-16.08	-15.42	-15.74	-15.68	-16.08	-16.58	-17.08	-17.93	-19.67	-22.16	-22.39	-20.04	-17.24	-15.06	-13.11	-12.45	-12.31	-12.3	-13.86	-15.75	-19.09	-25.04

Polarity	Phi																								
	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.31	0.11	-0.81	-2.28	-4.79	-9.32	-20.09	-13.42	-6.85	-3.48	-1.38	-0.24	0.25	0.19	-0.63	-2.13	-4.7	-9.31	-19.1	-13.93	-6.96	-3.59	-1.41	-0.17	0.31
θ (15°)	0.17	-0.42	-1.18	-2.45	-4.9	-9.86	-27.6	-12.63	-6.12	-3.01	-1.29	-0.6	-0.13	0.15	-0.23	-1.5	-4.07	-9.2	-23.02	-10.73	-4.65	-1.57	-0.04	0.5	0.17
θ (30°)	0.16	-0.15	-0.41	-1.32	-3.71	-8.5	-23.12	-12.57	-5.83	-2.59	-1.1	-0.92	-0.7	0.07	0.34	-0.59	-2.88	-7.67	-18.87	-13.76	-5.97	-2	0.2	[0.78]	0.16
θ (45°)	-0.23	-0.23	-0.56	-2.11	-4.87	-9.7	-23.97	-10.39	-4.84	-2.43	-1.21	-0.82	-0.74	-0.31	-0.75	-2.75	-6.01	-11.16	-22.19	-16.01	-7.39	-2.82	-0.49	-0.01	-0.23
θ (60°)	-0.61	-1.22	-1.74	-2.03	-3.3	-6.65	-16.06	-15.81	-6.9	-3.18	-1.72	-1.79	-1.52	-0.84	-1.91	-6.02	-11.83	-14.25	-19.28	-24.8	-15.85	-10.72	-4.85	-1.33	-0.61
θ (75°)	-3.19	-3.39	-3.14	-3.99	-5.87	-9.7	-25.75	-13.13	-7.54	-5.38	-5.08	-4.42	-3.92	-2.98	-3.88	-8.69	-16.23	-20.24	-24.89	-18.47	-13.5	-9.19	-4.73	-3.19	-3.19
θ (90°)	-4.19	-4.69	-6.42	-6.37	-7.64	-10.68	-17.78	-21.53	-11.74	-8.75	-8.54	-7.05	-5.63	-5.13	-6.95	-11.38	-14.19	-14.79	-22.09	-18.93	-14.21	-14.66	-8.32	-4.39	-4.19
θ (105°)	-4.51	-4.53	-8.51	-7.89	-8.13	-10.46	-19.84	-13.12	-8.75	-8.19	-10.09	-6.26	-5.86	-7.4	-8.23	-13.52	-15.18	-14.94	-22.31	-25.5	-18.04	-14.25	-9.56	-7.53	-4.51
θ (120°)	-6.51	-7.29	-11.48	-17.07	-12.01	-17.3	-27.12	-15.56	-13.08	-12.53	-15.94	-8.57	-6.9	-9.03	-9.65	-10	-12.56	-16.99	-28.68	-20.35	-16.41	-13.61	-9.94	-8.27	-6.51
θ (135°)	-8.5	-7.55	-12.18	-33.67	-20.42	-14.33	-27.2	-28.18	-15.9	-20.62	-13.32	-8.53	-8.68	-10.1	-9.59	-9.14	-10.34	-14.05	-25.38	-21.67	-13.98	-10.67	-9.42	-9.76	-8.5
θ (150°)	-11.94	-10.83	-12.72	-16.16	-20.42	-18.88	-16.13	-20.6	-30.65	-17.16	-12.9	-10.43	-10.27	-12.52	-12.73	-11.32	-11.43	-13.23	-18.41	-22.43	-13.96	-11.46	-12.22	-15.58	-11.94
θ (165°)	-12.99	-13.11	-14.15	-15.78	-17.87	-24.31	-40.23	-25.72	-22.68	-19.02	-15.04	-12.75	-11.42	-10.72	-10.99	-11.64	-13.51	-18.84	-26.16	-16.23	-12.4	-11.9	-12.58	-12.83	-12.99
θ (180°)	-10.55	-10.53	-11.36	-13.3	-16.37	-19.7	-21.2	-23.26	-22.62	-20.12	-18.38	-17.43	-15.88	-15.1	-15.56	-16.79	-17.88	-21.09	-23.83	-22.88	-20.76	-16.71	-13.77	-11.73	-10.55

Ant.	No.2																								
Freq. (MHz)	5200																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-17.71	-20	-9.46	-4.97	-2.47	-0.95	-0.11	0.14	-0.22	-1.22	-3.09	-6.36	-12.59	-24.29	-10.37	-5.16	-2.43	-0.75	-0.01	0.12	-0.42	-1.56	-3.62	-7.07	-17.71
θ (15°)	-27.18	-11.18	-5.81	-2.87	-1.08	0.07	0.65	0.71	0.2	-0.88	-2.82	-6	-11.75	-21.01	-10.16	-5.09	-2.43	-1.02	-0.49	-0.65	-1.51	-3.24	-6.35	-10.35	-27.18
θ (30°)	-11.38	-6.85	-3.15	-0.41	1.53	2.83	3.51	[3.66]	3.18	2.04	-0.01	-2.87	-6.67	-12.6	-18.92	-9.89	-5.14	-2.88	-2.01	-2.08	-3.08	-5.09	-9.58	-24.97	-11.38
θ (45°)	-9.21	-5.37	-2.18	0.34	1.93	2.75	3	2.97	2.57	1.45	-0.91	-4.11	-7.17	-10.66	-16.61	-13.17	-9.18	-7.73	-7.25	-7.24	-7.99	-10.01	-15.75	-19.39	-9.21
θ (60°)	-6.07	-4.14	-1.95	-0.13	0.88	1.34	1.6	1.86	1.76	1	-0.6	-2.5	-3.68	-4.94	-7.48	-10.94	-11.26	-9.31	-8.57	-9.37	-11.8	-16.77	-22.46	-11.51	-6.07
θ (75°)	-5.26	-3.52	-2.28	-0.97	-0.24	0.03	0.07	0.04	0.2	-0.06	-1.24	-3.14	-4.01	-4.33	-6.32	-9.38	-11.94	-12.88	-12.2	-11.73	-12.73	-13.7	-12.15	-9.85	-5.26
θ (90°)	-2.64	-2.46	-1.6	-1.1	-1.33	-1.58	-1.64	-1.77	-2.21	-2.37	-2.71	-2.77	-2.19	-2.26	-3.74	-6.85	-10.74	-14.25	-16.25	-17.91	-16.89	-13.33	-8.04	-4.22	-2.64
θ (105°)	-4.94	-5.21	-5.7	-5.13	-4.71	-4.71	-4.87	-4.75	-4.41	-4.17	-3.54	-3.01	-2.63	-2.56	-3.66	-5.38	-7.28	-10.16	-12.5	-12.73	-11.69	-10.01	-7.93	-6.56	-4.94
θ (120°)	-3.71	-4.31	-4.65	-4.57	-4.94	-5.44	-5.71	-5.91	-5.91	-5.11	-4.39	-4.54	-3.78	-2.96	-3.54	-5.12	-6.16	-6.47	-6.59	-6.76	-7.37	-8	-6.08	-3.97	-3.71
θ (135°)	-9.5	-13.6	-22.11	-20.54	-16.22	-15.51	-16.71	-18.54	-20.24	-22.22	-32.06	-18.95	-10.53	-6.56	-5.99	-7.26	-8.54	-9.08	-10.1	-11.7	-16.04	-21.03	-12.38	-9.55	-9.5
θ (150°)	-8.79	-8.92	-10.1	-11.75	-13.23	-13.81	-12.94	-11.93	-11.25	-10.84	-9.91	-8.13	-6.73	-6.12	-6.66	-8.51	-10.37	-9.46	-8.19	-8	-9.11	-10.34	-10.18	-8.97	-8.79
θ (165°)	-11.85	-10.41	-9.38	-8.77	-8.65	-8.66	-9.1	-10.03	-11.11	-12.46	-13.69	-13.63	-12.23	-10.67	-9.97	-9.83	-9.99	-10.55	-11.08	-11.74	-12.4	-13.46	-13.88	-13.49	-11.85
θ (180°)	-19.24	-14.89	-11.36	-8.94	-7.43	-6.7	-6.52	-6.91	-8.11	-10.36	-13.68	-17.43	-16.72	-13.15	-10.68	-8.97	-8.02	-7.69	-7.89	-8.71	-9.97	-12.42	-16.25	-23.22	-19.24
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.14	0.21	-0.17	-1.19	-3.07	-6.33	-12.42	-26.94	-10.56	-5.39	-2.49	-0.83	0.1	[0.34]	0.05	-1.02	-2.83	-6.04	-11.71	-24.25	-10.67	-5.45	-2.6	-0.86	0.14
θ (15°)	-0.08	-0.24	-0.77	-1.79	-3.62	-6.86	-12.64	-17.24	-10.17	-5.79	-3.11	-1.3	-0.26	0.15	-0.18	-1.3	-3.48	-7.41	-16.63	-17.74	-8.07	-4	-1.74	-0.8	-0.08
θ (30°)	0.02	-0.11	-0.25	-0.66	-1.81	-4.31	-9.71	-20.35	-9.63	-4.8	-2.67	-1.78	-1.16	-0.63	-0.48	-1.28	-3.35	-7.75	-19.29	-13.39	-6.09	-2.8	-0.89	-0.07	0.02
θ (45°)	-0.5	-0.58	0.04	-0.11	-1.85	-5.46	-13.01	-21.07	-7.81	-3.02	-0.93	-0.82	-1.1	-0.63	-0.27	-1.32	-4.25	-9.39	-23.29	-13.64	-6.58	-2.83	-0.74	-0.09	-0.5
θ (60°)	-0.28	-0.68	-0.46	-0.44	-2.12	-5.68	-11.92	-24.32	-8.7	-3.27	-1.23	-1.35	-1.83	-1.76	-2.62	-4.31	-6.76	-10.97	-20.76	-17.2	-9.28	-5.05	-2.54	-0.94	-0.28
θ (75°)	-1.15	-1.13	-0.85	-1.81	-4.23	-8.32	-15.58	-21.61	-11.35	-6.07	-3	-2.24	-3.47	-4.07	-4	-4.82	-7.87	-15.04	-23.75	-11.18	-7.13	-4.77	-2.26	-1.15	-1.15
θ (90°)	-2.13	-1.8	-1.88	-1.95	-3.94	-7.85	-13.39	-26.07	-14.62	-7.08	-3.92	-3.83	-4.34	-3.61	-3.98	-4.02	-4.74	-8.52	-19.65	-14.6	-6.94	-3.97	-3.82	-4.77	-2.13
θ (105°)	-4.68	-3.31	-3.43	-4.58	-6.79	-10.75	-17.55	-30.35	-13.37	-8.05	-6.24	-5.7	-4.92	-5.74	-6.6	-6.08	-7.44	-12.61	-31.79	-15.18	-9.64	-7.51	-7.19	-7.12	-4.68
θ (120°)	-6.5	-5.47	-5.88	-6.65	-8.7	-13.47	-22.24	-23.16	-16.78	-12.15	-7.81	-5.47	-4.87	-5.73	-10.52	-19.6	-16.44	-19.19	-31.29	-16.15	-11.93	-11.35	-11.4	-10.27	-6.5
θ (135°)	-7.69	-7.64	-9.8	-11.36	-12.36	-14.17	-19.5	-31.85	-16.51	-11.89	-10.51	-10.36	-8.97	-10.19	-18.05	-20.44	-14.52	-15.91	-21.83	-21.16	-17.59	-20.05	-23.89	-14.74	-7.69
θ (150°)	-9.33	-9.3	-11.64	-16.61	-21.32	-17.63	-14.95	-12.68	-10.39	-8.4	-6.3	-4.71	-3.79	-4.41	-7.11	-13.19	-27.85	-25.58	-24.62	-25.89	-25.09	-28.7	-19.58	-11.99	-9.33
θ (165°)	-8.37	-8.48	-10	-13.57	-19.83	-32.19	-19.25	-14.3	-11.87	-10.62	-10.1	-9.76	-9.75	-10.45	-12.6	-16.53	-21.27	-23.05	-20.7	-18.07	-15.61	-13.11	-11	-9.55	-8.37
θ (180°)	-8.95	-9.42	-10.68	-13.35	-18.04	-29.48	-22.54	-15.01	-11.11	-8.43	-7.13	-6.58	-6.78	-7.91	-9.7	-12.82	-18.1	-26	-20.31	-15.57	-12.41	-10.67	-9.46	-8.72	-8.95

Ant.	No.2																								
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-17.96	-23.37	-10	-5.27	-2.59	-1.02	-0.2	0.01	-0.43	-1.56	-3.56	-7.04	-14.34	-22.55	-9.49	-4.82	-2.31	-0.83	-0.11	0.03	-0.43	-1.58	-3.62	-7.06	-17.96
θ (15°)	-32.01	-11.69	-5.77	-2.37	-0.25	1.09	1.62	1.5	0.73	-0.65	-2.7	-5.76	-11.23	-20.87	-9.74	-4.44	-1.62	-0.07	0.65	0.55	-0.23	-1.98	-4.99	-9.04	-32.01
θ (30°)	-14.02	-8.44	-3.97	-0.88	1.22	2.5	3.17	[3.35]	3.07	2.11	0.3	-2.57	-6.78	-14.62	-16.83	-7.58	-3.46	-1.51	-0.73	-0.89	-1.92	-4.19	-8.85	-20.75	-14.02
θ (45°)	-8.38	-4.91	-2.1	0.15	1.64	2.4	2.8	3.05	2.98	2.26	0.26	-3.35	-7.7	-12.37	-18.87	-10.91	-6.34	-4.51	-3.91	-4.09	-5.16	-7.81	-13.46	-15.92	-8.38
θ (60°)	-7.46	-5.31	-2.98	-0.93	0.15	0.47	0.47	0.6	0.63	0.26	-1.26	-3.99	-5.54	-6.1	-8.78	-13.02	-11.52	-8.69	-7.71	-7.94	-9.22	-12.2	-19.39	-13.68	-7.46
θ (75°)	-4.49	-3.96	-2.81	-1.35	-0.7	-0.47	-0.26	-0.14	0.11	0.01	-1.17	-3.5	-4.43	-4.3	-6.08	-9.87	-14.08	-15.06	-13.84	-13.08	-13.45	-14.02	-11.67	-8.62	-4.49
θ (90°)	-3.58	-3.65	-2.88	-1.91	-1.4	-1.12	-0.94	-1.06	-1.74	-2.76	-4.23	-5.45	-3.93	-2.91	-3.72	-6.89	-11.37	-15.36	-18.86	-22.96	-22.77	-15.28	-8.25	-4.08	-3.58
θ (105°)	-4.78	-6.09	-5.96	-4.04	-3.22	-3.07	-3.3	-3.55	-3.92	-4.54	-5.14	-4.77	-3.3	-2.13	-2.93	-4.84	-6.81	-8.92	-9.96	-9.87	-9.32	-8.45	-7.25	-6.2	-4.78
θ (120°)	-3.77	-4.79	-5.87	-5.84	-5.74	-5.67	-5.45	-5.35	-5.41	-5.14	-4.93	-5.54	-4.36	-2.82	-3.22	-5.45	-7.15	-6.94	-6.49	-6.49	-7.3	-7.86	-5.79	-3.62	-3.77
θ (135°)	-9.69	-15.77	-18.78	-12.14	-9.77	-9.34	-10.03	-11.09	-12.03	-12.57	-14.3	-23.84	-12.12	-6.29	-5.34	-6.57	-7.17	-6.99	-7.55	-9.66	-14.51	-15.7	-10.19	-8.73	-9.69
θ (150°)	-10.66	-10.42	-11.2	-12.86	-15.1	-16.12	-15.07	-13.92	-13.17	-12.8	-11.83	-9.88	-8.56	-7.99	-8.39	-10.36	-11.28	-9.22	-7.44	-7.15	-8.3	-10.68	-11.98	-11.33	-10.66
θ (165°)	-12.06	-10.5	-9.36	-9.03	-9.32	-10.14	-10.85	-11.73	-12.6	-13.4	-13.97	-13.53	-12.58	-11.24	-10.76	-10.86	-10.95	-11.28	-11.75	-12.59	-13.62	-14.69	-14.88	-14.25	-12.06
θ (180°)	-19.15	-14.26	-10.53	-8.27	-6.81	-6.25	-6.16	-6.74	-8.19	-10.67	-14.73	-20.18	-18.45	-13.25	-10.3	-8.56	-7.46	-6.99	-6.99	-7.63	-9.01	-11.53	-15.82	-25.47	-19.15
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-0.42	-0.31	-0.76	-1.79	-3.64	-6.71	-11.9	-17.82	-10.23	-5.56	-2.84	-1.15	-0.29	-0.03	-0.45	-1.57	-3.61	-7.01	-12.93	-15.51	-8.86	-4.82	-2.54	-1.2	-0.42
θ (15°)	[0.47]	0.06	-0.68	-2.03	-4.13	-7.71	-14.29	-15.12	-8.32	-4.57	-2.38	-0.96	-0.14	0.26	0.07	-0.9	-2.98	-7.13	-16.53	-15.22	-6.44	-2.6	-0.56	0.18	0.47
θ (30°)	0.14	0.11	-0.2	-0.99	-2.64	-5.79	-11.76	-17.81	-8.68	-3.92	-1.48	-0.31	0.15	0.28	0.02	-1.05	-3.48	-7.91	-19.88	-13.42	-6.21	-2.94	-1.06	-0.17	0.14
θ (45°)	-0.78	-0.32	0.21	-0.52	-2.65	-6.64	-13.48	-17.33	-8.66	-3.53	-0.76	-0.18	-0.69	-0.72	-0.33	-0.91	-3.29	-8.18	-19.72	-11.18	-4.77	-1.54	-0.02	0.04	-0.78
θ (60°)	-1.13	-1.43	-0.27	-0.29	-2.63	-6.97	-13.46	-19.49	-9.2	-3.46	-0.77	-0.68	-1.59	-1.31	-1.36	-2.91	-5.54	-9.87	-17.98	-20.56	-9.92	-5.03	-2.22	-0.71	-1.13
θ (75°)	-1.82	-1.4	-0.98	-2.15	-5.02	-9.7	-16.98	-19.25	-10.87	-5.89	-2.57	-1.1	-1.62	-2.45	-2.26	-2.8	-5.4	-11.75	-28.61	-11.79	-6.7	-3.35	-1.23	-0.83	-1.82
θ (90°)	-1.76	-2	-2.07	-2.46	-4.92	-9.31	-14.67	-23.93	-15.35	-6.79	-2.75	-2.19	-3.47	-3.94	-4.74	-4.97	-6.04	-10.16	-23.51	-13.69	-6.5	-3.47	-3.52	-3.93	-1.76
θ (105°)	-4.1	-3.13	-3.89	-5.43	-7.69	-11.49	-17.4	-29.53	-15.33	-8.9	-6.13	-4.79	-3.65	-4.56	-5.86	-4.68	-5.47	-10.07	-26.85	-13.07	-7.23	-4.81	-4.66	-5.36	-4.1
θ (120°)	-5.94	-5.3	-6.18	-7.64	-10.27	-14.9	-20.94	-21.67	-17.28	-14.28	-9.12	-6.19	-4.99	-5.7	-9.2	-14.3	-14.85	-17.17	-32.23	-17.34	-11.98	-10.91	-10.63	-9.53	-5.94
θ (135°)	-7.03	-7.32	-9.45	-11.1	-11.81	-13.53	-16.98	-27.28	-21.07	-13.06	-10.43	-10.16	-8.47	-8.43	-13.41	-28.29	-16.64	-15.76	-19.63	-24.79	-21.99	-26.09	-19.81	-12.19	-7.03
θ (150°)	-9.6	-9.43	-11.84	-17.08	-21.36	-16.85	-14.54	-13.94	-12.93	-11.37	-8.67	-6.01	-4.26	-4.55	-7.25	-14.57	-35.34	-19.62	-20.81	-25.43	-22.26	-25.63	-24.31	-13.17	-9.6
θ (165°)	-8.22	-8.14	-9.45	-12.45	-18.6	-45.91	-21.81	-16.94	-14.09	-12.49	-11.29	-10.27	-10.05	-10.85	-13.08	-17.37	-23.48	-24.48	-21.16	-19.14	-16.87	-14.8	-11.71	-10.02	-8.22
θ (180°)	-8.18	-8.48	-9.4	-11.58	-15.18	-25.67	-22.45	-14.13	-9.97	-7.88	-6.58	-6.06	-6.13	-7.15	-9.09	-12.14	-17.85	-32.25	-24.26	-16.74	-12.92	-10.57	-9.05	-8.14	-8.18

Ant.	No.2																										
Freq. (MHz)	5600																										
Polarity	Theta																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	-19.25	-16.37	-7.46	-3.38	-1.09	0.13	0.67	0.63	0.07	-1.23	-3.45	-7.18	-15.19	-16.79	-8.04	-3.89	-1.65	-0.37	0.27	0.33	-0.18	-1.36	-3.43	-7.2	-19.25		
θ (15°)	-24.9	-9.56	-4.05	-0.75	1.25	2.4	2.86	2.76	2.02	0.66	-1.68	-5.15	-11.24	-18.42	-9.91	-5.25	-2.69	-1.24	-0.76	-1.11	-2.23	-4.3	-7.67	-12.23	-24.9		
θ (30°)	-16.44	-9.62	-4.03	-0.48	1.64	2.8	3.34	[3.43]	2.97	1.93	0.09	-2.6	-6.52	-12.2	-12.47	-7.65	-4.3	-2.34	-1.47	-1.53	-2.53	-4.76	-9.12	-18.17	-16.44		
θ (45°)	-11.8	-5.94	-1.31	1.01	2	2.35	2.45	2.46	2.52	2.28	1.2	-1.41	-6.77	-16.55	-25.13	-13.91	-6.9	-3.47	-2.2	-2.21	-3.71	-7.43	-14.84	-16.19	-11.8		
θ (60°)	-10.28	-7.26	-2.47	0.11	0.88	0.81	0.56	0.61	1.08	1.31	0.8	-1.46	-6.45	-9.98	-8.38	-7.95	-6.67	-5.17	-4.58	-4.75	-6.14	-9.13	-12.17	-11.74	-10.28		
θ (75°)	-7.33	-4.57	-1.56	-0.74	-0.8	-0.62	-0.13	0.06	0.09	0.39	0.42	-1.52	-6.55	-6.58	-5.39	-7.28	-9.36	-9.29	-8.87	-8.81	-9.07	-8.47	-6.94	-6.52	-7.33		
θ (90°)	-10.86	-9.2	-4.56	-2.55	-1.79	-1.29	-1.06	-1.21	-1.58	-1.6	-1.9	-3.65	-7.32	-8.27	-4.83	-3.99	-5.32	-7.55	-9.67	-11.03	-10.12	-7.85	-6.05	-5.79	-10.86		
θ (105°)	-7.65	-5.02	-2.04	-1.73	-2.5	-2.91	-2.86	-2.65	-2.52	-2.2	-2.01	-3.47	-6.72	-4.61	-2.85	-3.97	-6.27	-8.57	-9.78	-9.78	-9.19	-7.57	-6.29	-6.39	-7.65		
θ (120°)	-8.87	-12.36	-8.14	-5.57	-5.23	-5.04	-5.17	-5.48	-6.06	-6.36	-6.12	-6.05	-8.1	-8.01	-5.12	-4.88	-6.19	-7.33	-7.78	-8.73	-10.42	-9.37	-6.02	-4.9	-8.87		
θ (135°)	-13.58	-10.46	-6.85	-5.93	-6.74	-7.84	-8.23	-8.1	-7.27	-6.02	-4.94	-5.87	-9.92	-8.59	-6.57	-8.19	-10.01	-8.47	-7.58	-8.93	-13.71	-15.29	-11.49	-11.55	-13.58		
θ (150°)	-23.26	-19.24	-17.89	-23.05	-25.24	-17.03	-14.92	-15.57	-18.58	-25.81	-23.41	-18.87	-22.59	-24.68	-15.88	-15.17	-22.31	-18.47	-12.55	-11.17	-13.15	-17.48	-26.55	-27	-23.26		
θ (165°)	-17.91	-15.57	-14.88	-14.77	-14.88	-13.81	-13.04	-13.39	-15.27	-18.37	-23.74	-29.86	-35.61	-28.48	-21.85	-19.33	-19.48	-21.22	-24.26	-26.94	-25.94	-23.5	-22.71	-21.58	-17.91		
θ (180°)	-22.75	-17.18	-12.94	-10.48	-8.96	-8.37	-8.54	-9.3	-11.04	-13.83	-18.55	-29.27	-23.77	-16.66	-13.15	-11.62	-10.68	-10.46	-10.8	-11.87	-13.57	-16.2	-20.69	-32.82	-22.75		
Polarity	Phi																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	[0.75]	0.7	0.04	-1.39	-3.86	-8.16	-20.02	-14.04	-6.6	-3.07	-1.11	-0.03	0.35	0.18	-0.57	-2.14	-4.78	-9.5	-22.48	-13.68	-6.56	-3.18	-1.08	0.13	0.75		
θ (15°)	0.71	0.73	0.34	-0.83	-3.35	-8.44	-27.25	-10.53	-4.52	-1.6	-0.11	0.63	0.75	0.38	-0.58	-2.3	-5.05	-10.41	-25.2	-10.73	-5.21	-2.22	-0.56	0.17	0.71		
θ (30°)	-0.28	-0.03	0.16	-0.44	-2.2	-5.98	-15.07	-13.47	-5.21	-1.8	-0.23	0.23	0.23	0	-0.65	-2.03	-4.35	-8.84	-20.27	-14.19	-6.28	-2.76	-1.09	-0.49	-0.28		
θ (45°)	-1.03	-0.29	-0.48	-1.7	-4.37	-9.15	-20.31	-13.19	-6.62	-3.44	-1.4	-0.16	-0.08	-1.15	-2.63	-3.25	-4.57	-8.93	-23.79	-11.06	-4.93	-2.51	-1.86	-1.9	-1.03		
θ (60°)	-2.49	-1.38	-0.99	-2.88	-7.19	-14.45	-22.66	-16.48	-11.05	-6.34	-2.26	-0.01	-0.61	-3.17	-3.41	-2.84	-4.61	-9.27	-20.37	-15.32	-7.47	-3.98	-2.58	-2.76	-2.49		
θ (75°)	-3.86	-2.24	-2.29	-4.75	-9.1	-13.87	-16.72	-18.05	-15.15	-7.45	-3.54	-2.49	-3.27	-5.22	-5.02	-3.76	-4.89	-9.42	-23.06	-14.3	-6.55	-3.67	-3.93	-5.42	-3.86		
θ (90°)	-5.28	-3.69	-2.92	-4.76	-9.51	-16.2	-27.35	-22.36	-16.07	-12.45	-5.49	-3.1	-3.92	-5.51	-7.81	-6.69	-6.64	-11.22	-34.28	-11.29	-5.49	-3.86	-4.52	-6.09	-5.28		
θ (105°)	-4.26	-3.95	-4.7	-6.02	-10.22	-16.96	-18.62	-20.52	-17.09	-8.68	-5.24	-4.76	-5.08	-6.43	-9.63	-4.52	-3.69	-7.06	-17.89	-14.16	-6.27	-4.39	-7.41	-11.75	-4.26		
θ (120°)	-5.96	-6.43	-7.82	-8.53	-10.7	-14.75	-23.57	-22.73	-13.35	-8.86	-7.82	-8.88	-7.04	-7.33	-13.97	-15.09	-11.19	-13.73	-27.82	-15.92	-10.53	-8.89	-12.28	-12.15	-5.96		
θ (135°)	-6.79	-8.72	-9.45	-8.67	-9.93	-14.6	-26.03	-18.21	-12.65	-9.95	-8.86	-8.59	-8.05	-8.36	-13.79	-23.99	-15.84	-16.45	-23.92	-19.67	-16.69	-20.11	-15.46	-9.34	-6.79		
θ (150°)	-12.86	-14.94	-15.73	-12.27	-11.01	-12.55	-17.13	-31.08	-21.16	-16.23	-18.63	-16.21	-8.91	-6.77	-7.7	-12.41	-22.06	-21.64	-20.9	-23.35	-23.66	-24.09	-19.5	-13.54	-12.86		
θ (165°)	-9.78	-10.5	-13.15	-17.23	-20.04	-20.52	-22.27	-21.12	-17.56	-15.41	-15.61	-16.54	-15.62	-13.64	-13.25	-14.91	-18.51	-22.59	-22.97	-21.91	-21.17	-17.85	-13.8	-11.79	-9.78		
θ (180°)	-10.95	-10.76	-10.9	-12.32	-15.83	-24.22	-23.88	-16.22	-12.34	-10.44	-9.28	-8.71	-8.78	-9.42	-10.75	-13.1	-16.52	-24.28	-31.57	-19.73	-15.62	-13.52	-12.08	-11.14	-10.95		

Ant.	No.2																								
Freq. (MHz)	5785																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-18.96	-15.47	-7.18	-3.22	-0.99	0.38	0.98	1.03	0.37	-1.02	-3.46	-7.51	-15.44	-15.71	-7.81	-3.94	-1.7	-0.42	0.22	0.27	-0.23	-1.32	-3.35	-7.02	-18.96
θ (15°)	-25.13	-10.33	-4.09	-0.51	1.7	3.01	[3.54]	3.4	2.63	1.06	-1.54	-5.43	-11.75	-15.2	-8.37	-4.09	-1.58	-0.16	0.28	-0.16	-1.4	-3.47	-6.89	-10.7	-25.13
θ (30°)	-15.92	-8.99	-3.21	0.16	2.11	3.02	3.33	3.31	3.09	2.41	0.9	-1.52	-4.94	-9	-9.2	-5.74	-3.07	-1.45	-0.75	-0.82	-1.79	-3.93	-7.71	-13.61	-15.92
θ (45°)	-10.67	-4.62	-1.04	0.81	1.59	1.68	1.69	1.67	1.83	2.09	1.65	-0.24	-4.02	-9.93	-13.09	-11.38	-8.58	-5.96	-4.39	-4.17	-5.23	-8.14	-14.12	-18.8	-10.67
θ (60°)	-8.97	-4.64	-1.04	0.29	0.38	0.46	0.57	0.4	0.45	1.13	1.28	0	-3.36	-8.4	-10.49	-9.61	-8.1	-6.59	-6.17	-6.98	-8.94	-12.94	-16.43	-15.12	-8.97
θ (75°)	-6.29	-2.81	-0.9	-0.29	-0.26	-0.15	0.08	0.32	0.29	0.07	0.33	-0.37	-3.71	-9.22	-9.13	-9.14	-9.59	-9.02	-8.29	-8.16	-9.08	-9.75	-9.73	-9.88	-6.29
θ (90°)	-9.22	-5.64	-2.56	-1.26	-0.73	-0.32	0.04	-0.06	-0.51	-0.92	-1.19	-1.92	-4.52	-7.94	-7.59	-5.69	-5.4	-6.26	-7.43	-8.38	-8.75	-8.29	-7.94	-9.17	-9.22
θ (105°)	-6.71	-3.06	-1.77	-1.44	-1.1	-1.02	-1.27	-1.41	-1.17	-0.96	-1.07	-1.81	-4.18	-7.14	-5.95	-5.69	-6.97	-8.76	-9.54	-9.64	-8.5	-6.9	-6.79	-8.26	-6.71
θ (120°)	-10.78	-9.27	-6.24	-4.76	-3.48	-2.37	-1.93	-2.19	-3.08	-4.1	-4.58	-4.71	-6.02	-8.17	-8.09	-7.05	-6.85	-6.97	-6.89	-7.14	-7.96	-8.55	-8.43	-8.67	-10.78
θ (135°)	-9.03	-6.03	-4.69	-5.32	-7.16	-9.19	-9.37	-8.13	-6.97	-5.78	-4.33	-3.8	-5.33	-7.58	-7.83	-9.73	-12.27	-10.59	-9.3	-10.74	-16.79	-16.99	-12.57	-12.37	-9.03
θ (150°)	-21.51	-18.9	-17.91	-18.11	-15.38	-12.85	-12.42	-14.04	-16.65	-17.17	-14.08	-11.56	-12.43	-17.49	-15.55	-13.61	-16.25	-22.01	-18.4	-18.16	-24.38	-30.84	-23.13	-23.31	-21.51
θ (165°)	-27.41	-21.59	-20	-18.41	-16	-13.47	-11.67	-11.6	-12.89	-16.95	-26.57	-25.56	-20.61	-22.11	-21.2	-16.88	-14.15	-13.06	-12.94	-13.53	-15.14	-18.12	-22.37	-29.8	-27.41
θ (180°)	-27.65	-20.52	-15.44	-12.78	-10.96	-10.14	-10.06	-10.94	-12.35	-15.33	-20.39	-35.92	-25.62	-18.61	-15.61	-14.26	-13.8	-14.01	-15.14	-16.71	-18.17	-19.23	-22.49	-29.54	-27.65
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	1.1	0.91	0.31	-1.14	-3.36	-7.47	-16.64	-15.2	-6.98	-3.45	-1.42	-0.35	0.06	-0.03	-0.75	-2.15	-4.75	-9.37	-20.66	-14.09	-6.8	-3.17	-0.92	0.35	1.1
θ (15°)	0.42	0.72	0.52	-0.49	-2.75	-7.12	-20.45	-11.51	-4.84	-1.77	-0.32	0.2	0.28	-0.1	-0.92	-2.36	-5.16	-10.88	-29.37	-10.14	-5.05	-2.62	-1.19	-0.42	0.42
θ (30°)	0.51	1.04	[1.43]	0.64	-1.63	-5.8	-15.89	-14.49	-5.79	-1.62	0.35	0.83	0.3	-0.09	-0.1	-0.84	-3.1	-7.84	-22.18	-11.51	-4.78	-1.72	-0.4	-0.01	0.51
θ (45°)	-0.01	0.85	0.94	-0.64	-4.29	-10.24	-22.95	-14.41	-7.31	-2.94	-0.33	0.58	0.48	0.06	-0.78	-2.57	-5.17	-9.58	-23.97	-12.67	-5.55	-2.01	-0.55	-0.41	-0.01
θ (60°)	-1.44	-0.65	-0.33	-2.83	-8.06	-16.11	-44.27	-18.33	-13.62	-8.03	-2.72	-0.02	0.21	-1.44	-2.4	-2.13	-3.65	-8.26	-21.76	-12.76	-6.31	-3.56	-1.91	-1.33	-1.44
θ (75°)	-3.18	-2.5	-2.93	-6.52	-14.51	-24.4	-19.89	-16.72	-16.75	-11.74	-5.04	-1.98	-1.86	-3.09	-4.17	-4.55	-6.25	-10.71	-25.33	-13.84	-7.09	-4.96	-5.52	-5.26	-3.18
θ (90°)	-4.87	-3.55	-4.04	-7.76	-14.48	-19.39	-25.96	-23.26	-15.09	-18.49	-10.76	-4.25	-4.14	-6.44	-7.76	-8.61	-9.49	-13.35	-31.42	-12.61	-7.69	-7.06	-7.69	-7.1	-4.87
θ (105°)	-4.62	-5.77	-7.97	-12.63	-23.44	-33.88	-18.62	-14.15	-17.91	-15.76	-6.72	-4.16	-4.8	-6.56	-10.62	-8.58	-7.23	-10.29	-20.19	-14.01	-7.49	-6.7	-11.07	-9.61	-4.62
θ (120°)	-7.21	-7.91	-8.8	-11.32	-16.25	-19.78	-19.86	-24.2	-22.54	-14.28	-10.35	-9.71	-9.26	-8.32	-11.29	-23.45	-13.88	-13.69	-20.92	-19.92	-13.24	-12.25	-14.93	-10.45	-7.21
θ (135°)	-7.81	-9.46	-9.72	-9.65	-12.39	-19.16	-27.46	-16.57	-13.52	-11.88	-9.45	-8.75	-8.97	-8.45	-11.49	-21.95	-18.03	-17.6	-25.18	-23.02	-17.98	-22.63	-15.03	-9.48	-7.81
θ (150°)	-13.92	-13.76	-11.49	-9.85	-10.63	-13.74	-19.14	-25.72	-19.67	-13.41	-11.63	-12.73	-10.69	-7.48	-7.09	-9.64	-15.63	-27.84	-28.07	-24.23	-24.55	-38.55	-19.53	-14.45	-13.92
θ (165°)	-11.85	-12.26	-13.64	-15.18	-16.22	-18.31	-21.91	-19.61	-14.78	-11.99	-11.93	-14.5	-17.89	-15.08	-12.5	-12.42	-14.42	-19.08	-26.14	-21.64	-17.77	-15.46	-13.64	-13.09	-11.85
θ (180°)	-15.51	-14.76	-14.32	-15	-18.07	-24.49	-26.96	-17.88	-13.89	-11.96	-10.8	-10.45	-10.85	-11.72	-13.28	-15.57	-19.48	-26.76	-24.93	-20.94	-20.18	-18.31	-17.2	-16.07	-15.51

Ant.	No.2																								
Freq (MHz)	5895																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-20.35	-15.07	-7.63	-4.06	-1.97	-0.72	-0.1	-0.05	-0.67	-2.05	-4.37	-8.28	-16.1	-15.66	-8.07	-4.38	-2.28	-1.01	-0.36	-0.39	-0.96	-2.29	-4.6	-8.68	-20.35
θ (15°)	-16.96	-8.02	-3.3	-0.39	1.49	2.6	[3.08]	3	2.29	0.89	-1.41	-4.97	-10.42	-14.16	-9.14	-4.99	-2.43	-1.05	-0.58	-1.07	-2.53	-5.2	-9.45	-14.94	-16.96
θ (30°)	-10.18	-5.85	-1.69	0.71	2.02	2.43	2.64	2.74	2.56	1.95	0.58	-1.95	-5.38	-9.48	-10.89	-7.28	-4.1	-2.29	-1.47	-1.38	-2.22	-4.47	-8.66	-14.34	-10.18
θ (45°)	-7.49	-3.07	-0.49	0.72	1.11	1.07	1.33	1.14	1.19	1.51	1.32	-0.39	-3.88	-8.56	-11.47	-9.22	-6.27	-4.88	-4.25	-4.46	-5.47	-7.92	-12.09	-12.81	-7.49
θ (60°)	-5.24	-2.26	0.09	0.81	0.92	1.09	1.37	1.28	1.2	1.49	1.44	0.11	-3.4	-8.04	-9.9	-10.44	-9.6	-7.83	-7	-7.61	-9.72	-13.16	-14.24	-11.07	-5.24
θ (75°)	-5.04	-1.78	-0.13	0.38	0.7	1.13	1.34	1.39	0.74	0.23	0.13	-0.96	-3.85	-5.92	-6.31	-7.56	-9.06	-9.75	-9.77	-9.71	-10.18	-10.1	-10.05	-9.52	-5.04
θ (90°)	-5.85	-3.36	-1.44	-0.75	-0.47	-0.01	0.16	0.36	0.23	0.08	-0.25	-1.37	-3.25	-5.51	-6.65	-6.25	-6.76	-8.02	-9.33	-9.83	-9.34	-8.74	-8.63	-9.19	-5.85
θ (105°)	-4.88	-2.08	-1.23	-1.13	-1.01	-0.83	-0.96	-0.6	-0.74	-0.54	-1.15	-1.43	-2.7	-4.46	-5.48	-6.6	-7.63	-8.65	-9.85	-9.77	-8.6	-7.81	-7.86	-8.04	-4.88
θ (120°)	-8.96	-6.23	-4.01	-3.03	-2.4	-2.04	-2.13	-2.22	-2.93	-3.22	-3.37	-3.43	-4.81	-7.85	-8.87	-7.7	-7.41	-7.38	-7.39	-7.97	-9.67	-11.59	-10.32	-9.29	-8.96
θ (135°)	-7.29	-5.13	-4.35	-5.04	-6.27	-6.65	-6.69	-6.48	-5.93	-4.94	-4.18	-4.1	-5.42	-6.12	-6.26	-8.85	-12.41	-11.68	-11.18	-13.5	-17.87	-15.19	-11.89	-10.52	-7.29
θ (150°)	-16.66	-15.74	-15.22	-14.16	-11.83	-10.89	-10.97	-12.13	-14.19	-15.28	-14.04	-12.31	-12.51	-12.03	-10.45	-10.89	-14.72	-19.55	-16.63	-17.06	-23.82	-20.74	-15.61	-15.44	-16.66
θ (165°)	-21.24	-23.61	-22.8	-17.45	-13.16	-10.94	-9.97	-10.09	-11.36	-14.98	-19.31	-17.6	-16.44	-16.82	-16.23	-13.86	-12	-11.55	-12.19	-14.01	-17.33	-20.37	-19.99	-19.51	-21.24
θ (180°)	-23.13	-19.32	-16.4	-14.3	-12.91	-12.02	-12.02	-12.62	-13.88	-16.22	-19.7	-21.8	-19.59	-16.54	-14.92	-14.55	-15.07	-15.82	-16.46	-16.74	-18.27	-19.67	-22.19	-25.09	-23.13
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-0.08	-0.24	-0.97	-2.36	-4.86	-9.16	-19.16	-14.57	-7.57	-3.87	-1.84	-0.71	-0.37	-0.59	-1.45	-3.18	-5.78	-10.8	-24.14	-13.74	-7.22	-3.89	-1.84	-0.64	-0.08
θ (15°)	-0.39	0.07	-0.01	-1.08	-3.52	-8.42	-21.31	-10.23	-4.25	-1.44	-0.12	0.33	0.11	-0.47	-1.41	-2.99	-5.79	-11.49	-33.67	-10.22	-5.12	-2.84	-1.71	-1.21	-0.39
θ (30°)	-0.26	0.65	[1.02]	-0.21	-3.08	-8.29	-22.24	-12.63	-5.4	-1.58	0.42	0.98	0.43	-0.33	-0.82	-1.54	-3.43	-7.63	-20.37	-11.41	-4.45	-1.67	-0.91	-1.04	-0.26
θ (45°)	-0.29	1.02	0.55	-1.98	-6.78	-14.26	-27.98	-12.57	-7.39	-3.36	-0.36	0.97	0.49	-0.7	-1.36	-2.32	-4.81	-10.07	-22.84	-10.44	-4.33	-1.02	-0.12	-0.66	-0.29
θ (60°)	-1.24	-0.19	-0.89	-5.08	-12.14	-19.33	-28.81	-15.29	-13.08	-8.9	-3.15	-0.02	-0.01	-2.18	-2.21	-1.87	-3.98	-9.59	-28.53	-9.98	-5.14	-2.67	-1.06	-0.98	-1.24
θ (75°)	-2.02	-1.76	-3.89	-10.54	-18.42	-24.43	-21.95	-14.14	-12.6	-12.31	-6.15	-2.08	-2.25	-3.13	-3.12	-3.6	-5.79	-11.34	-28.69	-10.29	-4.93	-3.37	-3.22	-2.86	-2.02
θ (90°)	-3.39	-3.3	-5.78	-11.14	-13.92	-13.79	-23.04	-21	-13.01	-14.81	-10.5	-4.71	-4.08	-5.88	-7.37	-7.15	-8.43	-13.44	-38.29	-13.57	-9.35	-8.63	-7.67	-6.33	-3.39
θ (105°)	-5.54	-6.72	-9.84	-15.8	-17.03	-21.6	-20.6	-15.02	-13.37	-15.5	-8.62	-4.31	-4.53	-6.91	-8.84	-8.05	-8.86	-13.68	-21.02	-12.23	-8.78	-9.78	-11.17	-7.57	-5.54
θ (120°)	-8.8	-9.68	-11.11	-15.39	-21.4	-24.62	-24.95	-24.15	-18.72	-14.73	-10.54	-8.18	-7.65	-8.27	-11.29	-19.76	-14.84	-15.21	-22.69	-25.69	-16.13	-14.67	-18.91	-11.87	-8.8
θ (135°)	-10.32	-11.85	-11.18	-11.59	-16.1	-22.19	-27.23	-18.11	-15.65	-10.9	-8.18	-8.94	-9.87	-10.1	-14.93	-27.82	-17.01	-19.21	-37.61	-19.07	-17.97	-22	-12.62	-9.52	-10.32
θ (150°)	-12.74	-12.41	-11.27	-11.04	-12.9	-17.83	-25.46	-21.62	-15.2	-11.5	-11.17	-13.09	-11.76	-8.89	-9.66	-14.63	-26.94	-24.87	-19.66	-16.64	-16.36	-24.29	-22.53	-14.15	-12.74
θ (165°)	-12.43	-12.31	-12.41	-13.09	-15.5	-20.4	-25.51	-16.71	-13.1	-11.11	-11.07	-13.52	-16.88	-16.08	-15.43	-17.28	-23.45	-30.99	-21.23	-17.11	-15.45	-15.03	-14.1	-13.32	-12.43
θ (180°)	-19.29	-18.57	-18.7	-18.89	-19.97	-21.19	-21.81	-18.15	-14.46	-12.27	-10.96	-10.79	-11.29	-13.36	-16.27	-22.03	-27.38	-25.26	-21.92	-20.07	-18.84	-18.56	-19.03	-19.53	-19.29

Ant.	No.3																										
Freq. (MHz)	5200																										
Polarity	Theta																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	-16.38	-14.89	-7.24	-3.33	-1.05	0.35	1.03	[1.08]	0.5	-0.78	-2.99	-6.79	-13.69	-13.73	-6.69	-2.96	-0.8	0.48	1.02	0.96	0.41	-0.79	-2.98	-6.61	-16.38		
θ (15°)	-16.8	-13.07	-6.86	-3.57	-1.61	-0.53	-0.11	-0.27	-0.92	-2.31	-4.61	-8.75	-17.16	-12.85	-6.37	-3.01	-1.08	-0.03	0.37	0.19	-0.54	-1.99	-4.39	-7.26	-16.8		
θ (30°)	-16.04	-16.28	-9.69	-5.9	-3.71	-2.4	-1.87	-2.03	-2.77	-4.21	-6.9	-11.55	-23.2	-15.01	-8.3	-4.75	-2.72	-1.54	-0.98	-0.98	-1.56	-2.65	-4.6	-7.89	-16.04		
θ (45°)	-14.36	-12.21	-7.8	-5.45	-4.22	-3.8	-3.76	-4.22	-4.86	-6.02	-8.03	-12.04	-22.82	-15.1	-8.47	-5.36	-3.57	-2.52	-2.03	-2.01	-2.51	-3.53	-5.61	-8.06	-14.36		
θ (60°)	-16.72	-15.61	-12.17	-9.08	-7.38	-6.66	-6.56	-6.39	-6.22	-6.85	-8.7	-12.62	-18.95	-20.15	-12.3	-7.97	-5.75	-5.12	-5.06	-5.42	-6.03	-7.22	-9.5	-13.01	-16.72		
θ (75°)	-14.68	-11.57	-8.86	-7.68	-7.46	-7.39	-7.28	-7.49	-7.84	-8.87	-11.08	-16.87	-23.03	-12.76	-9.48	-8.14	-7.64	-7.53	-7.52	-7.7	-8.36	-9.45	-11.35	-13.32	-14.68		
θ (90°)	-18.83	-12.71	-8.81	-7.26	-6.97	-7.47	-8.26	-8.74	-9.27	-10.09	-12.11	-15.06	-17.93	-18.73	-14.99	-11.08	-8.99	-8.51	-9.02	-9.81	-10.94	-12.71	-16.33	-23.44	-18.83		
θ (105°)	-15.41	-12.63	-10.03	-8.98	-8.91	-9.23	-9.45	-9.35	-9.52	-10.15	-11.54	-13.42	-15.07	-15.09	-13.09	-11.48	-10.52	-10.02	-9.77	-9.99	-11.46	-14.9	-18.82	-18.46	-15.41		
θ (120°)	-17.14	-12.15	-9.38	-8.63	-8.77	-9.41	-10.07	-10.44	-10.31	-9.93	-9.75	-10.8	-13.37	-18.73	-27.23	-17.8	-13.89	-11.97	-11.15	-10.84	-11.03	-12.13	-14.59	-23.72	-17.14		
θ (135°)	-15.89	-15.08	-15.45	-17.7	-15.04	-11.05	-8.95	-8.41	-9.4	-11.33	-13.37	-13.32	-12.26	-12.28	-15.43	-21.86	-21.6	-18.05	-18.53	-21.42	-22.12	-19.22	-17.07	-16	-15.89		
θ (150°)	-16.21	-20.95	-17.52	-12.52	-9.83	-8.24	-7.44	-7.25	-7.87	-9.54	-13.04	-21.52	-24.89	-15.61	-12.61	-11.29	-10.6	-10.07	-9.63	-9.81	-10.5	-10.84	-11.12	-12.16	-16.21		
θ (165°)	-20.53	-26.42	-26.72	-19.73	-15.28	-12.82	-11.47	-11.25	-11.82	-13.38	-16.07	-20.15	-27.39	-25.13	-18.29	-16.17	-15.34	-15.32	-15.75	-17.06	-18.38	-19.25	-18.59	-19.02	-20.53		
θ (180°)	-31.24	-46.38	-28.66	-23.26	-20.34	-18.47	-17.42	-16.14	-16.05	-16.77	-18.56	-21.51	-26.91	-43.54	-26.32	-20.94	-18.79	-17.15	-16.1	-16.12	-16.62	-17.82	-19.94	-23.61	-31.24		
Polarity	Phi																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	0.74	0.79	0.33	-0.8	-2.82	-6.16	-13.02	-23.46	-8.91	-4.27	-1.57	0	0.81	[0.99]	0.53	-0.58	-2.7	-6.39	-13.66	-21.05	-8.72	-4.16	-1.62	-0.09	0.74		
θ (15°)	0.77	0.71	0	-1.41	-3.84	-8.18	-17.77	-16.45	-7.43	-3.52	-1.17	0.2	0.87	0.86	0.25	-1.08	-3.39	-7.35	-16.08	-17.73	-7.66	-3.52	-1.19	-0.14	0.77		
θ (30°)	0.28	0.25	-0.33	-1.65	-3.95	-7.75	-15.93	-19.84	-8.75	-4.44	-1.9	-0.33	0.43	0.45	-0.18	-1.57	-3.89	-7.66	-15.39	-21.75	-9.65	-5.01	-2.32	-0.65	0.28		
θ (45°)	-0.11	-0.17	-1.17	-2.97	-6.11	-11.55	-27.57	-15.02	-8.49	-5.04	-2.97	-1.57	-0.86	-0.71	-1.03	-2.32	-4.77	-9.38	-20.7	-15.72	-8.3	-4.33	-2.07	-0.91	-0.11		
θ (60°)	-0.11	-0.31	-1.31	-3.18	-6.23	-11.49	-22.34	-15.43	-9.58	-6.01	-3.56	-2.12	-1.37	-1.05	-1.28	-2.44	-4.66	-8.38	-14.92	-22.01	-10.23	-5.33	-2.5	-0.91	-0.11		
θ (75°)	-1.12	-1.74	-2.95	-4.91	-8.46	-13.91	-26.43	-16.45	-9.14	-5.07	-2.96	-2.15	-1.91	-1.91	-2.19	-3.14	-5.44	-9.45	-16.81	-24.94	-11.27	-5.74	-2.6	-1.38	-1.12		
θ (90°)	-1.97	-2.4	-3.07	-4.38	-6.92	-11.5	-22.65	-14.8	-8.82	-5.74	-3.79	-2.74	-2.24	-1.82	-2.1	-3.36	-5.92	-10.5	-20.81	-16.91	-8.84	-5.4	-3.15	-2.09	-1.97		
θ (105°)	-4.31	-4.28	-3.89	-4.85	-7.78	-13.47	-21.7	-15.5	-9.79	-5.75	-3.42	-2.98	-3.96	-4.51	-4.3	-4.85	-7.12	-12.07	-25.06	-16.35	-8.88	-5.25	-3.7	-3.7	-4.31		
θ (120°)	-6.46	-7.38	-7.93	-8.14	-9.21	-11.81	-18.38	-23.13	-11.14	-6.73	-5.2	-4.9	-4.98	-4.75	-4.53	-5.13	-7.27	-11.55	-19.33	-19.58	-11.57	-7.37	-5.24	-5.18	-6.46		
θ (135°)	-7.9	-8.21	-7.57	-7.26	-8.47	-12.1	-22.2	-19.5	-11.32	-8.17	-6.38	-5.45	-4.99	-4.94	-5.27	-6.67	-9.31	-14.14	-20.41	-16.61	-11.76	-8.65	-7.48	-7.42	-7.9		
θ (150°)	-14.18	-16.27	-17.2	-16.04	-16.1	-19.38	-28.28	-30.56	-18.77	-14.79	-12.75	-11.98	-11.22	-10.44	-9.97	-10.37	-12.53	-17.53	-31.22	-19.72	-15.27	-13.82	-12.98	-12.94	-14.18		
θ (165°)	-19.28	-18.52	-18.69	-18.79	-19.39	-22.32	-28.54	-31.23	-22.88	-19.83	-18.83	-19.47	-20.39	-18.45	-16.43	-16.8	-18.6	-22.17	-25.05	-26.43	-27.73	-31.96	-27.45	-22.69	-19.28		
θ (180°)	-17.98	-17.93	-18.78	-19.67	-20.96	-23.42	-28.28	-32.09	-26.73	-21.91	-19.53	-17.39	-16.23	-15.83	-16.24	-17.59	-19.66	-22.77	-28.72	-36.96	-28	-23.35	-20.72	-18.98	-17.98		

Ant.	No.3																								
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-16.02	-17.7	-7.69	-3.28	-0.77	0.71	1.44	1.55	1.16	0.02	-2.01	-5.54	-12.56	-16.51	-7.15	-2.84	-0.51	0.95	1.6	[1.66]	1.12	-0.05	-2.11	-5.58	-16.02
θ (15°)	-16.16	-12.96	-6.39	-3.09	-1.1	0.01	0.59	0.56	0.07	-1.06	-3.12	-6.84	-15.19	-14.6	-6.2	-2.35	-0.18	1.07	1.56	1.54	0.86	-0.54	-2.93	-5.84	-16.16
θ (30°)	-15.82	-15.51	-9.01	-5.44	-3.36	-2.25	-1.8	-1.83	-2.41	-3.46	-5.52	-9.18	-17.73	-15.62	-7.77	-3.97	-2.11	-0.99	-0.5	-0.49	-0.97	-2.03	-3.96	-7.41	-15.82
θ (45°)	-15.92	-11.68	-7.36	-5.21	-4.11	-3.66	-3.63	-3.94	-4.71	-5.97	-8.22	-12.37	-23.42	-15.17	-8.65	-5.22	-3.17	-2.05	-1.49	-1.5	-1.93	-3	-5.05	-7.82	-15.92
θ (60°)	-16.18	-14.79	-10.95	-8.55	-7.38	-6.95	-7.04	-7.29	-7.32	-7.55	-8.32	-10.16	-15.25	-30.17	-11.54	-6.96	-5.22	-4.83	-5	-5.43	-5.97	-6.79	-8.26	-11.35	-16.18
θ (75°)	-15.14	-10.84	-8.44	-7.92	-8.45	-8.88	-8.87	-8.71	-8.98	-9.72	-11.45	-15.97	-30.41	-15.2	-10.69	-8.84	-8.03	-7.58	-7.49	-7.5	-7.6	-8.04	-9.59	-11.78	-15.14
θ (90°)	-15.79	-14.48	-12.01	-9.84	-8.36	-8.1	-8.66	-9.47	-10.23	-11	-12.61	-15.52	-18.81	-19.94	-16.75	-11.98	-9.23	-8.77	-9.22	-10.01	-11.47	-14.77	-24.45	-23.68	-15.79
θ (105°)	-15.33	-11.59	-9.4	-8.65	-9.08	-9.62	-9.95	-9.89	-10.12	-11.06	-12.81	-14.59	-16.3	-17.16	-14.3	-12.07	-11.17	-10.83	-11.02	-11.79	-13.65	-17.26	-18.95	-17.36	-15.33
θ (120°)	-17.58	-14.9	-11.96	-10.25	-9.35	-9.34	-9.4	-9.46	-9.7	-10.01	-11.19	-13.54	-17.15	-20.2	-22.24	-23.24	-18.36	-15.36	-15	-15.06	-15.21	-15.46	-16.25	-19.4	-17.58
θ (135°)	-14.88	-13.59	-13.92	-14.86	-12.87	-9.93	-8.29	-8.17	-9.37	-11.48	-12.99	-13.25	-13.3	-14.72	-20.55	-25.58	-21.11	-18.48	-18.49	-20.25	-21.78	-21.23	-18.37	-15.9	-14.88
θ (150°)	-13.96	-18.51	-22.89	-15.37	-11.27	-9.23	-8.42	-8.2	-8.95	-11.06	-15.51	-27.43	-18.43	-13.03	-11.36	-11.44	-11.12	-11.01	-10.77	-10.79	-10.61	-10.45	-9.96	-10.31	-13.96
θ (165°)	-17.35	-19.81	-26.6	-20.62	-15.47	-12.59	-11.12	-11.06	-11.83	-13.97	-17.62	-24.86	-26.76	-20.11	-16.15	-14.84	-14.06	-13.93	-14.02	-14.54	-15.26	-15.51	-15.63	-15.95	-17.35
θ (180°)	-25.08	-27.31	-30.96	-29.49	-26.33	-24.15	-21.76	-19.4	-18.79	-19.21	-20.97	-23.49	-27.26	-36.19	-37.71	-27.73	-24.4	-22.34	-20.44	-19.29	-19.02	-20.03	-20.92	-23.15	-25.08
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	1.65	1.64	1.17	0.09	-1.89	-5.35	-12.51	-19.62	-7.52	-2.94	-0.4	1.04	1.75	[1.81]	1.16	-0.16	-2.45	-6.45	-15	-16.5	-6.97	-3.03	-0.58	0.82	1.65
θ (15°)	1.55	1.36	0.55	-0.92	-3.47	-7.78	-17.42	-16.2	-7.16	-3.15	-0.7	0.85	1.65	1.75	1.11	-0.34	-2.8	-7.19	-17.74	-14.42	-6.12	-2.33	-0.13	0.81	1.55
θ (30°)	1.17	1.07	0.26	-1.23	-3.73	-7.9	-17.47	-18.32	-8.74	-4.43	-1.64	0.15	1.11	1.28	0.63	-0.84	-3.62	-8.12	-17.02	-16.85	-7.87	-3.68	-1.16	0.41	1.17
θ (45°)	0.55	0.32	-0.61	-2.39	-5.25	-10.12	-21.78	-15.64	-8.08	-4.31	-1.82	-0.36	0.38	0.48	-0.14	-1.66	-4.41	-9.23	-21.16	-14.39	-7.2	-3.51	-1.23	-0.15	0.55
θ (60°)	0.65	0.38	-0.78	-2.84	-6	-11.19	-27.4	-16.36	-9.4	-5.71	-2.98	-1.21	-0.02	0.43	0.03	-1.45	-4.27	-8.56	-16.16	-17.88	-9.15	-4.71	-1.88	-0.12	0.65
θ (75°)	-0.22	-0.83	-1.88	-3.63	-6.65	-11.86	-23.9	-17.61	-9.46	-5.13	-2.72	-1.67	-1.19	-0.92	-1.13	-2.56	-5.22	-9.34	-17.16	-23.55	-10.32	-4.74	-1.74	-0.58	-0.22
θ (90°)	-0.78	-1.28	-2.44	-4.3	-7.34	-12.36	-27.03	-15.79	-9.09	-5.89	-3.79	-2.46	-1.55	-1	-1.26	-2.83	-5.9	-10.66	-20.23	-18.83	-10.26	-5.93	-2.86	-1.11	-0.78
θ (105°)	-3.06	-3.35	-3.25	-4.05	-6.7	-12.44	-25.01	-14.79	-8.88	-5.07	-3.18	-2.74	-3.58	-3.74	-3.36	-4.1	-6.42	-10.81	-20.73	-18.05	-8.84	-4.46	-2.7	-2.52	-3.06
θ (120°)	-5.07	-5.85	-6.4	-7.28	-9.05	-12.36	-20.35	-19.92	-10.39	-6.43	-4.7	-4.18	-4.17	-3.84	-3.52	-4.19	-6.15	-10.08	-17.52	-20.46	-11.12	-6.71	-4.51	-4.07	-5.07
θ (135°)	-6.22	-6.85	-7.25	-7.36	-8.81	-12.66	-26.37	-16.71	-10.35	-7.54	-5.86	-4.94	-4.46	-4.2	-4.25	-5.49	-7.98	-12.48	-19.73	-17.35	-11.25	-7.94	-6.31	-5.95	-6.22
θ (150°)	-11.82	-13.3	-13.64	-13.24	-14.05	-17.52	-23.91	-23.35	-15.49	-11.42	-9.14	-8.16	-7.86	-7.95	-8.39	-9.2	-11.91	-16.97	-31.78	-21.18	-15.36	-12.39	-10.84	-10.91	-11.82
θ (165°)	-31.83	-32.19	-22.2	-19.54	-18.74	-20.83	-26.71	-39.68	-23.93	-19.5	-17.81	-16.77	-16.17	-15.74	-14.79	-15.84	-17.77	-22.41	-34.51	-29.84	-24.54	-23.6	-24.56	-25.43	-31.83
θ (180°)	-22.12	-22.42	-22.04	-21.32	-21.66	-21.58	-22.28	-27.07	-33.17	-36.4	-26.31	-22.17	-19.65	-18.55	-18.61	-19.13	-19.1	-21.15	-23.43	-30.36	-39.24	-33.49	-26.83	-24.71	-22.12

Ant.	No.3																												
Freq. (MHz)	5600																												
Polarity	Theta																												
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)				
θ (0°)	-18.65	-18.42	-7.43	-3.05	-0.59	0.91	1.64	1.77	1.17	0.02	-2.17	-6.01	-14.52	-17.3	-6.73	-2.51	-0.14	1.2	1.77	[1.78]	1.16	-0.13	-2.29	-5.93	-18.65				
θ (15°)	-17.97	-12.18	-5.63	-2.26	-0.24	1.01	1.58	1.65	1.18	0.02	-2.05	-5.74	-13.98	-17.65	-6.59	-2.51	-0.35	0.9	1.38	1.26	0.5	-0.98	-3.56	-6.52	-17.97				
θ (30°)	-15.11	-12.8	-7.29	-3.86	-1.83	-0.53	0.09	0.27	-0.05	-1.02	-2.91	-6.49	-14.47	-17.69	-7.68	-3.71	-1.62	-0.51	-0.04	-0.08	-0.63	-1.84	-4.1	-8	-15.11				
θ (45°)	-15.07	-9.87	-6.16	-3.74	-2.38	-1.68	-1.4	-1.44	-1.99	-3.26	-5.69	-10.51	-23.41	-14.85	-8.03	-4.85	-3.11	-2.26	-1.85	-1.8	-2.07	-3.1	-5.43	-8.72	-15.07				
θ (60°)	-14.08	-10.66	-7.04	-5.35	-4.93	-4.8	-5.04	-5.24	-5.32	-5.36	-5.96	-8.01	-13.46	-20.77	-9.15	-5.27	-3.92	-3.7	-3.84	-4.17	-4.51	-5.18	-6.61	-10.04	-14.08				
θ (75°)	-14.8	-8.8	-6.57	-6.21	-7.12	-8.15	-8.38	-7.97	-7.59	-7.83	-8.93	-12.19	-21.35	-16.51	-9.42	-7.26	-6.79	-6.93	-7.1	-6.97	-6.83	-7.13	-8.56	-11.26	-14.8				
θ (90°)	-13.48	-10.14	-8	-7.21	-7.68	-8.88	-10.39	-11.52	-11.55	-10.66	-9.58	-10.04	-12.9	-16.06	-11.7	-8.42	-7.96	-8.64	-9.87	-10.76	-11.51	-12.08	-14	-17.2	-13.48				
θ (105°)	-13.14	-9.34	-7.88	-8.11	-9.19	-10.26	-10.51	-10.5	-10.74	-10.84	-10.41	-10.27	-12.04	-14.84	-12.02	-9.74	-9.28	-9.8	-10.72	-11.55	-12.09	-12.92	-15.1	-16.76	-13.14				
θ (120°)	-14.72	-12.2	-11.31	-10.85	-10.11	-9.99	-10.56	-10.81	-10.71	-11.36	-11.8	-11.67	-11.45	-14.97	-47.34	-15.4	-10.53	-9.73	-10.33	-11.9	-13.75	-16.22	-20.2	-23.97	-14.72				
θ (135°)	-14.11	-12.64	-11.91	-11.72	-10.42	-8.16	-6.71	-6.84	-8.38	-11.26	-14.8	-16.08	-16.19	-18.23	-24.04	-17.34	-13.4	-11.66	-10.78	-10.56	-12.07	-17.07	-30.32	-17.6	-14.11				
θ (150°)	-12.89	-15.13	-19	-16.12	-11.45	-9.04	-8.17	-8.47	-9.47	-11.17	-13.08	-14.01	-12.8	-11.51	-12.15	-15.05	-16.87	-16.09	-15.22	-16.21	-17.22	-16.13	-13.68	-11.83	-12.89				
θ (165°)	-16.45	-18.18	-18.34	-15.72	-13.3	-11.55	-10.81	-11.09	-12.49	-14.5	-17.33	-19.17	-18.6	-18.13	-16.77	-17.23	-16.27	-15.57	-15.65	-16.38	-16.9	-16.03	-15.61	-15.63	-16.45				
θ (180°)	-28.33	-40.52	-23.66	-18.35	-15.48	-13.79	-12.69	-12.51	-12.57	-13.24	-14.63	-17.18	-22.85	-41.29	-23.62	-17.09	-13.58	-11.9	-11.07	-10.98	-11.59	-12.96	-15.23	-19.29	-28.33				
Polarity	Phi																												
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)				
θ (0°)	1.85	1.72	1	-0.43	-2.95	-7.08	-16.92	-13.92	-5.95	-2.31	-0.16	1.11	1.64	1.58	0.92	-0.53	-2.95	-7.62	-19.47	-13.14	-5.69	-1.98	0.03	1.25	1.85				
θ (15°)	[1.99]	1.72	0.94	-0.5	-2.83	-6.96	-15.88	-14.58	-6.13	-2.31	0.14	1.46	1.99	1.8	0.94	-0.75	-3.62	-8.87	-23.22	-10.55	-4.48	-1.25	0.57	1.39	1.99				
θ (30°)	1.47	1.44	0.89	-0.28	-2.35	-5.96	-13.04	-20.85	-8	-3.16	-0.44	1.09	1.75	1.74	0.89	-0.88	-3.54	-8.08	-18.22	-15.85	-7.06	-3.14	-0.69	0.69	1.47				
θ (45°)	1.1	1.12	0.62	-0.67	-3.37	-8.02	-18.92	-14.92	-6.62	-2.44	0.02	1.22	1.56	1.16	0.08	-1.83	-4.76	-9.62	-20.69	-15.68	-7.48	-3.2	-0.73	0.34	1.1				
θ (60°)	0.7	0.78	0.45	-0.79	-3.14	-7.14	-14.75	-18.26	-8.56	-3.94	-1.25	0.29	0.75	0.71	0.15	-1.39	-4.47	-9.85	-25.51	-14.13	-7.53	-4.22	-1.84	-0.23	0.7				
θ (75°)	-0.72	-0.06	-0.07	-1.43	-4.8	-10.74	-27.18	-14.84	-7.52	-3.11	-0.59	0.23	0.18	-0.04	-0.46	-2.16	-5.22	-10.14	-18.93	-14.66	-7.4	-3.67	-1.86	-1.31	-0.72				
θ (90°)	-1.32	-1.47	-1.33	-1.89	-3.91	-8.03	-14.9	-17.3	-7.67	-3.25	-1.47	-1.51	-2.33	-2.34	-1.74	-2.24	-4.35	-8.77	-16.8	-21.63	-10.26	-4.93	-1.86	-0.89	-1.32				
θ (105°)	-2.54	-2.04	-1.46	-1.97	-4.26	-9.53	-28.9	-12.48	-6.87	-3.56	-1.93	-2.26	-3.05	-2.7	-1.91	-2.52	-5.01	-10.13	-22.43	-16.25	-8.49	-4.57	-2.65	-2.27	-2.54				
θ (120°)	-4.35	-4.7	-4.29	-4.22	-5.87	-9.5	-16.8	-22.11	-10.27	-5.67	-3.7	-3.48	-4.38	-4.46	-3.52	-3.19	-4.26	-7.54	-14.65	-24.12	-9.94	-5.33	-3.4	-3.2	-4.35				
θ (135°)	-4.86	-5.93	-6.64	-7.01	-8	-11.24	-20.78	-18.56	-10.2	-6.87	-5.57	-5.48	-5.2	-4.31	-3.64	-4.12	-5.94	-9.2	-15.01	-28.22	-13.64	-8.11	-5.37	-4.5	-4.86				
θ (150°)	-13.04	-15.26	-14.34	-12.16	-11.83	-14.62	-23.7	-24.28	-14.92	-10.95	-9	-8.72	-8.78	-8.94	-8.58	-8.78	-10.99	-15.77	-23.28	-19.44	-13.35	-10.5	-9.16	-10.08	-13.04				
θ (165°)	-21.49	-17.79	-15.74	-14.88	-15.53	-18.87	-25.47	-30.63	-20.99	-17.05	-14.98	-14.64	-14.71	-14.69	-13.74	-14.36	-17.13	-21.99	-33.01	-28.46	-23.73	-23.12	-24.58	-25.55	-21.49				
θ (180°)	-12.95	-12.67	-12.97	-14.03	-15.86	-19.3	-25.67	-45	-24.39	-19.53	-16.29	-14.43	-13.27	-12.72	-12.76	-13.26	-14.34	-16.87	-21.32	-33.03	-26.03	-19.03	-15.81	-13.96	-12.95				

Ant.	No.3																									
Freq. (MHz)	5785																									
Polarity	Theta																									
	φ φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)	
dB	θ (0°)	-20.46	-15.22	-6.36	-2.32	0.02	1.4	2.05	2.09	1.45	0.1	-2.33	-6.37	-16.65	-14.36	-5.67	-1.76	0.49	1.7	[2.23]	2.19	1.58	0.22	-2.01	-5.93	-20.46
	θ (15°)	-16.85	-12.47	-5.74	-2.4	-0.4	0.76	1.3	1.32	0.79	-0.38	-2.59	-6.62	-17.29	-14.1	-5.6	-1.95	0.12	1.25	1.67	1.48	0.63	-0.85	-3.37	-6.31	-16.85
	θ (30°)	-14.14	-14.32	-8.74	-4.71	-2.29	-0.91	-0.27	-0.04	-0.33	-1.33	-3.28	-7.02	-15.18	-19.83	-9.03	-4.77	-2.53	-1.3	-0.7	-0.54	-1.08	-2.3	-4.34	-7.67	-14.14
	θ (45°)	-14.47	-10.7	-7.4	-4.82	-3.12	-2.3	-1.93	-1.83	-2.27	-3.68	-6.49	-12.05	-26.85	-15.06	-9.19	-5.96	-4.06	-3.06	-2.61	-2.48	-2.88	-4.21	-6.95	-10.13	-14.47
	θ (60°)	-14.97	-11.54	-8.05	-5.97	-5.06	-4.59	-4.51	-4.6	-4.83	-5.22	-6.33	-9.2	-15.2	-20.93	-10.43	-6.1	-4.42	-4.05	-3.92	-4.2	-4.86	-6.13	-8.34	-12.45	-14.97
	θ (75°)	-15.83	-9.57	-6.81	-6.28	-6.43	-6.94	-7	-6.74	-6.45	-7.19	-9.08	-12.84	-23.02	-17.64	-12.32	-10.3	-9.17	-8.25	-8.06	-7.81	-7.59	-7.86	-9.57	-12.85	-15.83
	θ (90°)	-15.86	-11.17	-8.31	-7.39	-7.57	-8.65	-10.37	-11.48	-11.19	-9.94	-9.41	-10.43	-12.96	-16.36	-13.06	-9.43	-8.1	-8.25	-9.06	-10.03	-11.2	-12.73	-15.23	-23.42	-15.86
	θ (105°)	-13.95	-9.05	-7.27	-7.65	-8.9	-9.88	-9.95	-9.86	-9.56	-9.09	-8.31	-9.06	-11.92	-18.14	-14.05	-11.45	-11.58	-12.21	-12.29	-11.88	-11.7	-12.69	-17.21	-31.79	-13.95
	θ (120°)	-18.35	-14.22	-11.47	-9.65	-9	-9.42	-10.6	-11.41	-11.12	-10.92	-11.43	-11.87	-12.83	-18.85	-17.71	-10.49	-8.35	-7.87	-8.65	-9.87	-11.52	-14.42	-18.13	-28.73	-18.35
	θ (135°)	-14.63	-13.07	-12.36	-12.06	-10.69	-8.24	-6.52	-6.03	-6.97	-9.26	-12.62	-16.55	-18.71	-22.09	-24.87	-17.78	-14.31	-12.38	-11.85	-11.51	-12.29	-15.35	-21.76	-19.43	-14.63
	θ (150°)	-15.66	-18.15	-21.71	-15.43	-11.07	-8.66	-7.92	-8.19	-9.33	-11.14	-13.18	-15.69	-16.11	-14.7	-14.29	-14.49	-13.51	-11.96	-11.56	-12.58	-14.7	-17.09	-16.36	-14.51	-15.66
	θ (165°)	-17.97	-19.6	-19.66	-16.28	-13.58	-11.49	-10.4	-10.39	-11.38	-12.78	-15.16	-17.97	-20.67	-20.53	-18.6	-15.79	-14.09	-13.86	-14.31	-16.04	-17.68	-18.49	-17.84	-17.88	-17.97
	θ (180°)	-27.3	-28.77	-21.77	-17.52	-14.91	-13.44	-12.47	-12.15	-12.22	-13.18	-14.97	-18	-23.55	-29.79	-22.49	-17.44	-14.76	-13.18	-12.37	-12.06	-12.28	-13.29	-16.16	-20.86	-27.3
Polarity	Phi																									
	φ φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)	
dB	θ (0°)	2.17	2.04	1.33	-0.11	-2.44	-6.62	-16.67	-13.94	-5.52	-1.74	0.49	1.69	[2.23]	2.1	1.31	-0.16	-2.86	-7.64	-22.1	-11.88	-5.14	-1.72	0.35	1.53	2.17
	θ (15°)	1.86	1.49	0.57	-1.05	-3.73	-8.73	-21.05	-12.86	-5.73	-2.16	0.07	1.39	1.93	1.81	1.06	-0.62	-3.66	-9.15	-34.56	-10.42	-4.3	-1.28	0.55	1.34	1.86
	θ (30°)	1.71	1.57	0.8	-0.64	-3.2	-7.45	-16.46	-17.29	-7.58	-3.03	-0.37	1.22	1.81	1.72	0.93	-0.71	-3.25	-7.8	-18.08	-14.24	-6.14	-2.32	-0.07	1.14	1.71
	θ (45°)	1.32	1.2	0.43	-1.27	-4.27	-9.21	-19.3	-17.63	-7.98	-3.31	-0.52	0.95	1.6	1.25	0.08	-2.04	-5.22	-9.97	-20.01	-16.74	-7.75	-3.19	-0.61	0.49	1.32
	θ (60°)	0.7	0.62	0.04	-1.38	-3.9	-7.68	-15.06	-17.08	-7.8	-3.72	-1.55	-0.3	0.46	0.91	0.66	-0.86	-3.87	-9.58	-24.02	-14.64	-8.98	-5.42	-2.34	-0.25	0.7
	θ (75°)	0.17	0.38	-0.1	-1.91	-5.32	-11.57	-40.67	-15.3	-9.98	-5.51	-2.11	-0.16	0.94	1.21	0.35	-1.83	-5.21	-10.27	-19.33	-13.49	-7.29	-4	-1.98	-0.93	0.17
	θ (90°)	-1.24	-1.26	-0.88	-1.48	-3.82	-7.88	-14.06	-21.83	-9.03	-3.66	-1.28	-0.73	-1.05	-1.32	-1.31	-2.2	-4.73	-9.42	-17.42	-22.14	-10.79	-4.73	-1.61	-0.73	-1.24
	θ (105°)	-2.58	-2.85	-2.22	-2.33	-4.17	-9.12	-24.52	-10.92	-5.23	-2.51	-1.5	-2.33	-3.54	-2.92	-1.42	-1.75	-4.57	-10.11	-24.1	-16.52	-9.18	-4.63	-2.22	-1.77	-2.58
	θ (120°)	-5.39	-5.35	-4.37	-4.06	-5.76	-10.49	-23.32	-16.41	-8.9	-4.75	-2.97	-3.23	-4.81	-5.08	-3.86	-3.27	-4.54	-7.23	-13.69	-25.42	-9.8	-5	-3.53	-3.92	-5.39
	θ (135°)	-5.44	-6.79	-7.82	-8.46	-9.81	-13.01	-22.62	-18.62	-10.07	-6.49	-5.42	-5.7	-5.83	-5.51	-4.82	-5.02	-6.81	-9.9	-14.71	-33.96	-13.61	-7.85	-5.48	-4.85	-5.44
	θ (150°)	-11.55	-13.1	-12.63	-11	-10.97	-13.42	-20.58	-21.24	-13.92	-10.61	-9.19	-8.45	-8.3	-8.18	-8.29	-9.26	-12	-18.12	-22.53	-17	-14.25	-12.81	-11.42	-10.66	-11.55
	θ (165°)	-23.56	-18.87	-17.2	-16.07	-16.66	-19.47	-27.6	-28.5	-20.22	-16.19	-14.36	-13.38	-13.03	-12.8	-12.42	-14.31	-17.57	-22.49	-25.66	-22.5	-19.89	-20.64	-23.84	-24.78	-23.56
	θ (180°)	-14.57	-14.64	-15.03	-16.15	-17.7	-20.04	-23.82	-26.41	-26.08	-20.78	-17.44	-15.03	-13.67	-12.95	-12.97	-13.54	-14.94	-17.34	-21.59	-27.98	-25.6	-20.09	-16.48	-14.37	-14.57

Ant.	No.3																								
Freq (MHz)	5895																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-19.2	-13.91	-5.46	-1.53	0.7	2.05	2.7	[2.73]	2.12	0.81	-1.47	-5.44	-14.5	-13.99	-5.32	-1.39	0.84	2.12	2.7	2.64	1.97	0.56	-1.79	-5.95	-19.2
θ (15°)	-17.94	-8.98	-4.02	-1.34	0.21	1.31	1.8	1.66	1.25	0.09	-1.99	-5.83	-13.97	-13.98	-5.64	-1.83	0.29	1.46	1.9	1.6	0.71	-1.09	-3.94	-7.28	-17.94
θ (30°)	-19.91	-12.3	-6.98	-3.74	-1.91	-1.03	-0.58	-0.49	-0.9	-2.1	-4.21	-8.36	-17.56	-12.72	-6.52	-3.41	-1.79	-0.87	-0.43	-0.52	-1.07	-2.4	-4.93	-9.52	-19.91
θ (45°)	-18.74	-12.32	-8.68	-5.61	-3.89	-3.03	-2.47	-2.61	-3.18	-4.63	-7.8	-13.89	-29.97	-15.48	-9.52	-6.41	-4.82	-3.95	-3.7	-3.87	-4.01	-4.94	-8.37	-13.04	-18.74
θ (60°)	-20.78	-13.8	-8.85	-5.9	-4.74	-4.34	-4.2	-4.57	-4.77	-5.62	-7.72	-10.95	-16.77	-29.86	-14.39	-9.07	-6.71	-6.03	-5.89	-6.45	-7.46	-8.4	-10.85	-16.92	-20.78
θ (75°)	-18.49	-11.25	-8.52	-7.2	-6.07	-5.83	-5.89	-5.42	-5.21	-5.96	-7.99	-11.95	-18.82	-14.57	-11.11	-10.25	-11.06	-12.06	-12.1	-11.4	-11.28	-11.42	-13.73	-20.04	-18.49
θ (90°)	-16.04	-12.51	-8.86	-6.54	-6.28	-6.63	-6.87	-7.97	-7.86	-8.67	-9.61	-13.89	-18.26	-23.05	-17.45	-12.28	-9.65	-8.43	-8.44	-9.11	-11.18	-13.28	-16.45	-20.31	-16.04
θ (105°)	-16.29	-10.53	-8.28	-7.9	-8.66	-11.33	-10.91	-10.78	-8.01	-8.74	-7.88	-10.93	-21.34	-21.73	-15.21	-13.83	-14.72	-16.57	-17.04	-14.64	-12.6	-13.33	-16.9	-25.53	-16.29
θ (120°)	-16.8	-15.33	-14.13	-12.02	-10.47	-8.36	-8.14	-8.35	-10.4	-15.94	-14.65	-18.03	-17.22	-20.14	-23.19	-12.32	-9.26	-8.5	-8.76	-9.92	-11.95	-14.32	-16.69	-18.98	-16.8
θ (135°)	-16.27	-13.83	-12.71	-9.83	-7.86	-7.4	-6.15	-6.14	-6.01	-6.91	-9.86	-13.67	-17.83	-20.37	-21.91	-27.95	-26.03	-18.13	-14.18	-12.06	-12.38	-16.46	-20.49	-18.52	-16.27
θ (150°)	-18.38	-21.78	-32.74	-19.03	-13.83	-10.29	-7.71	-7.94	-9.67	-10.84	-11.76	-14.25	-12.58	-10.15	-9.23	-8.92	-10.72	-11.42	-12.63	-15	-17.97	-19.39	-18.43	-17.37	-18.38
θ (165°)	-22.85	-24.84	-19.49	-14.11	-11.05	-9.15	-8.22	-8.45	-10.37	-13.78	-18.11	-22.19	-19.9	-17.54	-15.95	-14.66	-14.77	-15.24	-17.26	-17.87	-16.6	-16.66	-17.29	-18.99	-22.85
θ (180°)	-24.48	-20.53	-16.91	-14.92	-14.04	-13.46	-13.47	-14.03	-15.34	-17.67	-21.96	-28.29	-23.32	-19.61	-16.55	-14.88	-13.44	-12.75	-12.58	-13.16	-14.67	-17.88	-23.84	-36.12	-24.48
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	2.57	2.41	1.61	0.09	-2.49	-7.24	-20.63	-11.29	-4.25	-0.79	1.16	2.28	2.77	2.6	1.89	0.33	-2.25	-6.91	-18.95	-11.8	-4.39	-0.95	1.02	2.18	2.57
θ (15°)	2.26	1.95	0.81	-1.28	-3.88	-9.22	-27.45	-10.54	-4.34	-1.04	1.01	2.31	[2.86]	2.73	1.98	0.3	-2.55	-8.01	-27.33	-9.7	-3.72	-0.55	1.12	1.87	2.26
θ (30°)	2.05	1.73	0.67	-1.23	-4.2	-8.79	-18.87	-16.09	-7.28	-2.89	-0.08	1.58	2.37	2.28	1.26	-0.64	-3.54	-8.41	-21.45	-13.54	-5.76	-1.64	0.6	1.77	2.05
θ (45°)	1.91	1.23	-0.17	-2.13	-5.39	-10.46	-23.1	-15.39	-7.76	-3.29	-0.48	1.28	2.06	1.58	0	-2.74	-6.72	-13.1	-25.04	-15.7	-7.72	-2.83	-0.19	0.94	1.91
θ (60°)	1.21	0.97	0.03	-1.53	-4.44	-9.04	-17.16	-20.42	-8.8	-3.58	-0.9	0.62	1.48	1.59	0.78	-1.2	-4.77	-10.94	-39.08	-13.82	-8.33	-4.34	-1.62	0.4	1.21
θ (75°)	0.78	0.33	-0.9	-3.23	-6.54	-10.72	-20.48	-13.11	-6.63	-3.22	-0.81	0.68	1.19	0.83	-0.53	-3	-6.57	-12.21	-24.14	-14.33	-7.72	-4.09	-1.69	-0.32	0.78
θ (90°)	-0.41	-0.94	-1.83	-2.47	-4.63	-9	-18.61	-20.62	-10.32	-4.33	-1.47	-0.53	-0.36	-0.34	-0.99	-2.98	-7.12	-12.79	-18.3	-18.96	-11.08	-5.35	-1.97	-0.75	-0.41
θ (105°)	-2.74	-2.51	-2.18	-2.62	-5.59	-10.67	-26.59	-9.47	-4.62	-1.84	-1.67	-2.49	-2.87	-2.04	-1.3	-2.16	-5.13	-11.77	-27.37	-12.31	-7.44	-4.11	-2.18	-1.96	-2.74
θ (120°)	-6.11	-5.29	-3.16	-2.67	-3.87	-8.61	-18.86	-13.45	-7.99	-3.89	-2.88	-3.4	-4.28	-4.12	-2.96	-2.88	-4.31	-7.23	-13.05	-17.31	-8.47	-4.59	-3.48	-4.28	-6.11
θ (135°)	-5.92	-6.78	-6.42	-6.78	-8.99	-11.17	-30.96	-18.8	-9.49	-5.74	-6.27	-7.25	-6.36	-5.1	-4.11	-4.7	-7.01	-10.65	-15.44	-38.22	-12.53	-7.3	-5.14	-4.95	-5.92
θ (150°)	-10.29	-10.33	-9.21	-8.77	-9.53	-11.55	-18.52	-18.31	-14.23	-12.79	-9.37	-8.05	-8.24	-8.61	-9.09	-10.68	-13.38	-19.78	-20.55	-17.72	-15.54	-12.52	-10.29	-9.49	-10.29
θ (165°)	-23.62	-18.01	-15.37	-14.46	-14.58	-16.31	-22.54	-22.6	-15.84	-13.2	-12.86	-13.8	-15.34	-16.87	-19.88	-25.25	-36.35	-23.84	-21.05	-19.39	-19.89	-22.51	-23.96	-26.26	-23.62
θ (180°)	-14.63	-15.07	-16.69	-19.32	-23.1	-31.3	-29.48	-22.73	-19.53	-16.7	-14.93	-14.14	-14.4	-14.59	-15.53	-17.34	-18.16	-21.69	-34.72	-23.25	-18.21	-15.13	-13.89	-13.8	-14.63

Directional Gain@1SS:

1SS																									
Freq. (MHz)	2450																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-18.75	-17.35	-12.27	-8.83	-6.64	-5.35	-4.7	-4.71	-5.28	-6.58	-8.67	-11.87	-15.41	-14.09	-10.2	-7.64	-6.11	-5.33	-5.08	-5.35	-6.24	-7.75	-10.09	-13.77	-18.75
θ (15°)	-14.08	-14.77	-11.43	-8.51	-6.46	-5.12	-4.33	-4.04	-4.2	-4.83	-5.93	-7.37	-9.07	-9.9	-8.65	-6.81	-5.53	-4.86	-4.78	-5.28	-6.31	-7.9	-9.72	-10.86	-14.08
θ (30°)	-6.92	-7.01	-7.21	-6.88	-5.65	-4.5	-3.97	-3.95	-4.34	-4.68	-4.63	-4.37	-4.14	-4.09	-4.07	-4.02	-3.72	-3.37	-3.39	-3.85	-4.59	-5.15	-5.45	-5.63	-6.92
θ (45°)	-1.36	-1.42	-1.23	-1.06	-0.97	-0.86	-0.74	-0.66	-0.73	-1.02	-1.46	-1.73	-1.65	-1.4	-1.16	-0.96	-0.8	-0.6	-0.39	-0.18	0.01	0.1	-0.01	-0.23	-1.36
θ (60°)	1.34	1.41	1.73	2	2.04	1.97	1.9	1.88	1.82	1.73	1.62	1.42	1.22	1.35	1.81	2.19	2.3	2.19	2.09	2.07	2.13	2.19	2.09	1.82	1.34
θ (75°)	1.96	1.89	1.89	1.81	1.7	1.54	1.38	1.33	1.35	1.3	1.15	1.2	1.55	1.8	1.81	1.56	1.2	0.86	0.62	0.61	0.87	1.29	1.66	1.84	1.96
θ (90°)	1.08	0.92	0.27	-0.36	-0.61	-0.66	-0.91	-1.34	-1.43	-0.8	0.01	0.51	0.8	0.86	0.5	-0.03	-0.36	-0.48	-0.24	0	0.14	0.16	0.16	0.51	1.08
θ (105°)	2.1	2	1.86	1.76	1.66	1.58	1.45	1.28	1.11	1.21	1.61	1.85	1.6	1.17	1.34	1.94	2.39	2.54	2.55	2.5	2.45	2.39	2.34	2.39	2.1
θ (120°)	3.38	3.44	3.41	3.18	2.86	2.59	2.47	2.51	2.66	2.73	2.65	2.58	2.6	2.39	1.99	1.75	1.83	1.95	1.97	1.97	2.22	2.81	3.36	[3.56]	3.38
θ (135°)	2.76	2.42	1.85	1.34	0.98	0.71	0.56	0.58	0.9	1.5	2.11	2.31	1.97	1.1	0.06	-0.88	-1.55	-1.94	-2.04	-1.66	-0.76	0.39	1.46	2.07	2.76
θ (150°)	-0.65	-0.59	-0.89	-1.54	-1.17	-0.31	0.03	-0.23	-1.13	-2.43	-3.1	-2.99	-2.76	-2.78	-3.19	-3.7	-2.65	-1.5	-0.91	-0.85	-1.34	-2.33	-3.33	-2.59	-0.65
θ (165°)	-5.32	-6.02	-6.79	-6.83	-6.17	-5.51	-5.28	-5.51	-6.07	-6.71	-7.23	-7.39	-7.17	-6.7	-6.06	-5.37	-4.69	-4.23	-4.02	-4.09	-4.39	-4.79	-5.14	-5.34	-5.32
θ (180°)	-16.84	-16.32	-8.45	-4.52	-2.25	-0.96	-0.34	-0.37	-0.99	-2.29	-4.46	-7.87	-12.26	-12.97	-8.14	-4.72	-2.69	-1.39	-0.78	-0.75	-1.3	-2.45	-4.52	-8.1	-16.84
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-5.17	-5.4	-6.21	-7.65	-9.87	-12.83	-14.4	-12.38	-9.52	-7.37	-5.97	-5.29	-5.16	-5.62	-6.62	-8.39	-11.23	-16.05	-24.86	-17.8	-12.21	-8.89	-6.9	-5.83	-5.17
θ (15°)	-4.56	-5	-6.04	-7.81	-10.7	-15.02	-16.21	-12.41	-8.52	-5.86	-4.18	-3.32	-3.19	-3.65	-5.02	-7.44	-11.57	-19.56	-20.27	-12.55	-8.69	-6.47	-5.11	-4.56	-4.56
θ (30°)	-4.22	-4.39	-5.09	-6.57	-9.27	-13.8	-19.45	-15.74	-11.13	-8.28	-6.29	-5.09	-4.55	-4.74	-5.76	-7.8	-11.4	-17.56	-15.21	-10.35	-7.56	-6	-5.1	-4.61	-4.22
θ (45°)	-4.72	-5.31	-6.85	-9.5	-13.42	-18.47	-17.1	-14.96	-11.24	-7.9	-5.63	-4.43	-4.14	-4.68	-6.15	-8.84	-12.89	-17.39	-14.71	-10.65	-8.22	-6.74	-5.84	-5.39	-4.72
θ (60°)	-9.08	-8.74	-8.57	-8.79	-10.16	-13.22	-16.43	-14.8	-13.06	-10.88	-8.69	-7.18	-6.59	-6.94	-8.15	-10.13	-12.93	-15.3	-17.41	-16.46	-12.79	-10.81	-10.4	-11.51	-9.08
θ (75°)	-11.28	-14.88	-15.08	-12.11	-11.8	-13.59	-16.71	-12.98	-9.8	-8.4	-9.49	-13.02	-11.94	-11.42	-8.6	-7.32	-7.79	-9.81	-13.55	-15.48	-11.88	-9.07	-7.98	-8.17	-11.28
θ (90°)	-9.13	-11.67	-13.15	-12.39	-13.22	-16.26	-17.65	-12.26	-8.71	-6.79	-6.57	-7.92	-9.55	-8.31	-6.76	-6.49	-7.46	-9.75	-13.59	-20.44	-19.57	-12.45	-8.62	-7.33	-9.13
θ (105°)	-5.92	-7.89	-11.7	-16.14	-21.35	-24.7	-15.67	-12.17	-10.98	-10.52	-9.37	-7.74	-6.15	-5.23	-5.2	-6.32	-8.43	-11.26	-14.26	-14.3	-13.67	-10.37	-7.05	-5.84	-5.92
θ (120°)	-4.62	-5.12	-6.07	-7.35	-9.1	-11.32	-13.5	-14.75	-16.13	-14.23	-9.24	-5.69	-4.05	-3.94	-4.8	-6.25	-8.09	-11.17	-16.12	-11.65	-8.79	-6.79	-5.25	-4.33	-4.62
θ (135°)	-2.54	-3.04	-4.14	-5.67	-7.5	-9.97	-14.6	-27.81	-13.71	-7.96	-4.87	-3.1	-2.18	-2.08	-2.72	-4.01	-6	-9.45	-15.44	-12.05	-9.55	-6.43	-4.2	-3.2	-2.54
θ (150°)	0.15	[0.21]	-0.19	-1.25	-3.18	-6.47	-12.47	-20.32	-11.54	-6.47	-3.69	-1.98	-1.02	-0.65	-0.88	-1.8	-3.46	-6.72	-13.33	-13.85	-9.82	-5.08	-2.44	-0.84	0.15
θ (165°)	-7.07	-7.39	-8.03	-9	-10	-11.79	-15.41	-21.09	-16.07	-10.88	-7.57	-5.55	-4.42	-4.17	-4.73	-6.11	-8.31	-11.89	-18.03	-16.52	-12.74	-9.99	-8.09	-7.22	-7.07
θ (180°)	-0.98	-0.87	-1.28	-2.36	-4.22	-7.26	-11.83	-14.08	-9.71	-5.59	-3.06	-1.62	-0.88	-0.73	-1.16	-2.17	-3.91	-6.97	-12.27	-22.6	-11.96	-6.75	-3.82	-2.03	-0.98

1SS																										
Freq (MHz)	5200																									
Polarity	Theta																									
		φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	
		(15°)	(30°)	(45°)	(60°)	(75°)	(90°)	(105°)	(120°)	(135°)	(150°)	(165°)	(180°)	(195°)	(210°)	(225°)	(240°)	(255°)	(270°)	(285°)	(300°)	(315°)	(330°)	(345°)	(360°)	
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)	
θ (0°)	-12.94	-12.86	-3.53	0.71	3.09	4.51	5.27	[5.41]	4.89	3.67	1.51	-2.25	-9.77	-12.13	-3.14	1.05	3.38	4.77	5.35	5.39	4.85	3.68	1.56	-2.07	-12.94	
θ (15°)	-12.42	-9.49	-2.69	0.85	2.97	4.24	4.85	4.83	4.22	2.93	0.64	-3.46	-12.2	-8.98	-2.08	1.6	3.7	4.83	5.26	5.08	4.33	2.91	0.48	-2.4	-12.42	
θ (30°)	-6.32	-5.84	-3.25	0.17	2.65	4.17	4.91	4.96	4.3	2.86	0.13	-4.33	-7.46	-6.02	-3	0.76	3.2	4.56	5.11	5.05	4.43	3.14	0.69	-3.52	-6.32	
θ (45°)	-4.91	-3.82	-1.61	0.73	2.27	3.05	3.23	2.93	2.24	0.82	-1.92	-4.34	-5.96	-4.68	-2.58	0.11	2.08	3.08	3.47	3.47	2.88	1.51	-1.05	-3.32	-4.91	
θ (60°)	-2.94	-2.84	-2.29	-1.09	0.13	0.97	1.37	1.66	1.51	0.34	-1.52	-2.78	-3.16	-2.56	-1.38	-0.4	0.57	1.21	1.5	1.41	0.98	0.06	-1.42	-2.14	-2.94	
θ (75°)	-2.28	-1.56	-0.9	-0.39	0.04	0.37	0.37	-0.1	-0.41	-0.56	-1.11	-2.28	-2.52	-0.81	-0.01	0.17	0.01	-0.2	-0.29	-0.38	-0.72	-1.28	-2.05	-2.58	-2.28	
θ (90°)	-0.93	-0.7	0.2	0.43	-0.49	-1.56	-2.02	-2.08	-2.33	-2.08	-1.65	-1.24	-0.88	-0.67	-0.32	-0.19	-0.62	-1.28	-1.73	-2.11	-2.38	-2.36	-1.6	-1.02	-0.93	
θ (105°)	-2.79	-2.42	-2.33	-2.23	-2.4	-2.75	-3.11	-3.01	-2.47	-2.04	-1.6	-1.2	-0.81	-0.8	-1.2	-1.59	-2	-2.67	-3.17	-3.32	-3.61	-4.18	-4.47	-3.92	-2.79	
θ (120°)	-2.79	-2.08	-1.48	-1.54	-2	-2.67	-3.31	-3.59	-3.39	-2.88	-2.18	-1.86	-1.75	-2.07	-2.75	-2.77	-2.62	-2.53	-2.76	-3.23	-3.96	-4.46	-3.7	-3.51	-2.79	
θ (135°)	-7.23	-7.79	-10.08	-11.82	-11.25	-9.94	-8.09	-7.32	-7.7	-8.64	-9.21	-7.37	-5.58	-5.28	-6.38	-8.36	-9.42	-9.36	-10.22	-11.62	-14.06	-15.74	-12.59	-9.3	-7.23	
θ (150°)	-5.13	-6.3	-7.01	-6.73	-5.83	-4.95	-4.26	-4.21	-5.03	-6.48	-6.72	-6.17	-5.03	-3.71	-3.55	-4.12	-4.6	-4.25	-3.69	-3.66	-4.23	-4.64	-4.49	-4.27	-5.13	
θ (165°)	-9.18	-9.16	-8.79	-8.24	-7.96	-7.75	-7.81	-8.05	-8.34	-8.65	-9.1	-9.22	-8.96	-7.72	-6.58	-6.24	-6.21	-6.54	-6.92	-7.57	-8.31	-9.22	-9.71	-9.77	-9.18	
θ (180°)	-18.54	-16.86	-11.94	-8.83	-6.86	-5.71	-5.15	-5.03	-5.82	-7.38	-9.94	-13.49	-16.93	-15.72	-11.15	-8.43	-6.99	-6.1	-5.81	-6.1	-6.88	-8.33	-10.67	-14.46	-18.54	
Polarity	Phi																									
		φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	
		(0°)	(15°)	(30°)	(45°)	(60°)	(75°)	(90°)	(105°)	(120°)	(135°)	(150°)	(165°)	(180°)	(195°)	(210°)	(225°)	(240°)	(255°)	(270°)	(285°)	(300°)	(315°)	(330°)	(345°)	(360°)
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)	
θ (0°)	5.36	5.42	5.02	3.95	2.02	-1.28	-7.58	-17.3	-4.61	0.22	2.97	4.55	5.36	[5.50]	5.07	3.91	1.89	-1.62	-8.24	-15.65	-4.22	0.37	2.93	4.49	5.36	
θ (15°)	5.07	5.01	4.41	3.21	1.14	-2.48	-9.64	-12.58	-3.77	0.44	2.93	4.48	5.25	5.35	4.78	3.49	1.23	-2.79	-12	-11.87	-3.01	0.92	3.14	4.17	5.07	
θ (30°)	4.64	4.67	4.5	3.82	2.25	-0.69	-6.96	-16.9	-4.09	0.59	2.93	4.12	4.75	4.96	4.64	3.55	1.45	-2.43	-11.04	-12.21	-3.16	0.78	3.01	4.12	4.64	
θ (45°)	4.08	4.27	4.21	3.13	0.51	-4.06	-13.07	-11.23	-3.34	0.77	3.06	3.89	4.03	4.15	4.15	3.23	1	-3.16	-12.75	-11.44	-2.89	1.13	3.17	3.89	4.08	
θ (60°)	4.21	4.06	3.6	2.66	0.5	-3.82	-11.96	-12.8	-4.37	-0.21	1.83	2.98	3.73	3.84	3.23	2.06	0.03	-3.26	-9.39	-15.93	-5.54	-0.39	2.35	3.73	4.21	
θ (75°)	2.88	2.69	2.42	1.05	-1.99	-6.45	-15.26	-13.35	-5.03	-0.85	1.44	2.17	2.47	2.78	2.52	1.35	-1.48	-6.17	-12.22	-11.27	-5.12	-0.78	1.95	2.8	2.88	
θ (90°)	2.35	2.26	1.57	1.39	-0.18	-4.26	-13.02	-12.01	-4.51	-0.59	0.73	0.78	1.74	2.37	2.14	1.61	-0.12	-4.34	-14.46	-11.84	-3.62	-0.18	1.21	1.33	2.35	
θ (105°)	0.25	0.26	0.24	-0.85	-3.65	-9.07	-15.54	-12.63	-6.02	-2.18	-0.63	-0.75	0.27	0.83	0.41	-0.42	-2.62	-6.94	-16.31	-13.43	-6.5	-2.78	-1.08	-0.57	0.25	
θ (120°)	-1.61	-1.59	-3.01	-4.43	-5.38	-8.18	-14.88	-19.05	-8.13	-4.12	-2.67	-1.93	-0.77	-0.41	-1.62	-3.7	-5.24	-9.25	-19.17	-13.8	-7.86	-5.48	-3.93	-3.07	-1.61	
θ (135°)	-2.55	-3.67	-6	-7.29	-7.44	-10.12	-16.1	-15.96	-9.18	-6.94	-5.92	-4.24	-2.62	-2.44	-3.98	-5.61	-7.05	-10.99	-17.17	-13.21	-8.78	-7.01	-6.15	-4.67	-2.55	
θ (150°)	-4.63	-5.38	-7.59	-10.31	-12.43	-12.44	-12.44	-11.55	-9.67	-8.89	-5.77	-3.33	-2.11	-2.35	-4.02	-7.2	-11.76	-14.48	-19.29	-18.35	-16.89	-13.69	-9.25	-5.76	-4.63	
θ (165°)	-6.05	-6.13	-7.4	-9.76	-13.34	-18.69	-18.95	-17.18	-13.42	-11.04	-9.5	-8.58	-7.9	-7.64	-8.17	-9.91	-12.51	-15.03	-16.61	-18.12	-15.99	-12.48	-9.42	-7.62	-6.05	
θ (180°)	-6.18	-6.34	-7.06	-8.6	-11.33	-16	-19.28	-17.39	-12.09	-8.78	-6.9	-5.75	-5.38	-5.81	-7.02	-9.1	-12.83	-18.39	-19.69	-15.96	-12.09	-9.58	-7.88	-6.72	-6.18	




1SS																									
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	-13.17	-14.8	-3.9	0.56	3.08	4.58	5.33	5.44	4.96	3.75	1.64	-2.1	-10.14	-13.05	-3.21	1	3.35	4.74	5.39	5.48	4.97	3.79	1.68	-1.86	-13.17
θ (15°)	-12.32	-9.32	-2.25	1.5	3.71	5.01	5.61	5.6	4.99	3.64	1.31	-2.68	-10.99	-9.63	-2.04	1.84	4.09	5.42	[6.02]	5.95	5.21	3.68	1.2	-1.74	-12.32
θ (30°)	-6.93	-6.53	-3.72	0.05	2.71	4.27	5.02	5.15	4.6	3.31	0.96	-3.1	-7.29	-7.06	-2.93	1.32	3.82	5.19	5.75	5.62	4.93	3.54	1.15	-2.81	-6.93
θ (45°)	-4.85	-3.59	-1.5	0.64	2.21	2.97	3.29	3.32	2.86	1.6	-1.12	-4.05	-6.12	-4.79	-2.49	0.8	2.94	3.99	4.37	4.26	3.7	2.36	-0.14	-2.49	-4.85
θ (60°)	-3.59	-3.17	-2.52	-1.48	-0.28	0.42	0.51	0.51	0.4	-0.28	-1.97	-3.34	-3.97	-4.04	-1.92	-0.69	0.42	1.03	1.23	1.25	0.95	0.13	-1.47	-2.66	-3.59
θ (75°)	-2.06	-1.48	-0.99	-0.73	-0.8	-0.68	-0.52	-0.75	-1.06	-1.08	-1.39	-2.31	-2.97	-1.39	-0.45	-0.29	-0.68	-1.05	-1.22	-1.1	-0.9	-1.1	-1.82	-2.44	-2.06
θ (90°)	-1.12	-1.27	-0.96	-0.65	-0.94	-1.53	-1.82	-1.95	-2.31	-2.58	-2.74	-2.72	-1.93	-1.34	-0.99	-1.04	-1.42	-1.84	-2.11	-2.49	-2.94	-3.11	-2.82	-1.45	-1.12
θ (105°)	-2.89	-2.37	-2	-1.46	-1.56	-2.02	-2.56	-2.65	-2.44	-2.45	-2.49	-1.82	-0.98	-0.89	-1.11	-1.32	-1.67	-2.43	-3.05	-3.19	-3.3	-3.78	-4.32	-4.34	-2.89
θ (120°)	-2.77	-2.46	-2.21	-2.35	-2.7	-3.01	-3.18	-3.18	-3.22	-3.11	-2.75	-2.71	-2.56	-2.42	-3.02	-4	-3.9	-3.35	-3.23	-3.68	-4.58	-5.02	-3.96	-3.11	-2.77
θ (135°)	-7.41	-7.75	-8.54	-8.16	-7.35	-6.25	-5.1	-4.85	-5.54	-6.31	-6.57	-7.61	-6.43	-5.96	-6.89	-8.04	-7.85	-7.52	-8.11	-9.35	-11.24	-11.39	-9.53	-9.71	-7.41
θ (150°)	-5.4	-6.53	-8.08	-7.82	-6.9	-5.89	-5.33	-5.43	-6.41	-7.61	-7.56	-7.14	-5.27	-4.07	-3.9	-4.72	-5.07	-4.54	-3.91	-3.8	-4.12	-4.74	-4.69	-4.46	-5.4
θ (165°)	-8.06	-8.02	-8.57	-8.51	-8.21	-7.93	-7.72	-7.97	-8.47	-8.92	-9.29	-9.43	-8.6	-7.12	-6.21	-6	-6.05	-6.38	-6.85	-7.58	-8.22	-8.59	-8.7	-8.61	-8.06
θ (180°)	-16.55	-14.93	-11.57	-8.78	-6.9	-5.88	-5.37	-5.31	-6	-7.63	-10.48	-14.85	-18.13	-15.91	-11.59	-8.72	-6.97	-6.08	-5.58	-5.7	-6.49	-8.01	-10.28	-14.02	-16.55
Polarity	-13.17	-14.8	-3.9	0.56	3.08	4.58	5.33	5.44	4.96	3.75	1.64	-2.1	-10.14	-13.05	-3.21	1	3.35	4.74	5.39	5.48	4.97	3.79	1.68	-1.86	-13.17
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	5.26	5.29	4.82	3.68	1.67	-1.75	-8.41	-13	-3.61	0.77	3.24	4.65	5.33	5.44	4.87	3.63	1.43	-2.38	-9.47	-11.68	-3.49	0.6	3.01	4.43	5.26
θ (15°)	[5.63]	5.52	4.88	3.56	1.27	-2.76	-10.88	-10.43	-2.58	1.33	3.64	4.99	5.57	5.55	4.92	3.55	1.16	-3.24	-13.88	-10.12	-1.85	1.9	4	4.92	5.63
θ (30°)	5.16	5.17	4.91	4.07	2.18	-1.35	-8.66	-14.21	-3.51	0.99	3.5	4.89	5.51	5.56	5.08	3.92	1.52	-2.91	-13.33	-10.52	-2.34	1.36	3.46	4.63	5.16
θ (45°)	4.22	4.48	4.67	3.71	1.25	-3.17	-11.75	-11.49	-3.19	1.17	3.67	4.55	4.56	4.61	3.73	1.26	-3.48	-14.58	-8.48	-1.53	1.95	3.79	4.27	4.22	
θ (60°)	4.22	4.11	4.12	2.99	0.4	-4.19	-14.14	-12.14	-4.32	0.02	2.61	3.8	4.1	4.15	3.85	2.65	0.18	-3.77	-10.84	-17.04	-5.2	-0.13	2.76	4.2	4.22
θ (75°)	3.31	3.27	3.07	1.79	-1.21	-6.33	-16.19	-12.28	-4.47	-0.27	2.09	3.03	3.31	3.46	3.41	2.29	-0.44	-5.31	-13.36	-11.76	-4.85	0.07	2.85	3.58	3.31
θ (90°)	3.13	2.67	1.78	1.08	-0.85	-5.25	-14.41	-12.27	-5.08	-0.87	0.95	1.52	2.11	2.38	1.94	0.86	-1.39	-5.96	-16.61	-12.31	-4.14	-0.23	1.64	2.44	3.13
θ (105°)	1.21	0.93	0.67	-0.2	-2.64	-7.51	-17.9	-13.16	-5.95	-1.71	-0.12	-0.05	1.13	1.56	0.85	-0.13	-2.16	-5.95	-15.12	-13.49	-5.12	-1.16	0.37	0.69	1.21
θ (120°)	-1.13	-1.12	-2.34	-3.78	-5.36	-8.91	-15.9	-16.92	-8.14	-4.82	-3.11	-1.86	-0.52	-0.18	-1.1	-2.87	-4.84	-9.06	-20.18	-14.39	-8.01	-5.16	-3.26	-2.4	-1.13
θ (135°)	-1.69	-2.66	-4.92	-6.96	-7.97	-10.33	-16.32	-15.27	-10.11	-7.17	-5.98	-4	-2.25	-1.72	-2.99	-5.92	-7.33	-10.73	-17.01	-14.8	-9.62	-7.55	-5.51	-3.63	-1.69
θ (150°)	-4.67	-5.1	-6.81	-9.33	-11.91	-12.81	-13.21	-12.3	-10.18	-9.25	-6.49	-3.49	-1.91	-2.11	-3.85	-7.41	-12.45	-13.63	-18.14	-18.74	-15.75	-13.87	-10.35	-6.25	-4.67
θ (165°)	-7.35	-7.53	-8.2	-10.16	-13.89	-20.85	-21.47	-19.29	-14.2	-11.78	-10.18	-8.71	-7.58	-7.38	-7.88	-9.71	-12.14	-14.94	-18	-19.11	-16.78	-13.45	-10.48	-8.76	-7.35
θ (180°)	-5.79	-5.83	-6.32	-7.6	-9.76	-14.01	-16.43	-16.49	-12.37	-9.37	-7.12	-5.86	-5.38	-5.75	-7.04	-9.11	-12.41	-18.27	-21.44	-17.13	-13.1	-10.22	-8.07	-6.66	-5.79

1SS																									
Freq. (MHz)	5600																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-13.43	-13.42	-3.13	1.19	3.58	4.93	5.59	5.67	5.13	3.91	1.72	-2.12	-10.54	-12.36	-2.72	1.47	3.81	5.11	5.61	5.59	5.05	3.86	1.82	-1.76	-13.43
θ (15°)	-12	-8.52	-1.9	1.9	4.19	5.59	[6.17]	6.12	5.42	4.03	1.65	-2.34	-10.78	-10.01	-1.85	2.13	4.39	5.66	6.12	5.92	5.07	3.47	0.82	-2.28	-12
θ (30°)	-7.95	-6.99	-3.37	0.73	3.43	5.05	5.84	5.94	5.32	3.91	1.52	-2.31	-6.98	-7.18	-1.96	1.84	4.12	5.34	5.8	5.74	5.11	3.79	1.34	-2.72	-7.95
θ (45°)	-5.45	-3.32	-0.45	1.79	3.41	4.28	4.62	4.63	4.25	3.16	0.89	-2.44	-6.52	-6.1	-2.79	0.56	2.87	4.1	4.55	4.53	4.05	2.87	0.54	-1.65	-5.45
θ (60°)	-5.33	-3.9	-0.75	0.94	1.54	1.79	1.81	1.78	1.69	1.32	0.52	-1.11	-5.12	-5.79	-1.02	0.84	1.43	1.86	2.16	2.18	1.93	1.25	0.03	-2.08	-5.33
θ (75°)	-3.39	-1.45	0.45	0.65	-0.09	-0.67	-0.66	-0.41	-0.14	0.18	0.48	-0.71	-4.71	-3.37	-0.04	0.51	0.04	-0.19	-0.03	0.12	0.22	0.45	0.49	-0.43	-3.39
θ (90°)	-5.51	-3.57	-0.73	-0.13	-0.64	-1.24	-1.71	-1.96	-1.9	-1.32	-0.73	-1.53	-4.31	-4.42	-0.82	0.53	0.27	-0.23	-0.64	-0.95	-0.99	-0.88	-1.21	-2.31	-5.51
θ (105°)	-3.77	-2.09	0.01	0.12	-0.72	-1.65	-2.18	-2.32	-2.06	-1.36	-0.57	-1.05	-3.99	-2.49	0.38	0.71	-0.26	-1.59	-2.34	-2.51	-2.39	-1.6	-1.22	-2.01	-3.77
θ (120°)	-6.49	-5.75	-2.96	-2.3	-2.75	-2.9	-3.06	-3.12	-3.39	-3.46	-2.8	-2.66	-4.81	-6.46	-4.64	-2.3	-1.85	-2.01	-2.34	-3.2	-4.41	-4.7	-3.91	-4.13	-6.49
θ (135°)	-9.18	-7.12	-5.02	-4.85	-5	-4.24	-3.23	-3.03	-3.61	-4.21	-3.8	-4.58	-8.44	-8.26	-5.86	-5.34	-5.38	-4.66	-4.26	-4.56	-6.03	-7.04	-7.19	-6.83	-9.18
θ (150°)	-9.64	-10.19	-11.55	-12.35	-10.55	-7.55	-6.26	-6.74	-8.53	-10.57	-10.7	-10.28	-10.99	-10.56	-9.44	-11.15	-13.96	-10.92	-7.8	-7.22	-8.68	-10.68	-11.37	-9.87	-9.64
θ (165°)	-10.65	-11.47	-12.39	-12.51	-12.25	-11.01	-10.14	-10.11	-10.46	-11.19	-12.71	-13.68	-13.64	-12.92	-11.25	-10.63	-10.08	-9.79	-10	-10.61	-11.1	-10.97	-10.88	-10.81	-10.65
θ (180°)	-17.59	-15.93	-11.02	-7.86	-5.99	-4.93	-4.59	-4.93	-5.86	-7.5	-10.3	-15.24	-18.8	-15.92	-10.93	-7.94	-5.98	-4.95	-4.53	-4.76	-5.66	-7.27	-9.64	-13.58	-17.59
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	5.7	5.59	4.94	3.51	1.06	-3.06	-12.99	-10.2	-1.92	1.89	4.02	5.2	5.66	5.57	4.83	3.29	0.76	-3.9	-16.09	-8.93	-1.71	1.81	3.85	5.1	5.7
θ (15°)	5.79	5.55	4.92	3.65	1.29	-3.24	-15.42	-8.15	-0.99	2.37	4.34	5.4	[5.82]	5.72	5.02	3.54	0.9	-4.18	-19.82	-5.76	0.11	3.1	4.73	5.39	5.79
θ (30°)	5.2	5.2	4.93	4.1	2.31	-1.37	-10.04	-10.76	-1.5	2.35	4.33	5.15	5.41	5.47	5.05	3.75	1.33	-3.19	-14.2	-9.74	-1.51	2.19	4.16	4.97	5.2
θ (45°)	4.75	4.67	4.49	3.75	1.51	-3.11	-14.83	-8.56	-1.44	2	3.83	4.69	4.99	4.79	4.02	2.71	0.22	-4.7	-17.07	-8.8	-1.83	1.74	3.66	4.36	4.75
θ (60°)	3.65	3.77	3.9	2.88	0.12	-4.37	-11.81	-13.12	-4.45	-0.04	2.71	4.06	4.06	3.81	3.61	2.42	-0.37	-5.18	-15.14	-12.82	-4.85	-0.28	2.44	3.44	3.65
θ (75°)	2.83	2.85	2.84	2.05	-0.57	-5.78	-15.57	-10.04	-3.98	0.21	2.22	2.83	2.96	2.58	2.57	1.56	-1.29	-6.3	-16.61	-11.74	-3.91	-0.19	1.56	2.09	2.83
θ (90°)	1.68	1.56	1.78	1.25	-1.02	-5.42	-14.05	-13.78	-5.02	-1.25	0.75	0.89	1.22	1.13	0.03	-0.44	-1.5	-5.57	-14.97	-12.82	-5.66	-1.56	0.67	1.49	1.68
θ (105°)	1.65	1.17	0.23	0.69	-1	-5.55	-15.53	-9.28	-3.52	0.03	0.83	-0.34	0.78	1.02	-0.27	-0.44	-1.81	-5.81	-15.69	-12.68	-4.96	-1.38	-0.51	-0.6	1.65
θ (120°)	-0.58	-1.23	-2.74	-2.59	-3.19	-6.68	-15.38	-15.89	-6.36	-2.86	-2.77	-2.7	-0.82	-0.55	-2.03	-2.45	-2.91	-6.45	-14.61	-16.88	-7.77	-3.88	-2.68	-1.86	-0.58
θ (135°)	-1.32	-2.53	-4.36	-5.66	-6.53	-9.51	-18.3	-16.06	-8.59	-6.11	-5.06	-3.26	-1.91	-1.81	-3.48	-5.41	-5.5	-7.82	-14.08	-19.02	-10.36	-7.08	-4.47	-2.67	-1.32
θ (150°)	-7.45	-8.25	-8.78	-8.39	-8.77	-10.54	-14.46	-17.46	-12.42	-9.22	-7.32	-5.4	-3.28	-3.18	-4.63	-7.63	-10.75	-12.3	-15.52	-18.26	-12.67	-9.78	-8.93	-8.31	-7.45
θ (165°)	-8.64	-8.05	-9.01	-11.2	-13.95	-16.09	-17.57	-17.59	-14.16	-11.31	-9.58	-8.55	-7.64	-7.15	-7.31	-8.64	-11.79	-15.97	-21.37	-20.76	-18.08	-15.89	-13.31	-11.66	-8.64
θ (180°)	-4.85	-4.72	-5.05	-6.3	-8.51	-12.8	-16.55	-17	-11.78	-8.62	-6.62	-5.45	-4.96	-5.12	-5.97	-7.39	-9.4	-13.4	-19.31	-18.65	-12.69	-8.91	-6.73	-5.44	-4.85

1SS																									
Freq. (MHz)	5785																								
Polarity	Theta																								
		φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ
dB	φ (0°)	(15°)	(30°)	(45°)	(60°)	(75°)	(90°)	(105°)	(120°)	(135°)	(150°)	(165°)	(180°)	(195°)	(210°)	(225°)	(240°)	(255°)	(270°)	(285°)	(300°)	(315°)	(330°)	(345°)	(360°)
θ (0°)	-13.36	-12.8	-2.91	1.34	3.77	5.22	5.91	6.01	5.42	4.11	1.83	-2.1	-10.74	-11.56	-2.36	1.68	3.98	5.25	5.85	5.91	5.39	4.2	2.1	-1.57	-13.36
θ (15°)	-11.57	-8.55	-1.7	2.14	4.5	5.9	[6.52]	6.47	5.77	4.31	1.79	-2.4	-10.88	-8.22	-1.26	2.43	4.61	5.85	6.35	6.15	5.26	3.63	0.93	-1.99	-11.57
θ (30°)	-7.43	-7.13	-3.12	0.86	3.37	4.76	5.4	5.51	5.11	4.04	1.99	-1.42	-5.95	-6.28	-1.8	1.7	3.8	5	5.56	5.61	5.02	3.69	1.4	-2.07	-7.43
θ (45°)	-4.28	-3.31	-1.25	0.9	2.58	3.45	3.79	3.77	3.37	2.47	0.78	-1.82	-4.52	-3.84	-1.58	0.59	1.99	2.87	3.37	3.5	3.16	2.12	0.2	-1.67	-4.28
θ (60°)	-3.88	-3.03	-0.78	0.63	1.25	1.77	2.02	1.87	1.54	1.27	0.57	-1.06	-3.24	-3.7	-1.23	0.22	0.96	1.54	1.73	1.49	0.96	0.15	-0.72	-2.16	-3.88
θ (75°)	-2.67	-1.5	0.22	0.68	0.44	0.21	0.22	0.39	0.47	0.31	0.21	-0.87	-3.01	-2.65	-0.96	-0.68	-0.82	-0.28	0.18	0.3	0.03	-0.19	-0.5	-1.34	-2.67
θ (90°)	-4.95	-3.61	-0.71	0.15	-0.1	-0.48	-0.71	-0.99	-1.09	-0.74	-0.61	-1.77	-3.52	-2.86	-0.98	0.11	0.36	0.31	0.05	-0.21	-0.54	-0.91	-1.33	-2.95	-4.95
θ (105°)	-2.54	-1.42	-0.17	0.31	0.02	-0.73	-1.31	-1.32	-0.79	-0.17	0.06	-1.01	-2.54	-2.16	-0.34	-0.02	-0.73	-1.5	-2.01	-2.23	-2.05	-1.63	-1.76	-2.98	-2.54
θ (120°)	-6.59	-5.7	-3.18	-2.32	-1.92	-1.31	-1.18	-1.45	-1.94	-2.3	-2.55	-3.3	-4.92	-5.16	-3.46	-1.81	-1.59	-1.68	-1.81	-1.99	-2.42	-3.01	-3.47	-4.64	-6.59
θ (135°)	-5.6	-4.87	-4.24	-4.58	-4.9	-4.67	-3.94	-3.44	-3.7	-4	-3.81	-4.29	-5.22	-5.09	-4.47	-4.68	-5.55	-5.27	-5.1	-5.57	-7.12	-7.3	-6.64	-6.34	-5.6
θ (150°)	-14.53	-15.66	-16.41	-14.13	-10.79	-7.61	-6.31	-6.83	-9.01	-10.9	-10.59	-11.3	-11.51	-10.98	-10.02	-10.21	-11.33	-10.62	-8.69	-8.62	-10.99	-14.49	-16.44	-15.11	-14.53
θ (165°)	-17.12	-17.56	-16.84	-13.99	-11.98	-10.18	-8.88	-8.55	-8.87	-10.55	-14.07	-16.69	-17.36	-17.41	-15.45	-11.97	-9.46	-8.18	-7.86	-8.39	-9.67	-11.77	-14.1	-16.33	-17.12
θ (180°)	-21.66	-18.51	-12.75	-9.57	-7.62	-6.69	-6.37	-6.75	-7.56	-9.27	-12.02	-17.11	-20.07	-17.86	-13.18	-10.1	-8.29	-7.27	-7.01	-7.12	-7.76	-8.95	-11.42	-16.04	-21.66
Polarity	Phi																								
		φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ
dB	φ (0°)	(15°)	(30°)	(45°)	(60°)	(75°)	(90°)	(105°)	(120°)	(135°)	(150°)	(165°)	(180°)	(195°)	(210°)	(225°)	(240°)	(255°)	(270°)	(285°)	(300°)	(315°)	(330°)	(345°)	(360°)
θ (0°)	[5.96]	5.85	5.26	3.91	1.7	-2.27	-11.29	-11.04	-2.03	1.88	4.11	5.34	5.84	5.76	5.05	3.64	1.06	-3.34	-14	-9.92	-1.88	1.87	4.06	5.3	5.96
θ (15°)	5.68	5.63	5.06	3.77	1.4	-3.04	-14.79	-8.36	-1.08	2.34	4.24	5.3	5.75	5.64	4.94	3.5	0.82	-4.19	-19.81	-6.51	-0.31	2.61	4.28	5.01	5.68
θ (30°)	5.63	5.67	5.38	4.37	2.16	-1.86	-11.23	-11.04	-1.92	2.17	4.34	5.33	5.54	5.51	5.24	4.1	1.74	-2.66	-13.13	-9.04	-1	2.56	4.3	5.16	5.63
θ (45°)	5.4	5.41	4.91	3.57	0.78	-4.21	-16.27	-9.64	-2.11	1.73	4.01	5.12	5.41	5.16	4.53	2.8	-0.12	-4.69	-15.63	-10.77	-2.54	1.6	3.86	4.71	5.4
θ (60°)	4.22	4.19	3.97	2.46	-0.42	-4.84	-12.92	-14.9	-5.36	-0.58	2.47	4.06	4.6	4.41	3.74	2.47	-0.36	-5.73	-17	-11.55	-5.8	-1.45	1.98	3.81	4.22
θ (75°)	3.09	3.24	2.32	0.4	-2.76	-8.13	-18.79	-10.35	-5.92	-2.6	0.73	3.02	3.55	3.28	2.77	0.94	-2.35	-7.39	-17.16	-11.84	-5	-1.45	0.26	1.34	3.09
θ (90°)	1.51	1.68	1.14	-0.21	-2.75	-6.51	-13.65	-16.34	-6.28	-3.36	-1.41	0.78	1.65	0.89	-0.03	-1.26	-3.39	-7.44	-15.75	-12.7	-6.75	-3.43	-0.6	0.85	1.51
θ (105°)	1.13	0.56	-1.36	-2.09	-3.5	-7.74	-15.74	-7.69	-3.93	-1.96	-0.85	0.26	0.77	0.04	-1.06	-1.53	-2.95	-6.74	-16.58	-13.28	-6.64	-3.14	-2.04	-0.86	1.13
θ (120°)	-1.64	-1.86	-2.8	-4.28	-5.56	-9.23	-17.64	-14.39	-7.93	-4.35	-4.08	-2.33	-1.35	-1.49	-2.59	-3.95	-4.13	-6.27	-12.23	-18.36	-8.88	-5.12	-3.78	-2.55	-1.64
θ (135°)	-2.07	-3.07	-4.78	-7.13	-8.58	-11.83	-20.32	-15.19	-8.73	-6.47	-5.32	-3.4	-2.72	-2.88	-3.95	-5.45	-6.07	-8.3	-13.8	-23.86	-11.42	-7.69	-4.75	-3.03	-2.07
θ (150°)	-7.4	-7.5	-7.17	-7.32	-8.5	-10.57	-14.85	-17.16	-13.1	-9.35	-6.31	-4.88	-3.92	-3.53	-4.29	-5.65	-8.45	-13.71	-18.14	-17.2	-12.27	-10.69	-8.47	-7.76	-7.4
θ (165°)	-9.95	-9.42	-9.87	-10.85	-12.19	-14.88	-19.78	-19.18	-13.25	-9.49	-7.9	-7.61	-7.84	-7.51	-7.07	-7.96	-10.22	-14.7	-21.95	-18.37	-13.52	-11.89	-11.39	-11.13	-9.95
θ (180°)	-7.51	-7.38	-7.74	-8.86	-11.01	-14.65	-18.76	-16.92	-13.33	-10.52	-8.75	-7.72	-7.31	-7.3	-7.94	-9.05	-11.04	-14.85	-19.05	-19.19	-14.8	-11.64	-9.33	-7.81	-7.51


1SS																											
Freq. (MHz)	5895																										
Polarity	Theta																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	-15.78	-10.41	-2.23	1.61	3.82	5.14	5.73	5.75	5.17	3.86	1.54	-2.56	-11.65	-10.17	-2.03	1.81	3.98	5.2	5.77	5.69	5.08	3.74	1.43	-2.69	-15.78		
θ (15°)	-10.84	-5.95	-0.62	2.62	4.62	5.84	[6.36]	6.21	5.51	4.03	1.55	-2.62	-8.59	-6.83	-0.95	2.56	4.64	5.77	6.22	5.9	4.92	3.05	0.08	-3.28	-10.84		
θ (30°)	-6.66	-4.76	-1.05	2	3.82	4.71	5.16	5.13	4.6	3.45	1.44	-1.98	-5.46	-4.29	-1.17	1.71	3.55	4.62	5.12	5.14	4.72	3.47	1.1	-2.67	-6.66		
θ (45°)	-4.45	-3.1	-1.19	0.82	2.13	2.8	3.24	3.08	2.58	1.81	0.37	-1.79	-3.61	-2.69	-1.11	0.57	1.73	2.45	2.94	3.02	2.77	1.89	-0.27	-2.25	-4.45		
θ (60°)	-2.77	-1.8	-0.42	0.64	1.36	1.95	2.39	2.29	1.8	1.35	0.56	-0.58	-2.54	-3.54	-1.62	-0.42	0.43	1.18	1.42	1.12	0.38	-0.5	-1.33	-2.22	-2.77		
θ (75°)	-2.38	-1.46	0.06	0.7	1.02	1.4	1.39	1.44	1.22	0.88	0.41	-0.55	-1.71	-1.09	-0.39	-0.23	-0.19	-0.14	0.06	0	-0.32	-0.66	-1.35	-2.34	-2.38		
θ (90°)	-3.09	-2.56	-0.64	0.61	0.66	0.39	0.43	0.09	0.39	0.12	-0.41	-2	-2.08	-1.69	-1.23	-0.67	-0.4	-0.24	-0.29	-0.36	-0.77	-1.19	-1.7	-2.52	-3.09		
θ (105°)	-2.27	-1.06	-0.29	0.04	-0.1	-1	-0.93	-0.91	-0.01	-0.07	-0.15	-1.2	-1.8	-1.09	-0.6	-0.91	-1.4	-1.93	-2.46	-2.41	-1.92	-1.72	-1.94	-2.76	-2.27		
θ (120°)	-5.47	-4.65	-3.2	-2.15	-1.78	-1.01	-1.03	-1.04	-1.91	-3.29	-3.19	-3.89	-3.7	-3.84	-3.68	-2.2	-1.65	-1.42	-1.44	-1.66	-2.57	-3.42	-3.47	-3.96	-5.47		
θ (135°)	-4.66	-3.97	-3.65	-4.67	-4.02	-3.49	-2.61	-2.95	-3.04	-2.99	-3	-3.25	-3.81	-3.47	-3.44	-5.24	-6.96	-6.59	-6.08	-6.52	-7.44	-7.34	-6.45	-5.61	-4.66		
θ (150°)	-13.87	-14.16	-15.71	-14.12	-10.28	-7.83	-5.9	-6.73	-9.55	-10.93	-10.62	-10.69	-9.07	-7.21	-6.36	-6.66	-8.32	-8.82	-7.92	-8.24	-10.13	-11.08	-11.37	-12.59	-13.87		
θ (165°)	-18.92	-19.65	-17.01	-12.65	-9.31	-7.17	-6.29	-6.71	-8.04	-10.52	-13.77	-14.81	-14.59	-14.97	-13.37	-10.27	-8.49	-7.66	-8.07	-9.31	-11.02	-13.33	-15.21	-17.23	-18.92		
θ (180°)	-19.41	-15.78	-12.3	-10.3	-9.29	-8.84	-8.82	-9.36	-10.43	-12.2	-14.94	-17.78	-16.78	-14.41	-12.15	-10.71	-9.72	-9.02	-8.87	-9.1	-9.97	-12.02	-15.08	-19.55	-19.41		
Polarity	Phi																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	5.79	5.61	4.8	3.33	0.8	-3.75	-15.17	-8.21	-1.33	2.17	4.19	5.32	5.76	5.61	4.83	3.24	0.66	-4.09	-15.65	-8.33	-1.32	2.06	4.12	5.32	5.79		
θ (15°)	5.53	5.37	4.68	3.19	0.69	-4.38	-20.16	-6.3	-0.09	2.98	4.69	5.54	[5.83]	5.69	5	3.48	0.73	-4.68	-22.21	-5.44	0.29	3.17	4.64	5.25	5.53		
θ (30°)	5.48	5.55	5.22	3.87	1.12	-3.75	-16.44	-8.84	-1.36	2.44	4.54	5.38	5.56	5.52	5.07	3.86	1.49	-3.12	-15.39	-8.07	-0.6	3	4.76	5.35	5.48		
θ (45°)	5.3	5.47	4.72	2.7	-0.87	-6.49	-20	-7.78	-1.79	1.75	4.1	5.3	5.45	5.02	4.09	2.17	-1.04	-6.58	-18.5	-8.88	-1.57	2.59	4.51	4.89	5.3		
θ (60°)	4.62	4.67	3.93	2.03	-1.07	-5.44	-14.34	-12.12	-4.46	-0.09	2.9	4.43	4.84	4.44	3.77	1.99	-1.45	-6.61	-20.84	-9.53	-3.96	-0.51	2.41	4.17	4.62		
θ (75°)	3.46	3.3	2.22	-0.59	-3.95	-8.14	-17.69	-8.68	-3.78	-1.42	1.08	3.08	3.38	3.21	2.38	0.02	-3.65	-9.02	-20.92	-8.96	-3.26	-0.42	1.65	2.75	3.46		
θ (90°)	2.26	1.93	0.34	-1.19	-3.16	-6.17	-14.75	-16.27	-6.85	-3.52	-1.15	1.1	1.7	1.35	0.19	-1.74	-4.64	-8.86	-18.23	-11.99	-6.55	-3.98	-0.72	1.26	2.26		
θ (105°)	0.59	0.35	-1.39	-2.46	-4.28	-8.17	-17.09	-7.45	-3.43	-2.06	-1.2	0.55	0.44	-0.32	-0.63	-1.93	-4.03	-8.59	-18.39	-10.12	-5.55	-3.62	-1.93	-0.49	0.59		
θ (120°)	-2.29	-2.47	-2.9	-4.38	-4.98	-9.71	-18.14	-11.88	-7.43	-4.28	-3.37	-1.61	-1.38	-2.09	-2.41	-3.66	-4.55	-7.27	-14.33	-15.7	-8.06	-4.92	-3.93	-2.82	-2.29		
θ (135°)	-3.29	-3.69	-4.77	-7.36	-9.1	-10.02	-23.52	-15.89	-8.37	-5.74	-4.01	-3.44	-3.41	-3.33	-3.68	-5.02	-5.77	-9.19	-17.31	-18.49	-9.77	-6.67	-3.75	-3.01	-3.29		
θ (150°)	-6.82	-6.37	-6.18	-6.7	-8.44	-10.68	-14.45	-15.29	-12.79	-8.73	-6.26	-5.51	-5.2	-5.06	-5.58	-7.27	-10.33	-13.23	-14.72	-13.82	-10.46	-9.73	-8.85	-7.9	-6.82		
θ (165°)	-10.3	-9.37	-9.12	-9.6	-11.1	-14.96	-22.01	-16.08	-11.59	-9.08	-8.07	-8.57	-9.46	-9.33	-9.92	-11.64	-15.42	-18.46	-17.74	-12.71	-10.62	-10.68	-10.87	-10.92	-10.3		
θ (180°)	-9.34	-9.33	-10.24	-11.94	-14.61	-18	-18.67	-16.29	-13.44	-11	-9.46	-8.93	-8.87	-9.55	-11.01	-13.65	-15.4	-17.72	-20.53	-17.18	-14.43	-11.92	-10.47	-9.67	-9.34		

A.2 Antenna Pattern Test Plots




X-Y Plane (Ant 2)

Ant 2, Theta, XY-Plan



2450 MHz


Ant 2, Phi, XY-Plan



2450 MHz


Y-Z Plane (Ant 2)

Ant 2, Theta, YZ-Plan



2450 MHz


Ant 2, Phi, YZ-Plan



2450 MHz


Z-X Plane (Ant 2)

Ant 2, Theta, XZ-Plan



2450 MHz


Ant 2, Phi, XZ-Plan




2450 MHz

X-Y Plane (Ant 1)

Ant 1, Theta, XY-Plan




Ant 1, Phi, XY-Plan




Y-Z Plane (Ant 1)

Ant 1, Theta, YZ-Plan




Ant 1, Phi, YZ-Plan




Z-X Plane (Ant 1)


Ant 1, Theta, XZ-Plan




Ant 1, Phi, XZ-Plan




X-Y Plane (Ant 2)



Y-Z Plane (Ant 2)




Z-X Plane (Ant 2)




X-Y Plane (Ant 3)

Ant 3, Theta, XY-Plan




Ant 3, Phi, XY-Plan




Y-Z Plane (Ant 3)

Ant 3, Theta, YZ-Plan




Ant 3, Phi, YZ-Plan




Z-X Plane (Ant 3)

Ant 3, Theta, XZ-Plan



Ant 3, Phi, XZ-Plan



APPENDIX B –Test Setup and EUT antenna port photo

B.1 Antenna Location (Configuration and RF Chains)

Please refer to the documents “ORBCKS-WTW-P25020079_SPACEX_UTR-251_Antenna measurement Report_APPENDIX”

B.2 Test Setup Diagram for EUT

Please refer to the documents “ORBCKS-WTW-P25020079_SPACEX_UTR-251_Antenna measurement Report_APPENDIX”

APPENDIX C - Information of the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Lin Kou EMC/RF Lab

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565

Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety Lab**Mobile Communications OTA Lab**

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---