


802.11ax HE80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5472.17	61.90	69.02	-7.12	88.20	-26.30		191	190	Peak	Horizontal	
2 *	6945.00	99.47	104.97	-5.50	88.20	11.27		191	190	Peak	Horizontal	
3	7127.39	62.24	67.73	-5.49	88.20	-25.96		191	190	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5861.50	62.62	69.39	-6.77	88.20	-25.58		277	195	Peak	Vertical	
2 *	6945.00	99.79	105.31	-5.52	88.20	11.59		277	195	Peak	Vertical	
3	7232.46	61.27	66.63	-5.36	88.20	-26.93		277	195	Peak	Vertical	


802.11ax HE80

CH199 (Horizontal) RMS

CH199 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5480.94	50.00	57.09	-7.09	68.20	-18.20		191	190	RMS	Horizontal	
2 *	6945.00	87.67	93.24	-5.57	68.20	19.47		191	190	RMS	Horizontal	
3	7249.28	49.99	55.29	-5.30	68.20	-18.21		191	190	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5405.01	49.90	57.04	-7.14	68.20	-18.30		277	195	RMS	Vertical	
2 *	6945.00	89.42	94.94	-5.52	68.20	21.22		277	195	RMS	Vertical	
3	7227.98	50.09	55.45	-5.36	68.20	-18.11		277	195	RMS	Vertical	


802.11ax HE160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5778.98	62.73	69.58	-6.77	88.20	-25.47	189	191	Peak	Horizontal	
2 *	6985.00	97.95	103.44	-5.49	88.20	9.75	189	191	Peak	Horizontal	
3	7236.40	63.19	68.53	-5.34	88.20	-25.01	189	191	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5755.53	63.57	70.35	-6.78	88.20	-24.63	262	204	Peak	Vertical	
2 *	6985.00	95.33	100.81	-5.48	88.20	7.13	262	204	Peak	Vertical	
3	7217.42	63.01	68.41	-5.40	88.20	-25.19	262	204	Peak	Vertical	


802.11ax HE160

CH207 (Horizontal) RMS

CH207 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5747.38	50.83	56.84	-6.81	68.20	-18.17	189	191 RMS	Horizontal	
2 *	6985.00	86.84	92.33	-5.49	68.20	18.64	189	191 RMS	Horizontal	
3	7130.07	50.59	56.08	-5.49	68.20	-17.61	189	191 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5760.00	50.57	57.35	-6.78	68.20	-17.63	262	204 RMS	Vertical	
2 *	6985.00	85.38	90.86	-5.48	68.20	17.18	262	204 RMS	Vertical	
3	7126.13	50.68	56.17	-5.49	68.20	-17.52	262	204 RMS	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE20

CH 233 9kHz~150kHz(Open)

CH 233 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB/m	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	0.01	56.93	39.04	17.89	125.73	-68.80	100	242	Peak	Open	
2	0.03	65.88	46.93	18.95	119.13	-53.25	100	181	Peak	Open	
3	0.06	56.72	37.74	18.98	112.73	-56.01	100	212	Peak	Open	
4	0.09	32.68	14.46	18.22	108.74	-76.06	100	164	Peak	Open	
5	0.11	46.70	28.73	17.97	106.53	-59.83	100	201	Peak	Open	
6	0.14	36.24	18.17	18.07	104.81	-66.57	100	217	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB/m	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	0.63	44.68	25.69	18.91	71.65	-27.05	100	265	Peak	Open	
2	4.51	33.32	13.78	19.54	69.50	-36.18	100	111	Peak	Open	
3	10.48	35.64	14.02	21.62	69.50	-33.86	100	152	Peak	Open	
4	15.08	36.66	14.72	21.94	69.50	-32.84	100	287	Peak	Open	
5	21.07	36.90	14.59	22.31	69.50	-32.60	100	249	Peak	Open	
6	26.21	35.91	13.56	22.35	69.50	-33.59	100	24	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE20

CH 233 (Horizontal)

CH233 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	50.37	22.72	28.37	-5.65	40.00	-17.28	300		242 Peak	Horizontal	
2	190.05	24.51	32.39	-7.88	43.50	-18.99	100		200 Peak	Horizontal	
3	359.80	36.45	40.01	-3.56	46.00	-9.55	100		335 QP	Horizontal	
4	555.74	29.15	29.19	-0.04	46.00	-16.85	300		178 Peak	Horizontal	
5	748.77	32.17	29.11	3.06	46.00	-13.83	300		331 Peak	Horizontal	
6	848.68	35.15	31.08	4.07	46.00	-10.85	300		178 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	57.16	26.57	32.55	-5.98	40.00	-13.43	100		34 Peak	Vertical	
2	164.83	23.12	28.80	-5.68	43.50	-20.38	100		188 Peak	Vertical	
3	362.71	35.79	39.30	-3.51	46.00	-10.21	149		360 QP	Vertical	
4	515.97	36.48	37.67	-1.19	46.00	-9.52	100		176 Peak	Vertical	
5	709.97	32.84	30.65	2.19	46.00	-13.16	300		82 Peak	Vertical	
6	844.80	34.91	30.79	4.12	46.00	-11.09	200		301 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII 5


802.11a

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12830.00	44.13	41.14	2.99	68.20	-24.07	200	112 RMS	Horizontal	
2	12830.00	38.31	35.32	2.99	68.20	-49.89	200	112 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12830.00	38.34	35.35	2.99	68.20	-29.86	200	154 RMS	Vertical	
2	12830.00	45.27	42.28	2.99	68.20	-42.93	200	154 Peak	Vertical	

802.11ax HE20

CH1 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11910.00	44.93	43.16	1.77	74.00	-29.07	100	354	Peak	Horizontal	
2	11910.00	33.96	32.19	1.77	54.00	-20.04	100	354	Average	Horizontal	

CH1 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11910.00	45.23	43.46	1.77	74.00	-28.77	200	186	Peak	Vertical	
2	11910.00	34.03	32.26	1.77	54.00	-19.97	200	186	Average	Vertical	

802.11ax HE40

CH3 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11930.00	44.69	42.91	1.78	74.00	-29.31	200	317	Peak	Horizontal	
2	11930.00	37.60	35.62	1.78	54.00	-16.40	200	317	Average	Horizontal	

CH3 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11930.00	43.83	42.05	1.78	74.00	-30.17	100	119	Peak	Vertical	
2	11930.00	37.53	35.75	1.78	54.00	-16.47	100	119	Average	Vertical	

802.11ax HE80

CH7 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11970.00	44.52	42.72	1.80	74.00	-29.48	100	220 Peak	Horizontal
2	11970.00	37.42	35.62	1.80	54.00	-16.58	100	220 Average	Horizontal

CH7 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11970.00	44.15	42.35	1.80	74.00	-29.85	100	358 Peak	Vertical
2	11970.00	37.42	35.62	1.80	54.00	-16.58	100	358 Average	Vertical


802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12690.00	43.76	40.86	2.90	74.00	-30.24	100	335 Peak	Horizontal
2	12690.00	38.28	35.38	2.90	54.00	-15.72	100	335 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12690.00	46.24	43.34	2.90	74.00	-27.76	100	359 Peak	Vertical
2	12690.00	38.38	35.48	2.90	54.00	-15.62	100	359 Average	Vertical

U-NII 6


802.11a

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13030.00	37.51	34.76	2.75	68.20	-30.69	200	215	RMS	Horizontal	
2	13030.00	43.42	40.67	2.75	68.20	-44.78	200	215	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13030.00	37.48	34.73	2.75	68.20	-30.72	100	278	RMS	Vertical	
2	13030.00	43.10	40.35	2.75	68.20	-45.10	100	278	Peak	Vertical	


802.11ax HE20

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13030.00	33.55	30.80	2.75	68.20	-34.65	200	310	RMS	Horizontal		
2	13030.00	43.52	40.77	2.75	88.20	-44.68	200		Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13030.00	33.65	30.90	2.75	68.20	-34.55	200	0	RMS	Vertical		
2	13030.00	43.50	40.75	2.75	88.20	-44.70	200		Peak	Vertical		


802.11ax HE40

CH99 (Horizontal)

CH99 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12890.00	34.10	31.21	2.89	68.20	-34.10	194	360	RMS	Horizontal		
2	12890.00	44.43	41.54	2.89	88.20	-43.77	194	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12890.00	34.30	31.41	2.89	68.20	-33.90	124	11	RMS	Vertical		
2	12890.00	44.79	41.90	2.89	88.20	-43.41	124	11	Peak	Vertical		


802.11ax HE80

CH103 (Horizontal)

CH103 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12930.00	33.28	30.46	2.82	68.20	-34.92	100	131	RMS	Horizontal		
2	12930.00	43.53	40.71	2.82	88.20	-44.67	100	131	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12930.00	33.70	30.88	2.82	68.20	-34.50	105	0	RMS	Vertical		
2	12930.00	43.69	40.87	2.82	88.20	-44.51	105	0	Peak	Vertical		


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13010.00	33.26	30.53	2.73	68.20	-34.94	100	360	RMS	Horizontal		
2	13010.00	45.66	42.93	2.73	88.20	-42.54	100	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13010.00	33.43	30.70	2.73	68.20	-34.77	122	360	RMS	Horizontal		
2	13010.00	43.06	40.33	2.73	88.20	-45.14	122	360	Peak	Horizontal		

U-NII 7


802.11a

CH181 (Horizontal)

CH181 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13710.00	34.22	30.99	3.23	68.20	-33.98	200	288 RMS	Horizontal	
2	13710.00	44.45	41.22	3.23	88.20	-43.75	200	288 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13710.00	33.96	30.73	3.23	68.20	-34.24	100	191 RMS	Vertical	
2	13710.00	45.65	42.42	3.23	88.20	-42.55	100	191 Peak	Vertical	


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13710.00	38.34	35.11	3.23	68.20	-29.86	200	314	RMS	Horizontal		
2	13710.00	45.71	42.48	3.23	88.20	-42.49	200			Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13710.00	38.21	34.98	3.23	68.20	-29.99	100	360	RMS	Vertical		
2	13710.00	43.87	40.64	3.23	88.20	-44.33	100			Peak	Vertical	


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13690.00	37.92	34.69	3.23	68.20	-30.28	200	43	RMS	Horizontal		
2	13690.00	44.85	41.62	3.23	88.20	-43.35	200	43	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13690.00	37.95	34.72	3.23	68.20	-30.25	100	111	RMS	Vertical		
2	13690.00	45.18	41.95	3.23	88.20	-43.02	100	111	Peak	Vertical		


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13410.00	37.59	34.51	3.08	68.20	-30.61	100	358	RMS	Horizontal		
2	13410.00	44.50	41.42	3.08	68.20	-43.70	100	358	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13410.00	37.34	34.26	3.08	68.20	-30.86	182	360	RMS	Vertical		
2	13410.00	44.89	41.81	3.08	68.20	-43.31	182	360	Peak	Vertical		


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	42.76	39.78	3.06	74.00	-31.24	100	360	Peak	Horizontal		
2	13330.00	37.28	34.22	3.06	54.00	-16.72	100	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	44.18	41.12	3.06	74.00	-29.82	100	332	Peak	Vertical		
2	13330.00	37.45	34.39	3.06	54.00	-16.55	100	332	Average	Vertical		

U-NII 8


802.11a

CH229 (Horizontal)

CH229 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13990.00	46.13	42.38	3.75	88.20	-42.07	348	0 Peak	Horizontal
2	13990.00	34.40	30.65	3.75	68.20	-33.80	348	0 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13990.00	46.45	42.70	3.75	88.20	-41.75	300	33 Peak	Vertical
2	13990.00	34.59	30.84	3.75	68.20	-33.61	300	33 RMS	Vertical


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13750.00	44.28	41.04	3.24	88.20	-43.92	100	43	Peak	Horizontal		
2	13750.00	33.73	30.49	3.24	68.20	-34.47	100	43	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13750.00	45.05	41.81	3.24	88.20	-43.15	244	14	Peak	Vertical		
2	13750.00	34.10	30.86	3.24	68.20	-34.10	244	14	RMS	Vertical		


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13770.00	44.13	40.89	3.24	88.20	-44.07	163	0	Peak	Horizontal	
2	13770.00	33.78	30.54	3.24	68.20	-34.42	163	0	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13770.00	45.50	42.26	3.24	88.20	-42.70	100	237	Peak	Vertical	
2	13770.00	34.20	30.96	3.24	68.20	-34.00	100	237	RMS	Vertical	


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13890.00	46.03	42.50	3.53	88.20	-42.17	100	80	Peak	Horizontal	
2	13890.00	34.02	30.49	3.53	68.20	-34.18	100	80	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13890.00	44.50	41.05	3.53	88.20	-43.62	221	76	Peak	Vertical	
2	13890.00	34.30	30.77	3.53	68.20	-33.90	221	76	RMS	Vertical	


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 13970.00	44.44	40.73	3.71	88.20	-43.76	124	77 Peak	Horizontal	
2 13970.00	34.42	30.71	3.71	68.20	-33.78	124	77 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322






Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 13970.00	45.54	41.83	3.71	88.20	-42.66	100	37 Peak	Vertical	
2 13970.00	34.14	30.43	3.71	68.20	-34.06	100	37 RMS	Vertical	

<Partial RU>
Band Edges, 5.46GHz ~ 7.250GHz
U-NII 5

802.11ax HE20_RU26

CH1 (Horizontal) Peak

CH1 (Vertical) Peak



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5773.04	62.00	68.86	-6.78	88.20	-26.12	100	197	Peak	Horizontal		
2 *	5955.00	94.33	100.67	-6.34	88.20	6.13	100	197	Peak	Horizontal		
3	7199.26	61.50	66.94	-5.44	88.20	-26.70	100	197	Peak	Horizontal		

Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5882.40	62.31	68.90	-6.59	88.20	-25.89	191	180	Peak	Vertical		
2 *	5955.00	90.38	104.92	-6.54	88.20	10.18	191	180	Peak	Vertical		
3	7228.56	62.64	68.00	-5.36	88.20	-25.56	191	180	Peak	Vertical		


802.11ax HE20_RU26

CH1 (Horizontal) RMS

CH1 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5742.67	50.51	57.36	-6.85	68.20	-17.69	100	197	RMS	Horizontal	
2 *	5955.00	87.17	95.71	-6.54	68.20	18.97	100	197	RMS	Horizontal	
3	7249.64	50.59	55.89	-5.30	68.20	-17.61	100	197	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5759.82	51.01	57.79	-6.78	68.20	-17.19	191	180	RMS	Vertical	
2 *	5955.00	90.10	96.64	-6.54	68.20	21.90	191	180	RMS	Vertical	
3	7239.28	50.63	55.96	-5.33	68.20	-17.57	191	180	RMS	Vertical	

U-NII 8


802.11ax HE20_RU26

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5484.38	62.99	70.08	-7.09	88.20	-25.21	190	194 Peak		Horizontal		
2	7115.00	86.97	92.47	-5.50	88.20	-1.23	190	194 Peak		Horizontal		
3	7124.93	73.25	78.74	-5.49	88.20	-14.95	190	194 Peak		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5764.47	62.71	69.48	-6.77	88.20	-25.49	241	205 Peak		Vertical		
2	7115.00	86.45	91.95	-5.50	88.20	-1.75	241	205 Peak		Vertical		
3	7124.93	69.54	75.03	-5.49	88.20	-18.66	241	205 Peak		Vertical		


802.11ax HE20_RU26

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5769.18	50.93	57.71	-6.78	68.20	-17.27	190	194	RMS	Horizontal	
2 *	7115.00	77.24	82.74	-5.50	68.20	9.04	190	194	RMS	Horizontal	
3 !	7124.93	65.86	71.35	-5.49	68.20	-2.34	190	194	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5465.00	51.83	58.17	-7.14	68.20	-17.17	241	205	RMS	Vertical	
2 *	7115.00	77.73	83.23	-5.50	68.20	9.53	241	205	RMS	Vertical	
3 !	7124.93	65.23	70.72	-5.49	68.20	-2.97	241	205	RMS	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII 5


802.11ax HE20_RU26

CH1 (Horizontal)


CH1 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII 8


802.11ax HE20_RU26

CH233 (Horizontal)

CH233 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14230.00	46.99	42.43	4.56	88.20	-41.21	100	43	Peak	Horizontal	
2	14230.00	35.00	30.44	4.56	68.20	-33.20	100	43	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14230.00	45.53	40.97	4.56	88.20	-42.67	100	239	Peak	Vertical	
2	14230.00	35.10	30.54	4.56	68.20	-33.10	100	239	RMS	Vertical	

Mains Conducted Emission, TX 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.21	13.87	4.25	9.62	53.39	-39.52	Average
2	0.21	33.40	23.78	9.62	63.39	-29.99	QP
3	0.48	23.28	13.65	9.63	46.40	-23.12	Average
4	0.48	26.46	16.83	9.63	56.40	-29.94	QP
5	1.10	19.01	9.37	9.64	46.00	-26.99	Average
6	1.10	23.51	13.87	9.64	56.00	-32.49	QP
7	1.79	12.89	3.23	9.66	46.00	-33.11	Average
8	1.79	18.99	9.33	9.66	56.00	-37.01	QP
9	4.45	12.00	2.31	9.69	46.00	-34.00	Average
10	4.45	24.71	15.02	9.69	56.00	-31.29	QP
11	13.38	16.79	7.03	9.76	50.00	-33.21	Average
12	13.38	24.29	14.53	9.76	60.00	-35.71	QP



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.20	14.54	4.92	9.62	53.52	-38.98	Average
2	0.20	33.26	23.64	9.62	63.52	-30.26	QP
3	0.36	13.60	3.97	9.63	48.76	-35.16	Average
4	0.36	20.05	10.42	9.63	58.76	-38.71	QP
5	0.67	12.01	2.38	9.63	46.00	-33.99	Average
6	0.67	20.72	11.09	9.63	56.00	-35.28	QP
7	1.80	15.57	5.91	9.66	46.00	-30.43	Average
8	1.80	22.71	13.05	9.66	56.00	-33.29	QP
9	4.40	11.05	1.34	9.71	46.00	-34.95	Average
10	4.40	24.51	14.80	9.71	56.00	-31.49	QP
11	13.12	14.68	4.87	9.81	50.00	-35.32	Average
12	13.12	21.90	12.09	9.81	60.00	-38.10	QP