

亞 驪 企 業 股 份 有 限 公 司
ARISTOTLE ENTERPRISES

承 認 申 請 書

ROHS COMPLIANCE

客戶名稱: 醫揚科技股份有限公司
Customer
廠商料號: RFA-27-JP379A-4B-200
Part No.
品名: L=200mm
Description
圖號: RFA-27-JP379A-4B-200
Drawing No.
客戶料號: 170001020H
Drawing No.

出廠簽章:


檢 查 TEST BY	核 對 CHECK BY	承 認 APPROVE BY
周沂珮	黃秋芳	廖煥文

承認簽章:

檢 查 TEST BY	核 對 CHECK BY	承 認 APPROVE BY

地址:新北市中和區莒光路 63 號 8 樓
電話:02-2225-8209
傳真:02-2225-7523

NO.	NAME	FINSH	MAT'L	Q'TY	MEMO
1.	PCB	BLACK	FR4	1	
2.	Cable	BLACK	--	1	Ø1.13
3.	IPEX	GOLD PLATED	BRASS	1	MHF4L
4.	TAPE	--	--	2	



PROJECTION		TOLERANCE UNLESS OTHERWISE SPECIFIED		亞驪企業股份有限公司	
LINER	ANGLE			ARISTOTLE ENTERPRISES INC.	
UNITS		.X ±1.0	X* ±5*	TITLE	
MM		.XX ±0.5		RFA-27-JP379A-4B-200	
REV.		.XXX ±0.2		DWG NO.	
3.				RFA-27-JP379A-4B-200	
2.					
1.					
REV.	ECN.	NAME	DATE	A4	1:1
				DRAW	Gino
					20220719

供應商料件無毒物質承諾書
Non-use of restricted substances statement

QD4-0032-c2-供應商料件無毒物質承諾書

請填寫相關資訊

Please fill in the relevant information :

公司名稱 Company name : 亞麗企業股份有限公司公司負責人 Company Responsible Person : 陳惠珠立書人 Declarant : 陳惠珠立書人職稱 Declarant's Title : 業務經理本聲明書生效日期 Effective Date of this Declaration : 2023/7/14

(公司章 Company Stamp or sign)

(負責人章 Responsible Person
Chop or sign)**請勾選本聲明書適用範圍**

Please Select the Scope of this Declaration :

 提供給醫揚的全部產品 All Products provided to ONYX 醫揚料號 ONYX Part Number :(1700010282, 1700010283, 1700010340, 1700010204) 原廠料號 Manufacturer Part Number : RFA-27-JP379A-4B-200RFA-27-AP152R-4G-285, RFA-27-JP379M-4B-285, RFA-27-AP152L-4B-340,

亞麗企業股份有限公司 (填寫公司名稱) 響應全球綠色環保法規或其他法律，保證如下事項：

ARISTOTLE ENTERPRISES INC.

(Fill in Company name) Response to global green environmental protection regulations or other laws, guarantee the following matters:

*為必勾項目

 *1. 產品符合歐盟 RoHS (2011/65/EU & (EU) 2015/863) 規範。

The product complies with EU RoHS (2011/65/EU & (EU) 2015/863) Directive.

 *2. 產品符合衝突礦產規範(EICC電子產業公民聯盟及CFSP無衝突礦產冶煉廠計畫等)，

銷售的產品中所含的金(Au)、鈦(Ta)、錫(Sn)和鎢(W)來源，非來自於「衝突礦區」剛果民主共和國及其周邊國家剛果、烏干達、蘇丹、坦桑尼亞、盧旺達、安哥拉、贊比亞、布隆迪等

Products comply with conflict mineral policy (EICC electronics industry civil unions and CFSP conflict mineral smelters plan, etc.), sales of the products contained in the gold (Au), tantalum (Ta), tin (Sn) and tungsten (W) source, not from the "conflict mineral area" of the democratic republic of the Congo and its neighboring countries in Congo, Uganda, Tanzania, Rwanda, Sudan, Angola, Burundi, Zambia, etc

供應商料件無毒物質承諾書
Non-use of restricted substances statement

3. 產品符合蒙特婁議定書(Montreal Protocol on Substances that Deplete the Ozone Layer)

規範，並確認銷售產品不含蒙特婁議定書規範之化學物質。

The product complies with the Montreal Protocol on Substances that Deplete the Ozone Layer regulation, and confirm that your company selling products does not contain the Montreal Protocol provisions chemicals.

4. 產品符合歐盟最新REACH (EC 1907/2006) 規範。

高關注物質(SVHC) · 不超過0.1%上限 · 以重量計算。

備註：請參照歐盟化學總署(ECHA)網站 · 最新的高關注物質清單。

This product complies with latest EU REACH (EC 1907/2006) norms. The SVHC, are not over 0.1% threshold by weight.

Note: Please check ECHA website for latest SVHC list:
<https://echa.europa.eu/candidate-list-table>

5. 產品符合 UL (Underwriter Laboratories Inc.) · 並已經對產品的代表性樣品進行測試，並確認其符合 UL 的相應要求及已發佈的功能安全標準

The product meets the requirements of UL (Underwriter Laboratories Inc.) and has been tested on a representative sample of the product to confirm compliance with the requirements of UL and the published functional safety standards

6. 產品符合美國眾議院(防止維吾爾人強迫勞動法案)，產品皆無在新疆製造

The products comply with the US House of Representatives' (Prevention of Uighur Forced Labor Act) and are not manufactured in Xinjiang, China.

7. 符合WEEE(廢電子電機設備指令)指令(2012/19/EU) · 新指令的目的是為了提高電子廢棄物經過適當處理的量，並減少廢棄產品數量。

Comply with WEEE Directive 2012/19/EU. The aim of the new directive is to increase the amount of e-waste that is appropriately treated and to reduce the volume that goes to disposal.

8. 遵循《加州 65 號提案 (California's Proposition 65)》規定
Comply with California's Proposition 65 (Prop 65)

9. 包材產品符合法國包材暨礦物油環保法第112條規範，自2023年1月1日起，禁止在包裝/文件上使用礦物油。France published Decree No. 2020-105 on the 'Fight Against Waste and the Circular Economy'. Article 112 to this law: Prohibits mineral oils on packaging, advertising material and catalogs from January 1, 2023

10. 立書人提供給醫揚的所有文件 (含測試報告、聲明書、調查表等文件) · 均正確屬實並且完整。

All documents (including test reports, declarations, survey forms, etc.) provided by Declarant to ONYX shall be accurate, true and complete.

11. 如有違背此保證聲明書的規定 **亞駒企業股份有限公司** (填寫公司名稱) 將承擔相關法律責任並賠償醫揚所受損害。


ARISTOTLE ENTERPRISES INC.

If violates any provision of this Declaration _____ (Fill in Company name)
shall take legal responsibilities and compensate ONYX for damages and losses caused by the violation.

RFA-27-JP379A-4B-200

Electrical Specifications


Frequency range	2400-2500 MHz	5150-7125 MHz
Peak gain	2.46 dBi	2.6 dBi
Average gain	-4.73 dBi	-4.7 dBi
VSWR	3.5 : 1 Max.	2.0 : 1 Max.
Polarization	Linear, vertical	
Impedance	50 Ω	
Connector	IPEX MHF4	
Cable	Ø1.13	



Environmental & Mechanical Characteristics

Temperature	- 10°C to +55°C
Humidity	95% @ 25°C

VSFR





Radiation Pattern


2G Band = 2400 - 2500 MHz % 2G BAND

XY Plane ($+X = 0\phi X, +Y = +90\phi X$) / Elevation = 90 ϕX ZX Plane ($+Z = 0\phi X, +X = +90\phi X$) / Azimuth = 0 ϕX

- 2400 MHz
- 2450 MHz
- 2500 MHz



YZ Plane ($+Z = 0\phi X, +Y = +90\phi X$) / Azimuth = 90 ϕX





Radiation Pattern


5G Band = 4900 - 5975 MHz

XY Plane ($+X = 0^\circ$, $+Y = +90^\circ$) / Elevation = 90 $^\circ$ ZX Plane ($+Z = 0^\circ$, $+X = +90^\circ$) / Azimuth = 0 $^\circ$

- 5150 MHz
- 5250 MHz
- 5350 MHz
- 5470 MHz
- 5600 MHz
- 5725 MHz
- 5785 MHz
- 5850 MHz
- 5925 MHz



YZ Plane ($+Z = 0^\circ$, $+Y = +90^\circ$) / Azimuth = 90 $^\circ$





Radiation Pattern


6G Band = 6000 - 8500 MHz

XY Plane ($+X = 0\phi X, +Y = +90\phi X$) / Elevation = 90 ϕX ZX Plane ($+Z = 0\phi X, +X = +90\phi X$) / Azimuth = 0 ϕX

- 6000 MHz
- 6125 MHz
- 6225 MHz
- 6325 MHz
- 6425 MHz
- 6525 MHz
- 6625 MHz
- 6725 MHz
- 6875 MHz
- 6925 MHz
- 7000 MHz
- 7125 MHz



YZ Plane ($+Z = 0\phi X, +Y = +90\phi X$) / Azimuth = 90 ϕX





NAN YA PLASTICS CORPORATION
ELECTRONIC MATERIALS DIVISION.
COPPER CLAD LAMINATE DEPARTMENT

**Glass cloth base epoxy resin
flame retardant copper clad laminate**

NO. 201. TUNG HWA N. ROAD,
TAIPEI, TAIWAN.

NP-140TL

■ FEATURES

- Multi-functional epoxy renders the material outstanding heat resistance, better dimensional stability, and through-hole reliability that benefit the performance of high layer count multilayer boards.
- HTE copper foil applied to prevent corner cracking.
- High luminance of epoxy contrast with copper for laser type A.O.I.
- UV solder mask may be applied simultaneously in order to increase yields.
- IPC-4101B specification is applicable.

■ PERFORMANCE LIST

Characteristics	Unit	Conditioning	Typical Values	SPEC	Test Method
Volume resistivity	MΩ-cm	C-96/35/90	5.0 x10 ⁹	10 ⁶ ↑	2.5.17
Surface resistivity	MΩ	C-96/35/90	5.0 x10 ⁷	10 ⁴ ↑	2.5.17
Permittivity 1 MHZ	-	C-24/23/50	4.2-4.4	5.4 ↓	2.5.5.9
Permittivity 1 GHZ	-	C-24/23/50	3.8-4.0	-	2.5.5.9
Loss Tangent 1 MHZ	-	C-24/23/50	0.015-0.020	0.035 ↓	2.5.5.9
Loss Tangent 1 GHZ	-	C-24/23/50	0.012-0.014	-	2.5.5.9
Arc resistance	SEC	D-48/50+D-0.5/23	120 ↑	60 ↑	2.5.1
Dielectric breakdown	KV	D-48/50	60 ↑	40 ↑	2.5.6
Moisture absorption	%	D-24/23	0.20-0.30	0.35 ↓	2.6.2.1
Flammability	-	C-24/23/50+E-24/125	94V0	94V0	UL94
Peel strength 1 oz	lb/in	288 x10" solder floating	10-14	6 ↑	2.4.8
Thermal stress	SEC	288 solder dipping	90 ↑	10 ↑	2.4.13.1
Glass transition temp		DSC	140 ± 5	N/A	2.4.25
Dimensional stability X-Y axis	%	E 4/105	0.01-0.03	0.05 ↓	2.4.39
Coefficient of thermal expansion	ppm/	TMA	50-70	N/A	2.4.24
Z-axis before Tg	ppm/	TMA	250-350		
Z-axis after Tg					


NOTE:

Data shown are nominal values for reference only.

The average value in the table refers to samples of .020" 1/1.

Test method per IPC-TM-650

■ UV TRANSMISSION CURVE OF 0.2mm CCL



■ PRODUCT SIZE & THICKNESS

THICKNESS INCH(mm)	COPPER CLADDING OZ (μm)	SIZE		THICKNESS TOLERANCE
		INCH	mm	
0.004 (0.1) to 0.047(1.2)	0.5 (17) 1.0 (35) 2.0 (70)	48.8 x 36.6 48.8 x 40.5 48.8 x 42.5	1240 x 0930 1240 x 1030 1240 x 1080	CLASS C/M

■ Keeping the core and prepreg in the same grain direction is crucial to ensure the flatness of multilayer boards.

Grain direction is shown on the Certificate of Conformance

■ CERTIFICATION UL

- UL File No. : E98983

■ CONSTRUCTION:

THICKNESS mm mil		CONSTRUCTION		THICKNESS mm mil		CONSTRUCTION	
0.08	3	2112	1 ply	0.45	18	7628 x 2 + 1080 x 1	
0.10	4	1080	2 plies	0.46	18	7667	2 plies
0.11	4	2116	1 ply	0.50	20	7628	3 plies
0.13	5	1080	2 plies	0.53	21	7628	3 plies
0.13sp	5	2116	1 ply	0.60	24	7628	3 plies
0.15	6	1506	1 ply	0.77	31	7628	4 plies
0.16	6	2112	2 plies	0.8	32	7628	4 plies
0.21	8	7628	1 ply	0.9	36	7628	5 plies
0.26	10	2116	2 plies	1.0	39	7628	5 plies
0.30	12	2116	3 plies	1.1	43	7628	6 plies
0.30sp	12	1506	2 plies	1.2	47	7628	6 plies
0.35	14	7628	2 plies				
0.38	15	7628	2 plies				

*1.2,1.1,1.0,0.9,0.77 mm, THICKNESS INCLUDES CLADDING. ALL OTHERS EXCLUDE CLADDING.



QMTS2.E98983

Polymeric Materials - Filament-wound Tubing, Industrial Laminates, Vulcanized Fiber, and Materials for Use in Fabricating Recognized Printed Wiring Boards - Component

Enhanced searching capability for this category can be found in UL's iQ Family of Databases (iq.ul.com).

[Page Bottom](#)

Polymeric Materials - Filament-wound Tubing, Industrial Laminates, Vulcanized Fiber, and Materials for Use in Fabricating Recognized Printed Wiring Boards - Component

See General Information for Polymeric Materials - Filament-wound Tubing, Industrial Laminates, Vulcanized Fiber, and Materials for Use in Fabricating Recognized Printed Wiring Boards - Component

NAN YA PLASTICS CORP CCL DEPT ELECTRONIC MATERIAL DIV

E98983

201 TUNG HWA N RD
TAIPEI, 10508 TAIWAN

High density interconnect - resin coated foils:

Mtl Dsg	Color	Core		Dielectric		Flame Class	R.T.I.		H W I	H A I	V T R	C T I	Meets 746E DSR							
		Min Thk (mm)	Max Thk (mm)	Min Thk (mic)	Max Thk (mic)		Elec (°C)	Mech (°C)												
ANSI FR-4 core with Epoxy (EP) dielectric, High density interconnect - resin coated foils, furnished as sheets.																				
NPRCC (\$2)@&, NRPC180 (\$2)@&, NRPC(H) (\$2)@&																				
	NC	0.10	-	35	110	V-0	90	-	0	4	-	4	-							
NPRCCG (\$4)@&, NRPC180G (\$4)@&																				
	NC	0.10	-	35	110	V-0	90	-	0	1	-	4	-							
UL ANSI FR-4 core with Epoxy (EP) dielectric, High density interconnect - resin coated foils, furnished as sheets.																				
NPRCF @	NC	0.035	-	25	110	V-0	-	-	-	-	-	-	-							

Industrial laminates:

Mtl Dsg	ANSI Type	Color	Build up		Flame Class	R.T.I.		H W I	H A I	V T R	C T I	Meets 746E DSR								
			Min Thk (mm)	Elec (°C)		Mech (°C)														
Industrial laminates, furnished as rolls.																				
NPG-PYR, NPG-PYTL, NPG-170PYR, NPG-170PYTL																				
	No ANSI	NC	0.64	V-0	90	90	0	0	-	-	-	Yes								
	NC	1.40	V-0	90	90	0	0	-	0	0	0	Yes								
	NC	0.38	V-0	90	90	0	0	-	-	-	-	Yes								
Industrial laminates, furnished as sheets.																				
CEM-1-05	CEM-1	NC	0.63	V-0	130	140	3	2	-	-	-	Yes								
			1.40	V-0	130	140	1	2	-	0	0	Yes								
CEM-1-05PY, CEM-1-08																				
	No ANSI	NC	0.63	V-0	90	90	0	4	-	-	-	-								
			1.40	V-0	90	90	0	4	-	0	0	-								

CEM-1-87, UV Block CEM-1-87

CEM-1	NC	0.64	V-0	130	140	3	2	0	-	Yes
		1.40	V-0	130	140	1	2	0	3	Yes

CEM-1-97, CEM-1-97 PM, UV Block CEM-1-97

CEM-1	NC	0.64	V-0	130	140	3	2	-	-	Yes
		1.40	V-0	130	140	1	2	-	0	Yes
CEM-3-01	No ANSI	NC	0.64	V-0	115	115	0	4	-	-
		1.40	V-0	115	115	0	3	-	3	Yes

CEM-3-01PY, CEM-3-09, CEM-3-01 HC, CEM-3-09HT

CEM-3	NC	0.63	V-0	130	140	0	2	-	-	Yes
		1.40	V-0	130	140	0	2	-	0	Yes

CEM-3-86, UV Block CEM-3-86

CEM-3	NC	0.64	V-0	130	140	0	0	-	-	Yes
		1.40	V-0	130	140	0	0	0	3	Yes

CEM-3-92 PY, CEM-3-10

CEM-3	NC	0.63	V-0	130	140	0	2	-	-	Yes
		1.40	V-0	130	140	0	2	-	0	Yes

CEM-3-92, UV Block CEM-3-92

CEM-3	NC	0.64	V-0	130	140	0	2	-	-	Yes
		1.40	V-0	130	140	0	2	-	3	Yes
CEM-3-95	CEM-3	BK	0.64	V-0	130	140	0	0	-	-
		1.40	V-0	130	140	0	0	-	3	Yes

CEM-3-98, CEM-3-86PY

No ANSI	NC	0.64	V-0	120	120	0	3	-	-	Yes
		1.40	V-0	120	120	0	3	-	0	Yes

FR-4-86 (#1), FR-4-TL (#1), UV Block FR-4-86 (#1)

FR-4	NC	0.18	V-0	130	105	0	0	-	-	Yes
		0.38	V-0	130	130	0	0	-	-	Yes
		0.64	V-0	130	140	0	0	-	-	Yes
		1.40	V-0	130	140	0	0	0	3	Yes

FR-4-98, FR-4-86PY, NP-140TLPY

No ANSI	NC	0.38	V-0	130	120	0	3	-	-	Yes
		0.64	V-0	130	120	0	3	-	-	Yes
		1.40	V-0	130	120	0	3	-	0	Yes

NP-140R (#2), NP-140TL (#2), NP-140MR (#2), NP-140MTL (#2)

FR-4		0.04	V-0	120	130	3	4	-	-	-
		0.25	V-0	120	130	3	3	-	-	Yes
		0.38	V-0	130	130	0	3	-	-	Yes
		0.64	V-0	130	140	0	3	4	-	Yes
		1.40	V-0	130	140	0	2	4	3	Yes

NP-150TL, NP-150R

FR-4	NC	0.38	V-0	130	130	0	3	-	-	Yes
		0.64	V-0	130	140	0	3	-	-	Yes
		1.40	V-0	130	140	0	2	-	4	Yes

MHF® 4 / 4L Connector

Part No. MHF 4L Plug: 20565-001R-13, 20572-001R-08 MHF 4 Receptacle: 20449-001E-**

Product Specification

Qualification Test Report No. TR-13011

16	S22368	August 30, 2022	M. Hidaka	K. Yufu	Y. Hashimoto
15	S22251	June 16, 2022	H. Lu	Y. Shimizu	M. Takemoto
14	S22219	June 1, 2022	K. Watanabe	K. Yufu	Y. Hashimoto
13	S21509	October 22, 2021	K. Ikeshita		M. Takemoto
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. Scope

This Product Specification defines the test conditions and the performances of the MHF 4 / 4L Connector. Test method is complied with "PCI Express® M.2 Electromechanical Specification DRAFT Revision 0.9".

2. Product Name and Parts No.

2.1 Product Name

MHF 4 / 4L Connector

2.2 Parts No.

MHF 4L Plug: 20565-001R-13, 20572-001R-08

MHF 4 Receptacle: 20449-001E-**

3. Rating

3.1 Applicable cable

3.1.1 Part No. 20565-001R-13

(1) Description

Inner conductor: AWG#32(7/0.08) , Silver plating copper wire

Dielectric core: Fluoro-plastics, diameter 0.68(+0.04,-0.02)mm

Outer conductor: Braid of 0.05mm, diameter 0.93(±0.09)mm, silver plating copper wire
or tin plating copper wire

Jacket: Fluoro-plastics, diameter 1.13(+0.08,-0.05)mm

(2) Requirements

Characteristic impedance: 50±2Ω by TDR method

Nominal capacitance(Reference value): 97 pF/m

Dielectric withstand voltage: no breakdown at AC 500V for 1 minutes.

3.1.2 Part No. 20572-001R-08

(1) Description

Inner conductor : AWG#36(7/0.05) ,Silver plating copper wire

Dielectric core : Fluoro-plastics ,diameter 0.40(+0.04,-0.02)mm

Outer conductor : Braid of 0.05mm, diameter 0.65(±0.1)mm , silver plating copper wire or tin plating copper wire

Jacket : Fluoro-plastics , diameter 0.81(+0.04,-0.03)mm

(2) Requirements

Characteristic impedance : 50±3Ω by TDR method

Nominal capacitance(Reference value): 96 pF/m

Dielectric withstand voltage : no breakdown at AC 1,000V for 1 minutes.

3.2 Conditions

Voltage: 60 Vr.m.s AC

Operating Temperature: 233~363K(-40°C~+90°C)

(Containing temperature rise by current)

Nominal characteristic impedance: 50Ω

Frequency: DC~9 GHz

VSWR: [Plug] 1.30 MAX at 0.1~3 GHz

1.45 MAX at 3~6 GHz

1.60MAX at 6~9 GHz

1.90MAX at 9~12 GHz

[Receptacle] 1.30 MAX at 0.1~3 GHz

1.40 MAX at 3~6 GHz

1.55 MAX at 6~9 GHz

3.3 Storage Conditions

Storage temperature: 248 to 333K(-25°C to 60°C)

Storage humidity: 85% max. (Non-condensing)

4. Test and Performance

Test Condition

This initial test is equal to it's at shipping condition and unless otherwise specified, all tests and measurements shall be performed under the following conditions in accordance with MIL-STD-202.

Temperature... 288K~308K (15°C~35°C)

Pressure... 866hPa~1066hPa (650mmHg~800mmHg)


Relative humidity... 45~75%R.H.

4.1. Electrical Performance

1. Contact resistance

Reference standard: MIL-STD-202-307

Test conditions: Solder the receptacle connector to the test board and mate the plug connector together, then measure the contact resistance as shown in Fig.1 by the four terminal methods. Apply the low level condition of 20mV MAX. DC for the open circuit voltage and 10mA MAX. DC for the closed circuit current.



Inner contact
=A-B
Ground contact
=D-C

Fig. 1 Contact resistance

Pass criteria:

Contact

Initial: 20 mΩ MAX. After testing: $\triangle R \leq 20 \text{ m}\Omega \text{ MAX.}$

Ground contact

Initial: 20 mΩ MAX. After testing: $\triangle R \leq 20 \text{ m}\Omega \text{ MAX.}$

2. Insulation resistance

Reference standard: MIL-STD-202-302

Test conditions: Mate the plug and receptacle connector together, and then apply DC 100 V between the inner contact and the ground contact.

Pass criteria: Initial: 500 MΩ MIN. After testing: 100 MΩ MIN.

3. Dielectric withstanding voltage

Reference standard: MIL-STD-202-301

Test conditions: Mate the receptacle and plug connector together, then apply AC 200V(rms) between the neighboring contacts for a minute.

Pass criteria: No creeping discharge, flashover, no insulator breakdown shall occur.

4.1. Electrical Performance

4.VSWR

Reference standard: -

Test conditions: Measure the VSWR as shown in Fig. 2 by the network analyzer.
Frequency : 100MHz ~ 12GHz




Fig. 2 VSWR

Pass criteria: PLUG: 1.30 MAX. at 0.1~3GHz, 1.45 MAX. at 3~6GHz
1.60 MAX. at 6~9GHz, 1.90 MAX. at 9~12GHz

RECEPTACLE: 1.30 MAX. at 0.1~3GHz, 1.40 MAX. at 3~6GHz, 1.55MAX. at 6~9GHz

4.2. Mechanical Performance

1. Mating force and Un-mating force

Reference standard: -

Test conditions: Solder the receptacle connector to the test board, then place the board and plug on push-on/pull-off machine, measure of initial and mating/unmating 30 cycles at a speed 25 ± 3 mm/min. along the mating axis.

Pass criteria: Mating force
Initial: 30 N MAX. 30cycles: 30 N MAX.
Unmating force
Initial: 20 N MAX. , 5 N MIN. 30cycles: 20 N MAX. , 3 N MIN..

2. Cable retention force at 30 degree

Reference standard: -

Test conditions: Mate plug with receptacle and tilt cable by 30 degree and pull the cable by 10N force with 10 cycles toward arrowhead direction. (Fig. 3)




Fig. 3 Cable retention force at 30 degree

Pass criteria: Appearance : No abnormality adversely affecting the performance shall occur
Electrical discontinuity: No electrical discontinuity greater than 1μs.

4.2. Mechanical Performance

3. Cable retention force at 0 degree

Reference standard: -

Test conditions: Mate Plug with Receptacle and pull the $\varphi 1.13$ cable by 20N force toward horizontal direction. (Fig. 4) In case of $\varphi 0.81$ cable strength should have more than 10N.




Fig. 4 Cable retention force at 0 degree

Pass criteria:

Appearance : No abnormality adversely affecting the performance shall occur

Electrical discontinuity: No electrical discontinuity greater than 1 μ s.

4. Durability

Reference standard: -

Test conditions: Solder the receptacle connector to the test board, then place the board and plug on the push-on/pull-off machine, and repeat mating and un-mating 30 cycles at a speed 25 ± 3 mm/min. along the mating axis.

Pass criteria:

Appearance : No abnormality adversely affecting the performance shall occur

Contact Resistance: Shall meet 4.1.1.

5. Receptacle shearing strength

Reference standard: -

Test conditions: Solder the receptacle connector to the test board, push the receptacle connector from each directions as Shown in Fig. 5. Measure the strength when the connector is broken.




Fig. 5 Receptacle shearing strength

Pass criteria:

Shearing strength: 20 N MIN.

4.2. Mechanical Performance

6. Vibration

Reference standard:	MIL-STD-202-201.
Test conditions:	<p>Apply the following vibration to the mating connector.</p> <p>During the testing, run 100mA DC to check electrical discontinuity.</p> <p>Frequency: 10Hz → 100Hz → 10Hz / approx 15minutes.</p> <p>Half amplitude, Peak value of acceleration: 1.5mm or 59m/s² (6G)</p> <p>Directions , cycle: 3 mutually perpendicular direction, 5 cycles (approx 75minutes.)</p> <p>for each direction.</p>
Pass criteria:	<p>Contact resistance: Shall meet 4.1.1.</p> <p>Electrical discontinuity: No electrical discontinuity greater than 1μs shall occur.</p> <p>Appearance : No abnormality adversely affecting the performance shall occur</p>

7. Shock

Reference standard:	MIL-STD-202-213.
Test conditions:	<p>Apply the following shock to the mating connector. During the testing, run 100mA DC to check electrical discontinuity.</p> <p>MAX.G: 735m/s²(75G)</p> <p>Duration: 11msec</p> <p>Wave Form: Half Sinusoidal</p> <p>Directions: 6 mutually perpendicular direction</p> <p>Cycle: 3 cycles about each direction</p>
Pass criteria:	<p>Contact resistance: Shall meet 4.1.1.</p> <p>Electrical discontinuity: No electrical discontinuity greater than 1μs shall occur.</p> <p>Appearance : No abnormality adversely affecting the performance shall occur</p>

4.3. Environmental Performance

1. Thermal shock

Reference standard:	MIL-STD-202, Method 107, Condition A.
Test conditions:	<p>Solder the receptacle connector to the test board, then mate plug connector, and expose them to the following environment.</p> <p>Temperature: 218K(-55°C),30min. → 358K(85°C),30min.</p> <p>Transition time: 5min. MAX.</p> <p>No. of cycles: 5 cycles</p>
Pass criteria:	<p>Contact resistance: Shall meet 4.1.1.</p> <p>Insulation resistance: Shall meet 4.1.2.</p> <p>Dielectric withstanding voltage: Shall meet 4.1.3.</p> <p>Appearance : No abnormality adversely affecting the performance shall occur</p>

2. High temperature life

Reference standard:	MIL-STD-202-108
Test conditions:	<p>Solder the receptacle connector to the test board, then mate plug connector, and expose them to the following environment.</p> <p>Temperature: 363±2K (90±2°C)</p> <p>Duration: 96 hours</p>
Pass criteria:	<p>Contact resistance: Shall meet 4.1.1.</p> <p>Appearance : No abnormality adversely affecting the performance shall occur</p>

4.3. Environmental Performance

3. Humidity(Steady state)

Reference standard:	MIL-STD-202-103, Condition A.
Test conditions:	<p>Solder the receptacle connector to the test board, then mate plug connector, and expose them to the following environment.</p> <p>Temperature: $313\pm2K$ ($40\pm2^{\circ}C$)</p> <p>Humidity: 90~95%RH</p> <p>Duration: 96 hours</p>
Pass criteria:	<p>Contact resistance: Shall meet 4.1.1.</p> <p>Insulation resistance: Shall meet 4.1.2.</p> <p>Dielectric withstanding voltage: Shall meet 4.1.3.</p> <p>Appearance : No abnormality adversely affecting the performance shall occur</p>

4. Salt water spray

Reference standard:	MIL-STD-202-101, Condition B
Test conditions:	<p>Solder the receptacle connector to the test board, then mate plug connector, and expose them to the following environment.</p> <p>Temperature: $308\pm2K$ ($35\pm2^{\circ}C$)</p> <p>Salt water density: 5±1% [by weight]</p> <p>Duration: 48 hours</p>
Pass criteria:	<p>Contact resistance: Shall meet 4.1.1.</p> <p>Appearance : No abnormality adversely affecting the performance shall occur adversely affecting the performance shall occur.</p>

5. H₂S gas

Reference standard:	-
Test conditions:	<p>Solder the receptacle connector to the test board, then mate plug connector, and expose them to the following environment.</p> <p>Temperature: $313\pm2K$ ($40\pm2^{\circ}C$)</p> <p>Relative humidity: 80±5%RH</p> <p>Gas: H₂S 3±1ppm</p> <p>Duration: 48 hours</p>
Pass criteria:	<p>Contact resistance: Shall meet 4.1.1.</p> <p>Appearance : No abnormality adversely affecting the performance shall occur adversely affecting the performance shall occur.</p>

4.4.Others

1. Solder ability

Reference standard:	MIL-STD-202-208
Test conditions:	Dip the solder tine of the contact in the solder bath at $518 \pm 5K$ ($245 \pm 5^{\circ}C$) for 5 ± 0.5 seconds after immersing the tine in the flux of RMA or R type for 5 to 10 seconds.
Pass criteria:	The surface of the dipped contact must become 95% wet and the non-wetted pinholes must not accumulate in one area but be distributed and must be less than 5% of the contact area to be soldered.

2. Soldering heat resistance

Reference standard:	-
Test conditions:	Reflow temperature profile as shown in Fig. 6. The number of times of reflow is within 2.




Fig. 6 Reflow Temperature Profile

Pass criteria:	No abnormality adversely affecting the performance shall not occur.
----------------	---

4.5 Test Sequence and Specimen Quantity

Table 1 Test Sequence and Sample Quantity

Test Item	Group															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
Contact resistance						1,3		1,3	1,3	1,5	1,3	1,3	1,3	1,3		
Insulation resistance										2,6		2,6				
Dielectric withstanding voltage	1									3,7		3,7				
VSWR		1														
Mating force / Unmating force			1													
Cable retention force at 30 degree				1												
Cable retention force at 0 degree					1											
Durability						2										
Receptacle shearing strength							1									
Vibration								2								
Shock									2							
Thermal shock										4						
High temperature life											2					
Humidity (Steady state)												4				
Salt water spray													2			
H ₂ S gas														2		
Solder ability															1	
Soldering heat resistance																1
Specimen Quantity (pcs.)	Plug	10	10	10	10	10	10	-	10	10	10	10	10	10	-	-
	Receptacle		5													

※Numbers indicate sequence in which tests are performed.

5. Recommended Metal Mask

Refer to drawing for the recommended metal mask thickness and opening dimension.

XFR 4840 GF10 (w), 310NF (w) - PLASTICS - COMPONENT

PLASTICS - COMPONENT

File Number: E213445

Yellow Card® 

COMPANY

POLYPLASTICS CO LTD

18-1 KONAN 2-CHOME
MINATO-KU, TOKYO 108-8280 Japan

MODEL INFO

Duranex: XFR 4840 GF10 (w), 310NF (w)

Polybutylene Terephthalate (PBT) , furnished as pellets

--(w) Virgin and regrind up to 50% by weight inclusive, have the same flame characteristics only.

FLAMMABILITY PROPERTIES	NOMINAL VALUE	TEST METHOD
Flammability		
0.75 mm, Color: ALL	V-0	ANSI/UL 94, IEC 60695-11-10
1.5 mm, Color: ALL	V-0	ANSI/UL 94, IEC 60695-11-10
3.0 mm, Color: ALL	5VA V-0	ANSI/UL 94
3.0 mm, Color: ALL	V-0	IEC 60695-11-10
3.0, Color: ALL	5VA	IEC 60695-11-20

ELECTRICAL PROPERTIES	NOMINAL VALUE	TEST METHOD
Hot-wire Ignition (HWI)		
0.75 mm	1 PLC	UL 746A
1.5 mm	1 PLC	

3.0 mm	1 PLC	
High Amp Arc Ignition (HAI)		UL 746A
0.75 mm	0 PLC	
1.5 mm	0 PLC	
3.0 mm	0 PLC	
Comparative Tracking Index (CTI)	1 PLC	UL 746
Dielectric Strength	24 kV/mm	ASTM D149
High Voltage Arc Tracking Rate (HVTR)	0 PLC	
Volume Resistivity	1.0E+14 ohms·cm	ASTM D257/IEC 60093
High Voltage, Low Current Arc Resistance	5 PLC	

THERMAL PROPERTIES	NOMINAL VALUE	TEST METHOD
Relative Thermal Index - Electrical Strength		UL 746B
0.75 mm	130 °C	
1.5 mm	130 °C	
3.0 mm	130 °C	
Relative Thermal Index - Mechanical Impact		UL 746B
0.75 mm	125 °C	
1.5 mm	125 °C	
3.0 mm	125 °C	
Relative Thermal Index - Mechanical Strength		UL 746B
0.75 mm	125 °C	
1.5 mm	125 °C	
3.0 mm	125 °C	

Report Date: 2006-07-24
 Revision Date: 2012-11-27

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

SPECIFICATION FOR APPROVAL

DOCUMENT: A3132TS001

STYLE : COAXIAL CABLE
105°C 30V

SIZE: 32AWGx1C
BRAID : TS

RECOGNIZED: UL 1979
MEET VW-1



WONDERFUL HI-TECH CO., LTD.

OFFICE : 72WU KONG 6TH ROAD,
WU KU IND. DISTRICT
TAIPEI HSIEN, TAIWAN

TEL : (02)22988033
FAX : (02)22988031-2


FACTORY : 17 PEI YUAN ROAD,
CHUNG-LI IND. PARK
TAIWAN, R.O.C.

TEL : (03)4527777
FAX : (03)4622419



WONDERFUL HI-TECH CO., LTD.

SPECIFICATION

STYLE	105°C 30V UL 1979	DOCUMENT NO :	A3132TS001
SIZE	32AWG	ESTABLISHED DATE:	Mar/16/2005
STANDARD :			
Conductor	Size	AWG	32
	Material	----	Silver Cover Copper
	Conductors No.	----	7
	Conductors Size	mm	0.085± 0.008
	O.D.	mm	0.26± 0.03
Insulation	Average Thickness	mm	0.22± 0.03
	Diameter	mm	0.70 ± 0.03
	Material	----	FEP
	Color	----	Clear
Braid	Material	----	Tinned Copper
	Construction	mm	16 / 4 / 0.05
	Coverage	%	90
Jacket	Average Thickness	mm	0.12±0.05
	Diameter	mm	1.13±0.1
	Material	----	FEP
	Color	----	According to customer
Marking	Non		
Drawing			



WONDERFUL HI-TECH CO., LTD.

SPECIFICATION

Electrical & Physical Properties			
Item		32AWG	
Rating Temp. Voltage		105°C 30V	
Conductor Resistance		497 OHM/KM/20°C MAX.	
Insulation Resistance		3000 MEGA OHM-KM MIN.	
Dielectric Strength		AC 500 V/Minute	
Spark Test		1 KV	
Insulation	Unaged	Tensile Strength	2500 PSI MIN.(1.76 Kg / m m ²)
		Elongation	200% MIN.
	Aged	Tensile Strength	UNAGED MIN. 75%(168HRS×232°C)
		Elongation	UNAGED MIN. 75%(168HRS×232°C)
Jacket	Unaged	Tensile Strength	2500 PSI MIN.(1.76 Kg / m m ²)
		Elongation	200% MIN.
	Aged	Tensile Strength	UNAGED MIN.75%(168HRS×232°C)
		Elongation	UNAGED MIN.75%(168HRS×232°C)
Nom. Impedance		50 ± 3 Ohms	
Nom. Capacitance		96 ± 3 pF/m	
Nom. Vel. of Prop.		69%	
VSWR Test (0 – 6 GHZ)		Max 1.35	
VSWR Test (6 – 8 GHZ)		Max 1.45	
Flame Test		VW-1 OK	
BEND RADIUS		Min. 5mm	
Operation Temperature		-40~200°C	
Storage Temperature		-40~200°C	

AK001/210X297/1.0

PAGE : 2

EDITION : 1.6

MAKER : Talis Huang

CONFIRM : W.J. Wang

APPROVAL : Glen Lin



WONDERFUL HI-TECH CO., LTD.

SPECIFICATION

Attenuation	dB/1m	Frequency	Reference value
		1.0GHz	2.20
		2.0GHz	3.10
		3.0GHz	3.90
		4.0GHz	4.50
		5.0GHz	5.00
		6.0 GHz	5.50
		7.0 GHz	6.10
		8.0 GHz	6.70

The above values may be affected by processing and connector itself, the information is for engineering reference only.

AK001/210X297/1.0

PAGE : 3

EDITION : 1.6

MAKER : Talis Huang

CONFIRM : W.J. Wang

APPROVAL : Glen Lin

UL Product iQ®



AVLV2.E77981 - Appliance Wiring Material - Component

Appliance Wiring Material - Component

WONDERFUL HI-TECH CO LTD

2F 72 WU KONG 6TH RD

WUGU DISTRICT

NEW TAIPEI INDUSTRIAL PARK

NEW TAIPEI, 248 Taiwan

E77981

Table of Recognized Styles

Single-conductor, thermoplastic insulation							
1007	1027	1227	1340	1431	1640	1868	10444
1009	1028	1230	1342	1436	1641	1953	10484
1010	1029	1275	1344	1452	1650	1971	10515
1011	1030	1283	1345	1478	1651	1973	10535
1012	1031	1316	1346	1489	1663	1976	10602
1013	1032	1317	1347	1497	1672	1979	10627
1014	1033	1318	1354	1500	1674	10002	10704
1015	1061	1319	1365	1503	1691	10005	10738
1016	1071	1320	1375	1509	1692	10064	10741
1017	1095	1321	1381	1533	1726	10070	10800
1018	1107	1330	1408	1550	1727	10131	10801
1019	1113	1331	1409	1569	1741	10231	10921
1020	1118	1332	1410	1571	1743	10254	10936
1021	1120	1333	1411	1581	1745	10269	10937
1022	1150	1335	1412	1589	1777	10272	10985
1023	1185	1336	1413	1605	1790	10362	11014
1024	1195	1337	1414	1617	1792	10368	11030
1025	1208	1338	1429	1618	1803	10369	11352
1026	1226	1339	1430	1631	1867	10439	11733
Multiple-conductor, thermoplastic insulation							
2084	2345	2498	2586	2777	2960	20236	21088
2085	2346	2501	2588	2780	2961	20235	21089

2092	2346	2501	2589	2789	2961	20245	21099
2093	2384	2502	2591	2791	2969	20246	21143
2094	2385	2511	2592	2824	2970	20247	21153
2095	2386	2516	2598	2833	2990	20251	21286
2096	2387	2517	2614	2835	2991	20276	21307
2097	2388	2528	2623	2844	2992	20279	21327
2098	2396	2532	2626	2851	2993	20280	21355
2099	2404	2547	2630	2854	2994	20288	21398
2100	2405	2549	2631	2876	20002	20306	21439
2101	2444	2550	2637	2877	20006	20379	21451
2102	2448	2552	2648	2881	20035	20417	21468
2103	2462	2562	2651	2896	20058	20489	21503
2106	2463	2569	2661	2919	20063	20544	21520
2127	2464	2570	2668	2933	20121	20549	
2128	2468	2571	2674	2934	20127	20554	
2265	2474	2574	2678	2935	20187	20620	
2273	2483	2576	2704	2936	20197	20792	
2331	2490	2582	2717	2937	20207	21016	
2343	2493	2583	2725	2938	20233	21064	
2344	2497	2584	2733	2951	20234	21080	

Single-conductor, thermoset insulation

3034	3168	3265	3286	3348	3385	3439	30035
3039	3173	3266	3302	3376	3386	3443	
3044	3199	3271	3321	3377	3424	3619	

Multiple-conductor, thermoset insulation

4028	4032	4036	4384	4469	4478
------	------	------	------	------	------

Style(s) 1007, 1015, 10269, 1028, 10741, 10937, 1346, 1569, 2103, 3265, 3385 can be assigned the IEC 60332-1 flammability rating

Style(s) 1007, 1015, 10269, 1028, 10741, 10937, 1346, 1569, 2103, 3265, 3385 can be assigned the IEC 60332-2 flammability rating

Marking: Company name, voltage rating, temperature rating, conductor size, conductor material if other than copper.,

Last Updated on 2022-05-09



在此資料庫中出現的公司名稱或產品，並不代表其產品本身的製造有經過UL後續檢驗服務的把關。僅有附UL標誌的產品才可被視為取得認證，並涵蓋在UL後續檢驗服務範疇裡。請務必確認產品上是否有此標誌。

UL 允許複製線上認證目錄中所包含的資料，但必須符合以下條件：1. 指南資訊、零組件、構造、設計、系統和/或認證 (檔案) 必須以完整的方式呈現，且不得誤導、不得操弄這些資料 (或圖繪)。2. 「經 UL 許可自線上認證目錄轉載」的聲明，必須顯示在擷取的資料旁。此外，轉載的資料必須包含以下格式的版權聲明： "©2022 UL LLC."



APPLIANCE WIRING MATERIAL

Style 1979 Single conductor with extruded insulation and non-integral jacket.

Rating 105 deg C, 30 Vac, Horizontal flame.

Conductor 40-20 AWG. Material not specified.

Insulation Extruded ETFE or extruded FEP or extruded PFA, 1.8 mils min average, 1.5 mils minimum at any point.

Shield Optional.

Jacket Extruded ETFE or extruded FEP or extruded PFA, 1.8 mils minimum average, 1.5 mils minimum at any point.

Standard Appliance Wiring Material UL 758.

Marking General.

Use Internal Wiring of Class 2 Circuits in Electronic Equipment.

UL and the UL Logo are trademarks of UL LLC © 2022



Double Coated Tissue Tapes

9888T

Temporary Technical Data

May, 2002

Product Description:

Product 9888T double coated tissue tape features a tissue carrier for dimensional stability and improved handling with ease of die cutting and laminating.

Construction:

Product Number	Adhesive ¹ / Color/ Tape Thickness	Carrier	Liner Color, Type, Print	Liner Caliper
9888T	Translucent, 0.0059" (0.150mm)	Tissue translucent in color	White, PE ² polycoated paper, 3M logo print in red color	0.0059" (0.150mm)

Note 1: Pressure Sensitive Acrylic Adhesive provides excellent initial tack and adhesion to a wide variety surface including many low surface energy plastics.

Note 2: PE (Polyethylene)

Feature

1. 9888T feature a medium-soft acrylic pressure sensitive adhesive system. The key characteristics of this adhesive include a combination of high initial adhesion and good shear and holding power to a wide variety of materials, including many plastics.
2. 9888T feature controlled adhesive flow into open cell foam and controlled caliper for bond to application surface.
3. For foam laminating, it provides excellent foam stability to reduce stretching and allows to more precise alignment during application.

Typical Physical Properties and Performance Characteristics

Note: The following technical information and data should be considered representative or typical only and should not be used for specification purposes.

Product Number	9888T
Adhesion to stainless steel ASTM D3330 –180 degree, 2 mil Al foil at 22°C, 50%RH	g/25.4m
15 minute RT	2940
72 Hour RT	3180
Adhesion to ABS ASTM D3330 –180 degree, 2 mil Al foil at 22°C, 50%RH	
15 minute RT	2210
72 Hour RT	2440
Adhesion to PC ASTM D3330 –180 degree, 2 mil Al foil at 22°C, 50%RH	
15 minute RT	2560
72 Hour RT	2670
Adhesion to PP ASTM D3330 –180 degree, 2 mil Al foil at 22°C, 50%RH	
20 minute RT	1900
72 Hour RT	2190

Shear strength ASTM D3654 modified 0.5 inch ² sample size at 22°C	1000 grams	10000 mins
Relative High temperature Operating Ranges		
Long Term (days, weeks)		80°C
Short Term (minutes, hours)		120°C
Shelf Life 12 months from date of receipt by customer when stored in original carton at 22 °C and 50% relative humidity		

Application Techniques:

Bond strength is dependent upon the amount of adhesive-to-surface contact developed. Firm application pressure helps develop better adhesive contact and improves bond strength.

To obtain optimum adhesion, the bonding surfaces must be clean, dry and well unified. Some typical surface cleaning solvents are isopropyl alcohol or heptane. Note: Carefully read and follow the manufacturer's precautions and directions for use when working with solvents.

Ideal tape application temperature range is 70° F to 100° F (21° C to 38° C). Initial tape application to surfaces at temperatures below 50° F (10° C) is not recommended because the adhesive becomes too firm to adhere readily. However, once properly applied, low temperature holding is generally satisfactory.

General Information

Tape 9888T has a tissue carrier, which can add dimensional stability to foams and other substrates. The carrier also provides easier handling during slitting and die-cutting.

Application Ideas

- 9888T tapes are specially formulated for many indoor high performance purpose mounting and joining applications, including bonding to Polyethylene, Polypropylene and many other Plastics, where moderate temperature and shear performance are required.
- 9888T tapes are formulated for more demanding indoor and moderate outdoor high performance mounting and joining application.
- Application ideas for these tapes include
 - Lens attachment for mobile phone
 - Wire and Cable Clips
 - Appliance, Case for display and Electronics Equipment Trim
 - Interior under sheet for car
 - Paper splicing
 - Foam, Gasket attachment in mobile phones and pagers.
 - Plastics Hooks, Racks and Dispensers
 - Sign, Nameplates and Plaques
 - Appliques

Important Notice

3M MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of application. Please remember that many factors can affect the use and performance of a 3M product in a particular application. The materials to be bonded with the product, the surface preparation of those materials, the product selected for use, the conditions in which the product is used, and the time and environmental conditions in which the product is expected to perform are among the many factors that can affect the use and performance of a 3M product. Given the variety of factors that can affect the use and performance of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

Limitation of Remedies and Liability

If the 3M product is proved to be defective, THE EXCLUSIVE REMEDY, AT 3M'S OPTION, SHALL BE TO REFUND THE PURCHASE PRICE OF OR TO REPAIR OR REPLACE THE DEFECTIVE 3M PRODUCT. 3M shall not otherwise be liable for loss or damages, whether direct, indirect, special, incidental, or consequential, regardless of the legal theory asserted, including negligence, warranty, or strict liability.

RoHS REPORT INDEX

	NAME		RoHS report
1	PCB	南亞塑膠工業股份有限公司	ETR22800034
2	IPEX		
2-1	HOUSING	POLYPLASTICS TAIWAN CO., LTD.	EKR23400747
2-2	CONTACT/GROUND CONTACT	JX NIPPON MINING & METALS CORPORATION	ETR22803072M01
3	Cable		
3-1	色母	WONDERFUL HI-TECH CO., LTD.	TWNC01143290
3-2	FEP	大金氟化工(中國)有限公司	SHAEC22004639302
3-3	裸銅線	WONDERFUL HI-TECH CO., LTD.	TWNC01143291
3-4	鍍銀	聖的化學工業原料行	ETR22A03675
3-5	鍍錫	WONDERFUL HI-TECH CO., LTD.	TWNC01143295
4	TAPE	台灣明尼蘇達礦業製造股份有限公司	SHAEC2216712501



測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 1 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

以下測試樣品係由申請廠商所提供之確認 (The following sample(s) was/were submitted and identified by the applicant as) :

送樣廠商(Sample Submitted By) : 南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)
樣品名稱(Sample Name) : LAMINATE (UL E98983)
樣品型號(Style/Item No.) : NP-140R/NP-140TL
訂單編號(Order No.) : 2522256

=====
收件日(Sample Receiving Date) : 01-Aug-2022
測試期間(Testing Period) : 01-Aug-2022 to 08-Aug-2022

測試需求(Test Requested) : (1) 依據客戶指定，參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。(As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下頁。(Please refer to next pages for the other item(s).)

測試結果(Test Results) :
結論(Conclusion) : (1) 請參閱下頁 (Please refer to following pages.)
根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。(Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)


Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 9B9BD425

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 2 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試部位敘述 (Test Part Description)

No.1 : 銅色/棕色板子 (COPPER/BROWN SHEET)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	3.71	1000
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017 · 以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
鋁 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3052: 1996 · 以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
氧化鋁 (BeO) (Beryllium oxide (BeO)) (CAS No.: 1304-56-9)	由鋁結果計算得之。(Calculated from the result of Beryllium.)	mg/kg	2▲	n.d.	-
聚氯乙烯 (Polyvinylchloride) (PVC)	參考ASTM E1252: 2013 · 以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2013, analysis was performed by FT-IR and Flame Test.)	**	-	Negative	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 3 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000
一溴聯苯醚 (Monobromodiphenyl ether)	參考IEC 62321-6: 2015 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
多氯聯苯 (PCBs) (Polychlorinated biphenyls (PCBs))	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.	-
多氯奈 (PCNs) (Polychlorinated naphthalene (PCNs))		mg/kg	5	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 4 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
多氯三聯苯 (PCTs) (Polychlorinated terphenyls (PCTs))	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.	-
短鏈氯化石蠟(C10-C13) (SCCP) (Short Chain Chlorinated Paraffins(C10-C13) (SCCP)) (CAS No.: 85535-84-8)	參考ISO 18219: 2015 · 以氣相層析儀/質譜儀分析。(With reference to ISO 18219: 2015, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
石綿 (Asbestos)					
白石綿/溫石綿 (Chrysotile) (CAS No.: 12001-29-5)	參考EPA 600/R-93/116: 1993 · 以立體顯微鏡(SM)與分散染色式偏光顯微鏡(DS-PLM)及X光繞射光譜分析法(XRD)分析。(With reference to EPA 600/R-93/116: 1993, analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).)	-	-	Negative	-
褐石綿/鐵石綿 (Amosite) (CAS No.: 12172-73-5)		-	-	Negative	-
青石綿 (Crocidolite) (CAS No.: 12001-28-4)		-	-	Negative	-
斜方角閃石綿 (Anthophyllite) (CAS No.: 77536-67-5)		-	-	Negative	-
透閃石綿 (Tremolite) (CAS No.: 77536-68-6)		-	-	Negative	-
陽起石綿 (Actinolite) (CAS No.: 77536-66-4)		-	-	Negative	-
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004 · 以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.	-
三苯基錫 (TPT) (Triphenyl tin (TPT))		mg/kg	0.03	n.d.	-
二丁基錫 (DBT) (Dibutyl tin (DBT))		mg/kg	0.03	n.d.	-
二辛基錫 (DOT) (Diocetyl tin (DOT))		mg/kg	0.03	n.d.	-
氧化雙三丁基錫 (TBTO) (Bis(tributyltin) oxide (TBTO)) (CAS No.: 56-35-9)	由三丁基錫結果計算得之。(Calculated from the result of Tributyl Tin (TBT).)	mg/kg	0.03▲	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 5 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
偶氮染料 (AZO Dyes)					
4-氨基二苯 (4-aminodiphenyl) (CAS No.: 92-67-1)		mg/kg	3	n.d.	-
聯苯胺 (Benzidine) (CAS No.: 92-87-5)		mg/kg	3	n.d.	-
4-氯鄰甲苯胺 (4-chloro-o-toluidine) (CAS No.: 95-69-2)		mg/kg	3	n.d.	-
2-萘胺 (2-naphthylamine) (CAS No.: 91-59-8)		mg/kg	3	n.d.	-
鄰-胺基偶氮甲苯 (o-aminoazotoluene) (CAS No.: 97-56-3)		mg/kg	3	n.d.	-
2-胺基-4-硝基甲苯 (5-nitro-o-toluidine) (CAS No.: 99-55-8)		mg/kg	3	n.d.	-
4-氯苯胺 (4-chloroaniline) (CAS No.: 106-47-8)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。 (With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
2,4-二氨基苯甲醚 (2,4-diaminoanisole) (CAS No.: 615-05-4)		mg/kg	3	n.d.	-
4,4'-二胺基二苯甲烷 (4,4'-diaminodiphenylmethane (MDA)) (CAS No.: 101-77-9)		mg/kg	3	n.d.	-
3,3'-二氯聯苯胺 (3,3'-dichlorobenzidine) (CAS No.: 91-94-1)		mg/kg	3	n.d.	-
3,3'-二甲氧基聯苯胺 (3,3'-dimethoxybenzidine) (CAS No.: 119-90-4)		mg/kg	3	n.d.	-
3,3'-二甲基聯苯胺 (3,3'-dimethylbenzidine) (CAS No.: 119-93-7)		mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237

25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 6 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
3,3'-二甲基-4,4'-二胺基二苯甲烷 (3,3'-dimethyl-4,4'-diaminodiphenylmethane) (CAS No.: 838-88-0)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。 (With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
2-甲氧基-5-甲基苯胺 (2-methoxy-5-methylaniline) (CAS No.: 120-71-8)		mg/kg	3	n.d.	-
4,4'-亞甲雙(2-氯苯胺) (4,4'-methylene-bis-(2-chloroaniline)) (CAS No.: 101-14-4)		mg/kg	3	n.d.	-
4,4'-二胺基二苯醚 (4,4'-oxydianiline) (CAS No.: 101-80-4)		mg/kg	3	n.d.	-
4,4'-硫二苯胺 (4,4'-thiodianiline) (CAS No.: 139-65-1)		mg/kg	3	n.d.	-
鄰-甲苯胺 (o-toluidine) (CAS No.: 95-53-4)		mg/kg	3	n.d.	-
2,4-甲苯二胺 (2,4-diaminotoluene) (CAS No.: 95-80-7)		mg/kg	3	n.d.	-
2,4,5-三甲苯胺 (2,4,5-trimethylaniline) (CAS No.: 137-17-7)		mg/kg	3	n.d.	-
鄰-甲氧基苯胺 (o-anisidine) (CAS No.: 90-04-0)		mg/kg	3	n.d.	-
2,4-二甲基苯胺 (2,4-xylidine) (CAS No.: 95-68-1)		mg/kg	3	n.d.	-
2,6-二甲基苯胺 (2,6-xylidine) (CAS No.: 87-62-7)		mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 7 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
4-苯基偶氮基苯胺 (4-aminoazobenzene) (CAS No.: 60-09-3)	參考EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.)	mg/kg	3	n.d.	-
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)		mg/kg	0.01	n.d.	-
2-[2-羥基-3',5'-二-叔-丁基苯基]-苯並三唑(紫外線吸收劑320) (2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)) (CAS No.: 3846-71-7)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
富馬酸二甲酯 (DMFu) (Dimethyl fumarate (DMFu)) (CAS No.: 624-49-7)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
磷酸三(2-氯乙基)酯 (TCEP) (Tris(2-chloroethyl) phosphate (TCEP)) (CAS No.: 115-96-8)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
磷酸三(1-氯-2-丙基)酯 (TCPP) (Tris(1-chloro-2-propyl) phosphate (TCPP)) (CAS No.: 13674-84-5)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
磷酸三(1,3-二氯異丙基)酯 (Tris(1,3-dichloro-2-propyl) phosphate) (CAS No.: 13674-87-8)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 8 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
氫氟碳化合物 (Hydrofluorocarbon) (HFCs)					
HFC-23 (CHF3) (CAS No.: 75-46-7)		mg/kg	1	n.d.	-
HFC-32 (CH2F2) (CAS No.: 75-10-5)		mg/kg	1	n.d.	-
HFC-41 (CH3F) (CAS No.: 593-53-3)		mg/kg	1	n.d.	-
HFC-43-10mee (C5H2F10)		mg/kg	1	n.d.	-
HFC-125 (C2HF5)		mg/kg	1	n.d.	-
HFC-134 (C2H2F4)		mg/kg	1	n.d.	-
HFC-134a (CH2FCF3) (CAS No.: 811-97-2)		mg/kg	1	n.d.	-
HFC-143 (CH3F3)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HFC-143a (CH3F3)		mg/kg	1	n.d.	-
HFC-152a (C2H4F2) (CAS No.: 75-37-6)		mg/kg	1	n.d.	-
HFC-227ea (C3HF7) (CAS No.: 431-89-0)		mg/kg	1	n.d.	-
HFC-236fa (C3H2F6)		mg/kg	1	n.d.	-
HFC-236ea (C3H2F6) (CAS No.: 431-63-0)		mg/kg	1	n.d.	-
HFC-245ca (C3H3F5)		mg/kg	1	n.d.	-
HFC-245fa (C3H3F5)		mg/kg	1	n.d.	-
HFC-365mfc (C4H5F5)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 9 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
全氟化碳 (Perfluorocarbon) (PFCs)					
四氟甲烷 (Freon-14) (CAS No.: 75-73-0)		mg/kg	1	n.d.	-
六氟乙烷 (Fluorocarbon 116) (CAS No.: 76-16-4)		mg/kg	1	n.d.	-
八氟丙烷 (Freon 218) (CAS No.: 76-19-7)		mg/kg	1	n.d.	-
十氟丁烷 (Decafluorobutane) (CAS No.: 355-25-9)		mg/kg	1	n.d.	-
八氟環丁烷 (Freon C318) (CAS No.: 115-25-3)		mg/kg	1	n.d.	-
全氟-1-丁烯 (Perfluor-1-butene) (CAS No.: 357-26-6)		mg/kg	1	n.d.	-
全氟異丁烯 (Perfluorisobutene) (CAS No.: 382-21-8)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,4-二氫八氟丁烷 (1,4-dihydrooctafluorobutane) (CAS No.: 377-36-6)		mg/kg	1	n.d.	-
2-全氟甲基丁烷 (Nonafluor-2-(trifluoromethyl)butane) (CAS No.: 594-91-2)		mg/kg	1	n.d.	-
全氟戊烷 (Perfluoro-n-pentane) (CAS No.: 678-26-2)		mg/kg	1	n.d.	-
2-全氟甲基戊烷 (2-Perfluoromethylpentane) (CAS No.: 355-04-4)		mg/kg	1	n.d.	-
全氟己烷 (Perfluorohexane) (CAS No.: 355-42-0)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 10 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
氟氯碳化物 (Chlorofluorocarbons) (CFCs)					
CFC-11		mg/kg	1	n.d.	-
CFC-12		mg/kg	1	n.d.	-
CFC-113		mg/kg	1	n.d.	-
CFC-114		mg/kg	1	n.d.	-
CFC-115		mg/kg	1	n.d.	-
CFC-13		mg/kg	1	n.d.	-
CFC-111	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
CFC-112		mg/kg	1	n.d.	-
CFC-211		mg/kg	1	n.d.	-
CFC-212		mg/kg	1	n.d.	-
CFC-213		mg/kg	1	n.d.	-
CFC-214		mg/kg	1	n.d.	-
CFC-215		mg/kg	1	n.d.	-
CFC-216		mg/kg	1	n.d.	-
CFC-217		mg/kg	1	n.d.	-
氟氯氫烷碳化物 (Hydrochlorofluorocarbons) (HCFCs)					
HCFC-21		mg/kg	1	n.d.	-
HCFC-22		mg/kg	1	n.d.	-
HCFC-31		mg/kg	1	n.d.	-
HCFC-121	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-122		mg/kg	1	n.d.	-
HCFC-123		mg/kg	1	n.d.	-
HCFC-124		mg/kg	1	n.d.	-
HCFC-131		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 11 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
HCFC-132b		mg/kg	1	n.d.	-
HCFC-133a		mg/kg	1	n.d.	-
HCFC-141b		mg/kg	1	n.d.	-
HCFC-142b		mg/kg	1	n.d.	-
HCFC-221		mg/kg	1	n.d.	-
HCFC-222		mg/kg	1	n.d.	-
HCFC-223		mg/kg	1	n.d.	-
HCFC-224		mg/kg	1	n.d.	-
HCFC-225ca		mg/kg	1	n.d.	-
HCFC-225cb		mg/kg	1	n.d.	-
HCFC-226		mg/kg	1	n.d.	-
HCFC-231	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-232		mg/kg	1	n.d.	-
HCFC-233		mg/kg	1	n.d.	-
HCFC-234		mg/kg	1	n.d.	-
HCFC-235		mg/kg	1	n.d.	-
HCFC-241		mg/kg	1	n.d.	-
HCFC-242		mg/kg	1	n.d.	-
HCFC-243		mg/kg	1	n.d.	-
HCFC-244		mg/kg	1	n.d.	-
HCFC-251		mg/kg	1	n.d.	-
HCFC-252		mg/kg	1	n.d.	-
HCFC-253		mg/kg	1	n.d.	-
HCFC-261		mg/kg	1	n.d.	-
HCFC-262		mg/kg	1	n.d.	-
HCFC-271		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 12 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
HCFC-141	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HCFC-142		mg/kg	1	n.d.	-
HCFC-151		mg/kg	1	n.d.	-
HCFC-225		mg/kg	1	n.d.	-
溴甲烷 (Methyl Bromide) (CAS No.: 74-83-9)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
海龍 (Halons)					
海龍-1211 (Halon-1211) (CAS No.: 353-59-3)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
海龍-1301 (Halon-1301) (CAS No.: 75-63-8)		mg/kg	1	n.d.	-
海龍-2402 (Halon-2402) (CAS No.: 124-73-2)		mg/kg	1	n.d.	-
不完全鹵化氟溴化物 (Hydrobromofluorocarbons)					
HBFC-21B2 (CHFBr ₂) (CAS No.: 1868-53-7)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HBFC-22B1 (CHF ₂ Br) (CAS No.: 1511-62-2)		mg/kg	1	n.d.	-
HBFC-31B1 (CH ₂ FBr) (CAS No.: 373-52-4)		mg/kg	1	n.d.	-
HBFC-121B4 (C ₂ HFB ₄)		mg/kg	1	n.d.	-
HBFC-122B3 (C ₂ HF ₂ Br ₃)		mg/kg	1	n.d.	-
HBFC-123B2 (C ₂ HF ₃ Br ₂)		mg/kg	1	n.d.	-
HBFC-124B1 (C ₂ HF ₄ Br)		mg/kg	1	n.d.	-
HBFC-131B3 (C ₂ H ₂ FBr ₃)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 13 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
HBFC-132B2 (C2H2F2Br2)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
HBFC-133B1 (C2H2F3Br)		mg/kg	1	n.d.	-
HBFC-141B2 (C2H3FBr2)		mg/kg	1	n.d.	-
HBFC-142B1 (C2H3F2Br)		mg/kg	1	n.d.	-
HBFC-151B1 (C2H4FBr)		mg/kg	1	n.d.	-
HBFC-221B6 (C3HFBr6)		mg/kg	1	n.d.	-
HBFC-222B5 (C3HF2Br5)		mg/kg	1	n.d.	-
HBFC-223B4 (C3HF3Br4)		mg/kg	1	n.d.	-
HBFC-224B3 (C3HF4Br3)		mg/kg	1	n.d.	-
HBFC-225B2 (C3HF5Br2)		mg/kg	1	n.d.	-
HBFC-226B1 (C3HF6Br)		mg/kg	1	n.d.	-
HBFC-231B5 (C3H2FBr5)		mg/kg	1	n.d.	-
HBFC-232B4 (C3H2F2Br4)		mg/kg	1	n.d.	-
HBFC-233B3 (C3H2F3Br3)		mg/kg	1	n.d.	-
HBFC-234B2 (C3H2F4Br2)		mg/kg	1	n.d.	-
HBFC-235B1 (C3H2F5Br)		mg/kg	1	n.d.	-
HBFC-241B4 (C3H3FBr4)		mg/kg	1	n.d.	-
HBFC-242B3 (C3H3F2Br3)		mg/kg	1	n.d.	-
HBFC-243B2 (C3H3F3Br2)		mg/kg	1	n.d.	-
HBFC-244B1 (C3H3F4Br)		mg/kg	1	n.d.	-
HBFC-251B3 (C3H4FBr3)		mg/kg	1	n.d.	-
HBFC-252B2 (C3H4F2Br2)		mg/kg	1	n.d.	-
HBFC-253B1 (C3H4F3Br)		mg/kg	1	n.d.	-
HBFC-261B2 (C3H5FBr2)		mg/kg	1	n.d.	-
HBFC-262B1 (C3H5F2Br)		mg/kg	1	n.d.	-
HBFC-271B1 (C3H6FBr)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 14 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
氯碳氫化物 (Chlorinate hydrocarbon)					
1,1,1,2-四氯乙烷 (1,1,1,2-Tetrachloroethane) (CAS No.: 630-20-6)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
1,1,1-三氯乙烷 (1,1,1-Trichloroethane) (CAS No.: 71-55-6)		mg/kg	1	n.d.	-
1,1,2,2-四氯乙烷 (1,1,2,2-Tetrachloroethane) (CAS No.: 79-34-5)		mg/kg	1	n.d.	-
1,1,2-三氯乙烷 (1,1,2-Trichloroethane) (CAS No.: 79-00-5)		mg/kg	1	n.d.	-
1,1-二氯乙烷 (1,1-Dichloroethane) (CAS No.: 75-34-3)		mg/kg	1	n.d.	-
1,1-二氯乙烯 (1,1-Dichloroethylene) (CAS No.: 75-35-4)		mg/kg	1	n.d.	-
1,1-二氯丙烯 (1,1-Dichloropropene) (CAS No.: 563-58-6)		mg/kg	1	n.d.	-
1,2,3-三氯丙烷 (1,2,3-Trichloropropane) (CAS No.: 96-18-4)		mg/kg	1	n.d.	-
1,2-二氯乙烷 (1,2-Dichloroethane) (CAS No.: 107-06-2)		mg/kg	1	n.d.	-
1,2-二氯丙烷 (1,2-Dichloropropane) (CAS No.: 78-87-5)		mg/kg	1	n.d.	-
1,3-二氯丙烷 (1,3-Dichloropropane) (CAS No.: 142-28-9)		mg/kg	1	n.d.	-
2,2-二氯丙烷 (2,2-Dichloropropane) (CAS No.: 594-20-7)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 15 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
四氯甲烷(四氯化碳) (Carbon tetrachloride) (CAS No.: 56-23-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
氯乙烷 (Chloroethane) (CAS No.: 75-00-3)		mg/kg	1	n.d.	-
氯仿 (Chloroform) (CAS No.: 67-66-3)		mg/kg	1	n.d.	-
氯甲烷 (Chloromethane) (CAS No.: 74-87-3)		mg/kg	1	n.d.	-
順-1,2-二氯乙烯 (cis-1,2-Dichloroethene) (CAS No.: 156-59-2)		mg/kg	1	n.d.	-
順-1,3-二氯丙烯 (cis-1,3-Dichloropropene) (CAS No.: 10061-01-5)		mg/kg	1	n.d.	-
六氯-1,3-丁二烯 (Hexachlorobutadiene) (CAS No.: 87-68-3)		mg/kg	1	n.d.	-
二氯甲烷 (Dichloromethane) (CAS No.: 75-09-2)		mg/kg	1	n.d.	-
四氯乙烯 (Tetrachloroethene) (CAS No.: 127-18-4)		mg/kg	1	n.d.	-
反-1,2-二氯乙烯 (trans-1,2-Dichloroethene) (CAS No.: 156-60-5)		mg/kg	1	n.d.	-
反-1,3-二氯丙烯 (trans-1,3-Dichloropropene) (CAS No.: 10061-02-6)		mg/kg	1	n.d.	-
三氯乙烯 (Trichloroethylene) (CAS No.: 79-01-6)		mg/kg	1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 16 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
六氟化硫 (Sulfur hexafluoride) (CAS No.: 2551-62-4)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
砷 (Arsenic) (As) (※ E)	參考RSTS-EE-SVHC-007 · 以感應耦合電漿發射光譜儀分析。(With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES.)	mg/kg	50	n.d.	-
五氧化二砷 (As ₂ O ₅) (Diarsenic pentaoxide (As ₂ O ₅)) (CAS No.: 1303-28-2)	由砷結果計算得之。(Calculated from the result of Arsenic.)	mg/kg	50▲	n.d.	-
三氧化二砷 (As ₂ O ₃) (Diarsenic trioxide (As ₂ O ₃)) (CAS No.: 1327-53-3)	由砷結果計算得之。(Calculated from the result of Arsenic.)	mg/kg	50▲	n.d.	-
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2)		mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7)		mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5)		mg/kg	50	n.d.	1000
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50	n.d.	-
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 17 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)		mg/kg	50	n.d.	-
鄰苯二甲酸二(支鏈與直鏈)己基酯 (DHP) (1,2-Benzene dicarboxylic acid, dihexyl ester, branched and linear (DHP)) (CAS No.: 68515-50-4)		mg/kg	50	n.d.	-
鄰苯二甲酸二 (C6-8支鏈)烷基酯 · 富C7 (DIHP) (1,2-Benzene dicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)) (CAS No.: 71888-89-6)		mg/kg	50	n.d.	-
鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯 (DHNUP) (1,2-Benzene dicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)) (CAS No.: 68515-42-4)		mg/kg	50	n.d.	-
鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)		mg/kg	50	n.d.	-
鄰苯二甲酸二異戊酯 (DIPP) (Diisopentyl phthalate (DIPP)) (CAS No.: 605-50-5)		mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 18 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
鄰苯二甲酸二(支鏈及直鏈戊基)酯 (DPP) (1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (DPP)) (CAS No.: 84777-06-0)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
鄰苯二甲酸二正戊酯 (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)		mg/kg	50	n.d.	-
鄰苯二甲酸正戊異戊酯 (NPIPP) (N-pentyl iso-pentyl phthalate (NPIPP)) (CAS No.: 776297-69-9)		mg/kg	50	n.d.	-
鄰苯二甲酸二甲酯 (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3)		mg/kg	50	n.d.	-
鄰苯二甲酸二環己酯 (DCHP) (Di-cyclohexyl phthalate (DCHP)) (CAS No.: 84-61-7)		mg/kg	50	n.d.	-
鄰苯二甲酸二苯酯 (DPhP) (Diphenyl phthalate (DPhP)) (CAS No.: 84-62-8)		mg/kg	50	n.d.	-
鄰苯二甲酸二苯甲基酯 (Dibenzyl phthalate) (CAS No.: 523-31-9)		mg/kg	50	n.d.	-
鄰苯二甲酸二異辛酯 (DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3)		mg/kg	50	n.d.	-
鄰苯二甲酸二丙酯 (DPrP) (Dipropyl phthalate (DPrP)) (CAS No.: 131-16-8)		mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 19 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
鄰苯二甲酸二正壬酯 (DNNP) (Di-n-nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
鄰苯二甲酸二乙酯 (DEP) (Di-ethyl phthalate (DEP)) (CAS No.: 84-66-2)				n.d.	-
二氯化鈷 (CoCl ₂) (Cobalt dichloride (CoCl ₂)) (CAS No.: 7646-79-9)	以感應耦合電漿發射光譜儀 · 離子層析儀分析；由氯、鈷的結果計算得之。(Analysis was performed by ICP-OES, IC. Calculated from the results of Cobalt, Chlorine.)	mg/kg	50▲	n.d.	-
全氟己基磺酸及其鹽類 (PFHxS) (Perfluorohexane-1-sulphonic acid and its salts (PFHxS)) (CAS No.: 355-46-4)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
紅磷 (Red Phosphorus)	以熱裂解-氣相層析儀/質譜儀分析。(Analysis was performed by Pyrolyzer-GC/MS.)	**	-	Negative	-
二乙二醇二甲醚 (DEGDME) (Diethylene glycol dimethyl ether (DEGDME)) (CAS No.: 111-96-6)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	10	n.d.	-
N, N-二甲基乙醯胺 (DMAC) (N,N-Dimethylacetamide (DMAC)) (CAS No.: 127-19-5)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	10	n.d.	-
乙二醇二甲醚 (Ethylene glycol dimethyl ether) (CAS No.: 110-71-4)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	10	n.d.	-
磷酸三(二甲苯)酯 (Trixyllyl phosphate) (CAS No.: 25155-23-1)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	25	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 20 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
對特辛基苯酚 (4-Tert-octylphenol) (CAS No.: 140-66-9)	參考US EPA 3550C: 2007 · 以液相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS.)	mg/kg	10	n.d.	-
N-苯基苯胺與苯乙烯和2,4,4-三甲基戊烯的反應物 (Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene) (CAS No.: 68921-45-9)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	100	n.d.	-
2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑 (紫外線吸收劑328) (2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)) (CAS No.: 25973-55-1)	參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
溴氯甲烷 (Bromochloromethan) (CAS No.: 74-97-5)	參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.)	mg/kg	1	n.d.	-
中鏈氯化石蠟(C14-C17) (MCCP) (Medium Chain Chlorinated Paraffins(C14-C17) (MCCP)) (CAS No.: 85535-85-9)	參考ISO 18219: 2015 · 以氣相層析儀/質譜儀分析。(With reference to ISO 18219: 2015, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)	參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	49600	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)		mg/kg	50	345	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 21 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

備註(Note) :

1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出) ; 小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. **= Qualitative analysis (No Unit) 定性分析(無單位)
6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
7. 石綿定性分析試驗範圍 : <0.1%~100% · 石綿鑑定的判定基準是以檢出含有石綿纖維為『Positive』 · 未檢出石綿纖維為『Negative』 。(Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".)
8. ▲ : MDL是針對元素/測試化合物之評估 。(The MDL was evaluated for element / tested substance.)

換算公式 (Conversion Formula) : $AX = A \times F$

AX	A	F
五氧化二砷 (Diarsenic pentoxide)	砷 (Arsenic)	1.5339
三氧化二砷 (Diarsenic trioxide)	砷 (Arsenic)	1.3203
氧化鋁 (Beryllium oxide (BeO))	鋁 (Beryllium)	2.7753
氧化雙三丁基錫 (Bis(tributyltin)oxide) (TBTO)	三丁基錫 (Tributyl Tin) (TBT)	1.0276

參數換算表 (Parameter Conversion Table) :

https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc

9. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including) :

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

10. 全氟辛酸及其鹽類包含 (PFOA and its salts including) :

CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.

11. (※ E): 被萃取出的溶出砷是以感應耦合電漿發射光譜儀檢測得之 。(The extracted soluble Arsenic is detected by ICP-OES.)

12. (※ H): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 000000032519) / Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 22 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

13. 鍍青銅是一種主要成份為鍍及銅的合金, 當偵測不到總鍍含量時, 亦表示不含鍍青銅。

(Since beryllium copper is a metal alloy of copper and beryllium and the test result is n.d. for beryllium, we can have conclusion that the beryllium copper is n.d.)

14. 除非另有說明, 參照ILAC-G8:09/2019, 採用簡單二元($w=0$)允收規則進行符合性判定; 根據此規則, 符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

15. 本報告部份測試結果係引用自報告 ETR22800033 之樣品測試結果。(The some test results of this report were quoted from ETR22800033)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 23 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)


江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件，樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 24 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)


廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件，樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method : US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 25 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)


南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 26 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)


南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 27 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)


江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

分析流程圖 / Analytical flow chart

【適用於：多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 28 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)


台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

石綿鑑定分析流程圖 / Analysis flow chart for determination of Asbestos

【參考方法(Reference method): EPA 600/R-93/116】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 29 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)


南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

有機錫分析流程圖 / Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 30 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)


台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow

chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 31 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)


南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

二氯化鈷分析流程圖 / Analytical flow chart - Cobalt dichloride



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 32 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)


台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

揮發性有機化合物分析流程圖 / Analytical flow chart of volatile organic compounds (VOCs)

【參考方法/Reference method : US EPA 5021A】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 33 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)


台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

分析流程圖 / Analytical flow chart

* 適用於 / Apply to: 富馬酸二甲酯(DMFU)、六溴環十二烷(HBCDD)、乙二醇醚及其酯類(Ethylene glycol ether)、有機磷化合物(Organic phosphorus compounds)、BNST



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 34 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)


台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

分析流程圖 / Analytical flow chart

* 適用於 / Apply to: NP、OP、4-t-OP、NPEO、OPEO



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 35 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)


南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 36 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)


南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)

台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

紅磷分析流程 / Analytical flow chart - Red phosphorus



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 37 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)


台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22800034

日期(Date): 08-Aug-2022

頁數(Page): 38 of 38

南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

南亞電子材料(昆山)有限公司 (NANYA ELECTRONIC MATERIALS (KUNSHAN) CORP. LTD.)

南亞電子材料(惠州)有限公司 (NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD)



台北市松山區敦化北路201號 (NO. 201 TUNG HWA NORTH ROAD, SONGSHAN DIST., TAIPEI, TAIWAN, R.O.C.)

江蘇省昆山市昆山經濟技術開發區長江南路201號 (201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, KUNSHAN, JIANG SU, CHINA 215300)

廣東省惠州市博羅縣石灣鎮永石大道230號 (NO. 230, YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。*

(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR22800034**ETR22800034**

** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

No.: EKR23400747

Date: 20-Apr-2023

Page: 1 of 8

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : POLYPLASTICS TAIWAN CO., LTD.

Sample Name : PBT

Style/Item No. : 310NF ED3002 / Lot No.2X74130


=====

Sample Receiving Date : 13-Apr-2023

Testing Period : 13-Apr-2023 to 20-Apr-2023

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
 (2) As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine in the submitted sample.

Test Results : Please refer to following pages.


 Ray Chang, Ph.D./Department Manager
 Signed for and on behalf of SGS TAIWAN LTD.
 Chemical Laboratory-Kaohsiung



PIN CODE: 25B05396

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: EKR23400747

Date: 20-Apr-2023

Page: 2 of 8

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Test Part Description

No.1 : ED3002 PBT

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result
				No.1
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Lead (Pb)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Mercury (Hg)	With reference to IEC 62321-4: 2013+AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.	mg/kg	8	n.d.
Monobromobiphenyl	With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.	mg/kg	5	n.d.
Dibromobiphenyl		mg/kg	5	n.d.
Tribromobiphenyl		mg/kg	5	n.d.
Tetrabromobiphenyl		mg/kg	5	n.d.
Pentabromobiphenyl		mg/kg	5	n.d.
Hexabromobiphenyl		mg/kg	5	n.d.
Heptabromobiphenyl		mg/kg	5	n.d.
Octabromobiphenyl		mg/kg	5	n.d.
Nonabromobiphenyl		mg/kg	5	n.d.
Decabromobiphenyl		mg/kg	5	n.d.
Sum of PBBs		mg/kg	-	n.d.
Monobromodiphenyl ether		mg/kg	5	n.d.
Dibromodiphenyl ether		mg/kg	5	n.d.
Tribromodiphenyl ether		mg/kg	5	n.d.
Tetrabromodiphenyl ether		mg/kg	5	n.d.
Pentabromodiphenyl ether		mg/kg	5	n.d.
Hexabromodiphenyl ether		mg/kg	5	n.d.
Heptabromodiphenyl ether		mg/kg	5	n.d.
Octabromodiphenyl ether		mg/kg	5	n.d.
Nonabromodiphenyl ether		mg/kg	5	n.d.
Decabromodiphenyl ether		mg/kg	5	n.d.
Sum of PBDEs		mg/kg	-	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: EKR23400747

Date: 20-Apr-2023

Page: 3 of 8

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Test Item(s)	Method	Unit	MDL	Result No.1
			mg/kg	
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.
Dibutyl phthalate (DBP)		mg/kg	50	n.d.
Diisobutyl phthalate (DIBP)		mg/kg	50	n.d.
Di-(2-ethylhexyl) phthalate (DEHP)		mg/kg	50	n.d.
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	930
Chlorine (Cl) (CAS No.: 22537-15-1)		mg/kg	50	n.d.
Bromine (Br) (CAS No.: 10097-32-2)		mg/kg	50	n.d.
Iodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.

Note :

1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit
3. n.d. = Not Detected (Less than MDL)
4. "-" = Not Regulated

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: EKR23400747

Date: 20-Apr-2023

Page: 4 of 8


POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: EKR23400747


Date: 20-Apr-2023

Page: 5 of 8

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

PBB/PBDE analytical FLOW CHART



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: EKR23400747

Date: 20-Apr-2023


Page: 6 of 8

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Analytical flow chart of phthalate content

【Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: EKR23400747


Date: 20-Apr-2023

Page: 7 of 8

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Analytical flow chart of Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: EKR23400747


Date: 20-Apr-2023

Page: 8 of 8

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

* The tested sample / part is marked by an arrow if it's shown on the photo. *

EKR23400747

** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

No.: ETR22803072M01

Date: 01-Sep-2022

Page: 1 of 4

JX NIPPON MINING & METALS CORPORATION
3 KURAMI, SAMUKAWA, KOZA, KANAGAWA 253-0101, JAPAN

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : JX NIPPON MINING & METALS CORPORATION

Sample Name : COPPER ALLOY

Style/Item No. : C5210


=====

Sample Receiving Date : 17-Aug-2022

Testing Period : 17-Aug-2022 to 01-Sep-2022

Test Requested : As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI) contents in the submitted sample(s).

Test Results : Please refer to following pages.


Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: E5A694D5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: ETR22803072M01

Date: 01-Sep-2022

Page: 2 of 4

JX NIPPON MINING & METALS CORPORATION
3 KURAMI, SAMUKAWA, KOZA, KANAGAWA 253-0101, JAPAN

Test Part Description

No.1 : COPPER COLORED METAL

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result
				No.1
Cadmium (Cd) (CAS No.: 7440-43-9)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Lead (Pb) (CAS No.: 7439-92-1)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	22.8
Mercury (Hg) (CAS No.: 7439-97-6)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.
Hexavalent Chromium Cr(VI) (CAS No.: 18540-29-9) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	µg/cm ²	0.1	n.d.

Note :

1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit
3. n.d. = Not Detected (Less than MDL)
4. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.
5. This is the additional test report of ETR22803072.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: ETR22803072M01


Date: 01-Sep-2022

Page: 3 of 4

JX NIPPON MINING & METALS CORPORATION
3 KURAMI, SAMUKAWA, KOZA, KANAGAWA 253-0101, JAPAN

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.
(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report

No.: ETR22803072M01

Date: 01-Sep-2022

Page: 4 of 4

JX NIPPON MINING & METALS CORPORATION
3 KURAMI, SAMUKAWA, KOZA, KANAGAWA 253-0101, JAPAN

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR22803072

** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report 測試報告

Applicant: WONDERFUL HI-TECH CO., LTD.
申請廠商 萬泰科技股份有限公司
No.17, Beiyuan Rd., Zhongli Dist.,
Taoyuan City 320, Taiwan (R.O.C.)
桃園市中壢區工業區北園路 17 號

Number : TWNC01143290
報告號碼

Issue Date : Jan 12, 2023
報告發行日期

Sample Description 樣品敘述:

One (1) Group of Submitted Samples Said To Be :

以下測試樣品乃供應商所提供之確認:

Sample Submitted By : WONDERFUL HI-TECH CO., LTD.
送樣廠商 萬泰科技股份有限公司

Sample Description : RF COAXIAL CABLE
樣品名稱 RG-6U, RG-59, RG-11, RG-58A/U, RG-142/U, RG-178 B/U, RG-179/U, RG-316U, MINI
0.8mm, 0.98mm, 1.13mm, 1.27mm, 1.32mm, 1.37mm, 1.48mm, 1.13LL, 1.37LL,
RF405A, UL 1330, 1331, 1332, 1333, 1726, 1727, 1867, 1979, 10231, 10064

Style / Item No. : BLACK, BROWN, RED, ORANGE, YELLOW, GREEN, BLUE, PURPLE, GRAY, WHITE
產品型號

Date Sample Received : Dec 27, 2022
收件日期

Date Test Started : Dec 27, 2022
開始測試日期

Test Conducted 測試執行:

As requested by the applicant, for details please refer to attached pages.

依申請商之要求, 細節請參考附頁。

Conclusion 結論:

Please see page two.


請見第二頁。

Tested Components 測試元件:

- (1) Black plastic pellets
- (2) Brown plastic pellets
- (3) Red plastic pellets
- (4) Orange plastic pellets
- (5) Yellow plastic pellets
- (6) Green plastic pellets
- (7) Blue plastic pellets
- (8) Purple plastic pellets
- (9) Grey plastic pellets
- (10) White plastic pellets

Authorized By:


On behalf of Intertek Testing Services
Taiwan Limited



Matt Wang
Director



Signed by:



Thomas Chou
Manager



Page 1 of 20



Test Report 測試報告

Number : TWNC01143290
報告號碼

Conclusion 結論:

Tested Sample 測試樣品

Test Components of
Submitted Samples
測試部位

Standard 標準

Restriction of Hazardous Substances (RoHS)
危害物質限制

Result 結果

Pass 合格


- As per applicant's request with reference to 2011/65/EU
and amendment (EU) 2015/863
依據客戶要求參考歐盟指令 2011/65/EU 及其更新指令(EU)
2015/863

As per applicant's request 依據客戶要求

- Antimony (Sb) Content
銻含量
- Phthalates Content
可塑劑含量
- Halogen Content
鹵素含量
- Perfluorooctane Sulfonates (PFOS) Content
全氟辛磺酸
- Perfluorooctanoic Acid (PFOA) Content
全氟辛酸

See Test Conducted
請見測試內容


Authorized By:
On behalf of Intertek Testing Services
Taiwan Limited



Matt Wang
Director



Signed by:



Thomas Chou
Manager



Page 2 of 20



Test Conducted 測試內容：

Test Result Summary 測試結果：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果			RL
			(1)	(2)	(3)	
Heavy Metal 重金屬						
Cadmium (Cd) Content 鎘含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	2
Lead (Pb) Content 鉛含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	2
Mercury (Hg) Content 汞含量	ppm	With reference to IEC 62321-4:2013+AMD1:2017, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-4:2013+AMD1:2017，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	2
Antimony (Sb) Content 銻含量	ppm	With reference to USEPA 3052, by microwave digestion and determined by ICP-OES. 參考 USEPA 3052，以微波消化法並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	2
Chromium VI (Cr(VI)) Content 六價鉻含量	ppm	With reference to IEC 62321-7-2: 2017, organic solvent was used to dissolve or swell sample matrix, followed by alkaline digestion and determined by UV-Vis Spectrophotometer. 參考 IEC 62321-7-2:2017，以有機溶劑溶解或使樣品基質膨脹，再進行鹼液消化，用紫外光-可見光分光光度計分析。	ND	ND	ND	8



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果			RL
			(1)	(2)	(3)	
Polybrominated Biphenyls (PBBs) 多溴聯苯						
Monobrominated Biphenyls (MonoBB) 單溴聯苯	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015，以溶劑萃取並用氣相層析質譜儀分析，必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	ND	ND	5
Dibrominated Biphenyls (DiBB) 二溴聯苯	ppm		ND	ND	ND	5
Tribrominated Biphenyls (TriBB) 三溴聯苯	ppm		ND	ND	ND	5
Tetrabrominated Biphenyls (TetraBB) 四溴聯苯	ppm		ND	ND	ND	5
Pentabrominated Biphenyls (PentaBB) 五溴聯苯	ppm		ND	ND	ND	5
Hexabrominated Biphenyls (HexaBB) 六溴聯苯	ppm		ND	ND	ND	5
Heptabrominated Biphenyls (HeptaBB) 七溴聯苯	ppm		ND	ND	ND	5
Octabrominated Biphenyls (OctaBB) 八溴聯苯	ppm		ND	ND	ND	5
Nonabrominated Biphenyls (NonaBB) 九溴聯苯	ppm		ND	ND	ND	5
Decabrominated Biphenyl (DecaBB) 十溴聯苯	ppm		ND	ND	ND	5
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚						
Monobrominated Diphenyl Ethers (MonoBDE) 單溴聯苯醚	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015，以溶劑萃取並用氣相層析質譜儀分析，必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	ND	ND	5
Dibrominated Diphenyl Ethers (DiBDE) 二溴聯苯醚	ppm		ND	ND	ND	5
Tribrominated Diphenyl Ethers (TriBDE) 三溴聯苯醚	ppm		ND	ND	ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE) 四溴聯苯醚	ppm		ND	ND	ND	5
Pentabrominated Diphenyl Ethers (PentaBDE) 五溴聯苯醚	ppm		ND	ND	ND	5
Hexabrominated Diphenyl Ethers (HexaBDE) 六溴聯苯醚	ppm		ND	ND	ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE) 七溴聯苯醚	ppm		ND	ND	ND	5
Octabrominated Diphenyl Ethers (OctaBDE) 八溴聯苯醚	ppm		ND	ND	ND	5
Nonabrominated Diphenyl Ethers (NonaBDE) 九溴聯苯醚	ppm		ND	ND	ND	5
Decabrominated Diphenyl Ether (DecaBDE) 十溴聯苯醚	ppm		ND	ND	ND	5



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果			RL
			(1)	(2)	(3)	
Phthalates 鄰苯二甲酸酯						
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	ppm	With reference to IEC 62321-8:2017, by solvent extraction and determined by GC-MS. 參考 IEC 62321-8:2017，以溶劑萃取並用氣相層析質譜儀分析。	ND	ND	ND	50
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	ppm		ND	ND	ND	50
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	ppm		ND	ND	ND	50
Di-(Iso-Nonyl) Phthalate (DINP) 鄰苯二甲酸二異壬酯	ppm		ND	ND	ND	50
Di-(Iso-Decyl) Phthalate (DIDP) 鄰苯二甲酸二異癸酯	ppm		ND	ND	ND	50
Di-(N-Octyl) Phthalate (DNOP) 鄰苯二甲酸二辛酯	ppm		ND	ND	ND	50
Di-n-hexyl Phthalate (DNHP) 鄰苯二甲酸二正己酯	ppm		ND	ND	ND	50
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	ppm		ND	ND	ND	50
Halogen Content 鹵素含量						
Fluorine (F) 氟	ppm	With reference to EN 14582:2016 by combustion bomb with oxygen and determined by Ion Chromatography. 參考 EN 14582:2016，以氧彈燃燒集氣法並用離子層析儀分析。	514898	486677	488619	50
Chlorine (Cl) 氯	ppm		ND	ND	ND	50
Bromine (Br) 溴	ppm		ND	ND	ND	50
Iodine (I) 碘	ppm		ND	ND	ND	50
Others 其他						
Perfluorooctane Sulfonates Including PFOS, PFOSA, N-Me-FOSA, N-Et-FOSA, N-Me-FOSE, N-Et-FOSE 全氟辛磺酸含 PFOS, PFOSA, N-Me-FOSA, N-Et-FOSA, N-Me-FOSE, N-Et-FOSE	ppm	With reference to CEN/TS 15968:2010, by solvent extraction and determined by LC-MS-MS. 參考 CEN/TS 15968:2010，以溶劑萃取並用液相層析串聯質譜儀分析。	ND	ND	ND	0.01
Perfluorooctanoic Acid (PFOA) 全氟辛酸	ppm	With reference to CEN/TS 15968:2010, by solvent extraction and determined by LC-MS-MS. 參考 CEN/TS 15968:2010，以溶劑萃取並用液相層析串聯質譜儀分析。	ND	ND	ND	0.01



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果			RL
			(4)	(5)	(6)	
Heavy Metal 重金屬						
Cadmium (Cd) Content 鎘含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	2
Lead (Pb) Content 鉛含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	2
Mercury (Hg) Content 汞含量	ppm	With reference to IEC 62321-4:2013+AMD1:2017, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-4:2013+AMD1:2017，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	2
Antimony (Sb) Content 銻含量	ppm	With reference to USEPA 3052, by microwave digestion and determined by ICP-OES. 參考 USEPA 3052，以微波消化法並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	2
Chromium VI (Cr(VI)) Content 六價鉻含量	ppm	With reference to IEC 62321-7-2: 2017, organic solvent was used to dissolve or swell sample matrix, followed by alkaline digestion and determined by UV-Vis Spectrophotometer. 參考 IEC 62321-7-2:2017，以有機溶劑溶解或使樣品基質膨脹，再進行鹼液消化，用紫外光-可見光分光光度計分析。	ND	ND	ND	8



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果			RL
			(4)	(5)	(6)	
Polybrominated Biphenyls (PBBs) 多溴聯苯						
Monobrominated Biphenyls (MonoBB) 單溴聯苯	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	ND	ND	5
Dibrominated Biphenyls (DiBB) 二溴聯苯	ppm		ND	ND	ND	5
Tribrominated Biphenyls (TriBB) 三溴聯苯	ppm		ND	ND	ND	5
Tetrabrominated Biphenyls (TetraBB) 四溴聯苯	ppm		ND	ND	ND	5
Pentabrominated Biphenyls (PentaBB) 五溴聯苯	ppm		ND	ND	ND	5
Hexabrominated Biphenyls (HexaBB) 六溴聯苯	ppm		ND	ND	ND	5
Heptabrominated Biphenyls (HeptaBB) 七溴聯苯	ppm		ND	ND	ND	5
Octabrominated Biphenyls (OctaBB) 八溴聯苯	ppm		ND	ND	ND	5
Nonabrominated Biphenyls (NonaBB) 九溴聯苯	ppm		ND	ND	ND	5
Decabrominated Biphenyl (DecaBB) 十溴聯苯	ppm		ND	ND	ND	5
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚						
Monobrominated Diphenyl Ethers (MonoBDE) 單溴聯苯醚	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	ND	ND	5
Dibrominated Diphenyl Ethers (DiBDE) 二溴聯苯醚	ppm		ND	ND	ND	5
Tribrominated Diphenyl Ethers (TriBDE) 三溴聯苯醚	ppm		ND	ND	ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE) 四溴聯苯醚	ppm		ND	ND	ND	5
Pentabrominated Diphenyl Ethers (PentaBDE) 五溴聯苯醚	ppm		ND	ND	ND	5
Hexabrominated Diphenyl Ethers (HexaBDE) 六溴聯苯醚	ppm		ND	ND	ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE) 七溴聯苯醚	ppm		ND	ND	ND	5
Octabrominated Diphenyl Ethers (OctaBDE) 八溴聯苯醚	ppm		ND	ND	ND	5
Nonabrominated Diphenyl Ethers (NonaBDE) 九溴聯苯醚	ppm		ND	ND	ND	5
Decabrominated Diphenyl Ether (DecaBDE) 十溴聯苯醚	ppm		ND	ND	ND	5



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果			RL
			(4)	(5)	(6)	
Phthalates 鄰苯二甲酸酯						
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	ppm	With reference to IEC 62321-8:2017, by solvent extraction and determined by GC-MS. 參考 IEC 62321-8:2017，以溶劑萃取並用氣相層析質譜儀分析。	ND	ND	ND	50
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	ppm		ND	ND	ND	50
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	ppm		ND	ND	ND	50
Di-(Iso-Nonyl) Phthalate (DINP) 鄰苯二甲酸二異壬酯	ppm		ND	ND	ND	50
Di-(Iso-Decyl) Phthalate (DIDP) 鄰苯二甲酸二異癸酯	ppm		ND	ND	ND	50
Di-(N-Octyl) Phthalate (DNOP) 鄰苯二甲酸二辛酯	ppm		ND	ND	ND	50
Di-n-hexyl Phthalate (DNHP) 鄰苯二甲酸二正己酯	ppm		ND	ND	ND	50
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	ppm		ND	ND	ND	50
Halogen Content 鹵素含量						
Fluorine (F) 氟	ppm	With reference to EN 14582:2016 by combustion bomb with oxygen and determined by Ion Chromatography. 參考 EN 14582:2016，以氧彈燃燒集氣法並用離子層析儀分析。	424629	509622	540865	50
Chlorine (Cl) 氯	ppm		ND	ND	ND	50
Bromine (Br) 溴	ppm		ND	ND	ND	50
Iodine (I) 碘	ppm		ND	ND	ND	50
Others 其他						
Perfluorooctane Sulfonates Including PFOS, PFOSA, N-Me-FOSA, N-Et-FOSA, N-Me-FOSE, N-Et-FOSE 全氟辛磺酸含 PFOS, PFOSA, N-Me-FOSA, N-Et-FOSA, N-Me-FOSE, N-Et-FOSE	ppm	With reference to CEN/TS 15968:2010, by solvent extraction and determined by LC-MS-MS. 參考 CEN/TS 15968:2010，以溶劑萃取並用液相層析串聯質譜儀分析。	ND	ND	ND	0.01
Perfluorooctanoic Acid (PFOA) 全氟辛酸	ppm	With reference to CEN/TS 15968:2010, by solvent extraction and determined by LC-MS-MS. 參考 CEN/TS 15968:2010，以溶劑萃取並用液相層析串聯質譜儀分析。	ND	ND	ND	0.01



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果				RL
			(7)	(8)	(9)	(10)	
Heavy Metal 重金屬							
Cadmium (Cd) Content 鎘含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	ND	2
Lead (Pb) Content 鉛含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	ND	2
Mercury (Hg) Content 汞含量	ppm	With reference to IEC 62321-4:2013+AMD1:2017, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-4:2013+AMD1:2017，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	ND	2
Antimony (Sb) Content 銻含量	ppm	With reference to USEPA 3052, by microwave digestion and determined by ICP-OES. 參考 USEPA 3052，以微波消化法並用感應耦合電漿原子發射光譜儀分析。	ND	ND	ND	ND	2
Chromium VI (Cr(VI)) Content 六價鉻含量	ppm	With reference to IEC 62321-7-2: 2017, organic solvent was used to dissolve or swell sample matrix, followed by alkaline digestion and determined by UV-Vis Spectrophotometer. 參考 IEC 62321-7-2:2017，以有機溶劑溶解或使樣品基質膨脹，再進行鹼液消化，用紫外光-可見光分光光度計分析。	ND	ND	ND	ND	8



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果				RL
			(7)	(8)	(9)	(10)	
Polybrominated Biphenyls (PBBs) 多溴聯苯							
Monobrominated Biphenyls (MonoBB) 單溴聯苯	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	ND	ND	ND	5
Dibrominated Biphenyls (DiBB) 二溴聯苯	ppm		ND	ND	ND	ND	5
Tribrominated Biphenyls (TriBB) 三溴聯苯	ppm		ND	ND	ND	ND	5
Tetrabrominated Biphenyls (TetraBB) 四溴聯苯	ppm		ND	ND	ND	ND	5
Pentabrominated Biphenyls (PentaBB) 五溴聯苯	ppm		ND	ND	ND	ND	5
Hexabrominated Biphenyls (HexaBB) 六溴聯苯	ppm		ND	ND	ND	ND	5
Heptabrominated Biphenyls (HeptaBB) 七溴聯苯	ppm		ND	ND	ND	ND	5
Octabrominated Biphenyls (OctaBB) 八溴聯苯	ppm		ND	ND	ND	ND	5
Nonabrominated Biphenyls (NonaBB) 九溴聯苯	ppm		ND	ND	ND	ND	5
Decabrominated Biphenyl (DecaBB) 十溴聯苯	ppm		ND	ND	ND	ND	5
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚							
Monobrominated Diphenyl Ethers (MonoBDE) 單溴聯苯醚	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	ND	ND	ND	5
Dibrominated Diphenyl Ethers (DiBDE) 二溴聯苯醚	ppm		ND	ND	ND	ND	5
Tribrominated Diphenyl Ethers (TriBDE) 三溴聯苯醚	ppm		ND	ND	ND	ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE) 四溴聯苯醚	ppm		ND	ND	ND	ND	5
Pentabrominated Diphenyl Ethers (PentaBDE) 五溴聯苯醚	ppm		ND	ND	ND	ND	5
Hexabrominated Diphenyl Ethers (HexaBDE) 六溴聯苯醚	ppm		ND	ND	ND	ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE) 七溴聯苯醚	ppm		ND	ND	ND	ND	5
Octabrominated Diphenyl Ethers (OctaBDE) 八溴聯苯醚	ppm		ND	ND	ND	ND	5
Nonabrominated Diphenyl Ethers (NonaBDE) 九溴聯苯醚	ppm		ND	ND	ND	ND	5
Decabrominated Diphenyl Ether (DecaBDE) 十溴聯苯醚	ppm		ND	ND	ND	ND	5



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果				RL
			(7)	(8)	(9)	(10)	
Phthalates 鄰苯二甲酸酯							
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	ppm	With reference to IEC 62321-8:2017, by solvent extraction and determined by GC-MS. 參考 IEC 62321-8:2017，以溶劑萃取並用氣相層析質譜儀分析。	ND	ND	ND	ND	50
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	ppm		ND	ND	ND	ND	50
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	ppm		ND	ND	ND	ND	50
Di-(Iso-Nonyl) Phthalate (DINP) 鄰苯二甲酸二異壬酯	ppm		ND	ND	ND	ND	50
Di-(Iso-Decyl) Phthalate (DIDP) 鄰苯二甲酸二異癸酯	ppm		ND	ND	ND	ND	50
Di-(N-Octyl) Phthalate (DNOP) 鄰苯二甲酸二辛酯	ppm		ND	ND	ND	ND	50
Di-n-hexyl Phthalate (DNHP) 鄰苯二甲酸二正己酯	ppm		ND	ND	ND	ND	50
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	ppm		ND	ND	ND	ND	50
Halogen Content 鹵素含量							
Fluorine (F) 氟	ppm	With reference to EN 14582:2016 by combustion bomb with oxygen and determined by Ion Chromatography. 參考 EN 14582:2016，以氧彈燃燒集氣法並用離子層析儀分析。	346512	399281	494742	461204	50
Chlorine (Cl) 氯	ppm		ND	ND	ND	ND	50
Bromine (Br) 溴	ppm		ND	ND	ND	ND	50
Iodine (I) 碘	ppm		ND	ND	ND	ND	50
Others 其他							
Perfluorooctane Sulfonates Including PFOS, PFOSA, N-Me-FOSA, N-Et-FOSA, N-Me-FOSE, N-Et-FOSE 全氟辛磺酸含 PFOS, PFOSA, N-Me-FOSA, N-Et-FOSA, N-Me-FOSE, N-Et-FOSE	ppm	With reference to CEN/TS 15968:2010, by solvent extraction and determined by LC-MS-MS. 參考 CEN/TS 15968:2010，以溶劑萃取並用液相層析串聯質譜儀分析。	ND	ND	ND	ND	0.01
Perfluorooctanoic Acid (PFOA) 全氟辛酸	ppm	With reference to CEN/TS 15968:2010, by solvent extraction and determined by LC-MS-MS. 參考 CEN/TS 15968:2010，以溶劑萃取並用液相層析串聯質譜儀分析。	ND	ND	ND	ND	0.01



Test Conducted 測試內容 :

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

備註 百萬分之一，依據測試樣品重量計算 = 毫克/公斤

ND = Not detected 未檢測出

RL = Reporting limit, quantitation limit of analyte in sample
報告極限，測試樣品之定量偵測極限

Responsibility of Chemist 分析人員 : Beef Hsu/ Vita Fu

Date Sample Received 樣品收件日期 : Dec 27, 2022

Test Period 樣品測試期間 : Dec 27, 2022 to Jan 05, 2023

RoHS Limit RoHS 限值

Restricted Substances 限用物質	Limits 限值
Cadmium (Cd) content 鎘含量	0.01% (100ppm)
Lead (Pb) content 鉛含量	0.1% (1000ppm)
Mercury (Hg) content 汞含量	0.1% (1000ppm)
Chromium VI (Cr(VI)) content 六價鉻含量	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs) 多溴聯苯	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚	0.1% (1000ppm)
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	0.1% (1000ppm)
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	0.1% (1000ppm)
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	0.1% (1000ppm)
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	0.1% (1000ppm)

The limits were quoted from Annex II of 2011/65/EU and Amendment (EU) 2015/863 for homogeneous material.

本限值是依據歐盟指令 2011/65/EU 及其更新指令(EU) 2015/863 之附錄二針對均質材質所訂定。




Page 12 of 20



Test Conducted 測試內容：

Measurement Flowchart 測試流程圖：

Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Content RoHS 六項測試
 Reference Method 參考方法: Cd/Pb: IEC 62321-5:2013; Hg: IEC 62321-4:2013+AMD1:2017;
 Chromium (VI): IEC 62321-7-1:2015 (boiling water extraction);
 Chromium (VI): IEC 62321-7-2:2017 (solvent and alkaline extraction);
 PBBs/PBDEs: IEC 62321-6:2015



Test Conducted 測試內容：

Remark 備註：

*1: List of Appropriate Acid 各材質添加酸液如下表：

Material 材質	Acid Added for Digestion 添加酸液種類
Polymers 聚合物	HNO ₃ , HCl, HF, H ₂ O ₂ , H ₃ BO ₃ 硝酸、鹽酸、氫氟酸、雙氧水、硼酸
Metals 金屬	HNO ₃ , HCl, HF 硝酸、鹽酸、氫氟酸
Electronics 電子產品	HNO ₃ , HCl, H ₂ O ₂ , HBF ₄ 硝酸、鹽酸、雙氧水、氟硼酸

*2: If sample solution is significantly more intense than 0.13 µg/cm² equivalent comparison standard, Chromium VI would be determined as detected, the result of visual observation is positive.

當待測樣品溶液顏色明顯比 0.13 µg/cm² 深，採用目測法判定六價鉻結果為陽性。




Test Conducted 測試內容：

Measurement Flowchart 測試流程圖：

Test for Heavy Metal (Sb) Content 重金屬(銻)

Reference Method 參考方法：USEPA 3052




Page 15 of 20



Test Conducted 測試內容：

Measurement Flowchart 測試流程圖：


Test for Phthalates Content 鄰苯二甲酸酯測試
Reference Method 參考方法: IEC 62321-8:2017

Page 16 of 20




Test Conducted 測試內容：

Measurement Flowchart 測試流程圖：

Test for Halogen Content 鹵素測試
Reference Method 參考方法：EN 14582: 2016

Test Conducted 測試內容：

Measurement Flowchart 測試流程圖：

Test for Perfluorooctane Sulfonates (PFOS) / Perfluorooctanoic Acid (PFOA) Content 全氟辛磺酸 / 全氟辛酸測試
Reference Method 參考方法: CEN/TS 15968:2010

Number : TWNC01143290
報告號碼

Sample photo 樣品照片 :




Page 19 of 20



Number : TWNC01143290
報告號碼

Sample photo 樣品照片 :



End of Report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek-twn.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

Reporting Statements of Conformity: Please note that the test results contain statement of conformity with the decision rules which are based on the specifications of customers, regulations and standards, and does not consider measurement uncertainty.



Page 20 of 20



检测报告

编号: SHAEC22004639302

日期: 2022年12月15日

第1页, 共8页

客户名称: 大金氟化工(中国)有限公司

客户地址: 中国江苏省常熟市新材料产业园西金虞路8号

样品名称: NEOFLON FEP

型号: NP-3180

以上样品及信息由客户提供。

SGS 工作编号: SP22-029591

样品接收时间: 2022年12月09日

检测周期: 2022年12月09日 - 2022年12月15日

检测要求: 根据客户要求检测。

检测方法: 见后续页。

检测结果: 见后续页。

检测要求	结论
欧盟 RoHS 指令 2011/65/EU 附录 II 的修正指令(EU) 2015/863- 铅、汞、镉、六价铬、多溴联苯(PBBs)、多溴二苯醚(PBDEs)、邻苯二甲酸二丁酯(DBP)、邻苯二甲酸丁苄酯(BBP)、邻苯二甲酸二(2-乙基己基)酯(DEHP)和邻苯二甲酸二异丁酯(DIBP)	符合
四溴双酚 A (TBBP-A)	见检测结果
中链氯化石蜡(C14-C17) (MCCPs)	见检测结果

通标标准技术服务(上海)有限公司
授权签名Carol Luo 罗萍
批准签署人

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

tE&E (86-21) 61402553 fE&E (86-21) 64953679 www.sgsgroup.com.cn
tHL (86-21) 61402594 fHL (86-21) 61156899 e sgs.china@sgs.com

检测报告

编号: SHAEC22004639302

日期: 2022年12月15日

第2页, 共8页

检测结果:

检测部件外观描述:

样品序号	样品编号	SGS 样品 ID	样品描述
SN1	A1	SHA22-0046393-0001.C001	半透明固体颗粒

备注:

- (1) $1 \text{ mg/kg} = 1 \text{ ppm} = 0.0001\%$
- (2) MDL= 方法检测限
- (3) ND = 未检出(< MDL)
- (4) "-" = 未规定

欧盟 RoHS 指令 2011/65/EU 附录 II 的修正指令(EU) 2015/863- 铅、汞、镉、六价铬、多溴联苯(PBBs)、多溴二苯醚(PBDEs)、邻苯二甲酸二丁酯(DBP)、邻苯二甲酸丁苄酯(BBP)、邻苯二甲酸二(2-乙基己基)酯(DEHP)和邻苯二甲酸二异丁酯(DIBP)

检测方法: 参考 IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 和 IEC 62321-8:2017, 采用 ICP-OES, UV-Vis 和 GC-MS 进行分析。

检测项目	限值	单位	MDL	A1
镉 (Cd)	100	mg/kg	2	ND
铅 (Pb)	1000	mg/kg	2	ND
汞 (Hg)	1000	mg/kg	2	ND
六价铬(Cr(VI))	1000	mg/kg	8	ND
多溴联苯之和(PBBs)	1000	mg/kg	-	ND
一溴联苯(MonoBB)	-	mg/kg	5	ND
二溴联苯(DiBB)	-	mg/kg	5	ND
三溴联苯(TriBB)	-	mg/kg	5	ND
四溴联苯(TetraBB)	-	mg/kg	5	ND
五溴联苯(PentaBB)	-	mg/kg	5	ND
六溴联苯(HexaBB)	-	mg/kg	5	ND
七溴联苯(HeptaBB)	-	mg/kg	5	ND
八溴联苯(OctaBB)	-	mg/kg	5	ND
九溴联苯(NonaBB)	-	mg/kg	5	ND
十溴联苯(DecaBB)	-	mg/kg	5	ND
多溴二苯醚之和(PBDEs)	1000	mg/kg	-	ND
一溴二苯醚(MonoBDE)	-	mg/kg	5	ND
二溴二苯醚(DiBDE)	-	mg/kg	5	ND
三溴二苯醚(TriBDE)	-	mg/kg	5	ND
四溴二苯醚(TetraBDE)	-	mg/kg	5	ND
五溴二苯醚(PentaBDE)	-	mg/kg	5	ND
六溴二苯醚(HexaBDE)	-	mg/kg	5	ND
七溴二苯醚(HeptaBDE)	-	mg/kg	5	ND
八溴二苯醚(OctaBDE)	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 tE&E (86-21) 61402553 fE&E (86-21) 64953679 www.sgsgroup.com.cn

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 tHL (86-21) 61402594 fHL (86-21) 61156899 sgs.china@sgs.com

检测报告

编号: SHAEC22004639302

日期: 2022年12月15日

第3页, 共8页

检测项目	限值	单位	MDL	A1
九溴二苯醚(NonaBDE)	-	mg/kg	5	ND
十溴二苯醚(DecaBDE)	-	mg/kg	5	ND
邻苯二甲酸二丁酯 (DBP)	1000	mg/kg	50	ND
邻苯二甲酸丁苄酯 (BBP)	1000	mg/kg	50	ND
邻苯二甲酸二(2-乙基己基)酯 (DEHP)	1000	mg/kg	50	ND
邻苯二甲酸二异丁酯 (DIBP)	1000	mg/kg	50	ND

备注:

- (1) 最大允许极限值引用自 RoHS 指令(EU) 2015/863。
- (2) IEC 62321 系列等同于 EN 62321 系列
- (3) 2021年7月22号开始, DEHP, BBP, DBP 和 DIBP 的限制适用于医疗器械, 包括体外医疗器械, 监控仪表, 包括工业监测和控制仪器。

四溴双酚 A (TBBP-A)

检测方法: 参考 SGS 内部方法, 采用 GC-MS 或者 LC-MS 进行分析。

检测项目	CAS No.	单位	MDL	A1
四溴双酚 A (TBBP-A)	79-94-7	mg/kg	5	ND

中链氯化石蜡(C14-C17) (MCCPs)

检测方法: 参考 ISO 22818:2021, 采用 GC-NCI-MS 进行分析。

检测项目	CAS No.	单位	MDL	A1
中链氯化石蜡(C ₁₄ -C ₁₇) (MCCPs)	85535-85-9 和其它	mg/kg	50	ND

除非另有说明, 参照 ILAC-G8:09/2019, 使用简单接受 ($w=0$) 的二元判定规则进行符合性判定。

除非另有说明, 此报告结果仅对检测的样品负责。本报告未经本公司书面许可, 不可部分复制。

检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的, 仅供内部参考。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

tE&E (86-21) 61402553 tE&E (86-21) 64953679 www.sgsgroup.com.cn
tHL (86-21) 61402594 tHL (86-21) 61156899 e sgs.china@sgs.com

检测报告

编号: SHAEC22004639302


日期: 2022年12月15日

第4页, 共8页

附件

元素检测流程图

样品按照下述流程被完全消解



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Docment.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

检测报告


编号: SHAEC22004639302

日期: 2022年12月15日

第5页, 共8页

附件

六价铬检测流程图



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Inspection & Testing Services (Shanghai) Co., Ltd.
Testing Center-Chemical Testing Laboratory

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

tE&E (86-21) 61402553 tE&E (86-21) 64953679 www.sgsgroup.com.cn
tHL (86-21) 61402594 tHL (86-21) 61156899 e sgs.china@sgs.com

检测报告


编号: SHAEC22004639302

日期: 2022年12月15日

第6页, 共8页

附件

PBBs/PBDEs 检测流程图



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679

www.sgsgroup.com.cn

t HL (86-21) 61402594 f HL (86-21) 61156899

e sgs.china@sgs.com

检测报告


编号: SHAEC22004639302

日期: 2022年12月15日

第7页, 共8页

附件

Phthalates 检测流程图



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 t E&E (86-21) 61402594 f E&E (86-21) 61156899 www.sgsgroup.com.cn e sgs.china@sgs.com

检测报告

编号: SHAEC22004639302

日期: 2022年12月15日

第8页, 共8页

样品照片:



此照片仅限于随 SGS 正本报告使用

报告结束



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com

Test Report 測試報告

Applicant: WONDERFUL HI-TECH CO., LTD.
申請廠商 萬泰科技股份有限公司
No.17, Beiyuan Rd., Zhongli Dist.,
Taoyuan City 320, Taiwan (R.O.C.)
桃園市中壢區工業區北園路 17 號

Number : TWNC01143291
報告號碼

Issue Date : Jan 12, 2023
報告發行日期

Sample Description 樣品敘述:

One (1) Group of Submitted Samples Said To Be :

以下測試樣品乃供應商所提供之確認 :

Sample Submitted By : WONDERFUL HI-TECH CO., LTD.
送樣廠商 萬泰科技股份有限公司

Sample Description : 裸銅線(COPPER)
樣品名稱

Style / Item No. : 裸銅 COPPER
產品型號

Date Sample Received : Dec 27, 2022
收件日期

Date Test Started : Dec 27, 2022
開始測試日期

Test Conducted 測試執行 :


As requested by the applicant, for details please refer to attached pages.

依申請商之要求, 細節請參考附頁 .

Conclusion 結論:

<u>Tested Sample</u> 測試樣品	<u>Standard</u> 標準	<u>Result</u> 結果
Submitted Samples 送檢樣品	Restriction of Hazardous Substances (RoHS) 危害物質限制	Pass 合格
	– As per applicant's request with reference to 2011/65/EU and amendment (EU) 2015/863 依據客戶要求參考歐盟指令 2011/65/EU 及其更新指令 (EU) 2015/863	


Authorized By:
On behalf of Intertek Testing Services
Taiwan Limited


Matt Wang

Director



Signed by:


Thomas Chou
Manager



Number : TWNC01143291
報告號碼

Test Conducted 測試內容：

Test Result Summary 測試結果：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Coppery metal	
Heavy Metal 重金屬				
Cadmium (Cd) Content 鎘含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Lead (Pb) Content 鉛含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Mercury (Hg) Content 汞含量	ppm	With reference to IEC 62321-4:2013+AMD1:2017, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-4:2013+AMD 1:2017，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Chromium VI (Cr(VI)) Content 六價鉻含量 @	µg/ cm ²	With reference to IEC 62321-7-1: 2015, by boiling water extraction and determined by UV-Vis Spectrophotometer or visual observation. 參考 IEC 62321-7-1: 2015，以沸水萃取並用紫外光-可見光分光光度計分析或目測法判定。	Negative (#)	0.10



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Coppery metal	
Polybrominated Biphenyls (PBBs) 多溴聯苯				
Monobrominated Biphenyls (MonoBB) 單溴聯苯	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	5
Dibrominated Biphenyls (DiBB) 二溴聯苯	ppm		ND	5
Tribrominated Biphenyls (TriBB) 三溴聯苯	ppm		ND	5
Tetrabrominated Biphenyls (TetraBB) 四溴聯苯	ppm		ND	5
Pentabrominated Biphenyls (PentaBB) 五溴聯苯	ppm		ND	5
Hexabrominated Biphenyls (HexaBB) 六溴聯苯	ppm		ND	5
Heptabrominated Biphenyls (HeptaBB) 七溴聯苯	ppm		ND	5
Octabrominated Biphenyls (OctaBB) 八溴聯苯	ppm		ND	5
Nonabrominated Biphenyls (NonaBB) 九溴聯苯	ppm		ND	5
Decabrominated Biphenyl (DecaBB) 十溴聯苯	ppm		ND	5
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚				
Monobrominated Diphenyl Ethers (MonoBDE) 單溴聯苯醚	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	5
Dibrominated Diphenyl Ethers (DiBDE) 二溴聯苯醚	ppm		ND	5
Tribrominated Diphenyl Ethers (TriBDE) 三溴聯苯醚	ppm		ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE) 四溴聯苯醚	ppm		ND	5
Pentabrominated Diphenyl Ethers (PentaBDE) 五溴聯苯醚	ppm		ND	5
Hexabrominated Diphenyl Ethers (HexaBDE) 六溴聯苯醚	ppm		ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE) 七溴聯苯醚	ppm		ND	5
Octabrominated Diphenyl Ethers (OctaBDE) 八溴聯苯醚	ppm		ND	5
Nonabrominated Diphenyl Ethers (NonaBDE) 九溴聯苯醚	ppm		ND	5
Decabrominated Diphenyl Ether (DecaBDE) 十溴聯苯醚	ppm		ND	5



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Coppery metal	
Phthalates 鄰苯二甲酸酯				
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	ppm	With reference to IEC 62321-8:2017, by solvent extraction and determined by GC-MS. 參考 IEC 62321-8:2017，以溶劑萃取並用氣相層析質譜儀分析。	ND	50
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	ppm		ND	50
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	ppm		ND	50
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	ppm		ND	50

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

備註 百萬分之一，依據測試樣品重量計算 = 毫克/公斤

ND = Not detected 未檢測出

RL = Reporting limit, quantitation limit of analyte in sample
報告極限，測試樣品之定量偵測極限

= Due to insufficient sample area, a reduced total sample surface was used and the ratio of total sample surface to extraction volume was kept at 1 cm² : 1 ml.
樣品面積不足，減少測試取樣面積，並調整萃取液比例為 1 平方公分 : 1 毫升。

@ The explanation of Chromium VI (Cr(VI)) analysis results 六價鉻分析結果說明

Colorimetric result 比色結果	Qualitative Result 定性結果	Explanation 說明
< 0.10 µg/cm ²	Negative 陰性	The result of sample is negative for Cr(VI). The sample coating is considered a non-Cr(VI) based coating. 六價鉻結果為陰性。樣品之鍍層可視為不含六價鉻。
≥ 0.10 µg/cm ² and ≤ 0.13 µg/cm ²	Inconclusive 不確定	The result of sample is considered to be inconclusive. If addition samples are available, recommend to add trials and get the average result for the final determination. 六價鉻結果為不確定。若可取得較多樣品，建議增加測試次數並取得其平均值，以評估最後結果。
> 0.13 µg/cm ²	Positive 陽性	The result of sample is positive for Cr(VI). The sample coating is considered to contain Cr(VI). 六價鉻結果為陽性。樣品之鍍層可視為含有六價鉻。 A result expresses as Positive, while not an actual value, which indicates a visual observation was used. 當結果以陽性表示，而非數值時，為使用目測法判定。

Responsibility of Chemist 分析人員 : Beef Hsu/ Vita Fu

Date Sample Received 樣品收件日期 : Dec 27, 2022

Test Period 樣品測試期間 : Dec 27, 2022 to Jan 05, 2023



Test Conducted 測試內容 :

RoHS Limit RoHS 限值

Restricted Substances 限用物質	Limits 限值
Cadmium (Cd) content 鎘含量	0.01% (100ppm)
Lead (Pb) content 鉛含量	0.1% (1000ppm)
Mercury (Hg) content 汞含量	0.1% (1000ppm)
Chromium VI (Cr(VI)) content 六價鉻含量	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs) 多溴聯苯	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚	0.1% (1000ppm)
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	0.1% (1000ppm)
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	0.1% (1000ppm)
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	0.1% (1000ppm)
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	0.1% (1000ppm)

The limits were quoted from Annex II of 2011/65/EU and Amendment (EU) 2015/863 for homogeneous material.

本限值是依據歐盟指令 2011/65/EU 及其更新指令(EU) 2015/863 之附錄二針對均質材質所訂定。




Page 5 of 9



Test Conducted 測試內容：

Measurement Flowchart 測試流程圖：

Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Content RoHS 六項測試
 Reference Method 參考方法: Cd/Pb: IEC 62321-5:2013; Hg: IEC 62321-4:2013+AMD1:2017;
 Chromium (VI): IEC 62321-7-1:2015 (boiling water extraction);
 Chromium (VI): IEC 62321-7-2:2017 (solvent and alkaline extraction);
 PBBs/PBDEs: IEC 62321-6:2015



Test Conducted 測試內容：

Remark 備註：

*1: List of Appropriate Acid 各材質添加酸液如下表：

Material 材質	Acid Added for Digestion 添加酸液種類
Polymers 聚合物	$\text{HNO}_3, \text{HCl}, \text{HF}, \text{H}_2\text{O}_2, \text{H}_3\text{BO}_3$ 硝酸、鹽酸、氫氟酸、雙氧水、硼酸
Metals 金屬	$\text{HNO}_3, \text{HCl}, \text{HF}$ 硝酸、鹽酸、氫氟酸
Electronics 電子產品	$\text{HNO}_3, \text{HCl}, \text{H}_2\text{O}_2, \text{HBF}_4$ 硝酸、鹽酸、雙氧水、氟硼酸


*2: If sample solution is significantly more intense than $0.13 \mu\text{g}/\text{cm}^2$ equivalent comparison standard, Chromium VI would be determined as detected, the result of visual observation is positive.

當待測樣品溶液顏色明顯比 $0.13 \mu\text{g}/\text{cm}^2$ 深，採用目測法判定六價鉻結果為陽性。



Test Conducted 測試內容 :

Measurement Flowchart 測試流程圖:

Test for Phthalates Content 鄰苯二甲酸酯測試
Reference Method 參考方法: IEC 62321-8:2017

Page 8 of 9



Number : TWNC01143291
報告號碼

Sample photo 樣品照片 :



End of Report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek-twn.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

Reporting Statements of Conformity: Please note that the test results contain statement of conformity with the decision rules which are based on the specifications of customers, regulations and standards, and does not consider measurement uncertainty.



Page 9 of 9





測試報告

Test Report

號碼(No.): ETR22A03675

日期(Date): 01-Nov-2022

頁數(Page): 1 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE, BITOU COMMUNITY, SONG GANG ST., BAO AN DIST., SHEN ZHEN CITY, GUANG DONG PROVINCE)
江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT, JIANGSU PROVINCE)
江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

以下測試樣品係由申請廠商所提供之確認 (The following sample(s) was/were submitted and identified by the applicant as) :

送樣廠商(Sample Submitted By) : 聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
樣品名稱(Sample Name) : SILVER BATH 9# (銀槽鍍浴9#)
樣品型號(Style/Item No.) : 客戶自行調配之樣品:S-600 A、B添加劑,S-800 A、B添加劑,S-1025 R、A、B添加劑, AG-O56光亮劑,S-700光澤劑,EBO-9銀防溢膠劑,EBO-9+銀防溢膠劑, ES-4500 銀防置換劑, PAg-980筆鍍銀。 (SAMPLE IS BLENDED BY CLIENT:S-600 A、B ADDITIVE, S-800 A、B ADDITIVE, S-1025 R、A、B ADDITIVE, AG-O56 BRIGHTENER, S-700 BRIGHTENER, EBO-9 INHIBITOR, EBO-9 INHIBITOR PLUS, ES-4500 SILVER ANTI-DISPLACEMENT SOLUTION, PAG-980 SILVER PLATING SOLUTION.)

=====

收件日(Sample Receiving Date) : 24-Oct-2022
測試期間(Testing Period) : 24-Oct-2022 to 01-Nov-2022

測試需求(Test Requested) : 依據客戶要求進行測試，測試項目請參閱測試結果表格。(Testing item(s) is/are specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)


Troy Chang / Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 90D46888

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22A03675

日期(Date): 01-Nov-2022

頁數(Page): 2 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE,BITOU COMMUNITY, SONG GANG ST. , BAO AN DIST., SHEN ZHEN CITY, GUAHG DONG PROVINCE)
江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT JIANGSU PROVINCE)
江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

測試部位敘述 (Test Part Description)

No.1 : 透明深棕色液體 (客戶自行調配之樣品) (TRANSPARENT-BLACK LIQUID (SAMPLE IS BLENDED BY CLIENT))

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
				No.1
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)		mg/kg	2	n.d.
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017 · 以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22A03675

日期(Date): 01-Nov-2022

頁數(Page): 3 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
 力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
 力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
 蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
 聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
 新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
 廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE,BITOU COMMUNITY, SONG GANG ST. , BAO AN DIST., SHEN ZHEN CITY, GUAHG DONG PROVINCE)
 江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT JIANGSU PROVINCE)
 江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
 新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
			No.1	
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22A03675

日期(Date): 01-Nov-2022

頁數(Page): 4 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE,BITOU COMMUNITY, SONG GANG ST. , BAO AN DIST., SHEN ZHEN CITY, GUAHG DONG PROVINCE)
江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT JIANGSU PROVINCE)
江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
				No.1
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	參考US EPA 3550C: 2007 · 以液相層析串聯質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS/MS.)	mg/kg	10	n.d.
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	參考US EPA 3550C: 2007 · 以液相層析串聯質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by LC/MS/MS.)	mg/kg	10	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22A03675

日期(Date): 01-Nov-2022

頁數(Page): 5 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE,BITOU COMMUNITY, SONG GANG ST. , BAO AN DIST., SHEN ZHEN CITY, GUAHG DONG PROVINCE)
江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT JIANGSU PROVINCE)
江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

備註(Note) :

1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出) ; 小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including) :
CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.
6. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including) :
CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22A03675

日期(Date): 01-Nov-2022

頁數(Page): 6 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
 力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
 力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
 蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
 聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)


新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
 廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE, BITOU COMMUNITY, SONG GANG ST., BAO AN DIST., SHEN ZHEN CITY, GUANG DONG PROVINCE)
 江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT, JIANGSU PROVINCE)
 江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY, JIANGSU PROVINCE)
 新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件，樣品已完全溶解。（六價鉻測試方法除外）

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report


號碼(No.): ETR22A03675

日期(Date): 01-Nov-2022

頁數(Page): 7 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE,BITOU COMMUNITY, SONG GANG ST. , BAO AN DIST., SHEN ZHEN CITY, GUAHG DONG PROVINCE)
江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT JIANGSU PROVINCE)
江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22A03675


日期(Date): 01-Nov-2022

頁數(Page): 8 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE,BITOU COMMUNITY,SONG GANG ST. ,BAO AN DIST.,SHEN ZHEN CITY, GUAHG DONG PROVINCE)
江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT JIANGSU PROVINCE)
江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22A03675


日期(Date): 01-Nov-2022

頁數(Page): 9 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE,BITOU COMMUNITY, SONG GANG ST. , BAO AN DIST., SHEN ZHEN CITY, GUAHG DONG PROVINCE)
江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT JIANGSU PROVINCE)
江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow

chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): ETR22A03675

日期(Date): 01-Nov-2022

頁數(Page): 10 of 10

聖的化學工業原料行 (SENDANEX CHEMICAL INDUSTRY CO.)
力橋表面處理材料廠 (RICHEMAX SURFACE TREATMENT CO.)
力橋貿易有限公司 (RICHEMAX (WUXI) TRADING CO., LTD.)
蘇州力橋貿易有限公司 (RICHEMAX (SUZHOU) TRADING CO., LTD.)
聖的科技事業有限公司 (SENDANEX TECHNOLOGY CO., LTD.)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))
廣東省深圳市寶安區松崗街道碧頭社區二工業區95棟101 (101, BUILDING 95, 2 INDUSTRY ZONE,BITOU COMMUNITY, SONG GANG ST. , BAO AN DIST., SHEN ZHEN CITY, GUAHG DONG PROVINCE)
江蘇省無錫市新區梅村工業園新錫路223號 (NO. 223 XINXI RD, MEICUN INDUSTRIAL PARK, WUXI NEW DISTRICT JIANGSU PROVINCE)
江蘇省蘇州市吳江區松陵鎮中山北路98號-2306 (2306-NO. 98, ZHONGSHAN NORTH RD, SONG LING TOWNSHIP, WUJIANG DIST. SUZHOU CITY JIANGSU PROVINCE)
新北市五股區五工五路32之1號 (NO. 32-1, WUGONG 5TH RD., WUGU DISTRICT, NEW TAIPEI CITY 248, TAIWAN (R. O. C.))

* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR22A03675

** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Test Report 測試報告

Applicant: WONDERFUL HI-TECH CO., LTD.
申請廠商 萬泰科技股份有限公司
No.17, Beiyuan Rd., Zhongli Dist.,
Taoyuan City 320, Taiwan (R.O.C.)
桃園市中壢區工業區北園路 17 號

Number : TWNC01143295
報告號碼

Issue Date : Jan 12, 2023
報告發行日期

Sample Description 樣品敘述:

One (1) Group of Submitted Samples Said To Be :

以下測試樣品乃供應商所提供之確認 :

Sample Submitted By : WONDERFUL HI-TECH CO., LTD.
送樣廠商 萬泰科技股份有限公司

Sample Description : 鍍錫銅線(TIN-PLATED COPPER WIRE)

樣品名稱

Style / Item No. : 鍍錫層 TIN-PLATED
產品型號

Date Sample Received : Dec 27, 2022
收件日期

Date Test Started : Dec 27, 2022
開始測試日期

Test Conducted 測試執行 :


As requested by the applicant, for details please refer to attached pages.

依申請商之要求, 細節請參考附頁 .

Conclusion 結論:

<u>Tested Sample</u> 測試樣品	<u>Standard</u> 標準	<u>Result</u> 結果
Submitted Samples 送檢樣品	Restriction of Hazardous Substances (RoHS) 危害物質限制	Pass 合格
	– As per applicant's request with reference to 2011/65/EU and amendment (EU) 2015/863 依據客戶要求參考歐盟指令 2011/65/EU 及其更新指令 (EU) 2015/863	

Authorized By:
On behalf of Intertek Testing Services
Taiwan Limited


Matt Wang
Director



Signed by:


Thomas Chou
Manager



Number : TWNC01143295
報告號碼

Test Conducted 測試內容：

Test Result Summary 測試結果：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Silvery metal wire	
Heavy Metal 重金屬				
Cadmium (Cd) Content 鎘含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Lead (Pb) Content 鉛含量	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-5: 2013，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Mercury (Hg) Content 汞含量	ppm	With reference to IEC 62321-4:2013+AMD1:2017, by microwave or acid digestion and determined by ICP-OES. 參考 IEC 62321-4:2013+AMD 1:2017，以微波或酸液消化法消化樣品並用感應耦合電漿原子發射光譜儀分析。	ND	2
Chromium VI (Cr(VI)) Content 六價鉻含量 @	µg/ cm ²	With reference to IEC 62321-7-1: 2015, by boiling water extraction and determined by UV-Vis Spectrophotometer or visual observation. 參考 IEC 62321-7-1: 2015，以沸水萃取並用紫外光-可見光分光光度計分析或目測法判定。	Negative	0.10



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Silvery metal wire	
Polybrominated Biphenyls (PBBs) 多溴聯苯				
Monobrominated Biphenyls (MonoBB) 單溴聯苯	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	5
Dibrominated Biphenyls (DiBB) 二溴聯苯	ppm		ND	5
Tribrominated Biphenyls (TriBB) 三溴聯苯	ppm		ND	5
Tetrabrominated Biphenyls (TetraBB) 四溴聯苯	ppm		ND	5
Pentabrominated Biphenyls (PentaBB) 五溴聯苯	ppm		ND	5
Hexabrominated Biphenyls (HexaBB) 六溴聯苯	ppm		ND	5
Heptabrominated Biphenyls (HeptaBB) 七溴聯苯	ppm		ND	5
Octabrominated Biphenyls (OctaBB) 八溴聯苯	ppm		ND	5
Nonabrominated Biphenyls (NonaBB) 九溴聯苯	ppm		ND	5
Decabrominated Biphenyl (DecaBB) 十溴聯苯	ppm		ND	5
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚				
Monobrominated Diphenyl Ethers (MonoBDE) 單溴聯苯醚	ppm	With reference to IEC 62321-6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 參考 IEC 62321-6: 2015, 以溶劑萃取並用氣相層析質譜儀分析, 必要時會以高效液相層析儀光二極體陣列偵測儀進行確認。	ND	5
Dibrominated Diphenyl Ethers (DiBDE) 二溴聯苯醚	ppm		ND	5
Tribrominated Diphenyl Ethers (TriBDE) 三溴聯苯醚	ppm		ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE) 四溴聯苯醚	ppm		ND	5
Pentabrominated Diphenyl Ethers (PentaBDE) 五溴聯苯醚	ppm		ND	5
Hexabrominated Diphenyl Ethers (HexaBDE) 六溴聯苯醚	ppm		ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE) 七溴聯苯醚	ppm		ND	5
Octabrominated Diphenyl Ethers (OctaBDE) 八溴聯苯醚	ppm		ND	5
Nonabrominated Diphenyl Ethers (NonaBDE) 九溴聯苯醚	ppm		ND	5
Decabrominated Diphenyl Ether (DecaBDE) 十溴聯苯醚	ppm		ND	5



Test Conducted 測試內容：

Test Item 測試項目	Unit 單位	Test Method 測試方法	Result 結果	RL
			Silvery metal wire	
Phthalates 鄰苯二甲酸酯				
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	ppm	With reference to IEC 62321-8:2017, by solvent extraction and determined by GC-MS. 參考 IEC 62321-8:2017，以溶劑萃取並用氣相層析質譜儀分析。	ND	50
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	ppm		ND	50
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	ppm		ND	50
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	ppm		ND	50

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

備註 百萬分之一，依據測試樣品重量計算 = 毫克/公斤

ND = Not detected 未檢測出

RL = Reporting limit, quantitation limit of analyte in sample
報告極限，測試樣品之定量偵測極限

@ The explanation of Chromium VI (Cr(VI)) analysis results 六價鉻分析結果說明

Colorimetric result 比色結果	Qualitative Result 定性結果	Explanation 說明
< 0.10 µg/cm ²	Negative 陰性	The result of sample is negative for Cr(VI). The sample coating is considered a non-Cr(VI) based coating. 六價鉻結果為陰性。樣品之鍍層可視為不含六價鉻。
≥ 0.10 µg/cm ² and ≤ 0.13 µg/cm ²	Inconclusive 不確定	The result of sample is considered to be inconclusive. If addition samples are available, recommend to add trials and get the average result for the final determination. 六價鉻結果為不確定。若可取得較多樣品，建議增加測試次數並取得其平均值，以評估最後結果。
> 0.13 µg/cm ²	Positive 陽性	The result of sample is positive for Cr(VI). The sample coating is considered to contain Cr(VI). 六價鉻結果為陽性。樣品之鍍層可視為含有六價鉻。 A result expresses as Positive, while not an actual value, which indicates a visual observation was used. 當結果以陽性表示，而非數值時，為使用目測法判定。

Responsibility of Chemist 分析人員 : Beef Hsu/ Vita Fu

Date Sample Received 樣品收件日期 : Dec 27, 2022

Test Period 樣品測試期間 : Dec 27, 2022 to Jan 05, 2023



Test Conducted 測試內容：

RoHS Limit RoHS 限值

Restricted Substances 限用物質	Limits 限值
Cadmium (Cd) content 鎘含量	0.01% (100ppm)
Lead (Pb) content 鉛含量	0.1% (1000ppm)
Mercury (Hg) content 汞含量	0.1% (1000ppm)
Chromium VI (Cr(VI)) content 六價鉻含量	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs) 多溴聯苯	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚	0.1% (1000ppm)
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	0.1% (1000ppm)
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	0.1% (1000ppm)
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	0.1% (1000ppm)
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	0.1% (1000ppm)

The limits were quoted from Annex II of 2011/65/EU and Amendment (EU) 2015/863 for homogeneous material.

本限值是依據歐盟指令 2011/65/EU 及其更新指令(EU) 2015/863 之附錄二針對均質材質所訂定。




Page 5 of 9



Test Conducted 測試內容：

Measurement Flowchart 測試流程圖：

Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Content RoHS 六項測試
 Reference Method 參考方法: Cd/Pb: IEC 62321-5:2013; Hg: IEC 62321-4:2013+AMD1:2017;
 Chromium (VI): IEC 62321-7-1:2015 (boiling water extraction);
 Chromium (VI): IEC 62321-7-2:2017 (solvent and alkaline extraction);
 PBBs/PBDEs: IEC 62321-6:2015



Test Conducted 測試內容：

Remark 備註：

*1: List of Appropriate Acid 各材質添加酸液如下表：

Material 材質	Acid Added for Digestion 添加酸液種類
Polymers 聚合物	HNO ₃ , HCl, HF, H ₂ O ₂ , H ₃ BO ₃ 硝酸、鹽酸、氫氟酸、雙氧水、硼酸
Metals 金屬	HNO ₃ , HCl, HF 硝酸、鹽酸、氫氟酸
Electronics 電子產品	HNO ₃ , HCl, H ₂ O ₂ , HBF ₄ 硝酸、鹽酸、雙氧水、氟硼酸

*2: If sample solution is significantly more intense than 0.13 µg/cm² equivalent comparison standard, Chromium VI would be determined as detected, the result of visual observation is positive.

當待測樣品溶液顏色明顯比 0.13 µg/cm² 深，採用目測法判定六價鉻結果為陽性。




Page 7 of 9



Test Conducted 測試內容：

Measurement Flowchart 測試流程圖：

Test for Phthalates Content 鄰苯二甲酸酯測試
Reference Method 參考方法: IEC 62321-8:2017



Number : TWNC01143295
報告號碼

Sample photo 樣品照片 :



End of Report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek-twn.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

Reporting Statements of Conformity: Please note that the test results contain statement of conformity with the decision rules which are based on the specifications of customers, regulations and standards, and does not consider measurement uncertainty.



Page 9 of 9



Test Report

No. SHAEC2216712501

Date: 02 Dec 2022

Page 1 of 8

Client Name : 3M CHINA LIMITED

Client Address : 222 TIANLIN ROAD, SHANGHAI

Sample Name : 3M 9888T

Model No. : 3M 9888T

Client Ref. Information : 3M 9810T, 3M 9183T, 3M 6408

The above sample(s) and information were provided by the client.

SGS Job No. : SP22-028711 - SH

Date of Sample Received : 29 Nov 2022

Testing Period : 29 Nov 2022 - 02 Dec 2022


Test Requested : Selected test(s) as requested by the client.

Test Method(s) : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted sample(s), the results of Cadmium, Lead, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Dora Hu
Approved Signatory

scan to see the report



793DE7A1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-21) 6307 1443, or email: CN.Goscheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 1E&E (86-21) 61402553 1E&E (86-21) 64953679 www.sgsgroup.com.cn

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 1HL (86-21) 61402594 1HL (86-21) 61156899 sgs.china@sgs.com

Test Report

No. SHAEC2216712501

Date: 02 Dec 2022

Page 2 of 8

Test Result(s) :

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	SHA22-167125.001	Colorless transparent adhesive film

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method : With reference to IEC 62321-4:2013+AMD1:2017, IEC62321-5:2013, IEC62321-7-2:2017, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Gaccheck@sgs.com



3 Building No.889 Yishan Road Xuhui District, Shanghai China 200233 1E&E (86-21) 61402553 1E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 1HL (86-21) 61402594 1HL (86-21) 61156899 sgs.china@sgs.com

Test Report

No. SHAEC2216712501

Date: 02 Dec 2022

Page 3 of 8

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Pentabromodiphenyl ether	-	mg/kg	5	ND
Hexabromodiphenyl ether	-	mg/kg	5	ND
Heptabromodiphenyl ether	-	mg/kg	5	ND
Octabromodiphenyl ether	-	mg/kg	5	ND
Nonabromodiphenyl ether	-	mg/kg	5	ND
Decabromodiphenyl ether	-	mg/kg	5	ND
Di-butyl Phthalate (DBP)	1000	mg/kg	50	ND
Benzyl Butyl Phthalate (BBP)	1000	mg/kg	50	ND
Di-2-Ethyl Hexyl Phthalate (DEHP)	1000	mg/kg	50	ND
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND

Notes :

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
IEC 62321 series is equivalent to EN 62321 series
- (2) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Goccheck@sgs.com



SGS-CSTC Shanghai Technical Service Co., Ltd.
Testing Center-Chaoyang

3 Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 1E&E (86-21) 61402553 1E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 1HL (86-21) 61402594 1HL (86-21) 61156899 sgs.china@sgs.com

Test Report

No. SHAEC2216712501


Date: 02 Dec 2022

Page 4 of 8

ATTACHMENTS

Elements (IEC62321) Testing Flow Chart

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Gaccheck@sgs.com

SGS-CSTC Shanghai Technical Services Co., Ltd.
Testing Center-Chaoyang

3 Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 1E&E (86-21) 61402553 1E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 1HL (86-21) 61402594 1HL (86-21) 61156899 sgs.china@sgs.com

ATTACHMENTS
Hexavalent Chromium (Cr(VI)) Testing Flow Chart


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Goccheck@sgs.com

Test Report


No. SHAEC2216712501

Date: 02 Dec 2022

Page 6 of 8

ATTACHMENTS

PBBs/PBDEs Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Gaccheck@sgs.com

SGS-CSTC Shanghai Technical Services Co., Ltd.
Testing Center-Chemical Testing Center

3rd Building, No.889 Yishan Road, Xuhui District, Shanghai, China 200233 1E&E (86-21) 61402553 1E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 1HL (86-21) 61402594 1HL (86-21) 61156899 sgs.china@sgs.com

Test Report


No. SHAEC2216712501

Date: 02 Dec 2022

Page 7 of 8

ATTACHMENTS

Phthalates Testing Flow Chart



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Goccheck@sgs.com

SGS-CSTC China Technical Services Co., Ltd.
Testing Center-Chemical Testing Center

3rd Building, No.889 Yishan Road, Xuhui District, Shanghai, China 200233 1E&E (86-21) 61402553 1E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 1HL (86-21) 61402594 1HL (86-21) 61156899 sgs.china@sgs.com

Test Report

No. SHAEC2216712501

Date: 02 Dec 2022

Page 8 of 8

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Gaccheck@sgs.com



SGS-CSTC Shanghai Technical Services Co., Ltd.
Testing Center-Changning Branch

3 Building, No.889 Yishan Road, Xuhui District, Shanghai, China 200233 1E&E (86-21) 61402553 1E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 1HL (86-21) 61402594 1HL (86-21) 61156899 sgs.china@sgs.com