

U-NII-2C


802.11a

CH 140 (Horizontal)


CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 140 (Horizontal)


CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11820.00	44.44	44.21	0.23	74.00	-29.56	100	244	Peak	Horizontal	
2	11820.00	36.34	36.11	0.23	54.00	-17.66	100	244	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11820.00	43.70	43.47	0.23	74.00	-30.30	154	360	Peak	Vertical	
2	11820.00	36.35	36.12	0.23	54.00	-17.65	154	360	Average	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11860.00	43.57	43.25	0.32	74.00	-30.43	200	200	Peak	Horizontal	
2	11860.00	36.29	35.97	0.32	54.00	-17.71	200	200	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11860.00	43.26	42.94	0.32	74.00	-30.74	200	184	Peak	Vertical	
2	11860.00	36.21	35.89	0.32	54.00	-17.79	200	184	Average	Vertical	


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	43.06	42.61	0.45	74.00	-30.94	100	124	Peak	Horizontal	
2	11140.00	36.63	36.18	0.45	54.00	-17.37	100	124	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	43.60	43.15	0.45	74.00	-30.40	200	360	Peak	Vertical	
2	11140.00	36.58	36.13	0.45	54.00	-17.42	200	360	Average	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	44.48	43.34	1.14	74.00	-29.52	100	360	Peak	Horizontal	
2	11490.00	37.23	36.09	1.14	54.00	-16.77	100	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	44.06	42.92	1.14	74.00	-29.94	200	109	Peak	Vertical	
2	11490.00	37.06	35.92	1.14	54.00	-16.94	200	109	Average	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	45.32	44.18	1.14	74.00	-28.68	200	169	Peak	Horizontal	
2	11490.00	37.72	36.58	1.14	54.00	-16.28	200	169	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	44.49	43.35	1.14	74.00	-29.51	198	360	Peak	Vertical	
2	11490.00	37.00	35.86	1.14	54.00	-17.00	198	360	Average	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	43.87	42.70	1.17	74.00	-30.13	100	42	Peak	Horizontal	
2	11510.00	36.69	35.52	1.17	54.00	-17.31	100	42	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	43.27	42.10	1.17	74.00	-30.73	200	2	Peak	Vertical	
2	11510.00	36.58	35.41	1.17	54.00	-17.42	200	2	Average	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	43.87	42.68	1.19	74.00	-30.13	100	360	Peak	Horizontal	
2	11550.00	36.59	35.40	1.19	54.00	-17.41	100	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	44.77	43.58	1.19	74.00	-29.23	100	258	Peak	Vertical	
2	11550.00	36.68	35.49	1.19	54.00	-17.32	100	258	Average	Vertical	

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11ax HE20_RU242

CH 36 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20_RU242

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	46.44	3.15	43.29	54.00	-7.56	334	147 Average	Horizontal	
2 *	5150.00	97.10	53.72	43.38	54.00	43.10	334	147 Average	Horizontal	
3	5401.50	44.98	1.09	43.89	54.00	-9.02	334	147 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	49.73	6.44	43.29	54.00	-4.27	234	146 Average	Vertical	
2 *	5150.00	99.00	55.70	43.38	54.00	45.00	234	146 Average	Vertical	
3	5406.00	45.13	1.28	43.85	54.00	-8.87	234	146 Average	Vertical	


802.11ax HE40_RU484

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4957.00	56.96	13.84	43.12	74.00	-17.04	352	147	Peak	Horizontal	
2 *	5190.00	103.41	60.00	43.41	68.20	35.21	352	147	Peak	Horizontal	
3	5413.50	57.03	13.23	43.80	74.00	-16.97	352	147	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	59.36	16.07	43.29	74.00	-14.64	233	146	Peak	Vertical	
2 *	5190.00	103.71	60.30	43.41	68.20	35.51	233	146	Peak	Vertical	
3	5407.50	57.47	13.63	43.84	74.00	-16.53	233	146	Peak	Vertical	

802.11ax HE40_RU484


CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80_RU996

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.00	61.20	17.99	43.21	74.00	-12.80	348	147	Peak	Horizontal	
2 *	5210.00	101.00	50.50	43.30	60.20	33.60	348	147	Peak	Horizontal	
3	5435.50	57.85	14.20	43.65	74.00	-16.15	348	147	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	64.43	21.14	43.29	74.00	-9.57	244	147	Peak	Vertical	
2 *	5210.00	104.27	60.69	43.30	60.20	36.07	244	147	Peak	Vertical	
3	5400.00	57.94	14.04	43.90	74.00	-16.06	244	147	Peak	Vertical	

802.11ax HE80_RU996
CH 42 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	51.16	7.87	43.29	54.00	-2.84	244	147	Average	Vertical	
2 *	5210.00	92.01	45.63	43.38	54.00	38.01	244	147	Average	Vertical	
3	5415.00	44.97	1.18	43.79	54.00	-9.03	244	147	Average	Vertical	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.00	48.32	5.05	43.27	54.00	-5.68	348	147	Average	Horizontal	
2 *	5210.00	90.22	46.84	43.38	54.00	36.22	348	147	Average	Horizontal	
3	5399.50	45.04	1.15	43.89	54.00	-8.96	348	147	Average	Horizontal	

802.11ax HE160_RU1992

CH 50 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5128.00	64.82	21.59	43.23	74.00	-9.18	343	147	Peak	Horizontal		
2 *	5258.00	101.83	58.65	43.17	68.20	33.63	343	147	Peak	Horizontal		
3	5395.00	65.15	21.32	43.83	74.00	-8.85	343	147	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5128.00	65.88	22.65	43.15	74.00	-8.20	248	147	Peak	Vertical		
2 *	5258.00	102.53	59.36	43.17	68.20	34.33	248	147	Peak	Vertical		
3	5395.00	63.72	19.88	43.84	74.00	-10.28	248	147	Peak	Vertical		

802.11ax HE160_RU1992

CH 50 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5123.50	52.26	9.04	43.22	54.00	-1.74	343	147	Average	Horizontal	
2	5250.00	89.37	46.20	43.17	54.00	35.37	343	147	Average	Horizontal	
3	5395.50	51.84	8.00	43.84	54.00	-2.16	343	147	Average	Horizontal	

CH 50 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	52.57	9.36	43.21	54.00	-1.43	240	147	Average	Vertical	
2	5250.00	90.47	47.30	43.17	54.00	36.47	240	147	Average	Vertical	
3	5382.50	50.54	6.87	43.67	54.00	-3.46	240	147	Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A


802.11ax HE20_RU242

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5096.50	57.96	14.80	43.16	74.00	-16.04	384	248	Peak	Horizontal	
2 *	5320.00	105.77	62.24	43.53	68.20	37.57	384	248	Peak	Horizontal	
3	5352.00	59.38	16.10	43.28	74.00	-14.62	384	248	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	57.89	14.61	43.28	74.00	-16.11	274	153	Peak	Vertical	
2 *	5320.00	100.15	64.62	43.53	68.20	39.95	274	153	Peak	Vertical	
3	5352.50	59.59	16.30	43.29	74.00	-14.41	274	153	Peak	Vertical	

802.11ax HE20_RU242

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5116.00	44.31	1.11	43.20	54.00	-9.69	384	248	Average	Horizontal	
2 *	5320.00	96.38	52.85	43.53	54.00	42.38	384	248	Average	Horizontal	
3	5350.00	46.70	3.44	43.26	54.00	-7.30	384	248	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.50	44.28	1.02	43.26	54.00	-9.72	274	153	Average	Vertical	
2 *	5320.00	90.85	55.32	43.53	54.00	44.85	274	153	Average	Vertical	
3	5351.00	47.32	4.05	43.27	54.00	-6.68	274	153	Average	Vertical	


802.11ax HE40_RU484

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	57.00	14.59	43.21	74.00	-16.20	368	252	Peak	Horizontal	
2 *	5310.00	104.72	61.10	43.62	60.20	36.52	368	252	Peak	Horizontal	
3	5353.00	58.81	15.51	43.30	74.00	-15.19	368	252	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	56.89	13.61	43.28	74.00	-17.11	263	152	Peak	Vertical	
2 *	5310.00	107.20	63.58	43.62	60.20	39.00	263	152	Peak	Vertical	
3	5354.00	58.69	15.38	43.31	74.00	-15.31	263	152	Peak	Vertical	

802.11ax HE40_RU484

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.50	44.18	0.93	43.25	54.00	-9.82	368	252	Average	Horizontal	
2 *	5310.00	91.89	40.27	43.62	54.00	37.89	368	252	Average	Horizontal	
3	5351.00	45.67	2.40	43.27	54.00	-8.33	368	252	Average	Horizontal	

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5119.00	44.26	1.05	43.21	54.00	-9.74	263	152	Average	Vertical	
2 *	5310.00	94.63	51.01	43.62	54.00	40.63	263	152	Average	Vertical	
3	5353.00	45.68	2.38	43.30	54.00	-8.32	263	152	Average	Vertical	

802.11ax HE80_RU996

CH 58 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.00	96.77	13.52	43.25	74.00	-17.23	397	149	Peak	Horizontal	
2 *	5290.00	105.39	61.70	43.61	68.20	37.19	397	149	Peak	Horizontal	
3	5358.50	61.38	18.02	43.36	74.00	-12.62	397	149	Peak	Horizontal	

CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5094.00	57.31	14.14	43.17	74.00	-16.69	251	147	Peak	Vertical	
2 *	5290.00	105.56	61.95	43.61	68.20	37.36	251	147	Peak	Vertical	
3	5353.50	61.57	18.27	43.30	74.00	-12.43	251	147	Peak	Vertical	

802.11ax HE80_RU996

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	44.33	1.05	43.28	54.00	-9.67	397	149	Average	Horizontal	
2	5290.00	92.61	49.00	43.61	54.00	38.61	397	149	Average	Horizontal	
3	5358.50	49.78	6.42	43.36	54.00	-4.22	397	149	Average	Horizontal	

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.50	44.52	1.27	43.25	54.00	-9.48	251	147	Average	Vertical	
2	5290.00	93.59	49.98	43.61	54.00	39.59	251	147	Average	Vertical	
3	5353.00	49.28	5.98	43.30	54.00	-4.72	251	147	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11ax HE20_RU106

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5361.00	57.49	14.09	43.40	74.00	-16.51	375	142	Peak	Horizontal	
2	5466.50	56.34	12.76	43.58	68.20	-11.86	375	142	Peak	Horizontal	
3 *	5508.00	107.06	63.38	43.68	68.20	38.86	375	142	Peak	Horizontal	
4	5803.50	59.08	14.96	44.12	68.20	-9.12	375	142	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5403.00	57.30	13.42	43.88	74.00	-16.70	100	172	Peak	Vertical	
2	5466.00	56.25	12.67	43.58	68.20	-11.95	100	172	Peak	Vertical	
3 *	5508.00	101.99	58.31	43.68	68.20	33.79	100	172	Peak	Vertical	
4	5815.00	57.98	13.87	44.11	68.20	-10.22	100	172	Peak	Vertical	


802.11ax HE20_RU106

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.00	44.46	0.57	43.89	54.00	-9.54	375	142	Average	Horizontal	
2 *	5500.00	94.39	58.71	43.68	54.00	40.39	375	142	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5402.50	44.45	0.57	43.88	54.00	-9.55	100	172	Average	Vertical	
2 *	5500.00	90.43	46.75	43.68	54.00	36.43	100	172	Average	Vertical	


802.11ax HE40_RU484

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.50	57.54	13.71	43.83	74.00	-16.46	234	237	Peak	Horizontal	
2	5462.00	56.67	13.09	43.58	68.20	-11.53	234	237	Peak	Horizontal	
3 *	5510.00	102.25	58.58	43.67	68.20	34.05	234	237	Peak	Horizontal	
4	5778.00	58.94	14.83	44.11	68.20	-9.26	234	237	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5409.50	57.41	13.51	43.90	74.00	-16.59	113	170	Peak	Vertical	
2	5462.50	56.84	13.27	43.57	68.20	-11.36	113	170	Peak	Vertical	
3 *	5510.00	100.76	57.09	43.67	68.20	32.56	113	170	Peak	Vertical	
4	5830.00	58.66	14.57	44.09	68.20	-9.54	113	170	Peak	Vertical	


802.11ax HE40_RU484

CH 102 (Horizontal) Average

CH 102 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.50	44.91	1.01	43.90	54.00	-9.09	234	237	Average	Horizontal	
2 *	5510.00	89.99	46.32	43.67	54.00	35.99	234	237	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5395.00	44.73	0.90	43.83	54.00	-9.27	113	170	Average	Vertical	
2 *	5510.00	87.79	44.12	43.67	54.00	33.79	113	170	Average	Vertical	


802.11ax HE80_RU996

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5422.00	57.26	13.52	43.74	74.00	-16.74	332	155	Peak	Horizontal	
2	5464.50	57.07	13.49	43.58	68.20	-11.13	332	155	Peak	Horizontal	
3 *	5610.00	100.85	57.18	43.67	68.20	32.65	332	155	Peak	Horizontal	
4	5812.00	58.54	14.42	44.12	68.20	-9.66	332	155	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5418.00	58.71	14.94	43.77	74.00	-15.29	137	170	Peak	Vertical	
2	5469.50	59.40	14.81	43.59	68.20	-9.80	137	170	Peak	Vertical	
3 *	5610.00	101.21	57.54	43.67	68.20	33.01	137	170	Peak	Vertical	
4	5810.50	59.16	15.05	44.11	68.20	-9.04	137	170	Peak	Vertical	


802.11ax HE80_RU996

CH 122 (Horizontal) Average

CH 122 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.50	44.43	0.54	43.89	54.00	-9.57	332	155	Average	Horizontal	
2 *	5610.00	89.00	45.33	43.67	54.00	35.00	332	155	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5413.00	44.61	0.80	43.81	54.00	-9.39	137	170	Average	Vertical	
2 *	5610.00	88.68	45.81	43.67	54.00	34.68	137	170	Average	Vertical	


802.11ax HE160_RU1992

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5436.00	65.52	21.88	43.64	74.00	-8.48	339	153	Peak	Horizontal	
2	5467.50	63.24	19.66	43.58	68.20	-4.96	339	153	Peak	Horizontal	
3 *	5570.00	100.92	57.28	43.64	68.20	32.72	339	153	Peak	Horizontal	
4	5725.50	63.28	19.46	43.82	68.20	-4.92	339	153	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5447.50	60.82	17.26	43.56	74.00	-13.18	139	171	Peak	Vertical	
2	5460.50	59.50	15.93	43.57	68.20	-8.70	139	171	Peak	Vertical	
3 *	5570.00	99.19	55.55	43.64	68.20	30.99	139	171	Peak	Vertical	
4	5740.00	61.76	17.78	43.98	68.20	-6.44	139	171	Peak	Vertical	


802.11ax HE160_RU1992

CH 114 (Horizontal) Average

CH 114 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5435.50	52.62	8.97	43.65	54.00	-1.38	339	153	Average	Horizontal	
2	5570.00	88.42	44.78	43.64	54.00	34.42	339	153	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.50	48.18	4.61	43.57	54.00	-5.82	139	171	Average	Vertical	
2	5570.00	86.89	43.25	43.64	54.00	32.89	139	171	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11ax HE20_RU242

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5632.50	57.37	13.68	43.69	68.20	-10.83	208	159	Peak	Horizontal	
2	5697.00	57.79	14.24	43.55	102.99	-45.20	208	159	Peak	Horizontal	
3	5719.00	60.75	17.00	43.75	110.52	-49.77	208	159	Peak	Horizontal	
4	5723.00	62.60	18.81	43.79	125.32	-62.72	208	159	Peak	Horizontal	
5	5745.00	109.06	65.03	44.03	135.00	-25.94	208	159	Peak	Horizontal	
6	5851.00	57.32	13.24	44.08	130.16	-72.84	208	159	Peak	Horizontal	
7	5855.50	57.94	13.83	44.11	110.66	-52.72	208	159	Peak	Horizontal	
8	5922.00	58.04	13.55	44.49	70.41	-12.37	208	159	Peak	Horizontal	
9	5993.50	57.84	13.45	44.39	68.20	-10.36	208	159	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5664.00	57.53	13.90	43.63	68.20	-10.67	114	175	Peak	Vertical	
2	5692.50	57.36	13.79	43.57	99.67	-42.31	114	175	Peak	Vertical	
3	5715.50	58.58	14.86	43.72	109.54	-50.96	114	175	Peak	Vertical	
4	5724.00	60.97	17.17	43.80	130.16	-69.19	114	175	Peak	Vertical	
5	5745.00	109.98	65.95	44.03	135.00	-25.02	114	175	Peak	Vertical	
6	5852.50	57.77	13.68	44.09	122.90	-65.13	114	175	Peak	Vertical	
7	5871.50	58.16	13.91	44.25	106.18	-48.02	114	175	Peak	Vertical	
8	5896.50	58.17	13.69	44.48	89.25	-31.08	114	175	Peak	Vertical	
9	5960.50	58.87	14.43	44.44	68.20	-9.33	114	175	Peak	Vertical	


802.11ax HE40_RU484

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5492.00	57.86	14.21	43.65	68.20	-10.34	280	157 Peak	Horizontal	
2	5669.50	58.13	14.49	43.64	82.67	-24.54	280	157 Peak	Horizontal	
3	5720.00	61.71	17.95	43.76	110.80	-49.09	280	157 Peak	Horizontal	
4	5725.00	64.17	20.36	43.81	135.00	-70.83	280	157 Peak	Horizontal	
5	5755.00	106.03	61.94	44.09	135.00	-28.97	280	157 Peak	Horizontal	
6	5853.00	57.96	13.87	44.09	120.48	-62.52	280	157 Peak	Horizontal	
7	5874.50	58.17	13.88	44.29	105.34	-47.17	280	157 Peak	Horizontal	
8	5908.50	57.85	13.34	44.51	86.29	-28.44	280	157 Peak	Horizontal	
9	5969.00	58.19	13.77	44.42	68.20	-10.01	280	157 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.00	57.70	14.00	43.70	68.20	-10.50	134	176 Peak	Vertical	
2	5699.00	57.96	14.42	43.54	104.46	-46.50	134	176 Peak	Vertical	
3	5715.00	62.00	18.29	43.71	109.40	-47.40	134	176 Peak	Vertical	
4	5723.50	62.11	18.31	43.80	127.74	-65.63	134	176 Peak	Vertical	
5	5755.00	107.97	63.88	44.09	135.00	-27.03	134	176 Peak	Vertical	
6	5851.00	57.86	13.78	44.08	130.16	-72.30	134	176 Peak	Vertical	
7	5864.00	58.51	14.32	44.19	108.28	-49.77	134	176 Peak	Vertical	
8	5886.50	58.85	14.46	44.39	96.66	-37.81	134	176 Peak	Vertical	
9	5991.50	58.38	13.98	44.40	68.20	-9.82	134	176 Peak	Vertical	


802.11ax HE80_RU996

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.50	58.68	14.98	43.70	68.20	-9.52	291	160 Peak	Horizontal	
2	5695.50	63.33	19.77	43.56	101.88	-38.55	291	160 Peak	Horizontal	
3	5719.50	68.14	24.38	43.76	110.66	-42.52	291	160 Peak	Horizontal	
4	5723.00	66.99	23.20	43.79	125.32	-58.33	291	160 Peak	Horizontal	
5	5775.00	103.30	59.19	44.11	135.00	-31.70	291	160 Peak	Horizontal	
6	5854.50	63.07	18.96	44.11	113.22	-50.15	291	160 Peak	Horizontal	
7	5855.00	62.93	18.82	44.11	110.80	-47.87	291	160 Peak	Horizontal	
8	5876.50	60.83	16.53	44.30	104.09	-43.26	291	160 Peak	Horizontal	
9	5933.00	58.74	14.27	44.47	68.20	-9.46	291	160 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	61.41	17.71	43.70	68.20	-6.79	102	174 Peak	Vertical	
2	5694.50	68.77	25.21	43.56	101.15	-32.38	102	174 Peak	Vertical	
3	5707.50	69.01	25.38	43.63	107.30	-38.29	102	174 Peak	Vertical	
4	5723.50	68.11	24.31	43.80	127.74	-59.63	102	174 Peak	Vertical	
5	5775.00	105.57	61.46	44.11	135.00	-29.43	102	174 Peak	Vertical	
6	5855.00	65.90	21.79	44.11	110.00	-44.90	102	174 Peak	Vertical	
7	5855.50	66.19	22.08	44.11	110.66	-44.47	102	174 Peak	Vertical	
8	5875.00	62.53	18.24	44.29	105.20	-42.67	102	174 Peak	Vertical	
9	5927.50	58.82	14.34	44.48	68.20	-9.38	102	174 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11ax HE20_RU242

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	44.75	45.28	-0.53	68.20	-23.45	300	283	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	43.88	44.41	-0.53	68.20	-24.32	200	170	Peak	Vertical	


802.11ax HE40_RU26

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10460.00	43.31	43.89	-0.58	68.20	-24.89	100	216	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10460.00	43.93	44.51	-0.58	68.20	-24.27	100	2	Peak	Vertical	


802.11ax HE80_RU996

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	43.33	43.98	-0.65	68.20	-24.87	201	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	43.97	44.62	-0.65	68.20	-24.23	100	0	Peak	Vertical	


802.11ax HE160_RU1992

CH 50 (Horizontal)

CH 50 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1 10500.00 42.98 43.47 -0.49 68.20 -25.22 100 358 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1 10500.00 43.66 44.15 -0.49 68.20 -24.54 100 277 Peak Vertical

U-NII-2A


802.11ax HE20_RU242

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	36.59	36.98	-0.39	54.00	-17.41	100	340	Average	Horizontal	
2	10640.00	42.54	42.93	-0.39	74.00	-31.46	100	340	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	36.54	36.93	-0.39	54.00	-17.46	100	290	Average	Vertical	
2	10640.00	42.31	42.70	-0.39	74.00	-31.69	100	290	Peak	Vertical	


802.11ax HE40_RU242

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	43.53	43.96	-0.43	74.00	-30.47	200	321 Peak	Horizontal	
2	10620.00	36.29	36.72	-0.43	54.00	-17.71	200	321 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	43.57	44.00	-0.43	74.00	-30.43	100	88 Peak	Vertical	
2	10620.00	36.44	36.87	-0.43	54.00	-17.56	100	88 Average	Vertical	


802.11ax HE80_RU996

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10588.00	42.76	43.23	-0.47	68.20	-25.44	200	62 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10588.00	43.89	44.36	-0.47	68.20	-24.31	100	338 Peak	Vertical

U-NII-2C


802.11ax HE20_RU106

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11800.00	43.65	43.46	0.19	74.00	-30.35	100		1 Peak	Horizontal	
2	11800.00	35.82	35.63	0.19	54.00	-18.18	100		1 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11800.00	43.37	43.18	0.19	74.00	-30.63	200	296	Peak	Vertical	
2	11800.00	35.80	35.61	0.19	54.00	-18.20	200	296	Average	Vertical	


802.11ax HE40_RU52

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	43.79	43.39	0.40	74.00	-30.21	100	278	Peak	Horizontal	
2	11100.00	36.12	35.72	0.40	54.00	-17.88	100	278	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	43.12	42.72	0.40	74.00	-30.88	100	161	Peak	Vertical	
2	11100.00	36.17	35.77	0.40	54.00	-17.83	100	161	Average	Vertical	


802.11ax HE80_RU996

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11860.00	44.21	43.89	0.32	74.00	-29.79	200	360	Peak	Horizontal	
2	11860.00	36.09	35.77	0.32	54.00	-17.91	200	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11860.00	43.73	43.41	0.32	74.00	-30.27	100	360	Peak	Vertical	
2	11860.00	36.07	35.75	0.32	54.00	-17.93	100	360	Average	Vertical	


802.11ax HE160_RU996

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	43.27	42.82	0.45	74.00	-30.73	200	96	Peak	Horizontal	
2	11140.00	36.44	35.99	0.45	54.00	-17.56	200	96	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	43.31	42.86	0.45	74.00	-30.69	100	218	Peak	Vertical	
2	11140.00	36.58	36.13	0.45	54.00	-17.42	100	218	Average	Vertical	

U-NII-3


802.11ax HE20_RU26

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	43.83	42.69	1.14	74.00	-30.17	100	0	Peak	Horizontal	
2	11490.00	33.58	32.44	1.14	54.00	-20.42	100	0	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	43.68	42.54	1.14	74.00	-30.32	122	0	Peak	Vertical	
2	11490.00	33.91	32.77	1.14	54.00	-20.09	122	0	Average	Vertical	


802.11ax HE40_RU52

CH 151 (Horizontal)


CH 151 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80_RU996

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	43.09	41.90	1.19	74.00	-30.91	200	232	Peak	Horizontal	
2	11550.00	33.53	32.34	1.19	54.00	-20.47	200	232	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	44.43	43.24	1.19	74.00	-29.57	100	44	Peak	Vertical	
2	11550.00	33.63	32.44	1.19	54.00	-20.37	100	44	Average	Vertical	


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.22	17.63	8.01	9.62	52.94	-35.31	Average	line1	
2	0.22	33.01	23.39	9.62	62.94	-29.93	QP	line1	
3	0.48	23.25	13.62	9.63	46.40	-32.78	Average	line1	
4	0.48	25.04	15.41	9.63	56.40	-31.36	QP	line1	
5	1.19	14.26	4.62	9.64	46.00	-31.74	Average	line1	
6	1.19	21.31	11.67	9.64	56.00	-34.69	QP	line1	
7	3.75	10.79	1.11	9.68	46.00	-35.21	Average	line1	
8	3.75	20.18	10.50	9.68	56.00	-35.82	QP	line1	
9	6.46	10.83	1.11	9.72	50.00	-39.17	Average	line1	
10	6.46	17.53	7.81	9.72	60.00	-42.47	QP	line1	
11	17.34	20.75	10.98	9.77	50.00	-29.25	Average	line1	
12	17.34	27.90	18.13	9.77	60.00	-32.10	QP	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.18	19.07	9.45	9.62	54.34	-35.27	Average	neutral	
2	0.18	36.29	26.67	9.62	64.34	-28.05	QP	neutral	
3	0.33	14.78	5.16	9.62	49.42	-34.64	Average	neutral	
4	0.33	21.03	11.41	9.62	59.42	-38.39	QP	neutral	
5	0.61	10.29	0.66	9.63	46.00	-35.71	Average	neutral	
6	0.61	19.99	10.36	9.63	56.00	-36.01	QP	neutral	
7	1.70	13.27	3.61	9.66	46.00	-32.73	Average	neutral	
8	1.70	21.32	11.66	9.66	56.00	-34.68	QP	neutral	
9	4.19	12.34	2.65	9.69	46.00	-33.66	Average	neutral	
10	4.19	25.34	15.65	9.69	56.00	-30.66	QP	neutral	
11	13.45	14.88	5.07	9.81	50.00	-35.12	Average	neutral	
12	13.45	22.43	12.62	9.81	60.00	-37.57	QP	neutral	