




Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	46.73	0.05	46.78	74	-27.22	PK
		5143.5	30.53	19.22	49.75	54	-4.25	AVG
		5148.4	41.96	19.22	61.18	74	-12.82	PK
	@	5240	96.84	18.99	115.83	N/A	N/A	PK
	@	5240	86.39	18.99	105.38	N/A	N/A	AVG
	*	10480	30.75	17.55	48.3	68.2	-19.9	PK
Vertical		3992	56.04	0.05	56.09	74	-17.91	PK
		3992	39.46	0.05	39.51	54	-14.49	AVG
		5138.6	29.68	19.22	48.9	54	-5.1	AVG
		5141.4	41.37	19.23	60.6	74	-13.4	PK
	@	5240	92.28	18.99	111.27	N/A	N/A	PK
	@	5240	82.3	18.99	101.29	N/A	N/A	AVG
	*	10480	31.33	17.55	48.88	68.2	-19.32	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11ax(HE20) (Ch 48)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 48)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 48)
Band Edge (Average), Horizontal

TX, 802.11ax(HE20) (Ch 48)
Band Edge (Average), Vertical

TX, 802.11ax(HE20) (Ch 48)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 48)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	44.25	0.05	44.3	74	-29.7	PK
	@	5260	98.14	18.91	117.05	N/A	N/A	PK
	@	5260	88.63	18.91	107.54	N/A	N/A	AVG
		5350.5	31.82	18.7	50.52	54	-3.48	AVG
		5365.2	43.21	18.84	62.05	74	-11.95	PK
	*	10520	30.29	17.63	47.92	68.2	-20.28	PK
Vertical		3992	54.69	0.05	54.74	74	-19.26	PK
		3992	38.11	0.05	38.16	54	-15.84	AVG
	@	5260	92.89	18.91	111.8	N/A	N/A	PK
	@	5260	83.44	18.91	102.35	N/A	N/A	AVG
		5350.8	28.58	18.71	47.29	54	-6.71	AVG
		5399.7	40.19	19.16	59.35	74	-14.65	PK
	*	10520	32.29	17.63	49.92	68.2	-18.28	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	42.36	0.05	42.41	74	-31.59	PK
	@	5300	96	18.73	114.73	N/A	N/A	PK
	@	5300	86.16	18.73	104.89	N/A	N/A	AVG
		5350.2	31.6	18.7	50.3	54	-3.7	AVG
		5351.7	43.25	18.71	61.96	74	-12.04	PK
	*	10600	31.08	17.71	48.79	74	-25.21	PK
Vertical		3992	54.1	0.05	54.15	74	-19.85	PK
		3992	37.51	0.05	37.56	54	-16.44	AVG
	@	5300	90.5	18.73	109.23	N/A	N/A	PK
	@	5300	81.32	18.73	100.05	N/A	N/A	AVG
		5350.2	28.84	18.7	47.54	54	-6.46	AVG
		5369.4	40.74	18.88	59.62	74	-14.38	PK
	*	10600	31.3	17.71	49.01	74	-24.99	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11ax(HE20) (Ch 60)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 60)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Horizontal

TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Vertical

TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		2037	48.97	-6.01	42.96	68.2	-25.24	PK
	*	3992	45.9	0.05	45.95	74	-28.05	PK
	@	5320	93.51	18.72	112.23	N/A	N/A	PK
	@	5320	85.11	18.72	103.83	N/A	N/A	AVG
		5351.7	34.27	18.71	52.98	54	-1.02	AVG
		5354.4	42.37	18.74	61.11	74	-12.89	PK
	*	10640	30.36	17.67	48.03	74	-25.97	PK
Vertical		2003	49.43	-6.21	43.22	68.2	-24.98	PK
		3992	55.68	0.05	55.73	74	-18.27	PK
		3992	37.51	0.05	37.56	54	-16.44	AVG
	@	5320	87.98	18.72	106.7	N/A	N/A	PK
	@	5320	80.76	18.72	99.48	N/A	N/A	AVG
		5350.2	30.33	18.7	49.03	54	-4.97	AVG
		5451.9	39.96	19.63	59.59	74	-14.41	PK
	*	10640	30.59	17.67	48.26	74	-25.74	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 64)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 64)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 64)

Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 64)

Band Edge (Average), Vertical




TX, 802.11ax(HE20) (Ch 64)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 64)

Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		2037	49.75	-6.01	43.74	68.2	-24.46	PK
	*	3992	45.11	0.05	45.16	74	-28.84	PK
		5455.65	43.25	19.63	62.88	74	-11.12	PK
		5458.8	30.9	19.64	50.54	54	-3.46	AVG
		5462.3	44.45	19.64	64.09	68.2	-4.11	PK
	@	5500	93.08	19.69	112.77	N/A	N/A	PK
	@	5500	86.47	19.69	106.16	N/A	N/A	AVG
	*	11000	30.3	17.88	48.18	74	-25.82	PK
Vertical		2003	49.07	-6.21	42.86	68.2	-25.34	PK
		3992	56.08	0.05	56.13	74	-17.87	PK
		3992	37.95	0.05	38	54	-16	AVG
		5411.55	39.41	19.26	58.67	74	-15.33	PK
		5458.45	27.95	19.64	47.59	54	-6.41	AVG
		5463	39.87	19.64	59.51	68.2	-8.69	PK
	@	5500	86.53	19.69	106.22	N/A	N/A	PK
	@	5500	77.54	19.69	97.23	N/A	N/A	AVG
	*	11000	34.48	17.88	52.36	74	-21.64	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	43.58	0.05	43.63	74	-30.37	PK
		5454.6	43.56	19.63	63.19	74	-10.81	PK
		5459.5	30.03	19.64	49.67	54	-4.33	AVG
		5470	41.21	19.65	60.86	68.2	-7.34	PK
	@	5580	96.74	19.58	116.32	N/A	N/A	PK
	@	5580	88.32	19.58	107.9	N/A	N/A	AVG
		5734.95	40.11	19.92	60.03	68.2	-8.17	PK
	*	11160	35.24	18.05	53.29	74	-20.71	PK
Vertical		3992	55.19	0.05	55.24	74	-18.76	PK
		3992	38.6	0.05	38.65	54	-15.35	AVG
		5411.55	39.31	19.26	58.57	74	-15.43	PK
		5459.5	27.87	19.64	47.51	54	-6.49	AVG
		5467.9	38.7	19.65	58.35	68.2	-9.85	PK
	@	5580	91.67	19.58	111.25	N/A	N/A	PK
	@	5580	83.62	19.58	103.2	N/A	N/A	AVG
		5746.15	39.25	20.02	59.27	68.2	-8.93	PK
		11160	40.18	18.05	58.23	74	-15.77	PK
		11160	35.01	18.05	53.06	54	-0.94	AVG


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2037	50.18	-6.01	44.17	68.2	-24.03	PK
	*	3992	46.11	0.05	46.16	74	-27.84	PK
		5449.35	39.41	19.61	59.02	74	-14.98	PK
		5453.2	28.71	19.63	48.34	54	-5.66	AVG
	@	5700	91.89	19.6	111.49	N/A	N/A	PK
	@	5700	82.93	19.6	102.53	N/A	N/A	AVG
		5725.5	46.32	19.83	66.15	68.2	-2.05	PK
	*	11400	30.28	18.46	48.74	74	-25.26	PK
Vertical		2037	47.87	-6.01	41.86	68.2	-26.34	PK
		3992	55.15	0.05	55.2	74	-18.8	PK
		3992	37	0.05	37.05	54	-16.95	AVG
		5414	39.27	19.29	58.56	74	-15.44	PK
		5451.1	27.92	19.62	47.54	54	-6.46	AVG
	@	5700	83.99	19.6	103.59	N/A	N/A	PK
	@	5700	75.57	19.6	95.17	N/A	N/A	AVG
		5729.35	39.69	19.86	59.55	68.2	-8.65	PK
	*	11400	31.1	18.46	49.56	74	-24.44	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	44.5	0.05	44.55	74	-29.45	PK
	*	11440	29.97	18.63	48.6	74	-25.4	PK
Vertical	*	3992	53.94	0.05	53.99	74	-20.01	PK
		11440	35.42	18.63	54.05	74	-19.95	PK
		11440	23.86	18.63	42.49	54	-11.51	AVG




Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	46.18	0.05	46.23	74	-27.77	PK
		5622	40.84	19.62	60.46	68.2	-7.74	PK
		5699.5	45.96	19.6	65.56	104.83	-39.27	PK
	@	5745	94.46	20.01	114.47	N/A	N/A	PK
	*	11490	32.66	18.86	51.52	74	-22.48	PK
Vertical		3992	55.59	0.05	55.64	74	-18.36	PK
		3992	38.96	0.05	39.01	54	-14.99	AVG
		5590	40.5	19.59	60.09	68.2	-8.11	PK
		5696	41.58	19.6	61.18	102.25	-41.07	PK
	@	5745	89.22	20.01	109.23	N/A	N/A	PK
		11490	39.07	18.86	57.93	74	-16.07	PK
		11490	28.56	18.86	47.42	54	-6.58	AVG


TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	46.03	0.05	46.08	74	-27.92	PK
		5536.5	40.78	19.57	60.35	68.2	-7.85	PK
		5672	40.79	19.64	60.43	84.52	-24.09	PK
	@	5785	94.62	20.37	114.99	N/A	N/A	PK
		5880	40.96	20.69	61.65	101.49	-39.84	PK
		6021.5	40.67	20.87	61.54	68.2	-6.66	PK
	*	11570	32.05	18.65	50.7	74	-23.3	PK
Vertical		3992	55.75	0.05	55.8	74	-18.2	PK
		3992	39.15	0.05	39.2	54	-14.8	AVG
		5633.5	39.84	19.63	59.47	68.2	-8.73	PK
		5697	40.21	19.6	59.81	102.99	-43.18	PK
	@	5785	90.77	20.37	111.14	N/A	N/A	PK
		5897	39.76	20.69	60.45	88.88	-28.43	PK
		5992	39.51	20.79	60.3	68.2	-7.9	PK
		11570	39.92	18.65	58.57	74	-15.43	PK
		11570	29.39	18.65	48.04	54	-5.96	AVG


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1




Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	44.25	0.05	44.3	74	-29.7	PK
	@	5825	95.35	20.57	115.92	N/A	N/A	PK
		5875	45.15	20.68	65.83	105.2	-39.37	PK
		5981.5	40.35	20.78	61.13	68.2	-7.07	PK
	*	11650	32.55	18.38	50.93	74	-23.07	PK
Vertical		3992	55.68	0.05	55.73	74	-18.27	PK
		3992	39.1	0.05	39.15	54	-14.85	AVG
	@	5825	89.99	20.57	110.56	N/A	N/A	PK
		5879.5	40.71	20.68	61.39	101.86	-40.47	PK
		6025.5	40.26	20.89	61.15	68.2	-7.05	PK
		11650	39.58	18.38	57.96	74	-16.04	PK
		11650	29.12	18.38	47.5	54	-6.5	AVG


TX, 802.11ax(HE20) (Ch 165)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 165)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2037	49.02	-6.01	43.01	68.2	-25.19	PK
	*	3992	46.55	0.05	46.6	74	-27.4	PK
		5148.75	33.93	19.22	53.15	54	-0.85	AVG
		5149.1	43.68	19.22	62.9	74	-11.1	PK
	@	5190	87	19.12	106.12	N/A	N/A	PK
	@	5190	77.47	19.12	96.59	N/A	N/A	AVG
	*	10380	30.57	17.19	47.76	68.2	-20.44	PK
Vertical		2037	48.3	-6.01	42.29	68.2	-25.91	PK
		3992	55.05	0.05	55.1	74	-18.9	PK
		3992	36.83	0.05	36.88	54	-17.12	AVG
		5055.3	41.23	19.01	60.24	74	-13.76	PK
		5098.7	30.27	19.24	49.51	54	-4.49	AVG
	@	5190	79.95	19.12	99.07	N/A	N/A	PK
	@	5190	70.3	19.12	89.42	N/A	N/A	AVG
	*	10380	31.1	17.19	48.29	68.2	-19.91	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		2037	50.52	-6.01	44.51	68.2	-23.69	PK
	*	3992	46.58	0.05	46.63	74	-27.37	PK
		5146.65	42.11	19.23	61.34	74	-12.66	PK
		5148.75	33.91	19.22	53.13	54	-0.87	AVG
	@	5230	95.11	19.01	114.12	N/A	N/A	PK
	@	5230	84.63	19.01	103.64	N/A	N/A	AVG
	*	10460	29.78	17.5	47.28	68.2	-20.92	PK
Vertical		2003	48.17	-6.21	41.96	68.2	-26.24	PK
		3992	55.46	0.05	55.51	74	-18.49	PK
		3992	37.4	0.05	37.45	54	-16.55	AVG
		5086.1	42.12	19.18	61.3	74	-12.7	PK
		5095.55	30.5	19.23	49.73	54	-4.27	AVG
	@	5230	86.68	19.01	105.69	N/A	N/A	PK
	@	5230	78.82	19.01	97.83	N/A	N/A	AVG
	*	10460	31.49	17.5	48.99	68.2	-19.21	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11ax(HE40) (Ch 46)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 46)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 46)
Band Edge (Average), Horizontal

TX, 802.11ax(HE40) (Ch 46)
Band Edge (Average), Vertical

TX, 802.11ax(HE40) (Ch 46)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 46)
Band Edge (Peak), Vertical


Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	43.54	0.05	43.59	74	-30.41	PK
	@	5270	94.87	18.87	113.74	N/A	N/A	PK
	@	5270	84.21	18.87	103.08	N/A	N/A	AVG
		5352.6	46.03	18.72	64.75	74	-9.25	PK
		5352.9	34.37	18.72	53.09	54	-0.91	AVG
	*	10540	31.83	17.65	49.48	68.2	-18.72	PK
Vertical		3992	55.45	0.05	55.5	74	-18.5	PK
		3992	38.85	0.05	38.9	54	-15.1	AVG
	@	5270	89.61	18.87	108.48	N/A	N/A	PK
	@	5270	78.98	18.87	97.85	N/A	N/A	AVG
		5350.5	31.08	18.7	49.78	54	-4.22	AVG
		5352	41.47	18.72	60.19	74	-13.81	PK
	*	10540	31.56	17.65	49.21	68.2	-18.99	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11ax(HE40) (Ch 54)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 54)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 54)
Band Edge (Average), Horizontal

TX, 802.11ax(HE40) (Ch 54)
Band Edge (Average), Vertical

TX, 802.11ax(HE40) (Ch 54)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 54)
Band Edge (Peak), Vertical


Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2037	49.8	-6.01	43.79	68.2	-24.41	PK
	*	3992	46.39	0.05	46.44	74	-27.56	PK
	@	5310	87.31	18.72	106.03	N/A	N/A	PK
	@	5310	77.61	18.72	96.33	N/A	N/A	AVG
		5350.2	33.39	18.7	52.09	54	-1.91	AVG
		5350.5	42.68	18.7	61.38	74	-12.62	PK
	*	10620	30.68	17.68	48.36	74	-25.64	PK
Vertical		2003	48.24	-6.21	42.03	68.2	-26.17	PK
		3992	55.48	0.05	55.53	74	-18.47	PK
		3992	37.4	0.05	37.45	54	-16.55	AVG
	@	5310	82.38	18.72	101.1	N/A	N/A	PK
	@	5310	72.85	18.72	91.57	N/A	N/A	AVG
		5350.2	29.9	18.7	48.6	54	-5.4	AVG
		5416.8	40.22	19.31	59.53	74	-14.47	PK
	*	10620	30.1	17.68	47.78	74	-26.22	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal		2037	50.25	-6.01	44.24	68.2	-23.96	PK
	*	3992	46.24	0.05	46.29	74	-27.71	PK
		5459.15	32.87	19.64	52.51	54	-1.49	AVG
		5459.5	47.16	19.64	66.8	74	-7.2	PK
		5470	47.68	19.65	67.33	68.2	-0.87	PK
	@	5510	91.24	19.66	110.9	N/A	N/A	PK
	@	5510	79.79	19.66	99.45	N/A	N/A	AVG
	*	11020	30.45	17.97	48.42	74	-25.58	PK
Vertical		2037	47.02	-6.01	41.01	68.2	-27.19	PK
		3992	56.06	0.05	56.11	74	-17.89	PK
		3992	37.9	0.05	37.95	54	-16.05	AVG
		5410.15	39.58	19.25	58.83	74	-15.17	PK
		5457.75	28.7	19.63	48.33	54	-5.67	AVG
		5463.35	40.26	19.64	59.9	68.2	-8.3	PK
	@	5510	79.05	19.66	98.71	N/A	N/A	PK
	@	5510	71.14	19.66	90.8	N/A	N/A	AVG
	*	11020	31.08	17.97	49.05	74	-24.95	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency	Reading	Correct	Result	Limit	Margin	Remark
		(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
Horizontal	*	3992	42.33	0.05	42.38	74	-31.62	PK
		5459.15	46.37	19.64	66.01	74	-7.99	PK
		5459.5	32.86	19.64	52.5	54	-1.5	AVG
		5467.9	47.93	19.65	67.58	68.2	-0.62	PK
	@	5550	93.26	19.54	112.8	N/A	N/A	PK
	@	5550	82.86	19.54	102.4	N/A	N/A	AVG
		5747.2	40	20.03	60.03	68.2	-8.17	PK
	*	11100	32.1	18.32	50.42	74	-23.58	PK
Vertical		3992	54.73	0.05	54.78	74	-19.22	PK
		3992	38.14	0.05	38.19	54	-15.81	AVG
		5447.95	39.34	19.6	58.94	74	-15.06	PK
		5459.15	28.49	19.64	48.13	54	-5.87	AVG
		5467.2	43	19.65	62.65	68.2	-5.55	PK
	@	5550	87.45	19.54	106.99	N/A	N/A	PK
	@	5550	77.8	19.54	97.34	N/A	N/A	AVG
		5730.4	40.31	19.87	60.18	68.2	-8.02	PK
	*	11100	35.64	18.32	53.96	74	-20.04	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE40) (Ch 110)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 110)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 110)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 110)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 110)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 110)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2037	49.72	-6.01	43.71	68.2	-24.49	PK
	*	3992	44.79	0.05	44.84	74	-29.16	PK
		5451.45	29.01	19.62	48.63	54	-5.37	AVG
	@	5670	91.98	19.63	111.61	N/A	N/A	PK
	@	5670	83.13	19.63	102.76	N/A	N/A	AVG
		5727.25	46.6	19.85	66.45	68.2	-1.75	PK
	*	11340	29.13	18.26	47.39	74	-26.61	PK
Vertical		2003	48.12	-6.21	41.91	68.2	-26.29	PK
		3992	53.99	0.05	54.04	74	-19.96	PK
		3992	35.85	0.05	35.9	54	-18.1	AVG
		5457.05	28.52	19.63	48.15	54	-5.85	AVG
	@	5670	83.96	19.63	103.59	N/A	N/A	PK
	@	5670	76.33	19.63	95.96	N/A	N/A	AVG
		5744.05	39.78	20	59.78	68.2	-8.42	PK
	*	11340	33.35	18.26	51.61	74	-22.39	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building B and Building E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	142
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	45.08	0.05	45.13	74	-28.87	PK
	*	11420	30.03	18.55	48.58	74	-25.42	PK
Vertical		3992	55.74	0.05	55.79	74	-18.21	PK
		3992	35.28	0.05	35.33	54	-18.67	AVG
	*	11420	32.51	18.55	51.06	74	-22.94	PK




Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	3992	45.95	0.05	46	74	-28	PK
		5649.5	46.26	19.65	65.91	68.2	-2.29	PK
		5699	57.84	19.6	77.44	104.46	-27.02	PK
	@	5755	91.86	20.09	111.95	N/A	N/A	PK
	*	11510	30.53	18.87	49.4	74	-24.6	PK
Vertical		3992	55.98	0.05	56.03	74	-17.97	PK
		3992	39.37	0.05	39.42	54	-14.58	AVG
		5537.5	40.31	19.58	59.89	68.2	-8.31	PK
		5698	54.95	19.6	74.55	103.73	-29.18	PK
	@	5755	88.27	20.09	108.36	N/A	N/A	PK
		11510	36.02	18.87	54.89	74	-19.11	PK
		11510	25.49	18.87	44.36	54	-9.64	AVG


TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Horizontal



TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Vertical

