11N40SISO/HCH			

C.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
11B	LCH	0.091	-38.401	-19.909	PASS
	MCH	0.181	-37.636	-19.819	PASS
	HCH	-1.085	-37.779	-21.085	PASS
11G	LCH	-3.539	-37.206	-23.539	PASS
	MCH	-5.795	-37.003	-25.795	PASS
	HCH	-5.005	-38.308	-25.005	PASS
11N20 SISO	LCH	-5.539	-37.242	-25.539	PASS
	MCH	-5.784	-37.549	-25.784	PASS
	HCH	-5.741	-37.175	-25.741	PASS
11N40 SISO	LCH	-5.342	-38.057	-25.342	PASS
	MCH	-8.006	-38.517	-28.006	PASS
	HCH	-7.484	-38.334	-27.484	PASS

11B_LCH_Graphs	
Pref/11B/LCH	
Puw/11B/LCH	

11B_MCH_Graphs	
Pref/11B/MCH	
Puw/11B/MCH	

11B_HCH_Graphs	
Pref/11B/HCH	
Puw/11B/HCH	

11G_LCH_Graphs	
Pref/11G/LCH	
Puw/11G/LCH	

<table>
<tr><th colspan="3">11G_MCH_Graphs</th></tr>
<tr><td>Pref/11G/MCH</td><td></td><td>
</td></tr>
<tr><td>Puw/11G/MCH</td><td></td><td>
</td></tr>
</table>

11G_HCH_Graphs		
Pref/11G/HCH		
Puw/11G/HCH		

11N20SISO_LCH_Graphs		
Pref/11N20SISO/LCH		
Puw/11N20 SISO/LCH		

<table>
<tr><th colspan="3">11N20SISO_MCH_Graphs</th></tr>
<tr><td>Pref/11N20 SISO/MCH</td><td></td><td>
</td></tr>
<tr><td>Puw/11N20 SISO/MCH</td><td></td><td>
</td></tr>
</table>

11N20SISO_HCH_Graphs		
Pref/11N20 SISO/HCH		
Puw/11N20 SISO/HCH		

11N40SISO_LCH_Graphs		
Pref/11N40 SISO/LCH		
Puw/11N40 SISO/LCH		

11N40SISO_MCH_Graphs	
Pref/11N40 SISO/MCH	
Puw/11N40 SISO/MCH	

11N40SISO_HCH_Graphs	
Pref/11N40 SISO/HCH	
Puw/11N40 SISO/HCH	

C.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
11B	LCH	0.147	-49.928	-19.85	PASS
	HCH	-0.982	-48.579	-20.98	PASS
11G	LCH	-3.600	-49.470	-23.6	PASS
	HCH	-4.781	-49.424	-24.78	PASS
11N20SISO	LCH	-5.563	-48.169	-25.56	PASS
	HCH	-5.868	-49.467	-25.87	PASS
11N40SISO	LCH	-6.226	-44.504	-26.23	PASS
	HCH	-7.471	-42.961	-27.47	PASS

Test Graphs

11B/LCH



11B/HCH			
11G/LCH			

11G/HCH



11N20SISO/LCH



11N20SISO/HCH



11N40SISO/LCH



11N40SISO/HCH			

C.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
11B	2412	Ant1	2310.0	-42.45	2.0	0	52.80	PEAK	74	PASS
	2412	Ant1	2310.0	-53.52	2.0	0	41.74	AV	54	PASS
	2412	Ant1	2390.0	-42.00	2.0	0	53.26	PEAK	74	PASS
	2412	Ant1	2390.0	-53.03	2.0	0	42.23	AV	54	PASS
	2462	Ant1	2483.5	-41.72	2.0	0	53.54	PEAK	74	PASS
	2462	Ant1	2483.5	-52.74	2.0	0	42.52	AV	54	PASS
	2462	Ant1	2500.0	-41.84	2.0	0	53.42	PEAK	74	PASS
	2462	Ant1	2500.0	-52.56	2.0	0	42.69	AV	54	PASS
11G	2412	Ant1	2310.0	-43.96	2.0	0	51.30	PEAK	74	PASS
	2412	Ant1	2310.0	-53.51	2.0	0	41.75	AV	54	PASS
	2412	Ant1	2390.0	-37.54	2.0	0	57.72	PEAK	74	PASS
	2412	Ant1	2390.0	-52.55	2.0	0	42.71	AV	54	PASS
	2462	Ant1	2483.5	-40.13	2.0	0	55.13	PEAK	74	PASS
	2462	Ant1	2483.5	-52.46	2.0	0	42.80	AV	54	PASS
	2462	Ant1	2500.0	-42.60	2.0	0	52.66	PEAK	74	PASS
	2462	Ant1	2500.0	-52.47	2.0	0	42.79	AV	54	PASS
11N20 SISO	2412	Ant1	2310.0	-43.44	2.0	0	51.82	PEAK	74	PASS
	2412	Ant1	2310.0	-53.51	2.0	0	41.75	AV	54	PASS
	2412	Ant1	2390.0	-42.35	2.0	0	52.91	PEAK	74	PASS
	2412	Ant1	2390.0	-52.88	2.0	0	42.38	AV	54	PASS
	2462	Ant1	2483.5	-42.00	2.0	0	53.26	PEAK	74	PASS
	2462	Ant1	2483.5	-52.43	2.0	0	42.82	AV	54	PASS
	2462	Ant1	2500.0	-42.84	2.0	0	52.42	PEAK	74	PASS
	2462	Ant1	2500.0	-52.50	2.0	0	42.76	AV	54	PASS
11N40 SISO	2422	Ant1	2310.0	-41.78	2.0	0	53.48	PEAK	74	PASS
	2422	Ant1	2310.0	-53.56	2.0	0	41.70	AV	54	PASS

	2422	Ant1	2390.0	-31.95	2.0	0	63.31	PEAK	74	PASS
	2422	Ant1	2390.0	-51.53	2.0	0	43.73	AV	54	PASS
	2452	Ant1	2483.5	-39.85	2.0	0	55.40	PEAK	74	PASS
	2452	Ant1	2483.5	-51.72	2.0	0	43.54	AV	54	PASS
	2452	Ant1	2500.0	-42.21	2.0	0	53.05	PEAK	74	PASS
	2452	Ant1	2500.0	-52.47	2.0	0	42.79	AV	54	PASS

Restrict-band band-edge measurements_11B_2412_Ant1_PEAK



Restrict-band band-edge measurements_11B_2412_Ant1_AV