



NV3000Night Vision

Outlook	Model	NV3000 Night Vision
 	The highlight	◆Collocation of optical white light for electronic aim (electronic white light aim + infrared night vision aim)
		◆External removable infrared light flashlight (18650 rechargeable battery) light supplement, all black ring mirror can illuminate the distance of 250~300 meters
		◆Manually adjustable focus observation distance of 3 meters to infinity
		◆Built-in 1.3-inch HD TFT interior screen, 3x eyepiece magnification adjustable refractive
		◆WiFi allows 5 people to watch on their phones at the same time
		◆Night vision can also be the optical white light vision on the market, simple installation
		◆The display screen has a + line to assist the calibrator
		◆With laser light aiming, the irradiation distance of up to 300 meters at night, to assist the school gun to find prey
		Main uses: hunting, reconnaissance, security and surveillance, camping fun, cave exploration, night fishing and boating, wildlife observation and photography, etc.
		specifications



WIFI	WiFi allows 5 people to watch on their phones at the same time
Function extension	With optical white light aim to do electronic aim to use (electronic white light aim + infrared night vision aim), night vision can also be on the market optical white light aim, simple installation
Aiming at secondary	With laser light aiming, the irradiation distance of up to 300 meters at night, to assist the school gun to find prey
All black viewing range	External removable infrared light flashlight (18650 rechargeable battery) light supplement, all black ring mirror can illuminate the distance of 250~300 meters
Low light viewing distance	3 meters to infinity
Electronic digital zoom	4x digital zoom
Image resolution	1M(1280x960)、VGA(640x480)
Video resolution	960P(1280x960@30FPS)、VGA(640x480@30FPS)
The lens	F1.2 wide aperture, F =16mm
display	Built-in 1.3-inch 240*240 high-definition TFT display, 5x eyepiece magnification, with gun calibration + line to assist the gun calibration
storage	Support up to 32G TF card
The USB interface	Micro USB 2.0 PC download
MIC	Support video synchronous recording
Automatic shutdown	3minutes/5minutes/10minutes、OFF



Power source type	900mAh lithium battery
language	Optional 12 countries
Date stamp signature	Support date and time setting, date and time display in the photo and video
Operation buttons	six
Operating temperature	-20℃ to +60℃
Storage temperature	-30℃ to +70℃
Dimension and weight	Approx. Size: 172mm*123mm*49.5mm, stand-alone weight 309G and with torch weight 468g. Approx. Size: 172mm*123mm*49.5mm,
way to install	Fixed installation and use when the product is connected to wifi

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.