


3. Drawing :



UNLESS OTHER SPECIFIED TOLERANCES ON :
X = N/A X.X = N/A X.XX = N/A
ANGLES = N/A HOLEDIA = N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : 李欣樺

CHECKED BY : 詹惠愛

DESIGNED BY : 黃瑞郎

APPROVED BY : 陳振榮

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFDPA161500SMUB801

DOCUMENT
NO.SPEC REV.
P1

4. Photo



UNLESS OTHER SPECIFIED TOLERANCES ON :
X = N/A X.X = N/A X.XX = N/A
ANGLES = N/A HOLEDIA = N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : 李欣樺

CHECKED BY : 詹惠雯

DESIGNED BY : 黃瑞郎



APPROVED BY : 陳振榮

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF
INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED
OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF
APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFDPA161500SMUB801

DOCUMENT
NO.SPEC REV.
P1

5. Performance Report :

Test Report**Experimental Setup**

UNLESS OTHER SPECIFIED TOLERANCES ON :
X = N/A X.X = N/A X.XX = N/A
ANGLES = N/A HOLEDIA = N/A

**INPAQ TECHNOLOGY CO., LTD.****SCALE : N/A****UNIT : mm****DRAWN BY : 李欣樺****CHECKED BY : 詹惠雯****DESIGNED BY : 黃瑞郎****APPROVED BY : 陳振榮**

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF
INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED
OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF
APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFDPA161500SMUB801**DOCUMENT
NO.****SPEC REV.
P1**


6. Package

RFDPA161500SMUB802主規		頁次： 5 之 3	
		版次： A0版	
包裝圖		制修訂日期：2024/9/6	

圖一



圖二



產品包裝規範：

- 將每10PCS產品裝入PE袋中封口，並在PE袋的中上方處粘貼製造標籤。（如图一）
- 將珍珠棉放入外箱中（如图示二）
- 將裝好的成品（如图示三）放入外箱中，每箱放300pcs產品，上下各放1片珍珠棉，封箱并粘貼製造標，封箱為“工”字型即六面封箱。
- 不滿整箱時需用填充物填充參考文件號Y-WI-09-281

製造標籤圖示：實物標籤內容僅作參考 具體內容以出貨料號為準

Metal Antenna 370625
RFMTA370625IMAB301 75B1031604 10



WW0121-031922193619-200 75B1031604 0001

第一排：机种+空格+Antenna+空格+规格的6-11位
第二排：规格+空格+批号+空格+数量
第三排条码内容：规格+批号+序号（同第四排最后的4码流水码）+数量（单位是K/PCS）
第四排：“-”+打印者工号+“-”月份+日期+年+时+分+秒+“-”+“需打印的”標籤數量” +批号+4码流水码

製造標籤規格：銅版紙（L85±5mm*W25±3mm）字體規格：標楷體
製造標籤碼規格：code 128（高度80mm）

核准：	何耀輝	審核：	趙文豹	制定：	朱新宇
-----	-----	-----	-----	-----	-----

UNLESS OTHER SPECIFIED TOLERANCES ON :
X=N/A X.X=N/A X.XX=N/A
ANGLES=N/A HOLEDIA=N/A



INPAQ TECHNOLOGY CO., LTD.

SCALE : N/A

UNIT : mm

DRAWN BY : 李欣樺

CHECKED BY : 詹惠雯

DESIGNED BY : 黃瑞郎

APPROVED BY : 陳振榮

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF
INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED
OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF
APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : RFDPA161500SMUB801

DOCUMENT
NO.SPEC REV.
P1